




Plot 7-513. PSD Plot SDM Diversity Antenna 5T (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 113)



Plot 7-514. PSD Plot SDM Diversity Antenna 1b (20MHz 802.11ax RU26 (UNII Band 6) – Ch. 113)




Plot 7-515. PSD Plot SDM Diversity Antenna 5T (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 107)



Plot 7-516. PSD Plot SDM Diversity Antenna 1b (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 107)



Plot 7-517. PSD Plot SDM Diversity Antenna 5T (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)




Plot 7-518. PSD Plot SDM Diversity Antenna 1b (80MHz 802.11ax RU26 (UNII Band 6) – Ch. 103)


FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 244 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 244 of 545

V 10.6 10/27/2023





Plot 7-519. PSD Plot SDM Diversity Antenna 5T (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)




Plot 7-520. PSD Plot SDM Diversity Antenna 1b (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)


FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 245 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 245 of 545
			V 10.6 10/27/2023















Plot 7-523. PSD Plot SDM Diversity Antenna 5T (40MHz 802.11ax RU484 (UNII Band 6) – Ch. 99)



Plot 7-524. PSD Plot SDM Diversity Antenna 1b (40MHz 802.11ax RU484 (UNII Band 6) – Ch. 99)



Plot 7-525. PSD Plot SDM Diversity Antenna 5T (80MHz 802.11ax RU996 (UNII Band 6) – Ch. 103)



Plot 7-526. PSD Plot SDM Diversity Antenna 1b (80MHz 802.11ax RU996 (UNII Band 6) – Ch. 103)


FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 246 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 246 of 545

V 10.6 10/27/2023





Plot 7-527. PSD Plot SDM Diversity Antenna 5T (160MHz 802.11ax RU996x2 (UNII Band 6) – Ch. 111)




Plot 7-528. PSD Plot SDM Diversity Antenna 1b (160MHz 802.11ax RU996x2 (UNII Band 6) – Ch. 111)


FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 047 af 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 247 of 545
			V 10.6 10/27/2023















Plot 7-531. PSD Plot SDM Diversity Antenna 5T (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)



Plot 7-532. PSD Plot SDM Diversity Antenna 1b (40MHz 802.11ax RU26 (UNII Band 7) – Ch. 155)



Plot 7-533. PSD Plot SDM Diversity Antenna 5T (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)




Plot 7-534. PSD Plot SDM Diversity Antenna 1b (80MHz 802.11ax RU26 (UNII Band 7) – Ch. 151)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 249 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 248 of 545
			V 10.6 10/27/2023






Plot 7-535. PSD Plot SDM Diversity Antenna 5T (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)




Plot 7-536. PSD Plot SDM Diversity Antenna 1b (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)


FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 240 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 249 of 545
			V 10.6 10/27/2023




















Plot 7-540. PSD Plot SDM Diversity Antenna 1b (40MHz 802.11ax RU484 (UNII Band 7) – Ch. 179)



Plot 7-541. PSD Plot SDM Diversity Antenna 5T (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)



Plot 7-542. PSD Plot SDM Diversity Antenna 1b (80MHz 802.11ax RU996 (UNII Band 7) – Ch. 151)


FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 250 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 250 of 545

V 10.6 10/27/2023





Plot 7-543. PSD Plot SDM Diversity Antenna 5T (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)




Plot 7-544. PSD Plot SDM Diversity Antenna 1b (160MHz 802.11ax RU996x2 (UNII Band 7) – Ch. 143)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dama 054 af 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 251 of 545
			V 10.6 10/27/2023






Plot 7-545. PSD Plot SDM Diversity Antenna 5T (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 189)




Plot 7-546. PSD Plot SDM Diversity Antenna 1b (20MHz 802.11ax RU26 (UNII Band 8) – Ch. 189)




Plot 7-547. PSD Plot SDM Diversity Antenna 5T (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 187)



Plot 7-548. PSD Plot SDM Diversity Antenna 1b (40MHz 802.11ax RU26 (UNII Band 8) – Ch. 187)



Plot 7-549. PSD Plot SDM Diversity Antenna 5T (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 215)



Plot 7-550. PSD Plot SDM Diversity Antenna 1b (80MHz 802.11ax RU26 (UNII Band 8) – Ch. 215)


FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 252 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 252 of 545

V 10.6 10/27/2023





Plot 7-551. PSD Plot SDM Diversity Antenna 5T (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)




Plot 7-552. PSD Plot SDM Diversity Antenna 1b (160MHz 802.11ax RU26 (UNII Band 8) – Ch. 207)


FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 253 of 545
			V 10.6 10/27/2023






















Plot 7-556. PSD Plot SDM Diversity Antenna 1b (40MHz 802.11ax RU484 (UNII Band 8) – Ch. 187)



Plot 7-557. PSD Plot SDM Diversity Antenna 5T (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 215)




Plot 7-558. PSD Plot SDM Diversity Antenna 1b (80MHz 802.11ax RU996 (UNII Band 8) – Ch. 215)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 254 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 254 of 545
			V 10.6 10/27/2023





Plot 7-559. PSD Plot SDM Diversity Antenna 5T (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)



Plot 7-560. PSD Plot SDM Diversity Antenna 1b (160MHz 802.11ax RU996x2 (UNII Band 8) – Ch. 207)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 255 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 255 of 545
			V 10.6 10/27/2023



# Note:

Per ANSI C63.10-2020 and KDB 662911 v02r01 Section E)1), the conducted powers at Antenna 5T and Antenna 3b were first measured separately during CDD/SDM transmission as shown in the section above. The measured values were then summed in linear power units then converted back to dBm.

Per ANSI C63.10-2020 Section 14.6.3, the directional gain is calculated using the following formula, where  $G_N$  is the gain of the nth antenna and  $N_{ANT}$ , the total number of antennas used.

Directional gain =  $10 \log[(10^{G_{1/20}} + 10^{G_{2/20}} + ... + 10^{G_{N/20}})^2 / N_{ANT}] dBi$ 

Per ANSI C63.10-2020 Section 14.6.3, the uncorrelated directional gain is calculated using the following formula, where  $G_N$  is the gain of the nth antenna and  $N_{ANT}$ , the total number of antennas used.

Directional gain =  $10 \log[(10^{G_{1/10}} + 10^{G_{2/10}} + ... + 10^{G_{N/10}}) / N_{ANT}] dBi$ 

## Sample CDD/SDM Calculation:

At 5955MHz in 802.11ax (20MHz BW) mode, the average conducted power spectral density was measured to be 7.07 dBm for Antenna 5T and 7.38 dBm for Antenna 3b.

Antenna 5T + Antenna 3b = SDM

(7.07) dBm + 7.38 dBm) = (5.093 mW + 5.470 mW) = 10.563 mW = 10.24 dBm

## Sample e.i.r.p. Calculation:

At 5955MHz in 802.11ax (20MHz BW) mode, the average SDM power density was calculated to be 10.24 dBm with directional gain of 2.29 dBi.

e.i.r.p. (dBm) = Conducted Power (dBm) + Ant gain (dBi)

10.24 dBm + 2.29 dBi = .12.53 dBm

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 256 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 256 of 545
			V/ 10 6 10/27/2023



# 7.5 In-Band Emissions §15.407(b)(7), RSS-248 [4.6.2]

### **Test Overview and Limit**

The spectrum analyzer was connected to the antenna terminal while the EUT was operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2020 and KDB 789033 D02 v02r01, and at the appropriate frequencies.

For transmitters operating solely in the 5.925-7.125 GHz bands: For transmitters operating within the 5.925-7.125 GHz bands: Power spectral density must be suppressed by 20 dB at 1 MHz outside of channel edge, by 28 dB at one channel bandwidth from the channel center, and by 40 dB at one- and one-half times the channel bandwidth away from channel center. At frequencies between one megahertz outside an unlicensed device's channel edge and one channel bandwidth from the center of the channel, the limits must be linearly interpolated between 20 dB and 28 dB suppression, and at frequencies between one and one- half times an unlicensed device's channel bandwidth, the limits must be linearly interpolated between 20 dB and 28 dB suppression, and at frequencies between one and one- and one-half times an unlicensed device's channel bandwidth, the limits must be linearly interpolated between 28 dB and 40 dB suppression. Emissions removed from the channel center by more than one- and one-half times the channel bandwidth must be suppressed by at least 40 dB.

## Test Procedure Used

ANSI C63.10-2020 – Section 12.4.2.2 KDB 987594 D02 v03 – Section J

# **Test Settings**

5

- 1. Connect output of the antenna port to a spectrum analyzer or EMI receiver, with appropriate attenuation, as to not damage the instrumentation.
- 2. Set the reference level of the measuring equipment in accordance with procedure 4.1.6.2 of ANSI C63.10-2020.
- 3. Measure the 26 dB EBW using the test procedure 12.5.2 of ANSI C63.10-2020. (This will be used to determine the channel edge.)
- 4. Measure the power spectral density (which will be used for emissions mask reference) using the following procedure:
  - a) Set the span to encompass the entire 26 dB EBW of the signal.
  - b) Set RBW = same RBW used for 26 dB EBW measurement.
  - c) Set VBW  $\ge$  3 X RBW
  - d) Number of points in sweep ≥ [2 X span / RBW].
  - e) Sweep time = auto.
  - f) Detector = RMS (i.e., power averaging)
  - g) Trace average at least 100 traces in power averaging (rms) mode.
  - h) Use the peak search function on the instrument to find the peak of the spectrum.
  - For the purposes of developing the emission mask, the channel bandwidth is defined as the 26 dB EBW.
- 6. Using the measuring equipment limit line function, develop the emissions mask based on the following requirements. The emissions power spectral density must be reduced below the peak power spectral density (in dB) as follows:
  - i) Suppressed by 20 dB at 1 MHz outside of the channel edge. (The channel edge is defined as the 26-dB point on either side of the carrier center frequency.)
  - i) Suppressed by 28 dB at one channel bandwidth from the channel center.
  - k) Suppressed by 40 dB at one- and one-half times the channel bandwidth from the channel center.
- 7. Adjust the span to encompass the entire mask as necessary.
- 8. Clear trace.
- 9. Trace average at least 100 traces in power averaging (rms) mode.
- 10. Adjust the reference level as necessary so that the crest of the channel touches the top of the emission mask.

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dega 257 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 257 of 545
			V/ 10 6 10/27/2022



# Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



### Figure 7-4. Test Instrument & Measurement Setup

## Test Notes

1. All RU's were investigated and only worst case partially loaded and fully loaded RU's were reported.

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 250 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 258 of 545
			V 10.6 10/27/2023



# 7.5.1 Antenna 5T In-Band Emission Measurements – SP

	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T In-Band Emission
	5935	1	ax (20MHz)	26	0	12.5/14.7 (MCS11)	Pass
	5935	1	ax (20MHz)	26	4	12.5/14.7 (MCS11)	Pass
	5935	1	ax (20MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6175	45	ax (20MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6175	45	ax (20MHz)	26	4	12.5/14.7 (MCS11)	Pass
	6175	45	ax (20MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6415	93	ax (20MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6415	93	ax (20MHz)	26	4	12.5/14.7 (MCS11)	Pass
	6415	93	ax (20MHz)	26	8	12.5/14.7 (MCS11)	Pass
	5965	3	ax (40MHz)	26	0	12.5/14.7 (MCS11)	Pass
	5965	3	ax (40MHz)	26	8	12.5/14.7 (MCS11)	Pass
	5965	3	ax (40MHz)	26	17	12.5/14.7 (MCS11)	Pass
	6165	43	ax (40MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6165 6165	43 43	ax (40MHz) ax (40MHz)	26 26	8 17	12.5/14.7 (MCS11)	Pass Pass
	6165	43 91	ax (40MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6165	91 91	ax (40MHz)	26	8	12.5/14.7 (MCS11) 12.5/14.7 (MCS11)	Pass
5	6165	91	ax (40MHz)	26	17	12.5/14.7 (MCS11)	Pass
Band 5	5985	7	ax (40MHz)	26	0	12.5/14.7 (MCS11)	Pass
8	5985	7	ax (80MHz)	26	18	12.5/14.7 (MCS11)	Pass
	5985	7	ax (80MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6145	39	ax (80MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6145	39	ax (80MHz)	26	18	12.5/14.7 (MCS11)	Pass
	6145	39	ax (80MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6385	87	ax (80MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6385	87	ax (80MHz)	26	18	12.5/14.7 (MCS11)	Pass
	6385	87	ax (80MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6025	45 (1)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6025	15 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6025	15 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6181	47(1)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6181	47 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6181	47 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6345	79 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6345	, , , (2)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6345	79 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6345	97	ax (20MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6345	97	ax (20MHz)	26	4	12.5/14.7 (MCS11)	Pass
	6345	97	ax (20MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6475	105	ax (20MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6475	105	ax (20MHz)	26	4	12.5/14.7 (MCS11)	Pass
	6475	105	ax (20MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6515	113	ax (20MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6515	113	ax (20MHz)	26	4	12.5/14.7 (MCS11)	Pass
	6515	113 99	ax (20MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6445 6445	99 99	ax (40MHz)	26 26	0 8	12.5/14.7 (MCS11)	Pass
9 pu	6445	99 99	ax (40MHz) ax (40MHz)	26	8	12.5/14.7 (MCS11)	Pass Pass
Band	6.405	107	(			12.5/14.7 (MCS11)	-
8	6485 6485	107	ax (40MHz) ax (40MHz)	26	8	12.5/14.7 (MCS11) 12.5/14.7 (MCS11)	Pass Pass
	6485	107	ax (40MHz)	26	8 17	12.5/14.7 (MCS11)	Pass
	6525	115	ax (40MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6525	115	ax (40MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6525	115	ax (40MHz)	26	17	12.5/14.7 (MCS11)	Pass
	6465	103	ax (80Mhz)	26	0	12.5/14.7 (MCS11)	Pass
	6465	103	ax (80Mhz)	26	18	12.5/14.7 (MCS11)	Pass
	6465	103	ax (80Mhz)	26	36	12.5/14.7 (MCS11)	Pass
	6505		ax (160MHz)	26	0	12.5/14.7 (MCS11)	Pass
		111 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6505						

Table 7-167. In-Band Emission Measurements Antenna 5T (RU26)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 250 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 259 of 545
L	•	·	V 10.6 10/27/2023



	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T In-Band Emission
	6535	117	ax (20MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6535	117	ax (20MHz)	26	4	12.5/14.7 (MCS11)	Pass
	6535	117	ax (20MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6695	149	ax (20MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6695	149	ax (20MHz)	26	4	12.5/14.7 (MCS11)	Pass
	6695	149	ax (20MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6875	181	ax (20MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6875	181	ax (20MHz)	26	4	12.5/14.7 (MCS11)	Pass
	6875	181	ax (20MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6565	123	ax (40MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6565	123	ax (40MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6565	123	ax (40MHz)	26	17	12.5/14.7 (MCS11)	Pass
	6725	155	ax (40MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6725	155	ax (40MHz)	26	8	12.5/14.7 (MCS11)	Pass
	6725	155	ax (40MHz)	26	17	12.5/14.7 (MCS11)	Pass
2	6845	179	ax (40MHz)	26	0	12.5/14.7 (MCS11)	Pass
Band 7	6845	179	ax (40MHz)	26	8	12.5/14.7 (MCS11)	Pass
ő	6845	179	ax (40MHz)	26	17	12.5/14.7 (MCS11)	Pass
	6545	119	ax (80MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6545	119	ax (80MHz)	26	18	12.5/14.7 (MCS11)	Pass
	6545	119	ax (80MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6545	135	ax (80MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6545	135	ax (80MHz)	26	18	12.5/14.7 (MCS11)	Pass
	6545	135	ax (80MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6705	151	ax (80MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6705	151	ax (80MHz)	26	18	12.5/14.7 (MCS11)	Pass
	6705	151	ax (80MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6865	167	ax (80MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6865	167	ax (80MHz)	26	18	12.5/14.7 (MCS11)	Pass
	6865	167	ax (80MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6665	143 (L)	ax (160MHz)	26	0	12.5/14.7 (MCS11)	Pass
	6665	143 (L)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	Pass
	6665	143 (U)	ax (160MHz)	26	36	12.5/14.7 (MCS11)	Pass

Table 7-168. In-Band Emission Measurements Antenna 5T (RU26)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 200 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 260 of 545
			V/ 10 6 10/27/2023




	Frequency [MHz]	Channel	802.11 MODE	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T In-Band Emission
	5935	1	ax (20MHz)	242	61	121.9/143.4 (MCS11)	Pass
	6175	45	ax (20MHz)	242	61	121.9/143.4 (MCS11)	Pass
	6415	93	ax (20MHz)	242	61	121.9/143.4 (MCS11)	Pass
	5965	3	ax (40MHz)	484	65	243.8/286.8 (MCS11)	Pass
	6165	43	ax (40MHz)	484	65	243.8/286.8 (MCS11)	Pass
Band 5	6165	91	ax (40MHz)	484	65	243.8/286.8 (MCS11)	Pass
Bar	5985	7	ax (80MHz)	996	67	510.4/600.5 (MCS11)	Pass
	6145	39	ax (80MHz)	996	67	510.4/600.5 (MCS11)	Pass
	6385	87	ax (80MHz)	996	67	510.4/600.5 (MCS11)	Pass
	6025	15	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	Pass
	6181	47	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	Pass
	6345	79	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	Pass
	6345	97	ax (20MHz)	242	61	121.9/143.4 (MCS11)	Pass
	6475	105	ax (20MHz)	242	61	121.9/143.4 (MCS11)	Pass
	6515	113	ax (20MHz)	242	61	121.9/143.4 (MCS11)	Pass
Band 6	6445	99	ax (40MHz)	484	65	243.8/286.8 (MCS11)	Pass
Bar	6485	107	ax (40MHz)	484	65	243.8/286.8 (MCS11)	Pass
	6525	115	ax (40MHz)	484	65	243.8/286.8 (MCS11)	Pass
	6465	103	ax (80Mhz)	996	67	510.4/600.5 (MCS11)	Pass
	6505	111	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	Pass
	6535	117	ax (20MHz)	242	61	121.9/143.4 (MCS11)	Pass
	6695	149	ax (20MHz)	242	61	121.9/143.4 (MCS11)	Pass
	6875	181	ax (20MHz)	242	61	121.9/143.4 (MCS11)	Pass
	6565	123	ax (40MHz)	484	65	243.8/286.8 (MCS11)	Pass
2	6725	155	ax (40MHz)	484	65	243.8/286.8 (MCS11)	Pass
Band 7	6845	179	ax (40MHz)	484	65	243.8/286.8 (MCS11)	Pass
6	6545	119	ax (80MHz)	996	67	510.4/600.5 (MCS11)	Pass
	6545	135	ax (80MHz)	996	67	510.4/600.5 (MCS11)	Pass
	6705	151	ax (80MHz)	996	67	510.4/600.5 (MCS11)	Pass
	6865	167	ax (80MHz)	996	67	510.4/600.5 (MCS11)	Pass
	6665	143	ax (160MHz)	996x2	68	1020.8/1201 (MCS11)	Pass


 Table 7-169. In-Band Emission Measurements Antenna 5T (Fully – Loaded RU)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 201 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 261 of 545
			V/ 10 6 10/27/2022







Band 5) - Ch. 1)



Plot 7-562. In-Band Emission Plot Antenna 5T (40MHz 802.11ax RU26 (UNII Band 5) - Ch. 43)




Plot 7-561. In-Band Emission Plot Antenna 5T (20MHz 802.11ax RU26 (UNII Plot 7-563. In-Band Emission Plot Antenna 5T (80MHz 802.11ax RU26 (UNII Band 5) - Ch. 7)



Plot 7-564. In-Band Emission Plot Antenna 5T (160MHz 802.11ax RU26 (UNII Band 5) - Ch. 47)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 262 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 262 of 545
			V 10.6 10/27/2023






Plot 7-565. In-Band Emission Plot Antenna 5T (20MHz 802.11ax RU242 (UNII Band 5) – Ch. 45)



Plot 7-566. In-Band Emission Plot Antenna 5T (40MHz 802.11ax RU484 (UNII Band 5) – Ch. 43)




Plot 7-567. In-Band Emission Plot Antenna 5T (80MHz 802.11ax RU996 (UNII Band 5) - Ch. 39)




Plot 7-568. In-Band Emission Plot Antenna 5T (160MHz 802.11ax RU996x2 (UNII Band 5) – Ch. 79)

FCC ID: BCGA3269 IC: 579C-A3269	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Daga 262 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 263 of 545
	•	·	V 10.6 10/27/2023









Band 6) - Ch. 97)

Plot 7-569. In-Band Emission Plot Antenna 5T (20MHz 802.11ax RU26 (UNII Plot 7-571. In-Band Emission Plot Antenna 5T (80MHz 802.11ax RU26 (UNII Band 6) - Ch. 103)




Plot 7-570. In-Band Emission Plot Antenna 5T (40MHz 802.11ax RU26 (UNII Band 6) – Ch. 99)




Plot 7-572. In-Band Emission Plot Antenna 5T (160MHz 802.11ax RU26 (UNII Band 6) – Ch. 111)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 264 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	Page 264 of 545
			V 10.6 10/27/2023







Plot 7-573. In-Band Emission Plot Antenna 5T (20MHz 802.11ax RU242 (UNII Band 6) – Ch. 97)



Plot 7-574. In-Band Emission Plot Antenna 5T (40MHz 802.11ax RU484 (UNII Band 6) – Ch. 99)




Plot 7-575. In-Band Emission Plot Antenna 5T (80MHz 802.11ax RU996 (UNII Band 6) – Ch. 103)




Plot 7-576. In-Band Emission Plot Antenna 5T (160MHz 802.11ax RU996x2 (UNII Band 6) – Ch. 111)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 265 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	
L	•	·	V 10.6 10/27/2023






Band 7) - Ch. 181)



Plot 7-578. In-Band Emission Plot Antenna 5T (40MHz 802.11ax RU26 (UNII Band 7) - Ch. 179)



Plot 7-577. In-Band Emission Plot Antenna 5T (20MHz 802.11ax RU26 (UNII Plot 7-579. In-Band Emission Plot Antenna 5T (80MHz 802.11ax RU26 (UNII Band 7) - Ch. 151)



Plot 7-580. In-Band Emission Plot Antenna 5T (160MHz 802.11ax RU26 (UNII Band 7) – Ch. 143)

FCC ID: BCGA3269 IC: 579C-A3269	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 266 of 545
1C2410210075-24-R1.BCG	10/25/2024 - 1/2/2025	Tablet Device	
			V 10.6 10/27/2023