





NOTES:

1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. 100 OHMS = 100
2. RESISTOR NOTATIONS ARE 1716W/10W UNLESS OTHERWISE NOTED.
3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARMS UNLESS OTHERWISE NOTED.
4. CHIP PARTS ARE NOT SPECIFIED IN THIS DRAWING. PLEASE REFER TO THE DRAWING FOR THE CHIP PARTS AND CHIP CAPACITORS TYPE ARE 16800 UNLESS OTHERWISE NOTED.

DATE	REV	UNITED CO.	HEET NO.
16 JAN 87	1	UPB24BH	EA13248(WM)
MUMS	KAWATSU	TITLE	BASE N/IN
CIRCUIT	ASSEMBLY	SCHEMATIC DIAGRAM	
DRAWING No.			
REV. No.		UNITED CORP.	



DESIGN	DRAWN. BY	UNIDEN No. UP003ZH UP004BH	MODEL No. EXA3245 EXA13248(WM)
25 OCT 02		TITLE BASE KEY PCB SCHEMATIC DIAGRAM	
MUKD		DRAWING No.	
CHECK. BY	APPRO. BY		
REV. No		UNIDEN CORP.	