



WHA YU INDUSTRIAL CO., LTD.(HEAD OFFICE)

DONGGUAN AEON TECH CO.,LTD.(CHINA)

SPECIFICATION FOR APPROVAL

CUSTOMER: *ASUS*

PART NAME: *RF Antenna Assembly*

PART NO.:

REVISION:

W. Y. P/NO.: *C660-510587-A(SRF20221982)*

REV.: *X2*

	MANUFACTURER	CUSTOMER SIGNATURE
APPROVED BY :	<i>Danzel/p</i> <i>[Signature]</i> <i>12/20</i>	
DATE :		

WHA YU GROUP

WHA YU INDUSTRIAL CO., LTD.(HEAD OFFICE)

譚裕實業股份有限公司

Address: No. 326, Sec. 2, Kung Tao 5 Road, Hsin Chu City, Taiwan, R.O.C.

Tel:+886-3-5714225(REP.)

Fax:+ 886-3-5713853 · + 886-3-5723600

DONGGUAN AEON TECH CO.,LTD.(CHINA)

東莞台霖電子通訊有限公司

Address:Hupan Industrial District,Tai Ling Shan Town,Dong Guan City,Guangdong,China

Tel:+86-769-85655858

Fax:+86-769-85655258

Contents

<i>Item</i>	<i>Description</i>	<i>Page</i>
1.	規格表	 1
2.	成品圖	 2
3.	測試報告	 3~4

RF Antenna Assembly

Specification

1. Electrical Properties : With housing(Ant1)

1.1 Frequency Range.....	5.15~7.125 GHz
1.2 Impedance	50Ω Nominal
1.3 VSWR	1.58 : 1 Max.
1.4 Return Loss.....	13 dB Min.
1.5 Radiation	Omni-directional
1.6 Peak Gain.....	5.15~7.125 GHz @ 2.44 dBi
1.7 Cable Loss.....	1.85 dB Max.
1.8 Polarization.....	Linear
1.9 Cable.....	1.37 Low loss Coaxial cable
1.10 Connector.....	I-PEX MHF Connector
1.11 Core.....	N/A

2. Physical Properties :

2.1 Operating Temp.	-10℃ ~ +60℃
2.2 Storage Temp.	-10℃ ~ +70℃

Return Loss Results

ANT1 (5150MHz~7125MHz) (Criterion:>13 dB)

