











Plot 7-259. ISED PSD Antenna WF5T (160MHz BW 11ac – Ch.50, MCS2)




Plot 7-260. ISED PSD Antenna WF5T (160MHz BW 11ax (SU) – Ch.50, MCS2)


FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 118 of 380



FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG		
Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 119 of 380









Plot 7-267. ISED PSD Antenna WF5T (160MHz BW 11ac – Ch.50, MCS4)




Plot 7-268. ISED PSD Antenna WF5T (160MHz BW 11ax (SU) – Ch.50, MCS4)


FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 120 of 380



FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 121 of 380



Plot 7-275. ISED PSD Antenna WF5T (160MHz BW 11ac – Ch.50, MCS9)



Plot 7-276. ISED PSD Antenna WF5T (160MHz BW 11ax (SU) – Ch.50, MCS11)

FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 122 of 380

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.5.2 Antenna WF2 Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	9.03	11.00	-1.97
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	9.91	11.00	-1.09
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	9.99	11.00	-1.01
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	5.90	11.00	-5.10
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	8.30	11.00	-2.70
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	8.65	11.00	-2.35
	5190	38	n (40MHz)	40/40.5 (MCS2)	2.73	11.00	-8.27
	5230	46	n (40MHz)	40/40.5 (MCS2)	8.05	11.00	-2.95
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	0.71	11.00	-10.29
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	6.72	11.00	-4.28
Band 1/2	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-1.67	11.00	-12.67
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-1.81	11.00	-12.81
Band 2A	5250	50	ac (160MHz)	87.8/97.5 (MCS2)	-4.53	11.00	-15.53
	5250	50	ax (SU) (160MHz)	102/108.1 (MCS2)	-5.90	11.00	-16.90
	5260	52	n (20MHz)	19.5/21.7 (MCS2)	10.11	11.00	-0.89
	5300	60	n (20MHz)	19.5/21.7 (MCS2)	10.12	11.00	-0.88
	5320	64	n (20MHz)	19.5/21.7 (MCS2)	8.55	11.00	-2.45
	5260	52	ax (SU) (20MHz)	24/25.8 (MCS2)	8.75	11.00	-2.25
	5300	60	ax (SU) (20MHz)	24/25.8 (MCS2)	8.43	11.00	-2.57
	5320	64	ax (SU) (20MHz)	24/25.8 (MCS2)	6.07	11.00	-4.93
	5270	54	n (40MHz)	40/40.5 (MCS2)	8.08	11.00	-2.92
	5310	62	n (40MHz)	40/40.5 (MCS2)	3.16	11.00	-7.84
Band 2C	5270	54	ax (SU) (40MHz)	49/51.6 (MCS2)	5.77	11.00	-5.23
	5310	62	ax (SU) (40MHz)	49/51.6 (MCS2)	1.29	11.00	-9.71
	5290	58	ac (80MHz)	87.8/97.5 (MCS2)	0.36	11.00	-10.65
	5290	58	ax (SU) (80MHz)	102/108.1 (MCS2)	-0.24	11.00	-11.24
	5500	100	n (20MHz)	19.5/21.7 (MCS2)	8.76	11.00	-2.24
	5580	116	n (20MHz)	19.5/21.7 (MCS2)	9.47	11.00	-1.53
	*5600	120	n (20MHz)	19.5/21.7 (MCS2)	10.37	11.00	-0.64
	5700	140	n (20MHz)	19.5/21.7 (MCS2)	8.37	11.00	-2.63
	5720	144	n (20MHz)	19.5/21.7 (MCS2)	10.19	11.00	-0.81
	5500	100	ax (SU) (20MHz)	24/25.8 (MCS2)	5.15	11.00	-5.85
Band 2C	5580	116	ax (SU) (20MHz)	24/25.8 (MCS2)	9.03	11.00	-1.97
	*5600	120	ax (SU) (20MHz)	24/25.8 (MCS2)	8.90	11.00	-2.10
	5700	140	ax (SU) (20MHz)	24/25.8 (MCS2)	6.22	11.00	-4.78
	5720	144	ax (SU) (20MHz)	24/25.8 (MCS2)	9.00	11.00	-2.00
	5510	102	n (40MHz)	40/40.5 (MCS2)	2.29	11.00	-8.71
	5550	110	n (40MHz)	40/40.5 (MCS2)	8.45	11.00	-2.56
	*5590	118	n (40MHz)	40/40.5 (MCS2)	8.10	11.00	-2.90
	5670	134	n (40MHz)	40/40.5 (MCS2)	7.36	11.00	-3.64
	5710	142	n (40MHz)	40/40.5 (MCS2)	8.48	11.00	-2.53
	5510	102	ax (SU) (40MHz)	49/51.6 (MCS2)	0.68	11.00	-10.32
Band 2C	5550	110	ax (SU) (40MHz)	49/51.6 (MCS2)	5.50	11.00	-5.50
	*5590	118	ax (SU) (40MHz)	49/51.6 (MCS2)	6.82	11.00	-4.18
	5670	134	ax (SU) (40MHz)	49/51.6 (MCS2)	5.95	11.00	-5.05
	5710	142	ax (SU) (40MHz)	49/51.6 (MCS2)	7.02	11.00	-3.98
	5530	106	ac (80MHz)	87.8/97.5 (MCS2)	-0.96	11.00	-11.96
	*5610	122	ac (80MHz)	87.8/97.5 (MCS2)	5.76	11.00	-5.24
	5690	138	ac (80MHz)	87.8/97.5 (MCS2)	5.50	11.00	-5.50
	5530	106	ax (SU) (80MHz)	102/108.1 (MCS2)	-3.15	11.00	-14.15
	*5610	122	ax (SU) (80MHz)	102/108.1 (MCS2)	2.53	11.00	-8.47
	5690	138	ax (SU) (80MHz)	102/108.1 (MCS2)	4.26	11.00	-6.74
Band 2C	*5570	114	ac (160MHz)	87.8/97.5 (MCS2)	-5.89	11.00	-16.89
	*5570	114	ax (SU) (80MHz)	102/108.1 (MCS2)	-6.67	11.00	-17.67

Table 7-125. Power Spectral Density Measurements Antenna WF2 (Low Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 123 of 380

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	8.56	11.00	-2.44
	5200	40	n (20MHz)	39/43.3 (MCS4)	10.16	11.00	-0.84
	5240	48	n (20MHz)	39/43.3 (MCS4)	10.29	11.00	-0.72
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	5.54	11.00	-5.46
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	8.32	11.00	-2.68
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	8.34	11.00	-2.66
	5190	38	n (40MHz)	81/90 (MCS4)	2.08	11.00	-8.92
	5230	46	n (40MHz)	81/90 (MCS4)	8.04	11.00	-2.96
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	0.58	11.00	-10.42
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	6.65	11.00	-4.35
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-1.82	11.00	-12.82
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.65	11.00	-13.65
Band 1/2	5250	50	ac (160MHz)	175.5/195 (MCS4)	-5.24	11.00	-16.24
	5250	50	ax (SU) (160MHz)	204/216.2 (MCS4)	-6.49	11.00	-17.49
Band 2A	5260	52	n (20MHz)	39/43.3 (MCS4)	10.40	11.00	-0.60
	5300	60	n (20MHz)	39/43.3 (MCS4)	10.05	11.00	-0.95
	5320	64	n (20MHz)	39/43.3 (MCS4)	7.64	11.00	-3.36
	5260	52	ax (SU) (20MHz)	49/51.6 (MCS4)	8.46	11.00	-2.54
	5300	60	ax (SU) (20MHz)	49/51.6 (MCS4)	8.48	11.00	-2.52
	5320	64	ax (SU) (20MHz)	49/51.6 (MCS4)	6.13	11.00	-4.87
	5270	54	n (40MHz)	81/90 (MCS4)	8.06	11.00	-2.94
	5310	62	n (40MHz)	81/90 (MCS4)	3.14	11.00	-7.86
	5270	54	ax (SU) (40MHz)	98/103.2 (MCS4)	5.68	11.00	-5.32
	5310	62	ax (SU) (40MHz)	98/103.2 (MCS4)	1.74	11.00	-9.26
	5290	58	ac (80MHz)	175.5/195 (MCS4)	-0.34	11.00	-11.34
	5290	58	ax (SU) (80MHz)	204/216.2 (MCS4)	-0.42	11.00	-11.42
Band 2C	5500	100	n (20MHz)	39/43.3 (MCS4)	6.75	11.00	-4.25
	5580	116	n (20MHz)	39/43.3 (MCS4)	9.15	11.00	-1.85
	*5600	120	n (20MHz)	39/43.3 (MCS4)	10.41	11.00	-0.59
	5700	140	n (20MHz)	39/43.3 (MCS4)	7.96	11.00	-3.04
	5720	144	n (20MHz)	39/43.3 (MCS4)	10.21	11.00	-0.79
	5500	100	ax (SU) (20MHz)	49/51.6 (MCS4)	4.98	11.00	-6.02
	5580	116	ax (SU) (20MHz)	49/51.6 (MCS4)	8.54	11.00	-2.47
	*5600	120	ax (SU) (20MHz)	49/51.6 (MCS4)	9.45	11.00	-1.55
	5700	140	ax (SU) (20MHz)	49/51.6 (MCS4)	5.17	11.00	-5.83
	5720	144	ax (SU) (20MHz)	49/51.6 (MCS4)	8.97	11.00	-2.03
	5510	102	n (40MHz)	81/90 (MCS4)	1.76	11.00	-9.24
	5550	110	n (40MHz)	81/90 (MCS4)	7.04	11.00	-3.96
	*5590	118	n (40MHz)	81/90 (MCS4)	8.15	11.00	-2.85
	5670	134	n (40MHz)	81/90 (MCS4)	6.26	11.00	-4.74
	5710	142	n (40MHz)	81/90 (MCS4)	8.37	11.00	-2.63
	5510	102	ax (SU) (40MHz)	98/103.2 (MCS4)	0.54	11.00	-10.46
	5550	110	ax (SU) (40MHz)	98/103.2 (MCS4)	4.71	11.00	-6.29
	*5590	118	ax (SU) (40MHz)	98/103.2 (MCS4)	7.09	11.00	-3.91
	5670	134	ax (SU) (40MHz)	98/103.2 (MCS4)	3.77	11.00	-7.23
	5710	142	ax (SU) (40MHz)	98/103.2 (MCS4)	6.86	11.00	-4.14
	5530	106	ac (80MHz)	175.5/195 (MCS4)	-1.22	11.00	-12.22
	*5610	122	ac (80MHz)	175.5/195 (MCS4)	4.21	11.00	-6.79
	5690	138	ac (80MHz)	175.5/195 (MCS4)	5.68	11.00	-5.32
	5530	106	ax (SU) (80MHz)	204/216.2 (MCS4)	-2.96	11.00	-13.96
	*5610	122	ax (SU) (80MHz)	204/216.2 (MCS4)	2.59	11.00	-8.41
	5690	138	ax (SU) (80MHz)	204/216.2 (MCS4)	4.14	11.00	-6.86
	*5570	114	ac (160MHz)	175.5/195 (MCS4)	-6.21	11.00	-17.21
	*5570	114	ax (SU) (80MHz)	204/216.2 (MCS4)	-7.68	11.00	-18.68

Table 7-126. Power Spectral Density Measurements Antenna WF2 (Mid Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 124 of 380

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	6.19	11.00	-4.81
	5200	40	n (20MHz)	65/72.2 (MCS7)	8.64	11.00	-2.36
	5240	48	n (20MHz)	65/72.2 (MCS7)	8.83	11.00	-2.17
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	5.00	11.00	-6.00
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	8.93	11.00	-2.08
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	8.53	11.00	-2.47
	5190	38	n (40MHz)	135/150 (MCS7)	0.68	11.00	-10.32
	5230	46	n (40MHz)	135/150 (MCS7)	7.11	11.00	-3.89
	5190	38	ax (SU) (40MHz)	271/286 (MCS11)	0.30	11.00	-10.70
	5230	46	ax (SU) (40MHz)	271/286 (MCS11)	6.75	11.00	-4.25
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-3.37	11.00	-14.37
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-3.39	11.00	-14.39
Band 1/2	5250	50	ac (160MHz)	390/433.3 (MCS9)	-7.77	11.00	-18.77
	5250	50	ax (SU) (160MHz)	567/600.5 (MCS11)	-7.72	11.00	-18.72
Band 2A	5260	52	n (20MHz)	65/72.2 (MCS7)	9.04	11.00	-1.97
	5300	60	n (20MHz)	65/72.2 (MCS7)	9.07	11.00	-1.93
	5320	64	n (20MHz)	65/72.2 (MCS7)	6.10	11.00	-4.90
	5260	52	ax (SU) (20MHz)	135/143.4 (MCS11)	8.65	11.00	-2.35
	5300	60	ax (SU) (20MHz)	135/143.4 (MCS11)	8.40	11.00	-2.60
	5320	64	ax (SU) (20MHz)	135/143.4 (MCS11)	4.80	11.00	-6.20
	5270	54	n (40MHz)	135/150 (MCS7)	7.14	11.00	-3.86
	5310	62	n (40MHz)	135/150 (MCS7)	1.58	11.00	-9.42
	5270	54	ax (SU) (40MHz)	271/286 (MCS11)	5.83	11.00	-5.18
	5310	62	ax (SU) (40MHz)	271/286 (MCS11)	1.22	11.00	-9.78
	5290	58	ac (80MHz)	390/433.3 (MCS9)	-1.46	11.00	-12.46
	5290	58	ax (SU) (80MHz)	567/600.5 (MCS11)	-1.24	11.00	-12.24
Band 2C	5500	100	n (20MHz)	65/72.2 (MCS7)	4.13	11.00	-6.87
	5580	116	n (20MHz)	65/72.2 (MCS7)	9.07	11.00	-1.94
	*5600	120	n (20MHz)	65/72.2 (MCS7)	9.03	11.00	-1.97
	5700	140	n (20MHz)	65/72.2 (MCS7)	4.54	11.00	-6.47
	5720	144	n (20MHz)	65/72.2 (MCS7)	8.75	11.00	-2.25
	5500	100	ax (SU) (20MHz)	135/143.4 (MCS11)	3.62	11.00	-7.38
	5580	116	ax (SU) (20MHz)	135/143.4 (MCS11)	9.19	11.00	-1.81
	*5600	120	ax (SU) (20MHz)	135/143.4 (MCS11)	9.08	11.00	-1.92
	5700	140	ax (SU) (20MHz)	135/143.4 (MCS11)	4.15	11.00	-6.86
	5720	144	ax (SU) (20MHz)	135/143.4 (MCS11)	8.93	11.00	-2.07
	5510	102	n (40MHz)	135/150 (MCS7)	-0.24	11.00	-11.24
	5550	110	n (40MHz)	135/150 (MCS7)	4.64	11.00	-6.36
	*5590	118	n (40MHz)	135/150 (MCS7)	6.82	11.00	-4.18
	5670	134	n (40MHz)	135/150 (MCS7)	2.35	11.00	-8.65
	5710	142	n (40MHz)	135/150 (MCS7)	7.12	11.00	-3.88
	5510	102	ax (SU) (40MHz)	271/286 (MCS11)	-0.71	11.00	-11.71
	5550	110	ax (SU) (40MHz)	271/286 (MCS11)	4.48	11.00	-6.52
	*5590	118	ax (SU) (40MHz)	271/286 (MCS11)	6.90	11.00	-4.10
	5670	134	ax (SU) (40MHz)	271/286 (MCS11)	1.79	11.00	-9.21
	5710	142	ax (SU) (40MHz)	271/286 (MCS11)	7.02	11.00	-3.98
	5530	106	ac (80MHz)	390/433.3 (MCS9)	-4.54	11.00	-15.54
	*5610	122	ac (80MHz)	390/433.3 (MCS9)	3.03	11.00	-7.97
	5690	138	ac (80MHz)	390/433.3 (MCS9)	4.29	11.00	-6.72
	5530	106	ax (SU) (80MHz)	567/600.5 (MCS11)	-4.30	11.00	-15.30
	*5610	122	ax (SU) (80MHz)	567/600.5 (MCS11)	1.49	11.00	-9.51
	5690	138	ax (SU) (80MHz)	567/600.5 (MCS11)	4.27	11.00	-6.73
	*5570	114	ac (160MHz)	390/433.3 (MCS9)	-8.00	11.00	-19.00
	*5570	114	ax (SU) (80MHz)	567/600.5 (MCS11)	-8.83	11.00	-19.83







Table 7-127. Power Spectral Density Measurements Antenna WF2 (High Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)







FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 125 of 380

V 10.6 10/27/2023







Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 126 of 380




FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 127 of 380




FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 128 of 380




Plot 7-295. PSD Antenna WF2 (80MHz BW 802.11ac - Ch. 122, MCS2)



Plot 7-298. PSD Antenna WF2 (160MHz BW 802.11ax(SU) - Ch. 114, MCS2)









Plot 7-296. PSD Antenna WF2 (80MHz BW 802.11ax(SU) - Ch. 122, MCS2)









Plot 7-297. PSD Antenna WF2 (160MHz BW 802.11ac - Ch. 114, MCS2)

FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG			Page 129 of 380
Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device		



FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 130 of 380



FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 131 of 380

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.