

SPECTRUM ANALYZER PLOTS: F3E Intermod Test

Foxcom Ltd.

FCC ID: OJKLITENNA0HF0SB0

IMD Tests with the following conditions:

2 tone (1931MHz & 1937MHz) at the bottem of the band and 1 tone (1988MHz) at the top.

Then, 1 tone (1931MHz) at the bottem and 2 tones (1981MHz & 1988MHz) at the top.

All the tones are with FM modulation,

DEV=12.5KHz ,

INT=1KHz


RBW is 1MHz.

The Spans are : 100MHz, 200MHz & 30MHz to 20GHz

ATTEN 30dB

RL 21.0dBm

10dB/



CENTER 1.9600GHz

RBW 1.0MHz

VBW 1.0MHz

SPAN 100.0MHz


SWP 50.0ms

ATTEN 30dB

RL 21.0dBm

10dB/

R



CENTER 1.9600GHz

SPAN 200.0MHz

RBW 1.0MHz


VBW 1.0MHz

SWP 50.0ms

ATTEN 30dB
RL 21.0dBm

10dB/

R



START 30MHz
RBW 1.0MHz


VBW 1.0MHz

STOP 20.00GHz
SWP 400ms

ATTEN 30dB

RL 21.0dBm

10dB/



CENTER 1.9600GHz

RBW 1.0MHz

VBW 1.0MHz


SPAN 100.0MHz

SWP 50.0ms

ATTEN 30dB
RL 21.0dBm

10dB/

R



CENTER 1.9600GHz

SPAN 200.0MHz

RBW 1.0MHz

VBW 1.0MHz


SWP 50.0ms

ATTEN 30dB

RL 21.0dBm

10dB/

R



START 30MHz

STOP 20.00GHz

RBW 1.0MHz

VBW 1.0MHz

SWP 400ms