


N71-15M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N71-20M-CSE-L-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N71-20M-CSE-L-CP-OFDM-QPSK-1RB0-30MHz-10GHz




N71-20M-CSE-M-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N71-20M-CSE-M-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N71-20M-CSE-H-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz



N71-20M-CSE-H-CP-OFDM-QPSK-1RB0-30MHz-10GHz



Effective (Isotropic) Radiated Power Output Data

Bandwidth	Modulation	Frequency(MHz)	RB Allocation	Conducted Power(dBm)	ERP(dBm)	Limit	Verdict	Gain
5MHz	DFT-s-OFDM PI/2 BPSK	665.5MHz	Edge_Full_Left	23.62	23.08	34.77	Pass	1.61
			Edge_Full_Right	23.69	23.15	34.77	Pass	1.61
			Edge_1RB_Left	23.56	23.02	34.77	Pass	1.61
			Edge_1RB_Right	23.55	23.01	34.77	Pass	1.61
			Outer_Full	23.83	23.29	34.77	Pass	1.61
			Inner_Full	24.05	23.51	34.77	Pass	1.61
			Inner_1RB_Left	23.64	23.1	34.77	Pass	1.61
			Inner_1RB_Right	23.82	23.28	34.77	Pass	1.61
	DFT-s-OFDM QPSK		Edge_Full_Left	23.15	22.61	34.77	Pass	1.61
			Edge_Full_Right	23.13	22.59	34.77	Pass	1.61
			Edge_1RB_Left	22.99	22.45	34.77	Pass	1.61
			Edge_1RB_Right	23	22.46	34.77	Pass	1.61
			Outer_Full	23.04	22.5	34.77	Pass	1.61
			Inner_Full	23.66	23.12	34.77	Pass	1.61
			Inner_1RB_Left	23.52	22.98	34.77	Pass	1.61
			Inner_1RB_Right	23.62	23.08	34.77	Pass	1.61
	DFT-s-OFDM 16QAM		Edge_Full_Left	22.14	21.6	34.77	Pass	1.61
			Edge_Full_Right	21.71	21.17	34.77	Pass	1.61
			Edge_1RB_Left	21.75	21.21	34.77	Pass	1.61
			Edge_1RB_Right	21.79	21.25	34.77	Pass	1.61
			Outer_Full	22.34	21.8	34.77	Pass	1.61
			Inner_Full	23.35	22.81	34.77	Pass	1.61
			Inner_1RB_Left	22.84	22.3	34.77	Pass	1.61
			Inner_1RB_Right	22.97	22.43	34.77	Pass	1.61
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.92	21.38	34.77	Pass	1.61
			Edge_Full_Right	21.76	21.22	34.77	Pass	1.61
			Edge_1RB_Left	21.65	21.11	34.77	Pass	1.61
			Edge_1RB_Right	21.64	21.1	34.77	Pass	1.61
			Outer_Full	21.83	21.29	34.77	Pass	1.61
			Inner_Full	21.71	21.17	34.77	Pass	1.61
			Inner_1RB_Left	21.6	21.06	34.77	Pass	1.61
			Inner_1RB_Right	21.66	21.12	34.77	Pass	1.61
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.66	19.12	34.77	Pass	1.61
			Edge_Full_Right	19.73	19.19	34.77	Pass	1.61
			Edge_1RB_Left	19.42	18.88	34.77	Pass	1.61
			Edge_1RB_Right	19.61	19.07	34.77	Pass	1.61
			Outer_Full	19.71	19.17	34.77	Pass	1.61
			Inner_Full	19.44	18.9	34.77	Pass	1.61
			Inner_1RB_Left	19.44	18.9	34.77	Pass	1.61
			Inner_1RB_Right	19.42	18.88	34.77	Pass	1.61

	CP-OFDM QPSK	680.5MHz	Edge_Full_Left	20.95	20.41	34.77	Pass	1.61
			Edge_Full_Right	20.99	20.45	34.77	Pass	1.61
			Edge_1RB_Left	21.41	20.87	34.77	Pass	1.61
			Edge_1RB_Right	20.91	20.37	34.77	Pass	1.61
			Outer_Full	21.3	20.76	34.77	Pass	1.61
			Inner_Full	22.86	22.32	34.77	Pass	1.61
			Inner_1RB_Left	22.68	22.14	34.77	Pass	1.61
			Inner_1RB_Right	22.54	22	34.77	Pass	1.61
	CP-OFDM 16QAM		Edge_Full_Left	20.84	20.3	34.77	Pass	1.61
			Edge_Full_Right	21.31	20.77	34.77	Pass	1.61
			Edge_1RB_Left	21.25	20.71	34.77	Pass	1.61
			Edge_1RB_Right	21.21	20.67	34.77	Pass	1.61
			Outer_Full	21.24	20.7	34.77	Pass	1.61
			Inner_Full	22.18	21.64	34.77	Pass	1.61
			Inner_1RB_Left	21.96	21.42	34.77	Pass	1.61
			Inner_1RB_Right	22.74	22.2	34.77	Pass	1.61
	CP-OFDM 64QAM		Edge_Full_Left	20.23	19.69	34.77	Pass	1.61
			Edge_Full_Right	20.42	19.88	34.77	Pass	1.61
			Edge_1RB_Left	20.5	19.96	34.77	Pass	1.61
			Edge_1RB_Right	20.52	19.98	34.77	Pass	1.61
			Outer_Full	20.68	20.14	34.77	Pass	1.61
			Inner_Full	20.82	20.28	34.77	Pass	1.61
			Inner_1RB_Left	20.48	19.94	34.77	Pass	1.61
			Inner_1RB_Right	20.59	20.05	34.77	Pass	1.61
	CP-OFDM 256QAM		Edge_Full_Left	18.02	17.48	34.77	Pass	1.61
			Edge_Full_Right	17.86	17.32	34.77	Pass	1.61
			Edge_1RB_Left	18.21	17.67	34.77	Pass	1.61
			Edge_1RB_Right	18.02	17.48	34.77	Pass	1.61
			Outer_Full	17.81	17.27	34.77	Pass	1.61
			Inner_Full	17.66	17.12	34.77	Pass	1.61
			Inner_1RB_Left	18.1	17.56	34.77	Pass	1.61
			Inner_1RB_Right	18.34	17.8	34.77	Pass	1.61
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.56	23.02	34.77	Pass	1.61
			Edge_Full_Right	23.57	23.03	34.77	Pass	1.61
			Edge_1RB_Left	23.37	22.83	34.77	Pass	1.61
			Edge_1RB_Right	23.37	22.83	34.77	Pass	1.61
			Outer_Full	23.74	23.2	34.77	Pass	1.61
			Inner_Full	23.83	23.29	34.77	Pass	1.61
			Inner_1RB_Left	23.84	23.3	34.77	Pass	1.61
			Inner_1RB_Right	23.71	23.17	34.77	Pass	1.61
	DFT-s-OFDM QPSK		Edge_Full_Left	23.21	22.67	34.77	Pass	1.61
			Edge_Full_Right	23.33	22.79	34.77	Pass	1.61
			Edge_1RB_Left	22.94	22.4	34.77	Pass	1.61

		Edge_1RB_Right	22.97	22.43	34.77	Pass	1.61
		Outer_Full	23.26	22.72	34.77	Pass	1.61
		Inner_Full	23.82	23.28	34.77	Pass	1.61
		Inner_1RB_Left	23.52	22.98	34.77	Pass	1.61
		Inner_1RB_Right	23.63	23.09	34.77	Pass	1.61
	DFT-s-OFDM 16QAM	Edge_Full_Left	21.97	21.43	34.77	Pass	1.61
		Edge_Full_Right	21.99	21.45	34.77	Pass	1.61
		Edge_1RB_Left	21.76	21.22	34.77	Pass	1.61
		Edge_1RB_Right	21.79	21.25	34.77	Pass	1.61
		Outer_Full	22.25	21.71	34.77	Pass	1.61
		Inner_Full	23.12	22.58	34.77	Pass	1.61
		Inner_1RB_Left	22.95	22.41	34.77	Pass	1.61
		Inner_1RB_Right	23.21	22.67	34.77	Pass	1.61
		Edge_Full_Left	21.83	21.29	34.77	Pass	1.61
		Edge_Full_Right	21.83	21.29	34.77	Pass	1.61
	DFT-s-OFDM 64QAM	Edge_1RB_Left	21.32	20.78	34.77	Pass	1.61
		Edge_1RB_Right	21.44	20.9	34.77	Pass	1.61
		Outer_Full	21.73	21.19	34.77	Pass	1.61
		Inner_Full	21.57	21.03	34.77	Pass	1.61
		Inner_1RB_Left	21.47	20.93	34.77	Pass	1.61
		Inner_1RB_Right	21.75	21.21	34.77	Pass	1.61
		Edge_Full_Left	19.74	19.2	34.77	Pass	1.61
		Edge_Full_Right	19.79	19.25	34.77	Pass	1.61
		Edge_1RB_Left	19.65	19.11	34.77	Pass	1.61
		Edge_1RB_Right	19.65	19.11	34.77	Pass	1.61
	DFT-s-OFDM 256QAM	Outer_Full	19.8	19.26	34.77	Pass	1.61
		Inner_Full	19.61	19.07	34.77	Pass	1.61
		Inner_1RB_Left	19.85	19.31	34.77	Pass	1.61
		Inner_1RB_Right	19.84	19.3	34.77	Pass	1.61
		Edge_Full_Left	20.74	20.2	34.77	Pass	1.61
		Edge_Full_Right	20.99	20.45	34.77	Pass	1.61
		Edge_1RB_Left	21.09	20.55	34.77	Pass	1.61
		Edge_1RB_Right	21.05	20.51	34.77	Pass	1.61
		Outer_Full	20.91	20.37	34.77	Pass	1.61
		Inner_Full	22.84	22.3	34.77	Pass	1.61
	CP-OFDM QPSK	Inner_1RB_Left	22.44	21.9	34.77	Pass	1.61
		Inner_1RB_Right	22.56	22.02	34.77	Pass	1.61
		Edge_Full_Left	21.28	20.74	34.77	Pass	1.61
		Edge_Full_Right	21.44	20.9	34.77	Pass	1.61
		Edge_1RB_Left	20.93	20.39	34.77	Pass	1.61
		Edge_1RB_Right	20.94	20.4	34.77	Pass	1.61
		Outer_Full	21.3	20.76	34.77	Pass	1.61
		Inner_Full	22.49	21.95	34.77	Pass	1.61
	CP-OFDM 16QAM						

			Inner_1RB_Left	22.16	21.62	34.77	Pass	1.61	
			Inner_1RB_Right	22.32	21.78	34.77	Pass	1.61	
	CP-OFDM 64QAM		Edge_Full_Left	20.41	19.87	34.77	Pass	1.61	
			Edge_Full_Right	20.43	19.89	34.77	Pass	1.61	
			Edge_1RB_Left	20.74	20.2	34.77	Pass	1.61	
			Edge_1RB_Right	20.29	19.75	34.77	Pass	1.61	
			Outer_Full	20.75	20.21	34.77	Pass	1.61	
			Inner_Full	20.69	20.15	34.77	Pass	1.61	
			Inner_1RB_Left	20.46	19.92	34.77	Pass	1.61	
			Inner_1RB_Right	20.64	20.1	34.77	Pass	1.61	
		CP-OFDM 256QAM		Edge_Full_Left	17.7	17.16	34.77	Pass	1.61
				Edge_Full_Right	17.7	17.16	34.77	Pass	1.61
			Edge_1RB_Left	18.01	17.47	34.77	Pass	1.61	
			Edge_1RB_Right	18.19	17.65	34.77	Pass	1.61	
			Outer_Full	17.78	17.24	34.77	Pass	1.61	
			Inner_Full	17.33	16.79	34.77	Pass	1.61	
			Inner_1RB_Left	17.92	17.38	34.77	Pass	1.61	
			Inner_1RB_Right	18.14	17.6	34.77	Pass	1.61	
	DFT-s-OFDM PI/2 BPSK	695.5MHz		Edge_Full_Left	23.39	22.85	34.77	Pass	1.61
				Edge_Full_Right	23.42	22.88	34.77	Pass	1.61
				Edge_1RB_Left	23.41	22.87	34.77	Pass	1.61
				Edge_1RB_Right	23.2	22.66	34.77	Pass	1.61
				Outer_Full	23.44	22.9	34.77	Pass	1.61
				Inner_Full	23.67	23.13	34.77	Pass	1.61
				Inner_1RB_Left	23.54	23	34.77	Pass	1.61
				Inner_1RB_Right	23.55	23.01	34.77	Pass	1.61
	DFT-s-OFDM QPSK			Edge_Full_Left	22.97	22.43	34.77	Pass	1.61
				Edge_Full_Right	23.19	22.65	34.77	Pass	1.61
				Edge_1RB_Left	22.76	22.22	34.77	Pass	1.61
				Edge_1RB_Right	22.99	22.45	34.77	Pass	1.61
				Outer_Full	23.08	22.54	34.77	Pass	1.61
				Inner_Full	23.74	23.2	34.77	Pass	1.61
				Inner_1RB_Left	23.34	22.8	34.77	Pass	1.61
	DFT-s-OFDM 16QAM			Inner_1RB_Right	23.54	23	34.77	Pass	1.61
				Edge_Full_Left	21.56	21.02	34.77	Pass	1.61
				Edge_Full_Right	21.57	21.03	34.77	Pass	1.61
				Edge_1RB_Left	22	21.46	34.77	Pass	1.61
				Edge_1RB_Right	21.68	21.14	34.77	Pass	1.61
				Outer_Full	22.01	21.47	34.77	Pass	1.61
				Inner_Full	23.24	22.7	34.77	Pass	1.61
				Inner_1RB_Left	22.55	22.01	34.77	Pass	1.61
	DFT-s-OFDM 64QAM			Inner_1RB_Right	22.72	22.18	34.77	Pass	1.61
				Edge_Full_Left	21.54	21	34.77	Pass	1.61

		Edge_Full_Right	21.78	21.24	34.77	Pass	1.61
		Edge_1RB_Left	21.47	20.93	34.77	Pass	1.61
		Edge_1RB_Right	21.53	20.99	34.77	Pass	1.61
		Outer_Full	21.36	20.82	34.77	Pass	1.61
		Inner_Full	21.6	21.06	34.77	Pass	1.61
		Inner_1RB_Left	21.17	20.63	34.77	Pass	1.61
		Inner_1RB_Right	21.22	20.68	34.77	Pass	1.61
		Edge_Full_Left	19.39	18.85	34.77	Pass	1.61
	DFT-s-OFDM 256QAM	Edge_Full_Right	19.37	18.83	34.77	Pass	1.61
		Edge_1RB_Left	19.42	18.88	34.77	Pass	1.61
		Edge_1RB_Right	19.24	18.7	34.77	Pass	1.61
		Outer_Full	19.57	19.03	34.77	Pass	1.61
		Inner_Full	19.44	18.9	34.77	Pass	1.61
		Inner_1RB_Left	19.36	18.82	34.77	Pass	1.61
		Inner_1RB_Right	19.47	18.93	34.77	Pass	1.61
		Edge_Full_Left	21.25	20.71	34.77	Pass	1.61
	CP-OFDM QPSK	Edge_Full_Right	21.32	20.78	34.77	Pass	1.61
		Edge_1RB_Left	20.84	20.3	34.77	Pass	1.61
		Edge_1RB_Right	21.02	20.48	34.77	Pass	1.61
		Outer_Full	21.04	20.5	34.77	Pass	1.61
		Inner_Full	22.46	21.92	34.77	Pass	1.61
		Inner_1RB_Left	22.32	21.78	34.77	Pass	1.61
		Inner_1RB_Right	22.27	21.73	34.77	Pass	1.61
		Edge_Full_Left	20.84	20.3	34.77	Pass	1.61
	CP-OFDM 16QAM	Edge_Full_Right	20.94	20.4	34.77	Pass	1.61
		Edge_1RB_Left	21.33	20.79	34.77	Pass	1.61
		Edge_1RB_Right	21.25	20.71	34.77	Pass	1.61
		Outer_Full	21.09	20.55	34.77	Pass	1.61
		Inner_Full	22.19	21.65	34.77	Pass	1.61
		Inner_1RB_Left	21.65	21.11	34.77	Pass	1.61
		Inner_1RB_Right	21.65	21.11	34.77	Pass	1.61
		Edge_Full_Left	20.38	19.84	34.77	Pass	1.61
	CP-OFDM 64QAM	Edge_Full_Right	20.66	20.12	34.77	Pass	1.61
		Edge_1RB_Left	20.32	19.78	34.77	Pass	1.61
		Edge_1RB_Right	20.58	20.04	34.77	Pass	1.61
		Outer_Full	20.76	20.22	34.77	Pass	1.61
		Inner_Full	20.52	19.98	34.77	Pass	1.61
		Inner_1RB_Left	20.44	19.9	34.77	Pass	1.61
		Inner_1RB_Right	20.56	20.02	34.77	Pass	1.61
		Edge_Full_Left	17.81	17.27	34.77	Pass	1.61
	CP-OFDM 256QAM	Edge_Full_Right	17.6	17.06	34.77	Pass	1.61
		Edge_1RB_Left	17.67	17.13	34.77	Pass	1.61
		Edge_1RB_Right	17.59	17.05	34.77	Pass	1.61

			Outer_Full	17.68	17.14	34.77	Pass	1.61
			Inner_Full	17.6	17.06	34.77	Pass	1.61
			Inner_1RB_Left	17.86	17.32	34.77	Pass	1.61
			Inner_1RB_Right	17.98	17.44	34.77	Pass	1.61
10MHz	DFT-s-OFDM PI/2 BPSK	668MHz	Edge_Full_Left	23.59	23.05	34.77	Pass	1.61
			Edge_Full_Right	23.33	22.79	34.77	Pass	1.61
			Edge_1RB_Left	23.31	22.77	34.77	Pass	1.61
			Edge_1RB_Right	23.29	22.75	34.77	Pass	1.61
			Outer_Full	23.37	22.83	34.77	Pass	1.61
			Inner_Full	23.84	23.3	34.77	Pass	1.61
			Inner_1RB_Left	23.5	22.96	34.77	Pass	1.61
			Inner_1RB_Right	23.56	23.02	34.77	Pass	1.61
	DFT-s-OFDM QPSK		Edge_Full_Left	22.78	22.24	34.77	Pass	1.61
			Edge_Full_Right	22.91	22.37	34.77	Pass	1.61
			Edge_1RB_Left	22.52	21.98	34.77	Pass	1.61
			Edge_1RB_Right	22.89	22.35	34.77	Pass	1.61
			Outer_Full	22.99	22.45	34.77	Pass	1.61
			Inner_Full	23.59	23.05	34.77	Pass	1.61
			Inner_1RB_Left	23.26	22.72	34.77	Pass	1.61
			Inner_1RB_Right	23.3	22.76	34.77	Pass	1.61
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.82	21.28	34.77	Pass	1.61
			Edge_Full_Right	21.72	21.18	34.77	Pass	1.61
			Edge_1RB_Left	21.76	21.22	34.77	Pass	1.61
			Edge_1RB_Right	21.55	21.01	34.77	Pass	1.61
			Outer_Full	21.95	21.41	34.77	Pass	1.61
			Inner_Full	23.21	22.67	34.77	Pass	1.61
			Inner_1RB_Left	22.84	22.3	34.77	Pass	1.61
			Inner_1RB_Right	22.58	22.04	34.77	Pass	1.61
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.49	20.95	34.77	Pass	1.61
			Edge_Full_Right	21.61	21.07	34.77	Pass	1.61
			Edge_1RB_Left	21.39	20.85	34.77	Pass	1.61
			Edge_1RB_Right	21.47	20.93	34.77	Pass	1.61
			Outer_Full	21.55	21.01	34.77	Pass	1.61
			Inner_Full	21.57	21.03	34.77	Pass	1.61
			Inner_1RB_Left	21.21	20.67	34.77	Pass	1.61
			Inner_1RB_Right	21.48	20.94	34.77	Pass	1.61
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.49	18.95	34.77	Pass	1.61
			Edge_Full_Right	19.56	19.02	34.77	Pass	1.61
			Edge_1RB_Left	19.09	18.55	34.77	Pass	1.61
			Edge_1RB_Right	19.33	18.79	34.77	Pass	1.61
			Outer_Full	19.5	18.96	34.77	Pass	1.61
			Inner_Full	19.37	18.83	34.77	Pass	1.61
			Inner_1RB_Left	19.2	18.66	34.77	Pass	1.61

	CP-OFDM QPSK	680.5MHz	Inner_1RB_Right	19.19	18.65	34.77	Pass	1.61
			Edge_Full_Left	20.79	20.25	34.77	Pass	1.61
			Edge_Full_Right	20.67	20.13	34.77	Pass	1.61
			Edge_1RB_Left	21.13	20.59	34.77	Pass	1.61
			Edge_1RB_Right	20.89	20.35	34.77	Pass	1.61
			Outer_Full	20.91	20.37	34.77	Pass	1.61
			Inner_Full	22.59	22.05	34.77	Pass	1.61
			Inner_1RB_Left	22.35	21.81	34.77	Pass	1.61
			Inner_1RB_Right	22.32	21.78	34.77	Pass	1.61
	CP-OFDM 16QAM		Edge_Full_Left	20.98	20.44	34.77	Pass	1.61
			Edge_Full_Right	21.04	20.5	34.77	Pass	1.61
			Edge_1RB_Left	20.87	20.33	34.77	Pass	1.61
			Edge_1RB_Right	20.99	20.45	34.77	Pass	1.61
			Outer_Full	21.17	20.63	34.77	Pass	1.61
			Inner_Full	21.94	21.4	34.77	Pass	1.61
			Inner_1RB_Left	21.67	21.13	34.77	Pass	1.61
			Inner_1RB_Right	22.26	21.72	34.77	Pass	1.61
			CP-OFDM 64QAM	Edge_Full_Left	20.09	19.55	34.77	Pass
	Edge_Full_Right			20.33	19.79	34.77	Pass	1.61
	Edge_1RB_Left			20.34	19.8	34.77	Pass	1.61
	Edge_1RB_Right			20.41	19.87	34.77	Pass	1.61
	Outer_Full			20.65	20.11	34.77	Pass	1.61
	Inner_Full			20.38	19.84	34.77	Pass	1.61
	Inner_1RB_Left			20.29	19.75	34.77	Pass	1.61
	Inner_1RB_Right			20.47	19.93	34.77	Pass	1.61
	CP-OFDM 256QAM			Edge_Full_Left	17.75	17.21	34.77	Pass
			Edge_Full_Right	17.58	17.04	34.77	Pass	1.61
			Edge_1RB_Left	18.06	17.52	34.77	Pass	1.61
			Edge_1RB_Right	17.91	17.37	34.77	Pass	1.61
			Outer_Full	17.32	16.78	34.77	Pass	1.61
			Inner_Full	17.17	16.63	34.77	Pass	1.61
			Inner_1RB_Left	17.85	17.31	34.77	Pass	1.61
			Inner_1RB_Right	18	17.46	34.77	Pass	1.61
			DFT-s-OFDM PI/2 BPSK	Edge_Full_Left	23.28	22.74	34.77	Pass
	Edge_Full_Right			23.27	22.73	34.77	Pass	1.61
	Edge_1RB_Left			23.25	22.71	34.77	Pass	1.61
	Edge_1RB_Right			23.2	22.66	34.77	Pass	1.61
	Outer_Full			23.45	22.91	34.77	Pass	1.61
	Inner_Full			23.79	23.25	34.77	Pass	1.61
	Inner_1RB_Left			23.61	23.07	34.77	Pass	1.61
	Inner_1RB_Right			23.55	23.01	34.77	Pass	1.61
	DFT-s-OFDM QPSK			Edge_Full_Left	22.98	22.44	34.77	Pass
			Edge_Full_Right	22.92	22.38	34.77	Pass	1.61

		Edge_1RB_Left	22.5	21.96	34.77	Pass	1.61
		Edge_1RB_Right	22.56	22.02	34.77	Pass	1.61
		Outer_Full	22.97	22.43	34.77	Pass	1.61
		Inner_Full	23.52	22.98	34.77	Pass	1.61
		Inner_1RB_Left	23.3	22.76	34.77	Pass	1.61
		Inner_1RB_Right	23.53	22.99	34.77	Pass	1.61
	DFT-s-OFDM 16QAM	Edge_Full_Left	21.78	21.24	34.77	Pass	1.61
		Edge_Full_Right	21.73	21.19	34.77	Pass	1.61
		Edge_1RB_Left	21.38	20.84	34.77	Pass	1.61
		Edge_1RB_Right	21.55	21.01	34.77	Pass	1.61
		Outer_Full	22.09	21.55	34.77	Pass	1.61
		Inner_Full	23.29	22.75	34.77	Pass	1.61
	DFT-s-OFDM 64QAM	Inner_1RB_Left	22.55	22.01	34.77	Pass	1.61
		Inner_1RB_Right	22.47	21.93	34.77	Pass	1.61
		Edge_Full_Left	21.61	21.07	34.77	Pass	1.61
		Edge_Full_Right	21.66	21.12	34.77	Pass	1.61
		Edge_1RB_Left	21.39	20.85	34.77	Pass	1.61
		Edge_1RB_Right	21.41	20.87	34.77	Pass	1.61
	DFT-s-OFDM 256QAM	Outer_Full	21.51	20.97	34.77	Pass	1.61
		Inner_Full	21.59	21.05	34.77	Pass	1.61
		Inner_1RB_Left	21.31	20.77	34.77	Pass	1.61
		Inner_1RB_Right	21.35	20.81	34.77	Pass	1.61
		Edge_Full_Left	19.6	19.06	34.77	Pass	1.61
		Edge_Full_Right	19.59	19.05	34.77	Pass	1.61
	CP-OFDM QPSK	Edge_1RB_Left	19.37	18.83	34.77	Pass	1.61
		Edge_1RB_Right	19.24	18.7	34.77	Pass	1.61
		Outer_Full	19.47	18.93	34.77	Pass	1.61
		Inner_Full	19.51	18.97	34.77	Pass	1.61
		Inner_1RB_Left	19.42	18.88	34.77	Pass	1.61
		Inner_1RB_Right	19.58	19.04	34.77	Pass	1.61
	CP-OFDM 16QAM	Edge_Full_Left	20.84	20.3	34.77	Pass	1.61
		Edge_Full_Right	20.78	20.24	34.77	Pass	1.61
		Edge_1RB_Left	20.64	20.1	34.77	Pass	1.61
		Edge_1RB_Right	20.73	20.19	34.77	Pass	1.61
		Outer_Full	20.99	20.45	34.77	Pass	1.61
		Inner_Full	22.6	22.06	34.77	Pass	1.61
		Inner_1RB_Left	22.31	21.77	34.77	Pass	1.61
		Inner_1RB_Right	22.49	21.95	34.77	Pass	1.61
		Edge_Full_Left	21.18	20.64	34.77	Pass	1.61
		Edge_Full_Right	21.03	20.49	34.77	Pass	1.61
		Edge_1RB_Left	20.86	20.32	34.77	Pass	1.61
		Edge_1RB_Right	20.62	20.08	34.77	Pass	1.61
		Outer_Full	21.07	20.53	34.77	Pass	1.61

			Inner_Full	22.12	21.58	34.77	Pass	1.61		
			Inner_1RB_Left	21.95	21.41	34.77	Pass	1.61		
			Inner_1RB_Right	21.92	21.38	34.77	Pass	1.61		
	CP-OFDM 64QAM		Edge_Full_Left	20.11	19.57	34.77	Pass	1.61		
			Edge_Full_Right	20.28	19.74	34.77	Pass	1.61		
			Edge_1RB_Left	20.62	20.08	34.77	Pass	1.61		
			Edge_1RB_Right	20.33	19.79	34.77	Pass	1.61		
			Outer_Full	20.61	20.07	34.77	Pass	1.61		
			Inner_Full	20.4	19.86	34.77	Pass	1.61		
			Inner_1RB_Left	20.33	19.79	34.77	Pass	1.61		
			Inner_1RB_Right	20.28	19.74	34.77	Pass	1.61		
			Edge_Full_Left	17.64	17.1	34.77	Pass	1.61		
	CP-OFDM 256QAM		Edge_Full_Right	17.41	16.87	34.77	Pass	1.61		
			Edge_1RB_Left	18.03	17.49	34.77	Pass	1.61		
			Edge_1RB_Right	17.76	17.22	34.77	Pass	1.61		
			Outer_Full	17.53	16.99	34.77	Pass	1.61		
			Inner_Full	17.29	16.75	34.77	Pass	1.61		
			Inner_1RB_Left	17.81	17.27	34.77	Pass	1.61		
			Inner_1RB_Right	18.12	17.58	34.77	Pass	1.61		
			DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.12	22.58	34.77	Pass	1.61
					Edge_Full_Right	23.09	22.55	34.77	Pass	1.61
	Edge_1RB_Left	23.04			22.5	34.77	Pass	1.61		
	Edge_1RB_Right	23.11			22.57	34.77	Pass	1.61		
	Outer_Full	23.17			22.63	34.77	Pass	1.61		
	Inner_Full	23.48			22.94	34.77	Pass	1.61		
	Inner_1RB_Left	23.44			22.9	34.77	Pass	1.61		
	Inner_1RB_Right	23.43			22.89	34.77	Pass	1.61		
	DFT-s-OFDM QPSK	693MHz			Edge_Full_Left	22.73	22.19	34.77	Pass	1.61
			Edge_Full_Right	22.74	22.2	34.77	Pass	1.61		
			Edge_1RB_Left	22.83	22.29	34.77	Pass	1.61		
			Edge_1RB_Right	22.4	21.86	34.77	Pass	1.61		
			Outer_Full	22.91	22.37	34.77	Pass	1.61		
Inner_Full			23.33	22.79	34.77	Pass	1.61			
Inner_1RB_Left			23.18	22.64	34.77	Pass	1.61			
Inner_1RB_Right			23.2	22.66	34.77	Pass	1.61			
DFT-s-OFDM 16QAM				Edge_Full_Left	21.56	21.02	34.77	Pass	1.61	
	Edge_Full_Right	21.61		21.07	34.77	Pass	1.61			
	Edge_1RB_Left	21.38		20.84	34.77	Pass	1.61			
	Edge_1RB_Right	21.43		20.89	34.77	Pass	1.61			
	Outer_Full	21.88		21.34	34.77	Pass	1.61			
	Inner_Full	22.86		22.32	34.77	Pass	1.61			
	Inner_1RB_Left	22.36		21.82	34.77	Pass	1.61			
	Inner_1RB_Right	22.52		21.98	34.77	Pass	1.61			

	DFT-s-OFDM 64QAM	Edge_Full_Left	21.43	20.89	34.77	Pass	1.61
		Edge_Full_Right	21.36	20.82	34.77	Pass	1.61
		Edge_1RB_Left	21.14	20.6	34.77	Pass	1.61
		Edge_1RB_Right	21.2	20.66	34.77	Pass	1.61
		Outer_Full	21.41	20.87	34.77	Pass	1.61
		Inner_Full	21.47	20.93	34.77	Pass	1.61
		Inner_1RB_Left	21.13	20.59	34.77	Pass	1.61
		Inner_1RB_Right	21.07	20.53	34.77	Pass	1.61
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.47	18.93	34.77	Pass	1.61
		Edge_Full_Right	19.27	18.73	34.77	Pass	1.61
		Edge_1RB_Left	19.21	18.67	34.77	Pass	1.61
		Edge_1RB_Right	18.97	18.43	34.77	Pass	1.61
		Outer_Full	19.45	18.91	34.77	Pass	1.61
		Inner_Full	19.15	18.61	34.77	Pass	1.61
		Inner_1RB_Left	19.11	18.57	34.77	Pass	1.61
		Inner_1RB_Right	19.05	18.51	34.77	Pass	1.61
	CP-OFDM QPSK	Edge_Full_Left	20.9	20.36	34.77	Pass	1.61
		Edge_Full_Right	21.09	20.55	34.77	Pass	1.61
		Edge_1RB_Left	20.63	20.09	34.77	Pass	1.61
		Edge_1RB_Right	20.85	20.31	34.77	Pass	1.61
		Outer_Full	21.04	20.5	34.77	Pass	1.61
		Inner_Full	22.03	21.49	34.77	Pass	1.61
		Inner_1RB_Left	22.35	21.81	34.77	Pass	1.61
		Inner_1RB_Right	21.96	21.42	34.77	Pass	1.61
	CP-OFDM 16QAM	Edge_Full_Left	20.57	20.03	34.77	Pass	1.61
		Edge_Full_Right	20.61	20.07	34.77	Pass	1.61
		Edge_1RB_Left	21.12	20.58	34.77	Pass	1.61
		Edge_1RB_Right	20.82	20.28	34.77	Pass	1.61
		Outer_Full	20.85	20.31	34.77	Pass	1.61
		Inner_Full	22.03	21.49	34.77	Pass	1.61
		Inner_1RB_Left	21.45	20.91	34.77	Pass	1.61
		Inner_1RB_Right	21.22	20.68	34.77	Pass	1.61
	CP-OFDM 64QAM	Edge_Full_Left	20.07	19.53	34.77	Pass	1.61
		Edge_Full_Right	20.3	19.76	34.77	Pass	1.61
		Edge_1RB_Left	20.17	19.63	34.77	Pass	1.61
		Edge_1RB_Right	20.44	19.9	34.77	Pass	1.61
		Outer_Full	20.39	19.85	34.77	Pass	1.61
		Inner_Full	20.39	19.85	34.77	Pass	1.61
		Inner_1RB_Left	20.39	19.85	34.77	Pass	1.61
		Inner_1RB_Right	20.25	19.71	34.77	Pass	1.61
	CP-OFDM 256QAM	Edge_Full_Left	17.58	17.04	34.77	Pass	1.61
		Edge_Full_Right	17.65	17.11	34.77	Pass	1.61
		Edge_1RB_Left	17.46	16.92	34.77	Pass	1.61

			Edge_1RB_Right	17.2	16.66	34.77	Pass	1.61
			Outer_Full	17.57	17.03	34.77	Pass	1.61
			Inner_Full	17.17	16.63	34.77	Pass	1.61
			Inner_1RB_Left	17.53	16.99	34.77	Pass	1.61
			Inner_1RB_Right	17.66	17.12	34.77	Pass	1.61
15MHz	DFT-s-OFDM PI/2 BPSK	670.5MHz	Edge_Full_Left	23.46	22.92	34.77	Pass	1.61
			Edge_Full_Right	23.69	23.15	34.77	Pass	1.61
			Edge_1RB_Left	23.44	22.9	34.77	Pass	1.61
			Edge_1RB_Right	23.4	22.86	34.77	Pass	1.61
			Outer_Full	23.34	22.8	34.77	Pass	1.61
			Inner_Full	23.53	22.99	34.77	Pass	1.61
			Inner_1RB_Left	23.72	23.18	34.77	Pass	1.61
			Inner_1RB_Right	23.88	23.34	34.77	Pass	1.61
			DFT-s-OFDM QPSK	Edge_Full_Left	22.98	22.44	34.77	Pass
	Edge_Full_Right			23.19	22.65	34.77	Pass	1.61
	Edge_1RB_Left			23.03	22.49	34.77	Pass	1.61
	Edge_1RB_Right			23.11	22.57	34.77	Pass	1.61
	Outer_Full			23.11	22.57	34.77	Pass	1.61
	Inner_Full			23.71	23.17	34.77	Pass	1.61
	Inner_1RB_Left			23.82	23.28	34.77	Pass	1.61
	Inner_1RB_Right			23.83	23.29	34.77	Pass	1.61
	DFT-s-OFDM 16QAM			Edge_Full_Left	21.8	21.26	34.77	Pass
			Edge_Full_Right	21.58	21.04	34.77	Pass	1.61
			Edge_1RB_Left	21.66	21.12	34.77	Pass	1.61
			Edge_1RB_Right	21.43	20.89	34.77	Pass	1.61
			Outer_Full	22.27	21.73	34.77	Pass	1.61
			Inner_Full	23.04	22.5	34.77	Pass	1.61
			Inner_1RB_Left	22.41	21.87	34.77	Pass	1.61
			Inner_1RB_Right	22.35	21.81	34.77	Pass	1.61
			DFT-s-OFDM 64QAM	Edge_Full_Left	21.54	21	34.77	Pass
	Edge_Full_Right			21.61	21.07	34.77	Pass	1.61
	Edge_1RB_Left			21.54	21	34.77	Pass	1.61
	Edge_1RB_Right			21.65	21.11	34.77	Pass	1.61
	Outer_Full			21.65	21.11	34.77	Pass	1.61
	Inner_Full			21.5	20.96	34.77	Pass	1.61
	Inner_1RB_Left			21.51	20.97	34.77	Pass	1.61
	Inner_1RB_Right			21.51	20.97	34.77	Pass	1.61
	DFT-s-OFDM 256QAM			Edge_Full_Left	19.21	18.67	34.77	Pass
			Edge_Full_Right	19.47	18.93	34.77	Pass	1.61
			Edge_1RB_Left	18.78	18.24	34.77	Pass	1.61
			Edge_1RB_Right	18.88	18.34	34.77	Pass	1.61
			Outer_Full	19.61	19.07	34.77	Pass	1.61
			Inner_Full	19.44	18.9	34.77	Pass	1.61

			Inner_1RB_Left	18.62	18.08	34.77	Pass	1.61		
			Inner_1RB_Right	19.01	18.47	34.77	Pass	1.61		
	CP-OFDM QPSK		Edge_Full_Left	20.87	20.33	34.77	Pass	1.61		
			Edge_Full_Right	20.8	20.26	34.77	Pass	1.61		
			Edge_1RB_Left	20.98	20.44	34.77	Pass	1.61		
			Edge_1RB_Right	20.87	20.33	34.77	Pass	1.61		
			Outer_Full	21.25	20.71	34.77	Pass	1.61		
			Inner_Full	22.56	22.02	34.77	Pass	1.61		
			Inner_1RB_Left	22.22	21.68	34.77	Pass	1.61		
			Inner_1RB_Right	22.46	21.92	34.77	Pass	1.61		
			Edge_Full_Left	20.65	20.11	34.77	Pass	1.61		
			Edge_Full_Right	20.9	20.36	34.77	Pass	1.61		
	CP-OFDM 16QAM		Edge_1RB_Left	20.64	20.1	34.77	Pass	1.61		
			Edge_1RB_Right	20.45	19.91	34.77	Pass	1.61		
			Outer_Full	21.23	20.69	34.77	Pass	1.61		
			Inner_Full	21.91	21.37	34.77	Pass	1.61		
			Inner_1RB_Left	21.63	21.09	34.77	Pass	1.61		
			Inner_1RB_Right	21.66	21.12	34.77	Pass	1.61		
			Edge_Full_Left	20.28	19.74	34.77	Pass	1.61		
			Edge_Full_Right	20.23	19.69	34.77	Pass	1.61		
	CP-OFDM 64QAM		Edge_1RB_Left	19.85	19.31	34.77	Pass	1.61		
			Edge_1RB_Right	19.7	19.16	34.77	Pass	1.61		
			Outer_Full	20.42	19.88	34.77	Pass	1.61		
			Inner_Full	20.27	19.73	34.77	Pass	1.61		
			Inner_1RB_Left	19.74	19.2	34.77	Pass	1.61		
			Inner_1RB_Right	19.95	19.41	34.77	Pass	1.61		
			Edge_Full_Left	17.82	17.28	34.77	Pass	1.61		
			Edge_Full_Right	17.62	17.08	34.77	Pass	1.61		
	CP-OFDM 256QAM		Edge_1RB_Left	17.44	16.9	34.77	Pass	1.61		
			Edge_1RB_Right	17.29	16.75	34.77	Pass	1.61		
			Outer_Full	17.71	17.17	34.77	Pass	1.61		
			Inner_Full	17.42	16.88	34.77	Pass	1.61		
			Inner_1RB_Left	17.2	16.66	34.77	Pass	1.61		
			Inner_1RB_Right	17.82	17.28	34.77	Pass	1.61		
			DFT-s-OFDM PI/2 BPSK	680.5MHz	Edge_Full_Left	23.58	23.04	34.77	Pass	1.61
					Edge_Full_Right	23.36	22.82	34.77	Pass	1.61
	Edge_1RB_Left				23.44	22.9	34.77	Pass	1.61	
	Edge_1RB_Right				23.6	23.06	34.77	Pass	1.61	
	Outer_Full				23.59	23.05	34.77	Pass	1.61	
	Inner_Full				23.7	23.16	34.77	Pass	1.61	
	Inner_1RB_Left				23.92	23.38	34.77	Pass	1.61	
	Inner_1RB_Right				23.9	23.36	34.77	Pass	1.61	
	DFT-s-OFDM QPSK			Edge_Full_Left	23.17	22.63	34.77	Pass	1.61	

		Edge_Full_Right	22.99	22.45	34.77	Pass	1.61
		Edge_1RB_Left	23.21	22.67	34.77	Pass	1.61
		Edge_1RB_Right	22.95	22.41	34.77	Pass	1.61
		Outer_Full	23.16	22.62	34.77	Pass	1.61
		Inner_Full	23.72	23.18	34.77	Pass	1.61
		Inner_1RB_Left	23.8	23.26	34.77	Pass	1.61
	DFT-s-OFDM 16QAM	Inner_1RB_Right	23.78	23.24	34.77	Pass	1.61
		Edge_Full_Left	21.99	21.45	34.77	Pass	1.61
		Edge_Full_Right	21.77	21.23	34.77	Pass	1.61
		Edge_1RB_Left	21.57	21.03	34.77	Pass	1.61
		Edge_1RB_Right	21.38	20.84	34.77	Pass	1.61
		Outer_Full	22.17	21.63	34.77	Pass	1.61
	DFT-s-OFDM 64QAM	Inner_Full	23.15	22.61	34.77	Pass	1.61
		Inner_1RB_Left	22.63	22.09	34.77	Pass	1.61
		Inner_1RB_Right	22.43	21.89	34.77	Pass	1.61
		Edge_Full_Left	21.58	21.04	34.77	Pass	1.61
		Edge_Full_Right	21.4	20.86	34.77	Pass	1.61
		Edge_1RB_Left	21.52	20.98	34.77	Pass	1.61
	DFT-s-OFDM 256QAM	Edge_1RB_Right	21.49	20.95	34.77	Pass	1.61
		Outer_Full	21.58	21.04	34.77	Pass	1.61
		Inner_Full	21.79	21.25	34.77	Pass	1.61
		Inner_1RB_Left	21.59	21.05	34.77	Pass	1.61
		Inner_1RB_Right	21.42	20.88	34.77	Pass	1.61
		Edge_Full_Left	19.54	19	34.77	Pass	1.61
	CP-OFDM QPSK	Edge_Full_Right	19.64	19.1	34.77	Pass	1.61
		Edge_1RB_Left	18.91	18.37	34.77	Pass	1.61
		Edge_1RB_Right	18.76	18.22	34.77	Pass	1.61
		Outer_Full	19.46	18.92	34.77	Pass	1.61
		Inner_Full	19.6	19.06	34.77	Pass	1.61
		Inner_1RB_Left	18.77	18.23	34.77	Pass	1.61
	CP-OFDM 16QAM	Inner_1RB_Right	18.86	18.32	34.77	Pass	1.61
		Edge_Full_Left	20.89	20.35	34.77	Pass	1.61
		Edge_Full_Right	21.02	20.48	34.77	Pass	1.61
		Edge_1RB_Left	20.98	20.44	34.77	Pass	1.61
		Edge_1RB_Right	20.92	20.38	34.77	Pass	1.61
		Outer_Full	21.16	20.62	34.77	Pass	1.61
		Inner_Full	22.65	22.11	34.77	Pass	1.61
		Inner_1RB_Left	22.31	21.77	34.77	Pass	1.61
		Inner_1RB_Right	22.38	21.84	34.77	Pass	1.61
		Edge_Full_Left	20.91	20.37	34.77	Pass	1.61
		Edge_Full_Right	21.18	20.64	34.77	Pass	1.61
		Edge_1RB_Left	20.76	20.22	34.77	Pass	1.61
		Edge_1RB_Right	20.79	20.25	34.77	Pass	1.61

	DFT-s-OFDM 64QAM	Inner_1RB_Right	21.16	20.62	34.77	Pass	1.61
		Edge_Full_Left	20.48	19.94	34.77	Pass	1.61
		Edge_Full_Right	19.99	19.45	34.77	Pass	1.61
		Edge_1RB_Left	20.68	20.14	34.77	Pass	1.61
		Edge_1RB_Right	20.09	19.55	34.77	Pass	1.61
		Outer_Full	21.13	20.59	34.77	Pass	1.61
		Inner_Full	21.31	20.77	34.77	Pass	1.61
		Inner_1RB_Left	20.64	20.1	34.77	Pass	1.61
		Inner_1RB_Right	20.17	19.63	34.77	Pass	1.61
		Edge_Full_Left	19.04	18.5	34.77	Pass	1.61
	DFT-s-OFDM 256QAM	Edge_Full_Right	18.23	17.69	34.77	Pass	1.61
		Edge_1RB_Left	18.2	17.66	34.77	Pass	1.61
		Edge_1RB_Right	17.89	17.35	34.77	Pass	1.61
		Outer_Full	19.6	19.06	34.77	Pass	1.61
		Inner_Full	19.38	18.84	34.77	Pass	1.61
		Inner_1RB_Left	18.52	17.98	34.77	Pass	1.61
		Inner_1RB_Right	17.75	17.21	34.77	Pass	1.61
		Edge_Full_Left	20.4	19.86	34.77	Pass	1.61
		Edge_Full_Right	19.92	19.38	34.77	Pass	1.61
		Edge_1RB_Left	20.56	20.02	34.77	Pass	1.61
	CP-OFDM QPSK	Edge_1RB_Right	20.39	19.85	34.77	Pass	1.61
		Outer_Full	20.96	20.42	34.77	Pass	1.61
		Inner_Full	21.8	21.26	34.77	Pass	1.61
		Inner_1RB_Left	21.45	20.91	34.77	Pass	1.61
		Inner_1RB_Right	21.14	20.6	34.77	Pass	1.61
		Edge_Full_Left	20.55	20.01	34.77	Pass	1.61
		Edge_Full_Right	20.25	19.71	34.77	Pass	1.61
		Edge_1RB_Left	20.25	19.71	34.77	Pass	1.61
		Edge_1RB_Right	19.89	19.35	34.77	Pass	1.61
		Outer_Full	20.94	20.4	34.77	Pass	1.61
	CP-OFDM 16QAM	Inner_Full	21.62	21.08	34.77	Pass	1.61
		Inner_1RB_Left	20.84	20.3	34.77	Pass	1.61
		Inner_1RB_Right	20.17	19.63	34.77	Pass	1.61
		Edge_Full_Left	20.4	19.86	34.77	Pass	1.61
		Edge_Full_Right	20.09	19.55	34.77	Pass	1.61
		Edge_1RB_Left	19.87	19.33	34.77	Pass	1.61
		Edge_1RB_Right	19.46	18.92	34.77	Pass	1.61
		Outer_Full	20.47	19.93	34.77	Pass	1.61
		Inner_Full	20.49	19.95	34.77	Pass	1.61
		Inner_1RB_Left	20.02	19.48	34.77	Pass	1.61
	CP-OFDM 64QAM	Inner_1RB_Right	19.64	19.1	34.77	Pass	1.61
		Edge_Full_Left	18.02	17.48	34.77	Pass	1.61
		Edge_Full_Right	17.94	17.4	34.77	Pass	1.61
	CP-OFDM 256QAM						

			Edge_1RB_Left	17.36	16.82	34.77	Pass	1.61
			Edge_1RB_Right	17.71	17.17	34.77	Pass	1.61
			Outer_Full	17.61	17.07	34.77	Pass	1.61
			Inner_Full	17.49	16.95	34.77	Pass	1.61
			Inner_1RB_Left	17.55	17.01	34.77	Pass	1.61
			Inner_1RB_Right	17.52	16.98	34.77	Pass	1.61
20MHz	DFT-s-OFDM PI/2 BPSK	673MHz	Edge_Full_Left	23.46	22.92	34.77	Pass	1.61
			Edge_Full_Right	23.82	23.28	34.77	Pass	1.61
			Edge_1RB_Left	23.43	22.89	34.77	Pass	1.61
			Edge_1RB_Right	23.31	22.77	34.77	Pass	1.61
			Outer_Full	23.73	23.19	34.77	Pass	1.61
			Inner_Full	23.88	23.34	34.77	Pass	1.61
			Inner_1RB_Left	23.53	22.99	34.77	Pass	1.61
			Inner_1RB_Right	23.47	22.93	34.77	Pass	1.61
	DFT-s-OFDM QPSK		Edge_Full_Left	22.67	22.13	34.77	Pass	1.61
			Edge_Full_Right	22.91	22.37	34.77	Pass	1.61
			Edge_1RB_Left	23.1	22.56	34.77	Pass	1.61
			Edge_1RB_Right	23.08	22.54	34.77	Pass	1.61
			Outer_Full	23.17	22.63	34.77	Pass	1.61
			Inner_Full	23.78	23.24	34.77	Pass	1.61
			Inner_1RB_Left	23.74	23.2	34.77	Pass	1.61
			Inner_1RB_Right	23.72	23.18	34.77	Pass	1.61
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.68	21.14	34.77	Pass	1.61
			Edge_Full_Right	21.68	21.14	34.77	Pass	1.61
			Edge_1RB_Left	21.73	21.19	34.77	Pass	1.61
			Edge_1RB_Right	21.95	21.41	34.77	Pass	1.61
			Outer_Full	22.25	21.71	34.77	Pass	1.61
			Inner_Full	23.11	22.57	34.77	Pass	1.61
			Inner_1RB_Left	22.94	22.4	34.77	Pass	1.61
			Inner_1RB_Right	23	22.46	34.77	Pass	1.61
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.63	21.09	34.77	Pass	1.61
			Edge_Full_Right	21.73	21.19	34.77	Pass	1.61
			Edge_1RB_Left	21.39	20.85	34.77	Pass	1.61
			Edge_1RB_Right	21.44	20.9	34.77	Pass	1.61
			Outer_Full	21.72	21.18	34.77	Pass	1.61
			Inner_Full	21.68	21.14	34.77	Pass	1.61
Inner_1RB_Left		21.39	20.85	34.77	Pass	1.61		
Inner_1RB_Right		21.43	20.89	34.77	Pass	1.61		
DFT-s-OFDM 256QAM	Edge_Full_Left	19.64	19.1	34.77	Pass	1.61		
	Edge_Full_Right	19.78	19.24	34.77	Pass	1.61		
	Edge_1RB_Left	19.67	19.13	34.77	Pass	1.61		
	Edge_1RB_Right	19.7	19.16	34.77	Pass	1.61		
	Outer_Full	19.63	19.09	34.77	Pass	1.61		

	CP-OFDM QPSK	680.5MHz	Inner_Full	19.64	19.1	34.77	Pass	1.61	
			Inner_1RB_Left	19.71	19.17	34.77	Pass	1.61	
			Inner_1RB_Right	19.56	19.02	34.77	Pass	1.61	
			Edge_Full_Left	21.01	20.47	34.77	Pass	1.61	
			Edge_Full_Right	21.13	20.59	34.77	Pass	1.61	
			Edge_1RB_Left	20.62	20.08	34.77	Pass	1.61	
			Edge_1RB_Right	20.83	20.29	34.77	Pass	1.61	
			Outer_Full	21.24	20.7	34.77	Pass	1.61	
			Inner_Full	22.57	22.03	34.77	Pass	1.61	
			Inner_1RB_Left	22.02	21.48	34.77	Pass	1.61	
	CP-OFDM 16QAM		Inner_1RB_Right	22.13	21.59	34.77	Pass	1.61	
			Edge_Full_Left	21.61	21.07	34.77	Pass	1.61	
			Edge_Full_Right	21.32	20.78	34.77	Pass	1.61	
			Edge_1RB_Left	20.87	20.33	34.77	Pass	1.61	
			Edge_1RB_Right	20.95	20.41	34.77	Pass	1.61	
			Outer_Full	21.29	20.75	34.77	Pass	1.61	
			Inner_Full	21.99	21.45	34.77	Pass	1.61	
			Inner_1RB_Left	21.84	21.3	34.77	Pass	1.61	
			Inner_1RB_Right	21.85	21.31	34.77	Pass	1.61	
			CP-OFDM 64QAM	Edge_Full_Left	21.08	20.54	34.77	Pass	1.61
	Edge_Full_Right			20.64	20.1	34.77	Pass	1.61	
	Edge_1RB_Left			20.49	19.95	34.77	Pass	1.61	
	Edge_1RB_Right			20.47	19.93	34.77	Pass	1.61	
	Outer_Full			20.69	20.15	34.77	Pass	1.61	
	Inner_Full			20.63	20.09	34.77	Pass	1.61	
	Inner_1RB_Left			20.33	19.79	34.77	Pass	1.61	
	Inner_1RB_Right			20.55	20.01	34.77	Pass	1.61	
	CP-OFDM 256QAM			Edge_Full_Left	18.28	17.74	34.77	Pass	1.61
				Edge_Full_Right	18.16	17.62	34.77	Pass	1.61
			Edge_1RB_Left	17.61	17.07	34.77	Pass	1.61	
			Edge_1RB_Right	17.93	17.39	34.77	Pass	1.61	
			Outer_Full	17.72	17.18	34.77	Pass	1.61	
			Inner_Full	17.63	17.09	34.77	Pass	1.61	
			Inner_1RB_Left	17.91	17.37	34.77	Pass	1.61	
			Inner_1RB_Right	17.77	17.23	34.77	Pass	1.61	
			DFT-s-OFDM PI/2 BPSK	Edge_Full_Left	23.66	23.12	34.77	Pass	1.61
				Edge_Full_Right	23.69	23.15	34.77	Pass	1.61
	Edge_1RB_Left			23.42	22.88	34.77	Pass	1.61	
	Edge_1RB_Right			23.35	22.81	34.77	Pass	1.61	
	Outer_Full			23.9	23.36	34.77	Pass	1.61	
	Inner_Full			23.69	23.15	34.77	Pass	1.61	
	Inner_1RB_Left			23.55	23.01	34.77	Pass	1.61	
	Inner_1RB_Right			23.54	23	34.77	Pass	1.61	

	DFT-s-OFDM QPSK	Edge_Full_Left	23.24	22.7	34.77	Pass	1.61
		Edge_Full_Right	22.69	22.15	34.77	Pass	1.61
		Edge_1RB_Left	22.64	22.1	34.77	Pass	1.61
		Edge_1RB_Right	22.56	22.02	34.77	Pass	1.61
		Outer_Full	23.34	22.8	34.77	Pass	1.61
		Inner_Full	24.02	23.48	34.77	Pass	1.61
		Inner_1RB_Left	23.59	23.05	34.77	Pass	1.61
		Inner_1RB_Right	23.41	22.87	34.77	Pass	1.61
	DFT-s-OFDM 16QAM	Edge_Full_Left	22	21.46	34.77	Pass	1.61
		Edge_Full_Right	21.97	21.43	34.77	Pass	1.61
		Edge_1RB_Left	21.63	21.09	34.77	Pass	1.61
		Edge_1RB_Right	21.8	21.26	34.77	Pass	1.61
		Outer_Full	22.07	21.53	34.77	Pass	1.61
		Inner_Full	23.01	22.47	34.77	Pass	1.61
		Inner_1RB_Left	23.07	22.53	34.77	Pass	1.61
		Inner_1RB_Right	22.99	22.45	34.77	Pass	1.61
	DFT-s-OFDM 64QAM	Edge_Full_Left	21.43	20.89	34.77	Pass	1.61
		Edge_Full_Right	21.53	20.99	34.77	Pass	1.61
		Edge_1RB_Left	21.38	20.84	34.77	Pass	1.61
		Edge_1RB_Right	21.23	20.69	34.77	Pass	1.61
		Outer_Full	21.64	21.1	34.77	Pass	1.61
		Inner_Full	21.48	20.94	34.77	Pass	1.61
		Inner_1RB_Left	21.48	20.94	34.77	Pass	1.61
		Inner_1RB_Right	21.39	20.85	34.77	Pass	1.61
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.77	19.23	34.77	Pass	1.61
		Edge_Full_Right	19.85	19.31	34.77	Pass	1.61
		Edge_1RB_Left	19.48	18.94	34.77	Pass	1.61
		Edge_1RB_Right	19.6	19.06	34.77	Pass	1.61
		Outer_Full	19.67	19.13	34.77	Pass	1.61
		Inner_Full	19.49	18.95	34.77	Pass	1.61
		Inner_1RB_Left	19.49	18.95	34.77	Pass	1.61
		Inner_1RB_Right	19.59	19.05	34.77	Pass	1.61
	CP-OFDM QPSK	Edge_Full_Left	20.88	20.34	34.77	Pass	1.61
		Edge_Full_Right	20.85	20.31	34.77	Pass	1.61
		Edge_1RB_Left	20.78	20.24	34.77	Pass	1.61
		Edge_1RB_Right	20.87	20.33	34.77	Pass	1.61
		Outer_Full	21.11	20.57	34.77	Pass	1.61
		Inner_Full	22.46	21.92	34.77	Pass	1.61
		Inner_1RB_Left	22.08	21.54	34.77	Pass	1.61
		Inner_1RB_Right	22.28	21.74	34.77	Pass	1.61
	CP-OFDM 16QAM	Edge_Full_Left	21.25	20.71	34.77	Pass	1.61
		Edge_Full_Right	21.43	20.89	34.77	Pass	1.61
		Edge_1RB_Left	20.75	20.21	34.77	Pass	1.61

		688MHz	Edge_1RB_Right	20.81	20.27	34.77	Pass	1.61
			Outer_Full	21.27	20.73	34.77	Pass	1.61
			Inner_Full	22.02	21.48	34.77	Pass	1.61
			Inner_1RB_Left	21.89	21.35	34.77	Pass	1.61
			Inner_1RB_Right	21.81	21.27	34.77	Pass	1.61
	CP-OFDM 64QAM		Edge_Full_Left	20.96	20.42	34.77	Pass	1.61
			Edge_Full_Right	20.63	20.09	34.77	Pass	1.61
			Edge_1RB_Left	20.37	19.83	34.77	Pass	1.61
			Edge_1RB_Right	20.58	20.04	34.77	Pass	1.61
			Outer_Full	20.9	20.36	34.77	Pass	1.61
			Inner_Full	20.63	20.09	34.77	Pass	1.61
			Inner_1RB_Left	20.42	19.88	34.77	Pass	1.61
			Inner_1RB_Right	20.54	20	34.77	Pass	1.61
	CP-OFDM 256QAM		Edge_Full_Left	18.26	17.72	34.77	Pass	1.61
			Edge_Full_Right	18.3	17.76	34.77	Pass	1.61
			Edge_1RB_Left	17.86	17.32	34.77	Pass	1.61
			Edge_1RB_Right	18.17	17.63	34.77	Pass	1.61
			Outer_Full	17.6	17.06	34.77	Pass	1.61
			Inner_Full	17.57	17.03	34.77	Pass	1.61
			Inner_1RB_Left	17.99	17.45	34.77	Pass	1.61
			Inner_1RB_Right	17.69	17.15	34.77	Pass	1.61
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.58	23.04	34.77	Pass	1.61
			Edge_Full_Right	23.27	22.73	34.77	Pass	1.61
			Edge_1RB_Left	23.53	22.99	34.77	Pass	1.61
			Edge_1RB_Right	23	22.46	34.77	Pass	1.61
			Outer_Full	23.44	22.9	34.77	Pass	1.61
			Inner_Full	23.63	23.09	34.77	Pass	1.61
			Inner_1RB_Left	23.58	23.04	34.77	Pass	1.61
			Inner_1RB_Right	23.49	22.95	34.77	Pass	1.61
	DFT-s-OFDM QPSK		Edge_Full_Left	22.5	21.96	34.77	Pass	1.61
			Edge_Full_Right	21.54	21	34.77	Pass	1.61
			Edge_1RB_Left	22.27	21.73	34.77	Pass	1.61
			Edge_1RB_Right	21.14	20.6	34.77	Pass	1.61
Outer_Full		22.62	22.08	34.77	Pass	1.61		
Inner_Full		23.15	22.61	34.77	Pass	1.61		
Inner_1RB_Left		23.58	23.04	34.77	Pass	1.61		
Inner_1RB_Right		22.34	21.8	34.77	Pass	1.61		
DFT-s-OFDM 16QAM	Edge_Full_Left	21.76	21.22	34.77	Pass	1.61		
	Edge_Full_Right	20.42	19.88	34.77	Pass	1.61		
	Edge_1RB_Left	21.66	21.12	34.77	Pass	1.61		
	Edge_1RB_Right	20.1	19.56	34.77	Pass	1.61		
	Outer_Full	21.62	21.08	34.77	Pass	1.61		
	Inner_Full	22.37	21.83	34.77	Pass	1.61		

	DFT-s-OFDM 64QAM	Inner_1RB_Left	22.72	22.18	34.77	Pass	1.61
		Inner_1RB_Right	21.38	20.84	34.77	Pass	1.61
		Edge_Full_Left	21.07	20.53	34.77	Pass	1.61
		Edge_Full_Right	19.94	19.4	34.77	Pass	1.61
		Edge_1RB_Left	20.98	20.44	34.77	Pass	1.61
		Edge_1RB_Right	19.71	19.17	34.77	Pass	1.61
		Outer_Full	20.95	20.41	34.77	Pass	1.61
		Inner_Full	20.54	20	34.77	Pass	1.61
		Inner_1RB_Left	21.03	20.49	34.77	Pass	1.61
		Inner_1RB_Right	19.95	19.41	34.77	Pass	1.61
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.25	18.71	34.77	Pass	1.61
		Edge_Full_Right	18.16	17.62	34.77	Pass	1.61
		Edge_1RB_Left	19.33	18.79	34.77	Pass	1.61
		Edge_1RB_Right	17.97	17.43	34.77	Pass	1.61
		Outer_Full	19.53	18.99	34.77	Pass	1.61
		Inner_Full	19.36	18.82	34.77	Pass	1.61
		Inner_1RB_Left	19.31	18.77	34.77	Pass	1.61
		Inner_1RB_Right	18.08	17.54	34.77	Pass	1.61
		Edge_Full_Left	21.26	20.72	34.77	Pass	1.61
		Edge_Full_Right	19.83	19.29	34.77	Pass	1.61
	CP-OFDM QPSK	Edge_1RB_Left	20.68	20.14	34.77	Pass	1.61
		Edge_1RB_Right	20.61	20.07	34.77	Pass	1.61
		Outer_Full	20.81	20.27	34.77	Pass	1.61
		Inner_Full	21.38	20.84	34.77	Pass	1.61
		Inner_1RB_Left	21.79	21.25	34.77	Pass	1.61
		Inner_1RB_Right	20.54	20	34.77	Pass	1.61
		Edge_Full_Left	21.55	21.01	34.77	Pass	1.61
		Edge_Full_Right	20.37	19.83	34.77	Pass	1.61
		Edge_1RB_Left	20.79	20.25	34.77	Pass	1.61
		Edge_1RB_Right	19.74	19.2	34.77	Pass	1.61
	CP-OFDM 16QAM	Outer_Full	20.88	20.34	34.77	Pass	1.61
		Inner_Full	21.2	20.66	34.77	Pass	1.61
		Inner_1RB_Left	21.42	20.88	34.77	Pass	1.61
		Inner_1RB_Right	20.23	19.69	34.77	Pass	1.61
		Edge_Full_Left	20.48	19.94	34.77	Pass	1.61
		Edge_Full_Right	20.19	19.65	34.77	Pass	1.61
		Edge_1RB_Left	20.43	19.89	34.77	Pass	1.61
		Edge_1RB_Right	19.96	19.42	34.77	Pass	1.61
		Outer_Full	20.64	20.1	34.77	Pass	1.61
		Inner_Full	20.41	19.87	34.77	Pass	1.61
	CP-OFDM 64QAM	Inner_1RB_Left	20.47	19.93	34.77	Pass	1.61
		Inner_1RB_Right	19.8	19.26	34.77	Pass	1.61
		Edge_Full_Left	18.22	17.68	34.77	Pass	1.61
	CP-OFDM 256QAM						

			Edge_Full_Right	17.67	17.13	34.77	Pass	1.61
			Edge_1RB_Left	17.67	17.13	34.77	Pass	1.61
			Edge_1RB_Right	17.45	16.91	34.77	Pass	1.61
			Outer_Full	17.58	17.04	34.77	Pass	1.61
			Inner_Full	17.52	16.98	34.77	Pass	1.61
			Inner_1RB_Left	17.88	17.34	34.77	Pass	1.61
			Inner_1RB_Right	17.37	16.83	34.77	Pass	1.61

Frequency Stability

Band width	Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Result (ppm)	Limit (ppm)	Verdict
5MHz	DFT-s-OFDM PI/2 BPSK	680.5	Outer_Full	20	LV	3.85	0.0020	2.5	Pass
					HV	3.41	0.0018	2.5	Pass
				-30	NV	5.09	0.0027	2.5	Pass
				-20	NV	2.53	0.0013	2.5	Pass
				-10	NV	-6.17	-0.0033	2.5	Pass
				0	NV	-7.55	-0.0040	2.5	Pass
				10	NV	-1.65	-0.0009	2.5	Pass
				20	NV	10.26	0.0055	2.5	Pass
				30	NV	5.8	0.0031	2.5	Pass
				40	NV	-3.55	-0.0019	2.5	Pass
	50			NV	-3	-0.0016	2.5	Pass	
	CP-OFDM QPSK			20	LV	2.86	0.0015	2.5	Pass
					HV	5.03	0.0027	2.5	Pass
				-30	NV	-3.23	-0.0017	2.5	Pass
				-20	NV	2.02	0.0011	2.5	Pass
				-10	NV	-9.47	-0.0050	2.5	Pass
				0	NV	3.1	0.0016	2.5	Pass
				10	NV	-6.74	-0.0036	2.5	Pass
				20	NV	-2.12	-0.0011	2.5	Pass
				30	NV	-4.4	-0.0023	2.5	Pass
40		NV	-4.09	-0.0022	2.5	Pass			
50	NV	2.53	0.0013	2.5	Pass				
10MHz	DFT-s-OFDM PI/2 BPSK	680.5	Outer_Full	20	LV	-7.75	-0.0041	2.5	Pass
					HV	-7.98	-0.0042	2.5	Pass
				-30	NV	-2.13	-0.0011	2.5	Pass
				-20	NV	-4.65	-0.0025	2.5	Pass
				-10	NV	7.35	0.0039	2.5	Pass
				0	NV	3.79	0.0020	2.5	Pass
				10	NV	-10.14	-0.0054	2.5	Pass
				20	NV	2.86	0.0015	2.5	Pass
				30	NV	-3.52	-0.0019	2.5	Pass
				40	NV	-3.03	-0.0016	2.5	Pass
	50			NV	8.4	0.0045	2.5	Pass	
	CP-OFDM QPSK			20	LV	9.49	0.0050	2.5	Pass
					HV	-3.11	-0.0017	2.5	Pass
				-30	NV	-5.05	-0.0027	2.5	Pass
				-20	NV	-4.03	-0.0021	2.5	Pass
				-10	NV	6.06	0.0032	2.5	Pass
0		NV	8.95	0.0048	2.5	Pass			

				10	NV	-6.93	-0.0037	2.5	Pass
				20	NV	3.33	0.0018	2.5	Pass
				30	NV	-4.04	-0.0021	2.5	Pass
				40	NV	-7.05	-0.0038	2.5	Pass
				50	NV	-6.54	-0.0035	2.5	Pass
15MHz	DFT-s-OFDM PI/2 BPSK	680.5	Outer_Full	20	LV	-3.92	-0.0021	2.5	Pass
					HV	9.91	0.0053	2.5	Pass
				-30	NV	1.97	0.0010	2.5	Pass
				-20	NV	-2.99	-0.0016	2.5	Pass
				-10	NV	6.53	0.0035	2.5	Pass
				0	NV	-8.72	-0.0046	2.5	Pass
				10	NV	4	0.0021	2.5	Pass
				20	NV	-6.46	-0.0034	2.5	Pass
				30	NV	8.72	0.0046	2.5	Pass
				40	NV	4.59	0.0024	2.5	Pass
				50	NV	-5.11	-0.0027	2.5	Pass
	CP-OFDM QPSK			20	LV	-3.1	-0.0016	2.5	Pass
					HV	8.08	0.0043	2.5	Pass
				-30	NV	-7.37	-0.0039	2.5	Pass
				-20	NV	2.96	0.0016	2.5	Pass
				-10	NV	6.46	0.0034	2.5	Pass
				0	NV	-9.88	-0.0053	2.5	Pass
				10	NV	8.1	0.0043	2.5	Pass
				20	NV	-7.29	-0.0039	2.5	Pass
				30	NV	8.84	0.0047	2.5	Pass
				40	NV	2.71	0.0014	2.5	Pass
				50	NV	3.7	0.0020	2.5	Pass
20MHz	DFT-s-OFDM PI/2 BPSK	680.5	Outer_Full	20	LV	5.59	0.0030	2.5	Pass
					HV	-7.77	-0.0041	2.5	Pass
				-30	NV	7.98	0.0042	2.5	Pass
				-20	NV	3.76	0.0020	2.5	Pass
				-10	NV	-9.91	-0.0053	2.5	Pass
				0	NV	-6.46	-0.0034	2.5	Pass
				10	NV	-2.3	-0.0012	2.5	Pass
				20	NV	6.55	0.0035	2.5	Pass
				30	NV	9.37	0.0050	2.5	Pass
				40	NV	-8.11	-0.0043	2.5	Pass
				50	NV	5.53	0.0029	2.5	Pass
	CP-OFDM QPSK			20	LV	-7.25	-0.0039	2.5	Pass
					HV	3.85	0.0020	2.5	Pass
				-30	NV	-3.39	-0.0018	2.5	Pass
				-20	NV	10.05	0.0053	2.5	Pass
-10	NV	-9.45	-0.0050	2.5	Pass				

				0	NV	-5.15	-0.0027	2.5	Pass
				10	NV	-6.28	-0.0033	2.5	Pass
				20	NV	8.48	0.0045	2.5	Pass
				30	NV	2.37	0.0013	2.5	Pass
				40	NV	-4.77	-0.0025	2.5	Pass
				50	NV	3.13	0.0017	2.5	Pass

Field Strength of Spurious Radiation

NR Band n71-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1328.0	-69.75	-13	-56.75	-72.66	1.88	4.79	Horizontal	Pass
1992.0	-67.41	-13	-54.41	-69.71	2.34	4.64	Horizontal	Pass
2656.0	-65.34	-13	-52.34	-68.75	2.75	6.16	Horizontal	Pass
1328.0	-70.4	-13	-57.4	-73.31	1.88	4.79	Vertical	Pass
1992.0	-68.46	-13	-55.46	-70.76	2.34	4.64	Vertical	Pass
2656.0	-65.99	-13	-52.99	-69.4	2.75	6.16	Vertical	Pass

NR Band n71-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1348.0	-70.98	-13	-57.98	-74.01	1.89	4.92	Horizontal	Pass
2022.0	-67.98	-13	-54.98	-70.29	2.36	4.67	Horizontal	Pass
2696.0	-65.57	-13	-52.57	-69.04	2.78	6.25	Horizontal	Pass
1348.0	-71.0	-13	-58.0	-74.03	1.89	4.92	Vertical	Pass
2022.0	-68.62	-13	-55.62	-70.93	2.36	4.67	Vertical	Pass
2696.0	-65.83	-13	-52.83	-69.3	2.78	6.25	Vertical	Pass

NR Band n71-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1358.0	-69.98	-13	-56.98	-73.06	1.9	4.98	Horizontal	Pass
2037.0	-67.64	-13	-54.64	-69.98	2.37	4.71	Horizontal	Pass
2716.0	-65.39	-13	-52.39	-68.9	2.79	6.3	Horizontal	Pass
1358.0	-69.6	-13	-56.6	-72.68	1.9	4.98	Vertical	Pass
2037.0	-68.27	-13	-55.27	-70.61	2.37	4.71	Vertical	Pass
2716.0	-65.5	-13	-52.5	-69.01	2.79	6.3	Vertical	Pass

---End of Attachment---