






EUT Appearance

EUT Accessory			
Accessory	Model Name	Brand Name	Factory
Adapter 1	MDY-09-EQ	MI	Chenyang
Adapter 2	MDY-09-EQ	MI	Aohai
Battery 1	BN5K	MI	NVT
Battery 2	BN5K	MI	SUNWODA
Battery 3	BN5L	MI	NVT
Battery 4	BN5L	MI	GUANYU
Earphone	EM023	MI	Tiinlab
USB Cable 1	B52210	MI	FUHONG
USB Cable 2	H52210	MI	DEHONG
EUT Description			
Memory	3G+32G; 3G+64G; 6G+64G; 4G+128G		
Power Supply	Battery / AC adapter		
Power Rating	DC 3.85V from battery or DC 5V from Adapter.		
Connecting I/O Port(s)	Please refer to the User's Manual.		
1. There is more than one USB cable/Battery/Adapter/Memory, each one should be applied throughout the compliance test respectively, and however, only the worst case (RE: USB cable 2/ Adapter 1/Battery: BN5K / 4G+64G; CE: USB cable 1/ Adapter 1/Battery: BN5K / 3G+64G) will be recorded in this report.			








a: EUT



b: Adapter

c:



d: USB Cable



e: Earphone

Picture 1: Constituents of EUT