




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	3.016	30	Pass
NVNT	BLE	2442	Ant1	3.383	30	Pass
NVNT	BLE	2480	Ant1	2.355	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.667	0.5	Pass
NVNT	BLE	2442	Ant1	0.661	0.5	Pass
NVNT	BLE	2480	Ant1	0.659	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.019	
NVNT	BLE	2442	Ant1	1.021	
NVNT	BLE	2480	Ant1	1.02	

Project No.: JYTSZR2405096














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.339	8	Pass
NVNT	BLE	2442	Ant1	-2.94	8	Pass
NVNT	BLE	2480	Ant1	-3.961	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-58.5	-20	Pass
NVNT	BLE	2480	Ant1	-58.23	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51.8	-20	Pass
NVNT	BLE	2442	Ant1	-52.36	-20	Pass
NVNT	BLE	2480	Ant1	-51.59	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

1.887 dBm

-53.27 dBm -55.23 dBm

-55.16 dBm

-49.13 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

2.452 GHz

4.924 GHz 7.246 GHz 9.643 GHz

22.553 GHz

May 27, 2024 5:02:14 AM



