


11.2.2. Test Graphs

























































Page 240 of 274

11AC80_Ant1_5775


Page 241 of 274

11.3. APPENDIX C: MIN EMISSION BANDWIDTH 11.3.1. Test Result

Test Mode	Antenna	Frequency [MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5720	16.280	5711.840	5728.120	≥0.5	PASS
		5720_UNII-3	3.12	5725	5728.120	≥0.5	PASS
		5745	16.320	5736.840	5753.160	≥0.5	PASS
		5785	16.080	5777.080	5793.160	≥0.5	PASS
		5825	16.320	5816.840	5833.160	≥0.5	PASS
11N20	Ant1	5720	17.400	5711.360	5728.760	≥0.5	PASS
		5720_UNII-3	3.76	5725	5728.760	≥0.5	PASS
		5745	16.000	5737.480	5753.480	≥0.5	PASS
		5785	16.920	5776.840	5793.760	≥0.5	PASS
		5825	17.280	5816.480	5833.760	≥0.5	PASS
	Ant1	5710	34.960	5692.560	5727.520	≥0.5	PASS
11N40		5710_UNII-3	2.52	5725	5727.520	≥0.5	PASS
		5755	35.280	5737.480	5772.760	≥0.5	PASS
		5795	35.040	5777.480	5812.520	≥0.5	PASS
11AC80	Ant1	5690	75.200	5652.400	5727.600	≥0.5	PASS
		5690_UNII-3	2.6	5725	5727.600	≥0.5	PASS
		5775	73.920	5738.840	5812.760	≥0.5	PASS



11.3.2. Test Graphs
















Page 246 of 274

11.4. APPENDIX D: MAXIMUM AVERAGE CONDUCTED OUTPUT POWER 11.4.1. Test Result


Task Maste	Antenna	Frequency[MHz]	Power	FCC Limit	ISED Limit	EIRP	ISED EIRP	\/!:t
Test Mode			[dBm]	[dBm]	[dBm]	[dBm]	Limit [dBm]	Verdict
11A		5180	15.65	≤23.98		17.54	≤22.18	PASS
		5200	14.67	≤23.98		16.56	≤22.24	PASS
		5240	15.35	≤23.98		17.24	≤22.17	PASS
		5260	15.64	≤23.81	≤23.21	17.53	≤29.21	PASS
		5280	15.37	≤23.91	≤23.23	17.26	≤29.23	PASS
	Ant1	5320	15.36	≤23.98	≤23.21	17.25	≤29.21	PASS
		5500	14.41	≤23.84	≤23.21	16.30	≤29.21	PASS
		5580	14.65	≤23.90	≤23.20	16.54	≤29.20	PASS
		5700	12.72	≤23.86	≤23.18	14.67	≤29.18	PASS
		5720_UNII-2C	13.45	≤22.69	≤22.25	15.34	≤28.25	PASS
		5720_UNII-3	4.75	≤30.00	≤30.00	6.64		PASS
		5745	14.74	≤30.00	≤30.00	16.63		PASS
		5785	15.52	≤30.00	≤30.00	17.41		PASS
		5825	15.59	≤30.00	≤30.00	17.48		PASS
		5180	15.25	≤23.98		17.14	≤22.46	PASS
		5200	14.51	≤23.98		16.40	≤22.47	PASS
		5240	15.39	≤23.98		17.28	≤22.51	PASS
	Ant1	5260	15.94	≤23.94	≤23.47	17.83	≤29.47	PASS
		5280	15.20	≤23.93	≤23.47	17.09	≤29.47	PASS
		5320	15.27	≤23.93	≤23.46	17.16	≤29.46	PASS
11N20		5500	12.92	≤23.98	≤23.48	14.81	≤29.48	PASS
111120		5580	11.60	≤23.98	≤23.46	13.49	≤29.46	PASS
		5700	11.15	≤23.98	≤23.47	12.45	≤29.47	PASS
		5720_UNII-2C	9.88	≤22.78	≤22.41	11.77	≤28.41	PASS
		5720_UNII-3	2.80	≤30.00	≤30.00	4.69		PASS
		5745	14.65	≤30.00	≤30.00	16.54		PASS
		5785	15.31	≤30.00	≤30.00	17.20		PASS
		5825	15.26	≤30.00	≤30.00	17.15		PASS
11N40 11AC80	Ant1	5190	15.28	≤23.98		17.17	≤23.00	PASS
		5230	15.38	≤23.98		17.27	≤23.00	PASS
		5270	15.69	≤23.98	≤23.98	17.58	≤30.00	PASS
		5310	14.86	≤23.98	≤23.98	16.75	≤30.00	PASS
		5510	11.27	≤23.98	≤23.98	13.16	≤30.00	PASS
		5550	10.82	≤23.98	≤23.98	12.71	≤30.00	PASS
		5670	9.93	≤23.98	≤23.98	11.82	≤30.00	PASS
		5710_UNII-2C	10.09	≤23.98	≤23.98	11.98	≤30.00	PASS
		5710_UNII-3	-2.02	≤30.00	≤30.00	-0.13		PASS
		5755	14.90	≤30.00	≤30.00	16.79		PASS
		5795	15.69	≤30.00	≤30.00	17.58		PASS
		5210	14.53	≤23.98		16.42	≤23.00	PASS
		5290	13.97	≤23.98	≤23.98	15.86	≤30.00	PASS
		5530	11.80	≤23.98	≤23.98	13.69	≤30.00	PASS
		5610	11.83	≤23.98	≤23.98	13.72	≤30.00	PASS
		5690_UNII-2C	11.92	≤23.98	≤23.98	13.81	≤30.00	PASS
		5690_UNII-3	-3.42	≤30.00	≤30.00	-1.53		PASS
		5775	15.07	≤30.00	≤30.00	16.96		PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.




11.4.2. Test Graphs









Page 250 of 274

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power	Limit	EIRP	Limit	Verdict
			[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	
11A		5180 5200	5.32 4.6	≤11.00 ≤11.00	7.21 6.49	≤10.00 ≤10.00	PASS PASS
						≤10.00 ≤10.00	PASS
		5240	5.19	≤11.00	7.08		
	Ant1	5260	5.94	≤11.00	7.83		PASS
		5280	5.23	≤11.00	7.12		PASS
		5320	5.22	≤11.00	7.11		PASS
		5500	4.22	≤11.00	6.11		PASS
		5580	4.91	≤11.00	6.80		PASS
		5700	2.26	≤11.00	4.15		PASS
		5720_UNII-2C	4.66	≤11.00	6.55		PASS
		5720_UNII-3	-0.65	≤30.00	1.24		PASS
		5745	1.66	≤30.00	3.55		PASS
		5785	2.73	≤30.00	4.62		PASS
		5825	2.67	≤30.00	4.56		PASS
		5180	5.01	≤11.00	6.90	≤10.00	PASS
		5200	4.27	≤11.00	6.16	≤10.00	PASS
	Ant1	5240	5.12	≤11.00	7.01	≤10.00	PASS
		5260	6.2	≤11.00	8.09		PASS
		5280	4.89	≤11.00	6.78		PASS
		5320	5.31	≤11.00	7.20		PASS
11N20		5500	2.34	≤11.00	4.23		PASS
111420		5580	1.04	≤11.00	2.93		PASS
		5700	-0.12	≤11.00	1.77		PASS
		5720_UNII-2C	0.13	≤11.00	2.02		PASS
		5720_UNII-3	-4.8	≤30.00	-2.91		PASS
		5745	1.7	≤30.00	3.59		PASS
		5785	2.32	≤30.00	4.21		PASS
		5825	2.21	≤30.00	4.10		PASS
	Ant1	5190	2.16	≤11.00	4.05	≤10.00	PASS
		5230	2.24	≤11.00	4.13	≤10.00	PASS
		5270	2.56	≤11.00	4.45		PASS
		5310	1.54	≤11.00	3.43		PASS
		5510	-2.28	≤11.00	-0.39		PASS
11N40		5550	-2.56	≤11.00	-0.67		PASS
		5670	-3.63	≤11.00	-1.74		PASS
		5710_UNII-2C	-3.33	≤11.00	-1.44		PASS
		5710_UNII-3	-9.3	≤30.00	-7.41		PASS
		5755	-1.24	≤30.00	0.65		PASS
		5795	-0.46	≤30.00	1.43		PASS
	Ant1	5210	-2.27	≤11.00	-0.38	≤10.00	PASS
		5290	-2.8	≤11.00	-0.91		PASS
		5530	-5.05	≤11.00	-3.16		PASS
11AC80		5610	-5.11	≤11.00	-3.22		PASS
		5690_UNII-2C	-4.92	≤11.00	-3.03		PASS
		5690_UNII-3	-10.99	≤30.00	-9.10		PASS
		5775	-4.2	≤30.00	-2.31		PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725-5.85 GHz.

2. The Duty Cycle Factor and RBW Factor is compensated in the graph.



11.5.2. Test Graphs

