


Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	24.650	18.000
116	5580	24.797	18.100
140	5700	24.690	18.000

CH100




Date: 27.MAY.2022 17:35:17

CH116
26 dB Bandwidth




Date: 27.MAY.2022 17:36:13

CH140




Date: 27.MAY.2022 17:37:06


99 % Occupied Bandwidth



Date: 27.MAY.2022 17:34:58



Date: 27.MAY.2022 17:35:50




Date: 27.MAY.2022 17:36:47

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.799	36.800
110	5550	40.999	36.800
134	5670	41.390	36.600

CH102




Date: 27.MAY.2022 17:46:53

CH110
26 dB Bandwidth




Date: 27.MAY.2022 17:48:04

CH134




Date: 27.MAY.2022 17:49:11


99 % Occupied Bandwidth



Date: 27.MAY.2022 17:46:22



Date: 27.MAY.2022 17:47:36




Date: 27.MAY.2022 17:48:42

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	84.200	76.000
122	5610	84.008	76.000

CH106




Date: 27.MAY.2022 17:56:45

CH122
26 dB Bandwidth




Date: 27.MAY.2022 17:57:48

99 % Occupied Bandwidth



Date: 27.MAY.2022 17:56:18




Date: 27.MAY.2022 17:57:22

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.698	16.900	0.5	Complies
157	5785	16.350	16.900	0.5	Complies
165	5825	15.500	16.900	0.5	Complies

CH149




Date: 26.MAY.2022 03:18:29

CH157
6 dB Bandwidth




Date: 26.MAY.2022 03:19:33

CH165




Date: 26.MAY.2022 03:21:06


99 % Occupied Bandwidth



Date: 26.MAY.2022 03:18:06



Date: 26.MAY.2022 03:19:10




Date: 26.MAY.2022 03:20:42

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.198	18.000	0.5	Complies
157	5785	16.389	18.100	0.5	Complies
165	5825	16.890	18.000	0.5	Complies

CH149




Date: 27.MAY.2022 17:38:04

CH157
6 dB Bandwidth




Date: 27.MAY.2022 17:39:05

CH165




Date: 27.MAY.2022 17:40:01


99 % Occupied Bandwidth



Date: 27.MAY.2022 17:37:38



Date: 27.MAY.2022 17:38:40




Date: 27.MAY.2022 17:39:38

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.590	36.600	0.5	Complies
159	5795	35.388	36.800	0.5	Complies

CH151




Date: 27.MAY.2022 17:50:21

CH159 6 dB Bandwidth




Date: 27.MAY.2022 17:51:30

99 % Occupied Bandwidth



Date: 27.MAY.2022 17:49:50



Date: 27.MAY.2022 17:50:59

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.400	76.000	0.5	Complies

Date: 27.MAY.2022 17:59:02

The image shows a Spectrum Analyzer display. The x-axis represents frequency, with a center frequency of 3.775 GHz and a span of 200 MHz. The y-axis represents power in dB, ranging from -80 to 0. The spectrum shows a flat noise floor at approximately -75 dB, a sharp peak at 0 dB, and a smaller peak at approximately -25 dB. The signal is labeled 'Marker 1 [T1]' and 'Marker 2 [T1]'. The signal is identified as '3700 1 MHz' and '3700 3 MHz'.

Date: 27.MAY.2022 17:58:33

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.83	0.00	15.83	23.98	0.2500	Complies
40	5200	15.92	0.00	15.92	23.98	0.2500	Complies
48	5240	15.73	0.00	15.73	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.68	0.09	14.77	23.98	0.2500	Complies
40	5200	14.77	0.09	14.86	23.98	0.2500	Complies
48	5240	14.59	0.09	14.68	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.94	0.17	15.11	23.98	0.2500	Complies
46	5230	14.84	0.17	15.01	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.79	0.09	14.88	23.98	0.2500	Complies
40	5200	14.82	0.09	14.91	23.98	0.2500	Complies
48	5240	14.66	0.09	14.75	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.04	0.17	15.21	23.98	0.2500	Complies
46	5230	14.91	0.17	15.08	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.57	0.35	13.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.74	0.00	15.74	23.98	0.2500	Complies
60	5300	15.84	0.00	15.84	23.98	0.2500	Complies
64	5320	15.92	0.00	15.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.72	0.09	14.81	23.98	0.2500	Complies
60	5300	14.76	0.09	14.85	23.98	0.2500	Complies
64	5320	14.81	0.09	14.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.79	0.17	14.96	23.98	0.2500	Complies
62	5310	14.88	0.17	15.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.72	0.09	14.81	23.98	0.2500	Complies
60	5300	14.88	0.09	14.97	23.98	0.2500	Complies
64	5320	14.87	0.09	14.96	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.83	0.17	15.00	23.98	0.2500	Complies
62	5310	14.97	0.17	15.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.64	0.35	12.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.13	0.00	16.13	23.98	0.2500	Complies
116	5580	16.29	0.00	16.29	23.98	0.2500	Complies
140	5700	16.06	0.00	16.06	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.98	0.09	15.07	23.98	0.2500	Complies
116	5580	15.12	0.09	15.21	23.98	0.2500	Complies
140	5700	14.89	0.09	14.98	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.11	0.17	15.28	23.98	0.2500	Complies
110	5550	15.21	0.17	15.38	23.98	0.2500	Complies
134	5670	15.13	0.17	15.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.97	0.09	15.06	23.98	0.2500	Complies
116	5580	15.13	0.09	15.22	23.98	0.2500	Complies
140	5700	14.87	0.09	14.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.18	0.17	15.35	23.98	0.2500	Complies
110	5550	15.33	0.17	15.50	23.98	0.2500	Complies
134	5670	15.11	0.17	15.28	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.76	0.35	12.11	23.98	0.2500	Complies
122	5610	14.99	0.35	15.34	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.06	0.00	16.06	30.00	1.0000	Complies
157	5785	16.02	0.00	16.02	30.00	1.0000	Complies
165	5825	15.74	0.00	15.74	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.09	0.09	15.18	30.00	1.0000	Complies
157	5785	14.85	0.09	14.94	30.00	1.0000	Complies
165	5825	14.58	0.09	14.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.35	0.17	15.52	30.00	1.0000	Complies
159	5795	14.96	0.17	15.13	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.06	0.09	15.15	30.00	1.0000	Complies
157	5785	14.78	0.09	14.87	30.00	1.0000	Complies
165	5825	14.94	0.09	15.03	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.25	0.17	15.42	30.00	1.0000	Complies
159	5795	14.99	0.17	15.16	30.00	1.0000	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.93	0.35	15.28	30.00	1.0000	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.60	0.00	4.60	11.00	Complies
40	5200	4.80	0.00	4.80	11.00	Complies
48	5240	4.70	0.00	4.70	11.00	Complies



Date: 26.MAY.2022 17:36:20




Date: 26.MAY.2022 17:37:48




Date: 26.MAY.2022 17:38:46

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.08	0.09	4.17	11.00	Complies
40	5200	4.28	0.09	4.37	11.00	Complies
48	5240	4.25	0.09	4.34	11.00	Complies



Date: 27.MAY.2022 17:16:58



Date: 27.MAY.2022 17:30:11




Date: 27.MAY.2022 17:31:08

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.45	0.17	1.62	11.00	Complies
46	5230	1.60	0.17	1.77	11.00	Complies

CH38



Date: 27.MAY.2022 17:42:49

CH46




Date: 27.MAY.2022 17:43:50

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.04	0.35	-1.69	11.00	Complies


CH42



Date: 27.MAY.2022 17:54:54


Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.43	0.00	5.43	11.00	Complies
60	5300	5.52	0.00	5.52	11.00	Complies
64	5320	5.83	0.00	5.83	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.18	0.09	4.27	11.00	Complies
60	5300	4.44	0.09	4.53	11.00	Complies
64	5320	4.58	0.09	4.67	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.42	0.17	1.59	11.00	Complies
62	5310	1.71	0.17	1.88	11.00	Complies

CH54



Date: 27.MAY.2022 17:44:59

CH62




Date: 27.MAY.2022 17:46:04

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.86	0.35	-1.51	11.00	Complies


CH58



Date: 27.MAY.2022 17:55:59


Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.55	0.00	6.55	11.00	Complies
116	5580	6.66	0.00	6.66	11.00	Complies
140	5700	6.65	0.00	6.65	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.28	0.09	5.37	11.00	Complies
116	5580	5.51	0.09	5.60	11.00	Complies
140	5700	5.48	0.09	5.57	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.65	0.17	2.82	11.00	Complies
110	5550	2.62	0.17	2.79	11.00	Complies
134	5670	2.77	0.17	2.94	11.00	Complies



Date: 27.MAY.2022 17:47:13




Date: 27.MAY.2022 17:48:24




Date: 27.MAY.2022 17:49:30

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.02	0.35	-0.67	11.00	Complies
122	5610	-0.87	0.35	-0.52	11.00	Complies



Date: 27.MAY.2022 17:57:05




Date: 27.MAY.2022 17:58:07

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.58	0.17	0.75	30.00	Complies
159	5795	0.18	0.17	0.35	30.00	Complies

CH151



Date: 27.MAY.2022 17:50:41

CH159




Date: 27.MAY.2022 17:51:49

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.35	0.35	-3.00	30.00	Complies

CH155



Date: 27.MAY.2022 17:59:22

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
4.18	5179.9360
3.80	5179.9356
3.42	5179.9356
Maximum Deviation (MHz)	0.0644
Maximum Deviation (ppm)	12.4324

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-25	5179.9340
-10	5179.9340
0	5179.9352
10	5179.9344
20	5179.9340
30	5179.9344
40	5179.9332
50	5179.9340
60	5179.9340
75	5179.9340
Maximum Deviation (MHz)	0.0668
Maximum Deviation (ppm)	12.8958

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
4.18	5259.9328
3.80	5259.9324
3.42	5259.9320
Maximum Deviation (MHz)	0.0680
Maximum Deviation (ppm)	12.9278

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-25	5259.9316
-10	5259.9316
0	5259.9320
10	5259.9316
20	5259.9312
30	5259.9316
40	5259.9316
50	5259.9316
60	5259.9316
75	5259.9316
Maximum Deviation (MHz)	0.0688
Maximum Deviation (ppm)	13.0798

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
4.18	5499.9288
3.80	5499.9284
3.42	5499.9284
Maximum Deviation (MHz)	0.0716
Maximum Deviation (ppm)	13.0182

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-25	5499.9284
-10	5499.9284
0	5499.9284
10	5499.9284
20	5499.9280
30	5499.9280
40	5499.9280
50	5499.9284
60	5499.9284
75	5499.9284
Maximum Deviation (MHz)	0.0720
Maximum Deviation (ppm)	13.0909

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
4.18	5744.9252
3.80	5744.9252
3.42	5744.9248
Maximum Deviation (MHz)	0.0752
Maximum Deviation (ppm)	13.0896

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-25	5744.9248
-10	5744.9248
0	5744.9248
10	5744.9248
20	5744.9244
30	5744.9248
40	5744.9248
50	5744.9248
60	5744.9248
75	5744.9248
Maximum Deviation (MHz)	0.0756
Maximum Deviation (ppm)	13.1593

End of Test Report