





11AX40MIMO_Ant6_2422




11AX40MIMO_Ant8_2422






11AX40MIMO_Ant6_2437




11AX40MIMO_Ant8_2437






11AX40MIMO_Ant6_2452



11AX40MIMO_Ant8_2452




Band edge measurements


Test Result

TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm /100KHz]	Result[dBm /100KHz]	Limit[dBm /100KHz]	Verdict
11B-CDD	Ant6	Low	2412	9.53	-39.63	≤-10.47	PASS
	Ant8	Low	2412	9.57	-38.26	≤-10.43	PASS
	Ant6	High	2462	10.68	-45.85	≤-9.32	PASS
	Ant8	High	2462	9.33	-46.25	≤-10.67	PASS
11G-CDD	Ant6	Low	2412	9.15	-29.13	≤-10.85	PASS
	Ant8	Low	2412	8.68	-25.53	≤-11.32	PASS
	Ant6	High	2462	9.18	-26.27	≤-10.82	PASS
	Ant8	High	2462	8.38	-28.05	≤-11.62	PASS
11AX20MIMO	Ant6	Low	2412	9.12	-27.61	≤-10.88	PASS
	Ant8	Low	2412	8.87	-23.36	≤-11.13	PASS
	Ant6	High	2462	8.09	-23.6	≤-11.91	PASS
	Ant8	High	2462	8.69	-25.45	≤-11.31	PASS
11AX40MIMO	Ant6	Low	2422	6.17	-18.04	≤-13.83	PASS
	Ant8	Low	2422	5.55	-21.06	≤-14.45	PASS
	Ant6	High	2452	6.03	-18.99	≤-13.97	PASS
	Ant8	High	2452	5.99	-19.31	≤-14.01	PASS




Test Graphs









11G-CDD_Ant6_Low_2412




11G-CDD_Ant8_Low_2412








11AX20MIMO_Ant6_Low_2412




11AX20MIMO_Ant8_Low_2412






11AX20MIMO_Ant6_High_2462




11AX20MIMO_Ant8_High_2462






11AX40MIMO_Ant6_Low_2422




11AX40MIMO_Ant8_Low_2422






11AX40MIMO_Ant6_High_2452



11AX40MIMO_Ant8_High_2452





Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [Mhz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
11B-CDD	Ant6	2412	30~1000	9.53	-56.3	≤-10.47	PASS
			1000~26500	9.53	-48.98	≤-10.47	PASS
	Ant8	2412	30~1000	9.57	-56.57	≤-10.43	PASS
			1000~26500	9.57	-51.49	≤-10.43	PASS
	Ant6	2437	30~1000	9.41	-55.99	≤-10.59	PASS
			1000~26500	9.41	-49.23	≤-10.59	PASS
	Ant8	2437	30~1000	9.30	-55.97	≤-10.7	PASS
			1000~26500	9.30	-50.89	≤-10.7	PASS
	Ant6	2462	30~1000	10.68	-55.47	≤-9.32	PASS
			1000~26500	10.68	-46.92	≤-9.32	PASS
	Ant8	2462	30~1000	9.33	-56.15	≤-10.67	PASS
			1000~26500	9.33	-50.7	≤-10.67	PASS
11G-CDD	Ant6	2412	30~1000	9.15	-55.82	≤-10.85	PASS
			1000~26500	9.15	-50.82	≤-10.85	PASS
	Ant8	2412	30~1000	8.68	-55.82	≤-11.32	PASS
			1000~26500	8.68	-50.99	≤-11.32	PASS
	Ant6	2437	30~1000	8.77	-55.34	≤-11.23	PASS
			1000~26500	8.77	-51.05	≤-11.23	PASS
	Ant8	2437	30~1000	8.02	-55.72	≤-11.98	PASS
			1000~26500	8.02	-51.23	≤-11.98	PASS
	Ant6	2462	30~1000	9.18	-56.1	≤-10.82	PASS
			1000~26500	9.18	-49.58	≤-10.82	PASS
	Ant8	2462	30~1000	8.38	-56.59	≤-11.62	PASS
			1000~26500	8.38	-50.44	≤-11.62	PASS
11AX20MIMO	Ant6	2412	30~1000	9.12	-56.05	≤-10.88	PASS
			1000~26500	9.12	-51.1	≤-10.88	PASS
	Ant8	2412	30~1000	8.87	-56.45	≤-11.13	PASS
			1000~26500	8.87	-51.33	≤-11.13	PASS
	Ant6	2437	30~1000	8.62	-56.12	≤-11.38	PASS
			1000~26500	8.62	-50.46	≤-11.38	PASS
	Ant8	2437	30~1000	6.77	-56.51	≤-13.23	PASS
			1000~26500	6.77	-50.76	≤-13.23	PASS
	Ant6	2462	30~1000	8.09	-56.19	≤-11.91	PASS
			1000~26500	8.09	-50.96	≤-11.91	PASS





	Ant8	2462	30~1000	8.69	-55.86	≤ -11.31	PASS
			1000~26500	8.69	-51.03	≤ -11.31	PASS
11AX40MIMO	Ant6	2422	30~1000	6.17	-56.32	≤ -13.83	PASS
			1000~26500	6.17	-51.19	≤ -13.83	PASS
	Ant8	2422	30~1000	5.55	-56.11	≤ -14.45	PASS
			1000~26500	5.55	-51.01	≤ -14.45	PASS
	Ant6	2437	30~1000	5.74	-55.1	≤ -14.26	PASS
			1000~26500	5.74	-51.23	≤ -14.26	PASS
	Ant8	2437	30~1000	5.56	-56.19	≤ -14.44	PASS
			1000~26500	5.56	-50.71	≤ -14.44	PASS
	Ant6	2452	30~1000	6.03	-56.19	≤ -13.97	PASS
			1000~26500	6.03	-51.16	≤ -13.97	PASS
	Ant8	2452	30~1000	5.99	-55.83	≤ -14.01	PASS
			1000~26500	5.99	-51	≤ -14.01	PASS





Test Graphs




































11AX20MIMO_Ant6_2412_30~1000




11AX20MIMO_Ant6_2412_1000~26500






11AX20MIMO_Ant8_2412_30~1000




11AX20MIMO_Ant8_2412_1000~26500






11AX20MIMO_Ant6_2437_30~1000




11AX20MIMO_Ant6_2437_1000~26500






11AX20MIMO_Ant8_2437_30~1000




11AX20MIMO_Ant8_2437_1000~26500






11AX20MIMO_Ant6_2462_30~1000




11AX20MIMO_Ant6_2462_1000~26500






11AX20MIMO_Ant8_2462_30~1000




11AX20MIMO_Ant8_2462_1000~26500






11AX40MIMO_Ant6_2422_30~1000




11AX40MIMO_Ant6_2422_1000~26500






11AX40MIMO_Ant8_2422_30~1000




11AX40MIMO_Ant8_2422_1000~26500






11AX40MIMO_Ant6_2437_30~1000




11AX40MIMO_Ant6_2437_1000~26500






11AX40MIMO_Ant8_2437_30~1000




11AX40MIMO_Ant8_2437_1000~26500






11AX40MIMO_Ant6_2452_30~1000




11AX40MIMO_Ant6_2452_1000~26500






11AX40MIMO_Ant8_2452_30~1000



11AX40MIMO_Ant8_2452_1000~26500




**Partial RU****Maximum power spectral density****Test Result**

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant6	2412	26Tone	RU0	-8.91	≤8.00	PASS
			52Tone	RU37	-8.8	≤8.00	PASS
			106Tone	RU53	-9.53	≤8.00	PASS
	Ant8	2412	26Tone	RU0	-10.65	≤8.00	PASS
			52Tone	RU37	-10.96	≤8.00	PASS
			106Tone	RU53	-10.16	≤8.00	PASS
	total	2412	26Tone	RU0	-6.68	≤8.00	PASS
			52Tone	RU37	-6.74	≤8.00	PASS
			106Tone	RU53	-6.82	≤8.00	PASS
	Ant6	2437	26Tone	RU0	-7.94	≤8.00	PASS
			52Tone	RU37	-8.63	≤8.00	PASS
			106Tone	RU53	-8.22	≤8.00	PASS
	Ant8	2437	26Tone	RU0	-8.07	≤8.00	PASS
			52Tone	RU37	-7.45	≤8.00	PASS
			106Tone	RU53	-8.08	≤8.00	PASS
	total	2437	26Tone	RU0	-4.99	≤8.00	PASS
			52Tone	RU37	-4.99	≤8.00	PASS
			106Tone	RU53	-5.14	≤8.00	PASS
	Ant6	2462	26Tone	RU8	-8.49	≤8.00	PASS
			52Tone	RU40	-7.94	≤8.00	PASS
			106Tone	RU54	-7.76	≤8.00	PASS
	Ant8	2462	26Tone	RU8	-8	≤8.00	PASS
			52Tone	RU40	-7.97	≤8.00	PASS
			106Tone	RU54	-8.53	≤8.00	PASS
	total	2462	26Tone	RU8	-5.23	≤8.00	PASS
			52Tone	RU40	-4.94	≤8.00	PASS
			106Tone	RU54	-5.12	≤8.00	PASS




Test Graphs






11AX20MIMO_Ant6_2412_106Tone_RU53




11AX20MIMO_Ant8_2412_26Tone_RU0






11AX20MIMO_Ant8_2412_52Tone_RU37




11AX20MIMO_Ant8_2412_106Tone_RU53






11AX20MIMO_Ant6_2437_26Tone_RU0




11AX20MIMO_Ant6_2437_52Tone_RU37






11AX20MIMO_Ant6_2437_106Tone_RU53




11AX20MIMO_Ant8_2437_26Tone_RU0






11AX20MIMO_Ant8_2437_52Tone_RU37




11AX20MIMO_Ant8_2437_106Tone_RU53






11AX20MIMO_Ant6_2462_26Tone_RU8




11AX20MIMO_Ant6_2462_52Tone_RU40






11AX20MIMO_Ant6_2462_106Tone_RU54




11AX20MIMO_Ant8_2462_26Tone_RU8






11AX20MIMO_Ant8_2462_52Tone_RU40




11AX20MIMO_Ant8_2462_106Tone_RU54






Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.169	42.76	-22.27	65.03	32.30	0.04	10.42	QP
2	0.169	30.16	-24.87	55.03	19.70	0.04	10.42	Average
3	0.197	42.16	-21.60	63.76	31.70	0.05	10.41	QP
4 *	0.197	34.16	-19.60	53.76	23.70	0.05	10.41	Average
5	0.224	35.11	-27.55	62.66	24.70	0.02	10.39	QP
6	0.224	26.31	-26.35	52.66	15.90	0.02	10.39	Average
7	6.951	34.05	-25.95	60.00	23.90	-0.10	10.25	QP
8	6.951	28.45	-21.55	50.00	18.30	-0.10	10.25	Average
9	7.977	34.87	-25.13	60.00	24.61	-0.14	10.40	QP
10	7.977	29.37	-20.63	50.00	19.11	-0.14	10.40	Average
11	12.449	33.18	-26.82	60.00	22.30	-0.15	11.03	QP
12	12.449	28.18	-21.82	50.00	17.30	-0.15	11.03	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 10	2400-2483.5	CDD 6+8	802.11b	01	2412	1Mbps	-	-
Mode 11	2400-2483.5	CDD 6+8	802.11b	06	2437	1Mbps	-	-
Mode 12	2400-2483.5	CDD 6+8	802.11b	11	2462	1Mbps	-	-
Mode 13	2400-2483.5	CDD 6+8	802.11g	01	2412	6Mbps	-	-
Mode 14	2400-2483.5	CDD 6+8	802.11g	06	2437	6Mbps	-	-
Mode 15	2400-2483.5	CDD 6+8	802.11g	11	2462	6Mbps	-	-
Mode 16	2400-2483.5	CDD 6+8	802.11ax HE20	01	2412	MCS0	-	-
Mode 17	2400-2483.5	CDD 6+8	802.11ax HE20	06	2437	MCS0	-	-
Mode 18	2400-2483.5	CDD 6+8	802.11ax HE20	11	2462	MCS0	-	-
Mode 19	2400-2483.5	CDD 6+8	802.11ax HE40	03	2422	MCS0	-	-
Mode 20	2400-2483.5	CDD 6+8	802.11ax HE40	06	2437	MCS0	-	-
Mode 21	2400-2483.5	CDD 6+8	802.11ax HE40	09	2452	MCS0	-	-
Mode 22	2400-2483.5	CDD 6+8	802.11ax HE20	01	2412	MCS0	Partial_26/0	-
Mode 23	2400-2483.5	CDD 6+8	802.11ax HE20	01	2412	MCS0	Partial_52/37	-
Mode 24	2400-2483.5	CDD 6+8	802.11ax HE20	01	2412	MCS0	Partial_106/53	-
Mode 25	2400-2483.5	CDD 6+8	802.11ax HE20	11	2462	MCS0	Partial_26/8	-
Mode 26	2400-2483.5	CDD 6+8	802.11ax HE20	11	2462	MCS0	Partial_52/40	-
Mode 27	2400-2483.5	CDD 6+8	802.11ax HE20	11	2462	MCS0	Partial_106/54	-

CO-Location

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
28	2400-2483.5	CDD 6+8	802.11ax HE40	06	2437	MCS0	-	-
	GSM 850 Link							



Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
10	802.11b	01	2388.91	47.47	54.00	-6.53	H	AVERAGE	Pass	Band Edge
10	802.11b	01	4824.00	39.70	74.00	-34.30	V	PEAK	Pass	Harmonic
11	802.11b	06	-	-	-	-	-	-	-	Band Edge
11	802.11b	06	7311.00	43.77	74.00	-30.23	H	PEAK	Pass	Harmonic
12	802.11b	11	2483.56	44.00	54.00	-10.00	V	AVERAGE	Pass	Band Edge
12	802.11b	11	7386.00	44.23	54.00	-9.77	H	Average	Pass	Harmonic
13	802.11g	01	2389.95	50.11	54.00	-3.89	H	AVERAGE	Pass	Band Edge
13	802.11g	01	4824.00	40.02	74.00	-33.98	V	PEAK	Pass	Harmonic
14	802.11g	06	-	-	-	-	-	-	-	Band Edge
14	802.11g	06	7311.00	43.18	74.00	-30.82	H	PEAK	Pass	Harmonic
15	802.11g	11	2483.50	49.00	54.00	-5.00	H	AVERAGE	Pass	Band Edge
15	802.11g	11	7386.00	43.83	74.00	-30.17	H	PEAK	Pass	Harmonic
16	802.11ax HE20	01	2389.95	50.10	54.00	-3.90	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	01	4824.00	39.89	74.00	-34.11	H	PEAK	Pass	Harmonic
17	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	06	7311.00	43.82	74.00	-30.18	H	PEAK	Pass	Harmonic
18	802.11ax HE20	11	2483.50	50.15	54.00	-3.85	H	AVERAGE	Pass	Band Edge
18	802.11ax HE20	11	7386.00	44.82	74.00	-29.18	H	PEAK	Pass	Harmonic
19	802.11ax HE40	03	2389.95	50.73	54.00	-3.27	V	AVERAGE	Pass	Band Edge
19	802.11ax HE40	03	7266.00	43.58	74.00	-30.42	V	PEAK	Pass	Harmonic
20	802.11ax HE40	06	2389.95	50.94	54.00	-3.06	H	AVERAGE	Pass	Band Edge
20	802.11ax HE40	06	7311.00	43.34	74.00	-30.66	V	PEAK	Pass	Harmonic
21	802.11ax HE40	09	2483.50	50.04	54.00	-3.96	H	AVERAGE	Pass	Band Edge
21	802.11ax HE40	09	7356.00	43.77	74.00	-30.23	H	PEAK	Pass	Harmonic
22	802.11ax HE20	01	2389.69	43.00	54.00	-11.00	H	AVERAGE	Pass	Band Edge
22	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	01	2389.95	43.23	54.00	-10.77	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	01	2389.95	45.93	54.00	-8.07	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	11	2483.56	42.99	54.00	-11.01	H	AVERAGE	Pass	Band Edge
25	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	11	2483.50	66.00	74.00	-8.00	H	PEAK	Pass	Band Edge
26	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	11	2483.50	69.19	74.00	-4.81	V	PEAK	Pass	Band Edge
27	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic







CO-Location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
28	802.11ax HE40	06	2389.04	50.07	54.00	-3.93	V	Average	Pass	Band Edge
	802.11ax HE40	06	3346.00	44.08	74.00	-29.92	H	Peak	Pass	Harmonic





Mode	10																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																														
ANT	CDD 6+8																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>56.98</td><td>74.00</td><td>-17.02</td><td>40.76</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>111</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	56.98	74.00	-17.02	40.76	32.38	8.77	30.93	6.00	111	303	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.86</td><td>-----</td><td>-----</td><td>91.58</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>111</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.86	-----	-----	91.58	32.40	8.82	30.94	6.00	111	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.30	56.98	74.00	-17.02	40.76	32.38	8.77	30.93	6.00	111	303	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	107.86	-----	-----	91.58	32.40	8.82	30.94	6.00	111	303	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>47.47</td><td>54.00</td><td>-6.53</td><td>31.25</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>111</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	47.47	54.00	-6.53	31.25	32.38	8.77	30.93	6.00	111	303	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.49</td><td>-----</td><td>-----</td><td>87.21</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>111</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.49	-----	-----	87.21	32.40	8.82	30.94	6.00	111	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.91	47.47	54.00	-6.53	31.25	32.38	8.77	30.93	6.00	111	303	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	103.49	-----	-----	87.21	32.40	8.82	30.94	6.00	111	303	AVERAGE																																																																																																			





Mode	10																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																														
ANT	CDD 6+8																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.18</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>39.97</td><td>32.37</td><td>8.77</td><td>30.93</td><td>6.00</td><td>222</td><td>20</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.18	56.18	74.00	-17.82	39.97	32.37	8.77	30.93	6.00	222	20	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.44</td><td>-----</td><td>-----</td><td>91.16</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>222</td><td>20</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.44	-----	-----	91.16	32.40	8.82	30.94	6.00	222	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.18	56.18	74.00	-17.82	39.97	32.37	8.77	30.93	6.00	222	20	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	107.44	-----	-----	91.16	32.40	8.82	30.94	6.00	222	20	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>46.14</td><td>54.00</td><td>-7.86</td><td>29.92</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>222</td><td>20</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	46.14	54.00	-7.86	29.92	32.38	8.77	30.93	6.00	222	20	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.96</td><td>-----</td><td>-----</td><td>86.68</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>222</td><td>20</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.96	-----	-----	86.68	32.40	8.82	30.94	6.00	222	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.91	46.14	54.00	-7.86	29.92	32.38	8.77	30.93	6.00	222	20	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	102.96	-----	-----	86.68	32.40	8.82	30.94	6.00	222	20	AVERAGE																																																																																																			







Mode	10																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	CDD 6+8																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>58.57</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.55	74.00	-34.45	58.57	34.25	12.38	65.65	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.70</td><td>74.00</td><td>-34.30</td><td>58.72</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.70	74.00	-34.30	58.72	34.25	12.38	65.65	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4824.00	39.55	74.00	-34.45	58.57	34.25	12.38	65.65	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4824.00	39.70	74.00	-34.30	58.72	34.25	12.38	65.65	0.00	--	--	PEAK																																																																																							







Mode	11																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																											
ANT	CDD 6+8																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>40.52</td><td>74.00</td><td>-33.48</td><td>59.79</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>57.85</td><td>35.80</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	40.52	74.00	-33.48	59.79	34.20	12.09	65.56	0.00	--	--	PEAK	2	7311.00	43.77	74.00	-30.23	57.85	35.80	14.95	64.83	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>40.53</td><td>74.00</td><td>-33.47</td><td>59.80</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>57.07</td><td>35.80</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	40.53	74.00	-33.47	59.80	34.20	12.09	65.56	0.00	--	--	PEAK	2	7311.00	42.99	74.00	-31.01	57.07	35.80	14.95	64.83	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4874.00	40.52	74.00	-33.48	59.79	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																
2	7311.00	43.77	74.00	-30.23	57.85	35.80	14.95	64.83	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4874.00	40.53	74.00	-33.47	59.80	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																
2	7311.00	42.99	74.00	-31.01	57.07	35.80	14.95	64.83	0.00	--	--	PEAK																																																																																																																																



Mode	12																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																						
ANT	CDD 6+8																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.94</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>39.91</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>266</td><td>332</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.94	56.22	74.00	-17.78	39.91	32.40	8.88	30.97	6.00	266	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.94	56.22	74.00	-17.78	39.91	32.40	8.88	30.97	6.00	266	332	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.08</td><td>-----</td><td>-----</td><td>92.75</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>266</td><td>332</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.08	-----	-----	92.75	32.40	8.89	30.96	6.00	266	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	109.08	-----	-----	92.75	32.40	8.89	30.96	6.00	266	332	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>43.93</td><td>54.00</td><td>-10.07</td><td>27.62</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>266</td><td>332</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	43.93	54.00	-10.07	27.62	32.40	8.88	30.97	6.00	266	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.56	43.93	54.00	-10.07	27.62	32.40	8.88	30.97	6.00	266	332	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.73</td><td>-----</td><td>-----</td><td>88.40</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>266</td><td>332</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.73	-----	-----	88.40	32.40	8.89	30.96	6.00	266	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	104.73	-----	-----	88.40	32.40	8.89	30.96	6.00	266	332	AVERAGE																																											







		12																																																																																																										
Mode		Band Edge																																																																																																										
		2400-2483.5_802.11b_CH11_2462MHz																																																																																																										
ANT		CDD 6+8																																																																																																										
Pol.		Vertical					Fundamental																																																																																																					
Peak																																																																																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.92</td><td>55.56</td><td>74.00</td><td>-18.44</td><td>39.25</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>121</td><td>18</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	55.56	74.00	-18.44	39.25	32.40	8.88	30.97	6.00	121	18	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.13</td><td>-----</td><td>-----</td><td>92.80</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>121</td><td>18</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.13	-----	-----	92.80	32.40	8.89	30.96	6.00	121	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2483.92	55.56	74.00	-18.44	39.25	32.40	8.88	30.97	6.00	121	18	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2462.00	109.13	-----	-----	92.80	32.40	8.89	30.96	6.00	121	18	PEAK																																																																																																
Avg																																																																																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>44.00</td><td>54.00</td><td>-10.00</td><td>27.69</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>121</td><td>18</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	44.00	54.00	-10.00	27.69	32.40	8.88	30.97	6.00	121	18	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.62</td><td>-----</td><td>-----</td><td>88.29</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>121</td><td>18</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.62	-----	-----	88.29	32.40	8.89	30.96	6.00	121	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2483.56	44.00	54.00	-10.00	27.69	32.40	8.88	30.97	6.00	121	18	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2462.00	104.62	-----	-----	88.29	32.40	8.89	30.96	6.00	121	18	AVERAGE																																																																																																







Mode	12																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																										
ANT	CDD 6+8																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg	Horizontal polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average limit line at 48.8 dBuV/m (FCC PART 15C (AVG)). Two peaks are marked with vertical lines and numbers 1 and 2. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.62</td><td>74.00</td><td>-32.38</td><td>60.83</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>67.34</td><td>35.80</td><td>14.87</td><td>65.04</td><td>0.00</td><td>300</td><td>288</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>58.60</td><td>35.80</td><td>14.87</td><td>65.04</td><td>0.00</td><td>300</td><td>288</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.62	74.00	-32.38	60.83	34.25	12.00	65.46	0.00	--	--	PEAK	2	7386.00	52.97	74.00	-21.03	67.34	35.80	14.87	65.04	0.00	300	288	Peak	3	7386.00	44.23	54.00	-9.77	58.60	35.80	14.87	65.04	0.00	300	288	Average	Vertical polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average limit line at 48.8 dBuV/m (FCC PART 15C (AVG)). Two peaks are marked with vertical lines and numbers 1 and 2. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.23</td><td>74.00</td><td>-32.77</td><td>60.44</td><td>34.25</td><td>12.00</td><td>65.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.05</td><td>74.00</td><td>-30.95</td><td>57.42</td><td>35.80</td><td>14.87</td><td>65.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.23	74.00	-32.77	60.44	34.25	12.00	65.46	0.00	--	--	PEAK	2	7386.00	43.05	74.00	-30.95	57.42	35.80	14.87	65.04	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4924.00	41.62	74.00	-32.38	60.83	34.25	12.00	65.46	0.00	--	--	PEAK																																																																																																																															
2	7386.00	52.97	74.00	-21.03	67.34	35.80	14.87	65.04	0.00	300	288	Peak																																																																																																																															
3	7386.00	44.23	54.00	-9.77	58.60	35.80	14.87	65.04	0.00	300	288	Average																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4924.00	41.23	74.00	-32.77	60.44	34.25	12.00	65.46	0.00	--	--	PEAK																																																																																																																															
2	7386.00	43.05	74.00	-30.95	57.42	35.80	14.87	65.04	0.00	--	--	PEAK																																																																																																																															





Mode	13																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																														
ANT	CDD 6+8																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>62.15</td><td>74.00</td><td>-11.85</td><td>45.92</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>351</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	62.15	74.00	-11.85	45.92	32.38	8.78	30.93	6.00	351	328	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.74</td><td>-----</td><td>-----</td><td>91.46</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>351</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.74	-----	-----	91.46	32.40	8.82	30.94	6.00	351	328
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	62.15	74.00	-11.85	45.92	32.38	8.78	30.93	6.00	351	328	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	107.74	-----	-----	91.46	32.40	8.82	30.94	6.00	351	328	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>33.88</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>351</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.11	54.00	-3.89	33.88	32.38	8.78	30.93	6.00	351	328	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.56</td><td>-----</td><td>-----</td><td>82.28</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>351</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.56	-----	-----	82.28	32.40	8.82	30.94	6.00	351	328
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	50.11	54.00	-3.89	33.88	32.38	8.78	30.93	6.00	351	328	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	98.56	-----	-----	82.28	32.40	8.82	30.94	6.00	351	328	AVERAGE																																																																																																			





Mode	13																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																												
ANT	CDD 6+8																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>60.86</td><td>74.00</td><td>-13.14</td><td>44.63</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>300</td><td>13 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	60.86	74.00	-13.14	44.63	32.38	8.78	30.93	6.00	300	13 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.46</td><td>-----</td><td>-----</td><td>91.17</td><td>32.40</td><td>8.82</td><td>30.93</td><td>6.00</td><td>300</td><td>13 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.46	-----	-----	91.17	32.40	8.82	30.93	6.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.82	60.86	74.00	-13.14	44.63	32.38	8.78	30.93	6.00	300	13 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2412.00	107.46	-----	-----	91.17	32.40	8.82	30.93	6.00	300	13 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.07</td><td>54.00</td><td>-5.93</td><td>31.84</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>300</td><td>13 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.07	54.00	-5.93	31.84	32.38	8.78	30.93	6.00	300	13 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.89</td><td>-----</td><td>-----</td><td>81.61</td><td>32.40</td><td>8.82</td><td>30.94</td><td>6.00</td><td>300</td><td>13 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.89	-----	-----	81.61	32.40	8.82	30.94	6.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.95	48.07	54.00	-5.93	31.84	32.38	8.78	30.93	6.00	300	13 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2412.00	97.89	-----	-----	81.61	32.40	8.82	30.94	6.00	300	13 AVERAGE																																																																																																		







Mode	13																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																			
ANT	CDD 6+8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.33</td><td>74.00</td><td>-34.67</td><td>58.35</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	39.33	74.00	-34.67	58.35	34.25	12.38	65.65	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.02</td><td>74.00</td><td>-33.98</td><td>59.04</td><td>34.25</td><td>12.38</td><td>65.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.02	74.00	-33.98	59.04	34.25	12.38	65.65	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4824.00	39.33	74.00	-34.67	58.35	34.25	12.38	65.65	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4824.00	40.02	74.00	-33.98	59.04	34.25	12.38	65.65	0.00	--	--	PEAK																																																																																								







Mode	14																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																								
ANT	CDD 6+8																																																																																																																																																								
Pol.	Horizontal												Vertical																																																																																																																																												
Peak Avg																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>60.28</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>43.18</td><td>74.00</td><td>-30.82</td><td>57.26</td><td>35.80</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	41.01	74.00	-32.99	60.28	34.20	12.09	65.56	0.00	--	--	PEAK	2	7311.00	43.18	74.00	-30.82	57.26	35.80	14.95	64.83	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>40.65</td><td>74.00</td><td>-33.35</td><td>59.92</td><td>34.20</td><td>12.09</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.80</td><td>74.00</td><td>-31.20</td><td>56.88</td><td>35.80</td><td>14.95</td><td>64.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	40.65	74.00	-33.35	59.92	34.20	12.09	65.56	0.00	--	--	PEAK	2	7311.00	42.80	74.00	-31.20	56.88	35.80	14.95	64.83	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4874.00	41.01	74.00	-32.99	60.28	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																													
2	7311.00	43.18	74.00	-30.82	57.26	35.80	14.95	64.83	0.00	--	--	PEAK																																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4874.00	40.65	74.00	-33.35	59.92	34.20	12.09	65.56	0.00	--	--	PEAK																																																																																																																																													
2	7311.00	42.80	74.00	-31.20	56.88	35.80	14.95	64.83	0.00	--	--	PEAK																																																																																																																																													



Mode	15																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																														
ANT	CDD 6+8																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>61.25</td><td>74.00</td><td>-12.75</td><td>44.94</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>300</td><td>339</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	61.25	74.00	-12.75	44.94	32.40	8.88	30.97	6.00	300	339	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.41</td><td>-----</td><td>-----</td><td>95.08</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>300</td><td>339</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.41	-----	-----	95.08	32.40	8.89	30.96	6.00	300	339
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.50	61.25	74.00	-12.75	44.94	32.40	8.88	30.97	6.00	300	339	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	111.41	-----	-----	95.08	32.40	8.89	30.96	6.00	300	339	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.00</td><td>54.00</td><td>-5.00</td><td>32.69</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>300</td><td>339</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.00	54.00	-5.00	32.69	32.40	8.88	30.97	6.00	300	339	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.34</td><td>-----</td><td>-----</td><td>86.01</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>300</td><td>339</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.34	-----	-----	86.01	32.40	8.89	30.96	6.00	300	339
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.50	49.00	54.00	-5.00	32.69	32.40	8.88	30.97	6.00	300	339	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	102.34	-----	-----	86.01	32.40	8.89	30.96	6.00	300	339	AVERAGE																																																																																																			



Mode	15																																																						
	Band Edge																																																						
	2400-2483.5_802.11g_CH11_2462MHz																																																						
ANT	CDD 6+8																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>60.68</td><td>74.00</td><td>-13.32</td><td>44.37</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>300</td><td>86</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	60.68	74.00	-13.32	44.37	32.40	8.88	30.97	6.00	300	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.56	60.68	74.00	-13.32	44.37	32.40	8.88	30.97	6.00	300	86	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.33</td><td>-----</td><td>-----</td><td>93.00</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>300</td><td>86</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.33	-----	-----	93.00	32.40	8.89	30.96	6.00	300	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	109.33	-----	-----	93.00	32.40	8.89	30.96	6.00	300	86	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>48.28</td><td>54.00</td><td>-5.72</td><td>31.97</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>300</td><td>86</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.28	54.00	-5.72	31.97	32.40	8.88	30.97	6.00	300	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	48.28	54.00	-5.72	31.97	32.40	8.88	30.97	6.00	300	86	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.23</td><td>-----</td><td>-----</td><td>83.90</td><td>32.40</td><td>8.89</td><td>30.96</td><td>6.00</td><td>300</td><td>86</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.23	-----	-----	83.90	32.40	8.89	30.96	6.00	300	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	100.23	-----	-----	83.90	32.40	8.89	30.96	6.00	300	86	AVERAGE																																											