



Test Mode:802.11ax HE160(996T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5250	0.02	Ant7	-12.594
		Ant8	-12.225
		Ant7+Ant8	-9.395

Test Mode:802.11ax HE160 Ant7




Test Mode:802.11ax HE160 Ant8




Test Mode:802.11ax HE160(1992T)

Carrier frequency (MHz)	Correction Factor(dB)	Ant	Power Density (dBm)
5250	0.02	Ant7	-11.545
		Ant8	-11.591
		Ant7+Ant8	-8.558

Test Mode:802. 11ax HE160 Ant7



Test Mode:802. 11ax HE160 Ant8



Frequency Stability

NII1

Mode	Data Rate	Ant	Center Frequency (MHz)	Measured Frequency (MHz)	Frequency Stability (ppm)	Voltage (V)	Temperature (°C)
802.11a	6Mbps	Ant7	5180	5184.07815	2.69	HV	+20
			5180	5180.2924	2.65	LV	+20
			5180	5179.04839	2.74	NV	+30
			5180	5180.304	2.83	NV	+50
			5180	5184.32739	2.79	NV	+40
			5180	5181.54962	2.59	NV	-10
			5180	5178.38081	2.25	NV	-20
			5180	5184.32739	2.79	NV	-30
			5180	5181.54903	2.40	NV	+20
			5180	5175.60806	2.53	NV	+10
		Ant8	5180	5177.55587	2.47	NV	0
			5180	5178.09857	2.07	HV	+20
			5180	5182.19515	2.77	LV	+20
			5180	5177.83516	2.92	NV	+20
			5180	5179.68526	2.76	NV	+50
			5180	5175.35225	2.25	NV	+40
			5180	5183.74016	2.04	NV	+30
			5180	5177.18101	2.21	NV	-30
			5180	5179.68526	2.76	NV	-20
			5180	5178.09769	2.24	NV	-10
			5180	5178.09761	2.26	NV	+10
			5180	5175.58559	2.20	NV	0