


1. Duty Cycle


Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	98.35	0.07	0.49
NVNT	a	5300	98.35	0.07	0.49
NVNT	a	5320	98.35	0.07	0.49
NVNT	n20	5260	98.23	0.08	0.53
NVNT	n20	5300	98.23	0.08	0.53
NVNT	n20	5320	98.21	0.08	0.53
NVNT	n40	5270	96.52	0.15	1.07
NVNT	n40	5310	96.48	0.16	1.07
NVNT	ac20	5260	98.24	0.08	0.53
NVNT	ac20	5300	98.24	0.08	0.53
NVNT	ac20	5320	98.24	0.08	0.53
NVNT	ac40	5270	96.54	0.15	1.07
NVNT	ac40	5310	96.48	0.16	1.07
NVNT	ac80	5290	92.97	0.32	2.19

Test Graphs

Duty Cycle NVNT a 5260MHz




Duty Cycle NVNT a 5300MHz




Duty Cycle NVNT a 5320MHz

Duty Cycle NVNT n40 5270MHz



Duty Cycle NVNT n40 5310MHz



Duty Cycle NVNT ac20 5260MHz

Duty Cycle NVNT ac20 5320MHz


Duty Cycle NVNT ac40 5310MHz

2. Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	11.02	0.07	11.09	<=24	Pass
NVNT	a	5300	11.17	0.07	11.24	<=24	Pass
NVNT	a	5320	11.37	0.07	11.44	<=24	Pass
NVNT	n20	5260	10.9	0.08	10.98	<=24	Pass
NVNT	n20	5300	11.06	0.08	11.14	<=24	Pass
NVNT	n20	5320	11.23	0.08	11.31	<=24	Pass
NVNT	n40	5270	10.68	0.15	10.83	<=24	Pass
NVNT	n40	5310	11.05	0.16	11.21	<=24	Pass
NVNT	ac20	5260	9.88	0.08	9.96	<=24	Pass
NVNT	ac20	5300	10.05	0.08	10.13	<=24	Pass
NVNT	ac20	5320	10.2	0.08	10.28	<=24	Pass
NVNT	ac40	5270	10.68	0.15	10.83	<=24	Pass
NVNT	ac40	5310	11.05	0.16	11.21	<=24	Pass
NVNT	ac80	5290	9.35	0.32	9.67	<=24	Pass

Test Graphs


Power NVNT a 5260MHz




Power NVNT a 5300MHz




Power NVNT a 5320MHz




Power NVNT n20 5260MHz




Power NVNT n20 5300MHz




Power NVNT n20 5320MHz




Power NVNT n40 5270MHz




Power NVNT n40 5310MHz




Power NVNT ac20 5260MHz




Power NVNT ac20 5300MHz




Power NVNT ac20 5320MHz




Power NVNT ac40 5270MHz



Power NVNT ac40 5310MHz



Power NVNT ac80 5290MHz




3. -26dB Bandwidth


Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	20.6462	Pass
NVNT	a	5300	20.5537	Pass
NVNT	a	5320	20.3365	Pass
NVNT	n20	5260	21.0776	Pass
NVNT	n20	5300	20.8917	Pass
NVNT	n20	5320	20.9265	Pass
NVNT	n40	5270	40.3898	Pass
NVNT	n40	5310	40.6602	Pass
NVNT	ac20	5260	21.0328	Pass
NVNT	ac20	5300	20.9817	Pass
NVNT	ac20	5320	20.8211	Pass
NVNT	ac40	5270	40.3999	Pass
NVNT	ac40	5310	41.0174	Pass
NVNT	ac80	5290	79.6123	Pass



Test Graphs



-26dB Bandwidth NVNT a 5260MHz







-26dB Bandwidth NVNT a 5300MHz







-26dB Bandwidth NVNT a 5320MHz**-26dB Bandwidth NVNT n20 5260MHz**

-26dB Bandwidth NVNT n20 5300MHz**-26dB Bandwidth NVNT n20 5320MHz**

-26dB Bandwidth NVNT n40 5270MHz**-26dB Bandwidth NVNT n40 5310MHz**

-26dB Bandwidth NVNT ac20 5260MHz**-26dB Bandwidth NVNT ac20 5300MHz**

-26dB Bandwidth NVNT ac20 5320MHz**-26dB Bandwidth NVNT ac40 5270MHz**


-26dB Bandwidth NVNT ac40 5310MHz**-26dB Bandwidth NVNT ac80 5290MHz**

4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5260	16.5146
NVNT	a	5300	16.4987
NVNT	a	5320	16.4762
NVNT	n20	5260	17.6362
NVNT	n20	5300	17.6461
NVNT	n20	5320	17.6611
NVNT	n40	5270	36.1646
NVNT	n40	5310	36.1517
NVNT	ac20	5260	17.6551
NVNT	ac20	5300	17.6275
NVNT	ac20	5320	17.6286
NVNT	ac40	5270	36.1983
NVNT	ac40	5310	36.1627
NVNT	ac80	5290	75.3246

Test Graphs


OBW NVNT a 5260MHz




OBW NVNT a 5300MHz




OBW NVNT a 5320MHz




OBW NVNT n20 5260MHz




OBW NVNT n20 5300MHz




OBW NVNT n20 5320MHz




OBW NVNT n40 5270MHz




OBW NVNT n40 5310MHz




OBW NVNT ac20 5260MHz




OBW NVNT ac20 5300MHz




OBW NVNT ac20 5320MHz




OBW NVNT ac40 5270MHz



OBW NVNT ac40 5310MHz



OBW NVNT ac80 5290MHz




5. Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	1.029	0.07	1.099	<=11	Pass
NVNT	a	5300	-1.247	0.07	-1.177	<=11	Pass
NVNT	a	5320	1.55	0.07	1.62	<=11	Pass
NVNT	n20	5260	0.688	0.08	0.768	<=11	Pass
NVNT	n20	5300	-2.911	0.08	-2.831	<=11	Pass
NVNT	n20	5320	0.906	0.08	0.986	<=11	Pass
NVNT	n40	5270	-2.408	0.15	-2.258	<=11	Pass
NVNT	n40	5310	-2.27	0.16	-2.11	<=11	Pass
NVNT	ac20	5260	-0.261	0.08	-0.181	<=11	Pass
NVNT	ac20	5300	-1.901	0.08	-1.821	<=11	Pass
NVNT	ac20	5320	0.122	0.08	0.202	<=11	Pass
NVNT	ac40	5270	-2.48	0.15	-2.33	<=11	Pass
NVNT	ac40	5310	-1.96	0.16	-1.8	<=11	Pass
NVNT	ac80	5290	-6.464	0.32	-6.144	<=11	Pass

Test Graphs


PSD NVNT a 5260MHz




PSD NVNT a 5300MHz




PSD NVNT a 5320MHz




PSD NVNT n20 5260MHz




PSD NVNT n20 5300MHz




PSD NVNT n20 5320MHz




PSD NVNT n40 5270MHz




PSD NVNT n40 5310MHz




PSD NVNT ac20 5260MHz




PSD NVNT ac20 5300MHz




PSD NVNT ac20 5320MHz



PSD NVNT ac40 5270MHz



PSD NVNT ac40 5310MHz



PSD NVNT ac80 5290MHz

