

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 Band2_EIRP

Band: 2								
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
	Network	Subset				Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	22.37	0.28	22.65	<=33.01	Pass
			1880	22.18	0.28	22.46	<=33.01	Pass
			1907.6	22.38	0.28	22.66	<=33.01	Pass
	HSDPA	Subtest 1	1852.4	21.89	0.28	22.17	<=33.01	Pass
		Subtest 2	1852.4	21.90	0.28	22.18	<=33.01	Pass
		Subtest 3	1852.4	21.91	0.28	22.19	<=33.01	Pass
		Subtest 4	1852.4	21.91	0.28	22.19	<=33.01	Pass
		Subtest 1	1880	21.66	0.28	21.94	<=33.01	Pass
		Subtest 2	1880	21.66	0.28	21.94	<=33.01	Pass
		Subtest 3	1880	21.66	0.28	21.94	<=33.01	Pass
		Subtest 4	1880	21.64	0.28	21.92	<=33.01	Pass
		Subtest 1	1907.6	21.91	0.28	22.19	<=33.01	Pass
		Subtest 2	1907.6	21.90	0.28	22.18	<=33.01	Pass
		Subtest 3	1907.6	21.91	0.28	22.19	<=33.01	Pass
		Subtest 4	1907.6	21.87	0.28	22.15	<=33.01	Pass
	HSUPA	Subtest 1	1852.4	19.83	0.28	20.11	<=33.01	Pass
		Subtest 2	1852.4	19.79	0.28	20.07	<=33.01	Pass
		Subtest 3	1852.4	19.22	0.28	19.50	<=33.01	Pass
		Subtest 4	1852.4	19.78	0.28	20.06	<=33.01	Pass
		Subtest 5	1852.4	19.81	0.28	20.09	<=33.01	Pass
		Subtest 1	1880	19.79	0.28	20.07	<=33.01	Pass
		Subtest 2	1880	19.32	0.28	19.60	<=33.01	Pass
		Subtest 3	1880	19.80	0.28	20.08	<=33.01	Pass
		Subtest 4	1880	19.78	0.28	20.06	<=33.01	Pass
		Subtest 5	1880	19.32	0.28	19.60	<=33.01	Pass
		Subtest 1	1907.6	19.91	0.28	20.19	<=33.01	Pass
		Subtest 2	1907.6	19.94	0.28	20.22	<=33.01	Pass
		Subtest 3	1907.6	19.90	0.28	20.18	<=33.01	Pass
		Subtest 4	1907.6	19.91	0.28	20.19	<=33.01	Pass
		Subtest 5	1907.6	19.90	0.28	20.18	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 Band2

Band: 2							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	1852.4	20	3.27	1.309	0.0007	-2.5 to 2.5	Pass
			3.85	-8.347	-0.0045	-2.5 to 2.5	Pass
			4.43	0.143	0.0001	-2.5 to 2.5	Pass

		-30	3.85	1.280	0.0007	-2.5 to 2.5	Pass
		-20	3.85	-1.881	-0.0010	-2.5 to 2.5	Pass
		-10	3.85	3.941	0.0021	-2.5 to 2.5	Pass
		0	3.85	4.077	0.0022	-2.5 to 2.5	Pass
		10	3.85	0.021	0.0000	-2.5 to 2.5	Pass
		30	3.85	-3.219	-0.0017	-2.5 to 2.5	Pass
		40	3.85	8.955	0.0048	-2.5 to 2.5	Pass
		50	3.85	-0.272	-0.0001	-2.5 to 2.5	Pass
	1880	20	3.27	-0.186	-0.0001	-2.5 to 2.5	Pass
			3.85	-2.747	-0.0015	-2.5 to 2.5	Pass
			4.43	2.074	0.0011	-2.5 to 2.5	Pass
		-30	3.85	1.860	0.0010	-2.5 to 2.5	Pass
		-20	3.85	0.021	0.0000	-2.5 to 2.5	Pass
		-10	3.85	-7.846	-0.0042	-2.5 to 2.5	Pass
		0	3.85	0.401	0.0002	-2.5 to 2.5	Pass
		10	3.85	2.160	0.0011	-2.5 to 2.5	Pass
		30	3.85	5.651	0.0030	-2.5 to 2.5	Pass
		40	3.85	3.333	0.0018	-2.5 to 2.5	Pass
		50	3.85	-5.336	-0.0028	-2.5 to 2.5	Pass
	1907.6	20	3.27	-4.027	-0.0021	-2.5 to 2.5	Pass
			3.85	1.295	0.0007	-2.5 to 2.5	Pass
			4.43	0.157	0.0001	-2.5 to 2.5	Pass
		-30	3.85	-0.479	-0.0003	-2.5 to 2.5	Pass
		-20	3.85	-1.802	-0.0009	-2.5 to 2.5	Pass
		-10	3.85	-0.601	-0.0003	-2.5 to 2.5	Pass
		0	3.85	-9.692	-0.0051	-2.5 to 2.5	Pass
		10	3.85	4.370	0.0023	-2.5 to 2.5	Pass
		30	3.85	2.925	0.0015	-2.5 to 2.5	Pass
		40	3.85	-10.021	-0.0053	-2.5 to 2.5	Pass
		50	3.85	-6.223	-0.0033	-2.5 to 2.5	Pass
HSDPA	1852.4	20	3.27	13.525	0.0073	-2.5 to 2.5	Pass
			3.85	8.833	0.0048	-2.5 to 2.5	Pass
			4.43	10.207	0.0055	-2.5 to 2.5	Pass
		-30	3.85	11.551	0.0062	-2.5 to 2.5	Pass
		-20	3.85	5.450	0.0029	-2.5 to 2.5	Pass
		-10	3.85	12.975	0.0070	-2.5 to 2.5	Pass
		0	3.85	17.459	0.0094	-2.5 to 2.5	Pass
		10	3.85	2.160	0.0012	-2.5 to 2.5	Pass
		30	3.85	3.076	0.0017	-2.5 to 2.5	Pass
		40	3.85	10.350	0.0056	-2.5 to 2.5	Pass
		50	3.85	11.609	0.0063	-2.5 to 2.5	Pass
	1880	20	3.27	9.749	0.0052	-2.5 to 2.5	Pass
			3.85	8.984	0.0048	-2.5 to 2.5	Pass
			4.43	9.327	0.0050	-2.5 to 2.5	Pass
		-30	3.85	9.034	0.0048	-2.5 to 2.5	Pass
		-20	3.85	7.145	0.0038	-2.5 to 2.5	Pass
		-10	3.85	8.233	0.0044	-2.5 to 2.5	Pass
		0	3.85	8.769	0.0047	-2.5 to 2.5	Pass
		10	3.85	9.177	0.0049	-2.5 to 2.5	Pass
		30	3.85	8.411	0.0045	-2.5 to 2.5	Pass
		40	3.85	7.839	0.0042	-2.5 to 2.5	Pass
		50	3.85	9.270	0.0049	-2.5 to 2.5	Pass
	1907.6	20	3.27	7.796	0.0041	-2.5 to 2.5	Pass
			3.85	8.540	0.0045	-2.5 to 2.5	Pass
			4.43	5.715	0.0030	-2.5 to 2.5	Pass
		-30	3.85	5.007	0.0026	-2.5 to 2.5	Pass
		-20	3.85	6.309	0.0033	-2.5 to 2.5	Pass
		-10	3.85	4.721	0.0025	-2.5 to 2.5	Pass
		0	3.85	8.426	0.0044	-2.5 to 2.5	Pass

		10	3.85	4.935	0.0026	-2.5 to 2.5	Pass
		30	3.85	4.914	0.0026	-2.5 to 2.5	Pass
		40	3.85	6.959	0.0036	-2.5 to 2.5	Pass
		50	3.85	11.129	0.0058	-2.5 to 2.5	Pass
HSUPA	1852.4	20	3.27	-3.583	-0.0019	-2.5 to 2.5	Pass
			3.85	-3.405	-0.0018	-2.5 to 2.5	Pass
			4.43	-2.739	-0.0015	-2.5 to 2.5	Pass
		-30	3.85	2.675	0.0014	-2.5 to 2.5	Pass
		-20	3.85	8.447	0.0046	-2.5 to 2.5	Pass
		-10	3.85	9.863	0.0053	-2.5 to 2.5	Pass
		0	3.85	4.284	0.0023	-2.5 to 2.5	Pass
		10	3.85	-2.861	-0.0015	-2.5 to 2.5	Pass
		30	3.85	-1.953	-0.0011	-2.5 to 2.5	Pass
		40	3.85	-1.988	-0.0011	-2.5 to 2.5	Pass
		50	3.85	-5.293	-0.0029	-2.5 to 2.5	Pass
	1880	20	3.27	1.459	0.0008	-2.5 to 2.5	Pass
			3.85	3.848	0.0020	-2.5 to 2.5	Pass
			4.43	-0.050	0.0000	-2.5 to 2.5	Pass
		-30	3.85	-1.588	-0.0008	-2.5 to 2.5	Pass
		-20	3.85	10.128	0.0054	-2.5 to 2.5	Pass
		-10	3.85	10.257	0.0055	-2.5 to 2.5	Pass
		0	3.85	11.051	0.0059	-2.5 to 2.5	Pass
		10	3.85	9.506	0.0051	-2.5 to 2.5	Pass
		30	3.85	8.647	0.0046	-2.5 to 2.5	Pass
		40	3.85	4.742	0.0025	-2.5 to 2.5	Pass
		50	3.85	-1.681	-0.0009	-2.5 to 2.5	Pass
	1907.6	20	3.27	-3.254	-0.0017	-2.5 to 2.5	Pass
			3.85	-3.784	-0.0020	-2.5 to 2.5	Pass
			4.43	-1.266	-0.0007	-2.5 to 2.5	Pass
		-30	3.85	-1.738	-0.0009	-2.5 to 2.5	Pass
		-20	3.85	2.754	0.0014	-2.5 to 2.5	Pass
		-10	3.85	5.279	0.0028	-2.5 to 2.5	Pass
		0	3.85	3.054	0.0016	-2.5 to 2.5	Pass
		10	3.85	-1.016	-0.0005	-2.5 to 2.5	Pass
		30	3.85	1.144	0.0006	-2.5 to 2.5	Pass
		40	3.85	8.969	0.0047	-2.5 to 2.5	Pass
		50	3.85	-2.697	-0.0014	-2.5 to 2.5	Pass

3. Modulation Characteristics


3.1 Test Result

3.1.1 Band2


Band: 2						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1880	Refer To Test Graph		Pass
	HSDPA	Subtest 1	1880	Refer To Test Graph		Pass
	HSUPA	Subtest 1	1880	Refer To Test Graph		Pass

3.2 Test Graph

3.2.1 Band2



Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW


Band: 2						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	4.153	/	Pass
			1880	4.176	/	Pass
			1907.6	4.146	/	Pass
	HSDPA	Subtest 1	1852.4	4.166	/	Pass
			1880	4.165	/	Pass
			1907.6	4.170	/	Pass
	HSUPA	Subtest 1	1852.4	4.159	/	Pass
			1880	4.179	/	Pass
			1907.6	4.161	/	Pass

4.1.2 Band2_XDB


Band: 2						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	4.699	/	Pass
			1880	4.708	/	Pass
			1907.6	4.706	/	Pass
	HSDPA	Subtest 1	1852.4	4.705	/	Pass
			1880	4.710	/	Pass
			1907.6	4.718	/	Pass
	HSUPA	Subtest 1	1852.4	4.712	/	Pass
			1880	4.712	/	Pass
			1907.6	4.709	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV



Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV




4.2.2 Band2_XDB


Band2_RMC_LCH_1852.4MHz_12.2kbps_RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps_RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV



Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



5. Peak-Average Ratio

5.1 Test Result


5.1.1 Band2

Band: 2						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	3.02	<=13	Pass
			1880	3.02	<=13	Pass
			1907.6	3.01	<=13	Pass
	HSDPA	Subtest 1	1852.4	5.75	<=13	Pass
			1880	5.71	<=13	Pass
			1907.6	5.70	<=13	Pass
	HSUPA	Subtest 1	1852.4	6.62	<=13	Pass
			1880	6.50	<=13	Pass
			1907.6	6.67	<=13	Pass


5.2 Test Graph

5.2.1 Band2


Band2_RMC_LCH_1852.4MHz_12.2kbps_RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps_RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV



Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



6. Spurious Emission


6.1 Test Result

6.1.1 Band2


Band: 2						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	1852.4	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1907.6	Refer To Test Graph	Pass	
	HSDPA	Subtest 1	1852.4	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1907.6	Refer To Test Graph	Pass	
	HSUPA	Subtest 1	1852.4	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1907.6	Refer To Test Graph	Pass	

6.2 Test Graph


6.2.1 Band2




Band2_RMC_LCH_1852.4MHz_12.2kbps RMC_NTNV




Band2_RMC_LCH_1852.4MHz_12.2kbps RMC_NTNV




Band2_RMC_LCH_1852.4MHz_12.2kbps RMC_NTNV




Band2_RMC_LCH_1852.4MHz_12.2kbps RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps RMC_NTNV




Band2_RMC_MCH_1880MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_RMC_HCH_1907.6MHz_12.2kbps RMC_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSDPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_LCH_1852.4MHz_Subtest 1_NTNV




Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSUPA_MCH_1880MHz_Subtest 1_NTNV




Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV




Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



Band2_HSUPA_HCH_1907.6MHz_Subtest 1_NTNV



7. Frequency Stability (IC)

7.1 Test Result

7.1.1 Band2

Band: 2							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
				FL	FH		
RMC	1852.4	20	3.27	1850.344	1854.496	1850 to 1855	Pass
			3.85	1850.339	1854.489	1850 to 1855	Pass
			4.43	1850.334	1854.495	1850 to 1855	Pass
		-30	3.85	1850.333	1854.509	1850 to 1855	Pass
		-20	3.85	1850.336	1854.506	1850 to 1855	Pass
		-10	3.85	1850.335	1854.492	1850 to 1855	Pass
		0	3.85	1850.337	1854.503	1850 to 1855	Pass
		10	3.85	1850.318	1854.485	1850 to 1855	Pass
		30	3.85	1850.334	1854.493	1850 to 1855	Pass
		40	3.85	1850.336	1854.496	1850 to 1855	Pass
		50	3.85	1850.332	1854.488	1850 to 1855	Pass
	1880	20	3.27	1877.919	1882.104	1875 to 1885	Pass
			3.85	1877.919	1882.096	1875 to 1885	Pass
			4.43	1877.932	1882.093	1875 to 1885	Pass
		-30	3.85	1877.943	1882.094	1875 to 1885	Pass
		-20	3.85	1877.939	1882.105	1875 to 1885	Pass
		-10	3.85	1877.930	1882.100	1875 to 1885	Pass
		0	3.85	1877.938	1882.092	1875 to 1885	Pass
		10	3.85	1877.930	1882.093	1875 to 1885	Pass
		30	3.85	1877.931	1882.087	1875 to 1885	Pass
		40	3.85	1877.939	1882.097	1875 to 1885	Pass
		50	3.85	1877.925	1882.106	1875 to 1885	Pass
	1907.6	20	3.27	1905.530	1909.688	1905 to 1910	Pass
			3.85	1905.535	1909.688	1905 to 1910	Pass
			4.43	1905.530	1909.678	1905 to 1910	Pass
		-30	3.85	1905.527	1909.684	1905 to 1910	Pass
		-20	3.85	1905.531	1909.685	1905 to 1910	Pass
		-10	3.85	1905.522	1909.697	1905 to 1910	Pass
		0	3.85	1905.531	1909.682	1905 to 1910	Pass
		10	3.85	1905.533	1909.684	1905 to 1910	Pass
		30	3.85	1905.530	1909.702	1905 to 1910	Pass
		40	3.85	1905.526	1909.690	1905 to 1910	Pass
		50	3.85	1905.531	1909.691	1905 to 1910	Pass
HSDPA	1852.4	20	3.27	1850.334	1854.493	1850 to 1855	Pass
			3.85	1850.329	1854.495	1850 to 1855	Pass
			4.43	1850.330	1854.493	1850 to 1855	Pass
		-30	3.85	1850.331	1854.484	1850 to 1855	Pass
		-20	3.85	1850.331	1854.492	1850 to 1855	Pass
		-10	3.85	1850.320	1854.484	1850 to 1855	Pass
		0	3.85	1850.315	1854.496	1850 to 1855	Pass
		10	3.85	1850.328	1854.492	1850 to 1855	Pass
		30	3.85	1850.321	1854.500	1850 to 1855	Pass
		40	3.85	1850.334	1854.482	1850 to 1855	Pass
		50	3.85	1850.330	1854.489	1850 to 1855	Pass
	1880	20	3.27	1877.918	1882.100	1875 to 1885	Pass
			3.85	1877.930	1882.092	1875 to 1885	Pass

			4.43	1877.933	1882.103	1875 to 1885	Pass
		-30	3.85	1877.913	1882.099	1875 to 1885	Pass
		-20	3.85	1877.923	1882.096	1875 to 1885	Pass
		-10	3.85	1877.921	1882.095	1875 to 1885	Pass
		0	3.85	1877.920	1882.085	1875 to 1885	Pass
		10	3.85	1877.939	1882.097	1875 to 1885	Pass
		30	3.85	1877.927	1882.092	1875 to 1885	Pass
		40	3.85	1877.916	1882.092	1875 to 1885	Pass
		50	3.85	1877.915	1882.095	1875 to 1885	Pass
	1907.6	20	3.27	1905.519	1909.685	1905 to 1910	Pass
			3.85	1905.522	1909.678	1905 to 1910	Pass
			4.43	1905.516	1909.693	1905 to 1910	Pass
		-30	3.85	1905.527	1909.689	1905 to 1910	Pass
		-20	3.85	1905.529	1909.683	1905 to 1910	Pass
		-10	3.85	1905.509	1909.694	1905 to 1910	Pass
		0	3.85	1905.524	1909.697	1905 to 1910	Pass
		10	3.85	1905.525	1909.683	1905 to 1910	Pass
		30	3.85	1905.524	1909.694	1905 to 1910	Pass
		40	3.85	1905.519	1909.694	1905 to 1910	Pass
		50	3.85	1905.505	1909.688	1905 to 1910	Pass
HSUPA	1852.4	20	3.27	1850.337	1854.502	1850 to 1855	Pass
			3.85	1850.325	1854.492	1850 to 1855	Pass
			4.43	1850.334	1854.502	1850 to 1855	Pass
		-30	3.85	1850.331	1854.489	1850 to 1855	Pass
		-20	3.85	1850.326	1854.497	1850 to 1855	Pass
		-10	3.85	1850.336	1854.494	1850 to 1855	Pass
		0	3.85	1850.328	1854.508	1850 to 1855	Pass
		10	3.85	1850.327	1854.506	1850 to 1855	Pass
		30	3.85	1850.330	1854.492	1850 to 1855	Pass
		40	3.85	1850.336	1854.486	1850 to 1855	Pass
		50	3.85	1850.335	1854.491	1850 to 1855	Pass
	1880	20	3.27	1877.931	1882.104	1875 to 1885	Pass
			3.85	1877.937	1882.103	1875 to 1885	Pass
			4.43	1877.935	1882.100	1875 to 1885	Pass
		-30	3.85	1877.938	1882.100	1875 to 1885	Pass
		-20	3.85	1877.938	1882.113	1875 to 1885	Pass
		-10	3.85	1877.931	1882.107	1875 to 1885	Pass
		0	3.85	1877.928	1882.101	1875 to 1885	Pass
		10	3.85	1877.936	1882.089	1875 to 1885	Pass
		30	3.85	1877.927	1882.106	1875 to 1885	Pass
		40	3.85	1877.929	1882.099	1875 to 1885	Pass
		50	3.85	1877.928	1882.098	1875 to 1885	Pass
	1907.6	20	3.27	1905.523	1909.701	1905 to 1910	Pass
			3.85	1905.526	1909.684	1905 to 1910	Pass
			4.43	1905.530	1909.700	1905 to 1910	Pass
		-30	3.85	1905.534	1909.699	1905 to 1910	Pass
		-20	3.85	1905.535	1909.700	1905 to 1910	Pass
		-10	3.85	1905.530	1909.694	1905 to 1910	Pass
		0	3.85	1905.532	1909.682	1905 to 1910	Pass
		10	3.85	1905.529	1909.685	1905 to 1910	Pass
		30	3.85	1905.540	1909.682	1905 to 1910	Pass
		40	3.85	1905.529	1909.689	1905 to 1910	Pass
		50	3.85	1905.527	1909.682	1905 to 1910	Pass

8. Form731

8.1 Test Result

8.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	3.84	1852.4	1907.6	0.1730	99.0000	ppm	4M18F9W	24E	22.38

8.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	3.84	1852.4	1907.6	0.1845	99.0000	ppm	4M18F9W	24E	22.66