



802.11b

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11b

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.07	55.18	49.95	5.23	74.00	-18.82	100	246	Peak	Horizontal		
2 *	2462.00	107.56	102.05	5.51	74.00	33.56	100	246	Peak	Horizontal		
3	2489.28	55.78	50.25	5.53	74.00	-18.22	100	246	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.34	54.13	48.90	5.23	74.00	-19.87	346	221	Peak	Vertical		
2 *	2462.00	103.93	98.42	5.51	74.00	29.93	346	221	Peak	Vertical		
3	2485.45	53.78	48.26	5.52	74.00	-20.22	346	221	Peak	Vertical		

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.92	41.95	36.72	5.23	54.00	-12.05	100	246 Average	Horizontal	
2 *	2462.00	104.17	98.66	5.51	54.00	50.17	100	246 Average	Horizontal	
3	2487.27	44.28	38.75	5.53	54.00	-9.72	100	246 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.96	40.15	34.92	5.23	54.00	-13.85	346	221 Average	Vertical	
2 *	2462.00	100.49	94.98	5.51	54.00	46.49	346	221 Average	Vertical	
3	2487.35	40.33	34.80	5.53	54.00	-13.67	346	221 Average	Vertical	

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.61	63.11	57.06	5.25	74.00	-10.89	100	294	Peak	Horizontal		
2 *	2412.00	100.36	105.03	5.33	74.00	34.36	100	294	Peak	Horizontal		
3	2491.64	54.45	48.92	5.53	74.00	-19.55	100	294	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.00	54.96	49.71	5.25	74.00	-19.04	347	210	Peak	Vertical		
2 *	2412.00	105.88	100.55	5.33	74.00	31.88	347	210	Peak	Vertical		
3	2498.52	52.45	46.92	5.53	74.00	-21.55	347	210	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.72	43.75	38.50	5.25	54.00	-10.25	100	294 Average	Horizontal	
2 *	2412.00	98.35	93.02	5.33	54.00	44.35	100	294 Average	Horizontal	
3	2499.47	40.06	34.53	5.53	54.00	-13.94	100	294 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.84	40.50	35.25	5.25	54.00	-13.50	347	210 Average	Vertical	
2 *	2412.00	95.05	89.72	5.33	54.00	41.05	347	210 Average	Vertical	
3	2488.33	38.77	33.24	5.53	54.00	-15.23	347	210 Average	Vertical	

802.11g

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2364.42	52.77	47.59	5.18	74.00	-21.23	100	254 Peak		Horizontal		
2 *	2437.00	108.36	102.91	5.45	74.00	34.36	100	254 Peak		Horizontal		
3	2496.50	52.46	46.93	5.53	74.00	-21.54	100	254 Peak		Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.96	53.31	48.06	5.25	74.00	-20.69	306	205 Peak		Vertical		
2 *	2437.00	106.49	101.04	5.45	74.00	32.49	306	205 Peak		Vertical		
3	2488.75	52.14	46.61	5.53	74.00	-21.86	306	205 Peak		Vertical		

802.11g

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2381.33	52.74	47.52	5.22	74.00	-21.26	135	298 Peak	Horizontal	
2 *	2462.00	107.92	102.41	5.51	74.00	33.92	135	298 Peak	Horizontal	
3	2483.51	66.54	61.02	5.52	74.00	-7.46	135	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.63	52.36	47.12	5.24	74.00	-21.64	299	207 Peak	Vertical	
2 *	2462.00	106.07	100.56	5.51	74.00	32.07	299	207 Peak	Vertical	
3	2483.51	57.92	52.40	5.52	74.00	-16.08	299	207 Peak	Vertical	

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.28	40.00	34.75	5.25	54.00	-14.00	135	298 Average	Horizontal	
2 *	2462.00	98.01	92.50	5.51	54.00	44.01	135	298 Average	Horizontal	
3	2483.51	47.88	42.36	5.52	54.00	-6.12	135	298 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.53	39.55	34.30	5.25	54.00	-14.45	299	207 Average	Vertical	
2 *	2462.00	96.01	90.50	5.51	54.00	42.01	299	207 Average	Vertical	
3	2483.51	42.27	36.75	5.52	54.00	-11.73	299	207 Average	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.61	62.21	56.96	5.25	74.00	-11.79	100	253	Peak	Horizontal		
2 *	2412.00	107.99	102.66	5.33	74.00	33.99	100	253	Peak	Horizontal		
3	2491.94	53.03	47.51	5.52	74.00	-26.97	100	253	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.42	57.59	52.34	5.25	74.00	-16.41	307	213	Peak	Vertical		
2 *	2412.00	105.57	100.24	5.33	74.00	33.57	307	213	Peak	Vertical		
3	2495.17	51.57	46.05	5.52	74.00	-22.43	307	213	Peak	Vertical		

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.04	44.58	39.33	5.25	54.00	-9.42	100	253 Average	Horizontal	
2 *	2412.00	98.10	92.77	5.33	54.00	44.10	100	253 Average	Horizontal	
3	2497.76	39.60	34.07	5.53	54.00	-14.40	100	253 Average	Horizontal	

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.08	42.14	36.89	5.25	54.00	-11.86	307	213 Average	Vertical	
2 *	2412.00	95.04	90.61	5.33	54.00	41.94	307	213 Average	Vertical	
3	2497.30	38.92	33.39	5.53	54.00	-15.08	307	213 Average	Vertical	

802.11n HT20

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11n HT20

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2341.39	52.46	47.34	5.12	74.00	-21.54	362	241	Peak	Horizontal		
2 *	2462.00	107.38	101.87	5.51	74.00	33.38	362	241	Peak	Horizontal		
3	2483.85	67.55	62.03	5.52	74.00	-6.45	362	241	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.20	53.76	48.51	5.25	74.00	-20.24	262	165	Peak	Vertical		
2 *	2462.00	105.25	99.74	5.51	74.00	31.25	262	165	Peak	Vertical		
3	2483.93	60.60	55.08	5.52	74.00	-13.40	262	165	Peak	Vertical		

802.11n HT20


High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.05	65.67	60.42	5.25	74.00	-8.33	101	247 Peak	Horizontal	
2 *	2422.00	104.53	99.15	5.38	74.00	30.53	101	247 Peak	Horizontal	
3	2496.35	53.04	47.51	5.53	74.00	-20.96	101	247 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.39	63.93	58.68	5.25	74.00	-10.07	300	215 Peak	Vertical	
2 *	2422.00	103.53	98.15	5.38	74.00	29.53	300	215 Peak	Vertical	
3	2483.70	51.86	46.34	5.52	74.00	-22.14	300	215 Peak	Vertical	

802.11n HT40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.95	49.22	43.97	5.25	54.00	-4.78	181	247 Average	Horizontal	
2	2422.00	95.11	89.73	5.38	54.00	41.11	181	247 Average	Horizontal	
3	2484.72	40.50	34.98	5.52	54.00	-13.50	181	247 Average	Horizontal	

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.61	47.34	42.09	5.25	54.00	-6.66	388	215 Average	Vertical	
2	2422.00	93.28	87.90	5.38	54.00	39.28	388	215 Average	Vertical	
3	2488.33	39.50	33.97	5.53	54.00	-14.50	388	215 Average	Vertical	

802.11n HT40

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11n HT40

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.26	55.99	50.76	5.23	74.00	-18.01	100	246 Peak	Horizontal	
2 *	2452.00	105.69	100.19	5.50	74.00	31.69	100	246 Peak	Horizontal	
3 !	2483.70	68.74	63.22	5.52	74.00	-5.26	100	246 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.00	53.22	47.97	5.25	74.00	-20.78	300	187 Peak	Vertical	
2 *	2452.00	104.42	98.92	5.50	74.00	30.42	300	187 Peak	Vertical	
3	2483.93	63.64	58.12	5.52	74.00	-10.36	300	187 Peak	Vertical	

802.11n HT40

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.42	41.88	36.63	5.25	54.00	-12.12	100	246 Average	Horizontal	
2 *	2452.00	95.83	90.33	5.50	54.00	41.83	100	246 Average	Horizontal	
3 !	2483.58	52.14	46.62	5.52	54.00	-1.86	100	246 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.04	40.17	34.92	5.25	54.00	-13.83	300	187 Average	Vertical	
2 *	2452.00	94.13	88.63	5.50	54.00	40.13	300	187 Average	Vertical	
3 !	2483.70	48.11	42.59	5.52	54.00	-5.89	300	187 Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

High Channel(Open) 9kHz~150kHz

High Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	0.01	52.84	34.53	18.31	127.60	-74.76	100	50	Peak	Open		
2	0.03	58.45	38.90	19.55	119.13	-60.68	100	37	Peak	Open		
3	0.04	61.14	41.45	19.69	115.99	-54.85	100	164	Peak	Open		
4	0.07	54.02	34.90	19.12	110.67	-56.65	100	190	Peak	Open		
5	0.10	43.06	24.53	18.53	107.21	-64.15	100	175	Peak	Open		
6	0.14	30.19	11.56	18.63	104.78	-74.59	100	221	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	0.48	50.90	31.81	19.09	94.01	-43.11	100	175	Peak	Open		
2	4.42	37.87	18.52	19.35	69.50	-31.63	100	325	Peak	Open		
3	8.69	34.58	13.97	20.61	69.50	-34.92	100	118	Peak	Open		
4	15.49	34.83	13.17	21.66	69.50	-34.67	100	52	Peak	Open		
5	20.06	34.94	12.74	22.20	69.50	-34.56	100	131	Peak	Open		
6	25.97	35.81	13.43	22.38	69.50	-33.69	100	68	Peak	Open		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11g

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	62.98	26.57	34.71	-8.14	40.00	-13.43	300	114 Peak	Horizontal	
2	201.69	39.47	48.95	-9.48	43.50	-4.03	100	301 Peak	Horizontal	
3	250.19	38.09	45.73	-7.64	46.00	-7.91	100	259 Peak	Horizontal	
4	554.77	32.70	33.49	-0.79	46.00	-13.30	200	97 Peak	Horizontal	
5	713.85	33.53	31.34	2.19	46.00	-12.47	400	110 Peak	Horizontal	
6	844.00	35.22	31.01	4.21	46.00	-10.78	200	191 Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	30.00	33.67	42.37	-8.70	40.00	-6.33	100	240 Peak	Vertical	
2	150.28	29.62	36.71	-7.09	43.50	-13.88	100	276 Peak	Vertical	
3	250.19	34.02	41.66	-7.64	46.00	-11.98	100	165 Peak	Vertical	
4	554.77	30.70	31.49	-0.79	46.00	-15.30	100	118 Peak	Vertical	
5	711.91	32.52	30.34	2.18	46.00	-13.48	200	34 Peak	Vertical	
6	845.77	36.48	32.25	4.23	46.00	-9.52	300	328 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Middle Channel (Horizontal)


Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	47.21	38.07	9.14	54.00	-6.79	214	262	Average	Horizontal		
2	4924.00	50.96	41.82	9.14	74.00	-23.04	214	262	Peak	Horizontal		
3	7386.00	47.89	38.24	9.65	54.00	-6.11	338	199	Average	Horizontal		
4	7386.00	54.14	44.49	9.65	74.00	-19.86	338	199	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	45.50	36.36	9.14	54.00	-8.50	180	318	Average	Vertical		
2	4924.00	50.90	41.76	9.14	74.00	-23.10	180	318	Peak	Vertical		
3	7386.00	49.79	40.14	9.65	54.00	-4.21	316	226	Average	Vertical		
4	7386.00	55.29	45.64	9.65	74.00	-18.71	316	226	Peak	Vertical		


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	31.70	22.76	8.94	54.00	-22.30	400	239	Average	Horizontal	
2	4824.00	45.70	36.76	8.94	74.00	-28.30	400	239	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	32.99	24.05	8.94	54.00	-21.01	400	223	Average	Vertical	
2	4824.00	46.14	37.20	8.94	74.00	-27.86	400	223	Peak	Vertical	


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	38.46	28.71	9.75	54.00	-15.54	300	148	Average	Horizontal		
2	7311.00	54.14	44.39	9.75	74.00	-19.86	300	148	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	38.23	28.48	9.75	54.00	-15.77	200	231	Average	Vertical		
2	7311.00	53.45	43.70	9.75	74.00	-20.55	200	231	Peak	Vertical		


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7386.00	39.23	29.58	9.65	54.00	-14.77	304	143	Average	Horizontal	
2	7386.00	55.16	45.51	9.65	74.00	-18.84	304	143	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7386.00	37.81	28.16	9.65	54.00	-16.19	400	281	Average	Vertical	
2	7386.00	52.44	42.79	9.65	74.00	-21.56	400	281	Peak	Vertical	


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	33.23	24.29	8.94	54.00	-20.77	100	245	Average	Horizontal		
2	4824.00	47.30	38.36	8.94	74.00	-26.70	100	245	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	32.66	23.72	8.94	54.00	-21.34	100	260	Average	Vertical		
2	4824.00	46.79	37.85	8.94	74.00	-27.21	100	260	Peak	Vertical		


802.11n HT20

Middle Channel (Horizontal)


Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7386.00	34.81	25.16	9.65	54.00	-19.19	100	216	Average	Horizontal		
2	7386.00	49.32	39.67	9.65	74.00	-24.68	100	216	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7386.00	37.69	28.04	9.65	54.00	-16.31	400	221	Average	Vertical		
2	7386.00	53.03	43.38	9.65	74.00	-20.97	400	221	Peak	Vertical		


802.11n HT40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	32.00	23.00	9.01	54.00	-21.10	300	118	Average	Horizontal		
2	4844.00	45.60	36.59	9.01	74.00	-28.40	300	118	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	32.04	23.93	9.01	54.00	-21.06	100	92	Average	Vertical		
2	4844.00	45.62	36.61	9.01	74.00	-28.38	100	92	Peak	Vertical		


802.11n HT40

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	37.07	27.32	9.75	54.00	-16.93	300	148	Average	Horizontal		
2	7311.00	50.45	40.70	9.75	74.00	-23.55	300	148	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7311.00	36.73	26.98	9.75	54.00	-17.27	300	224	Average	Vertical		
2	7311.00	51.54	41.79	9.75	74.00	-22.46	300	224	Peak	Vertical		


802.11n HT40

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7356.00	37.60	27.94	9.66	54.00	-16.40	300	146	Average	Horizontal		
2	7356.00	50.57	40.91	9.66	74.00	-23.43	300	146	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7356.00	37.54	27.88	9.66	54.00	-16.46	200	251	Average	Vertical		
2	7356.00	50.70	41.04	9.66	74.00	-23.30	200	251	Peak	Vertical		

Mains Conducted Emission, TX 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

