

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Channel	Power (dBm)	ERP/EIRP (dBm)	Limit(dBm)	Verdict
GSM850	128	32.12	32.1	38.45	PASS
GSM850	190	32.22	32.2	38.45	PASS
GSM850	251	32.20	32.18	38.45	PASS


Band	Channel	Up Slot Num	Power(dBm)	ERP/EIRP (dBm)	Limit(dBm)	Verdict
GPRS850	128	1	32.12	32.1	38.45	PASS
GPRS850	190	1	32.23	32.21	38.45	PASS
GPRS850	251	1	32.21	32.19	38.45	PASS
GPRS850	128	2	31.09	31.07	38.45	PASS
GPRS850	190	2	31.21	31.19	38.45	PASS
GPRS850	251	2	31.18	31.16	38.45	PASS
GPRS850	128	3	30.08	30.06	38.45	PASS
GPRS850	190	3	30.20	30.18	38.45	PASS
GPRS850	251	3	30.18	30.16	38.45	PASS
GPRS850	128	4	29.33	29.31	38.45	PASS
GPRS850	190	4	29.45	29.43	38.45	PASS
GPRS850	251	4	29.32	29.3	38.45	PASS


Peak-to-Average Ratio(CCDF)

Test Result


Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM850	128	9.34	13	PASS
GPRS850	128	9.65	13	PASS
GSM850	190	9.45	13	PASS
GPRS850	190	9.60	13	PASS
GSM850	251	9.48	13	PASS
GPRS850	251	9.56	13	PASS

Test Graphs






GSM850-251-5-PASS



GPRS850-251-5-PASS

26dB Bandwidth and Occupied Bandwidth


Test Graphs



GSM850-128-5-PASS




GPRS850-128-5-PASS




GSM850-190-5-PASS



GPRS850-190-5-PASS



GSM850-251-5-PASS



GPRS850-251-5-PASS

Band Edge

Test Graphs

