





































3. Maximum Conducted Output Power

3.1 Test Result

Test Mode	Frequency (MHz)	Ant.	Measured Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5180	1	13.31	≤23.98	PASS
	5180	2	11.40	≤23.98	PASS
	5200	1	13.34	≤23.98	PASS
	5200	2	11.53	≤23.98	PASS
	5240	1	13.38	≤23.98	PASS
	5240	2	11.38	≤23.98	PASS
	5260	1	13.45	≤23.98	PASS
	5260	2	11.61	≤23.98	PASS
	5300	1	13.28	≤23.98	PASS
	5300	2	11.33	≤23.98	PASS
	5320	1	13.39	≤23.98	PASS
	5320	2	13.83	≤23.98	PASS
	5500	1	12.92	≤23.98	PASS
	5500	2	12.70	≤23.98	PASS
	5580	1	13.22	≤23.98	PASS
	5580	2	13.26	≤23.98	PASS
	5600	1	12.65	≤23.98	PASS
	5600	2	13.15	≤23.98	PASS
	5700	1	13.50	≤23.98	PASS
	5700	2	13.40	≤23.98	PASS
802.11n(HT20)	5180	1	11.34	≤23.98	PASS
	5180	2	11.36	≤23.98	PASS
	5180	total	14.36	≤23.98	PASS
	5200	1	11.50	≤23.98	PASS
	5200	2	11.56	≤23.98	PASS
	5200	total	14.54	≤23.98	PASS
	5240	1	11.49	≤23.98	PASS
	5240	2	11.38	≤23.98	PASS
	5240	total	14.45	≤23.98	PASS
	5260	1	11.37	≤23.98	PASS
	5260	2	11.46	≤23.98	PASS
	5260	total	14.43	≤23.98	PASS
	5300	1	11.27	≤23.98	PASS
	5300	2	11.38	≤23.98	PASS
	5300	total	14.34	≤23.98	PASS
	5320	1	11.49	≤23.98	PASS
	5320	2	11.61	≤23.98	PASS
	5320	total	14.56	≤23.98	PASS
	5500	1	11.05	≤23.98	PASS
	5500	2	10.94	≤23.98	PASS
	5500	total	14.01	≤23.98	PASS
	5580	1	11.27	≤23.98	PASS
	5580	2	11.38	≤23.98	PASS
	5580	total	14.34	≤23.98	PASS
	5600	1	10.80	≤23.98	PASS
	5600	2	10.86	≤23.98	PASS
	5600	total	13.84	≤23.98	PASS

	5700	1	11.70	≤23.98	PASS
	5700	2	11.82	≤23.98	PASS
	5700	total	14.77	≤23.98	PASS
802.11n(HT40)	5190	1	11.78	≤23.98	PASS
	5190	2	11.86	≤23.98	PASS
	5190	total	14.83	≤23.98	PASS
	5230	1	11.89	≤23.98	PASS
	5230	2	11.81	≤23.98	PASS
	5230	total	14.86	≤23.98	PASS
	5270	1	11.67	≤23.98	PASS
	5270	2	11.64	≤23.98	PASS
	5270	total	14.67	≤23.98	PASS
	5310	1	11.50	≤23.98	PASS
	5310	2	11.52	≤23.98	PASS
	5310	total	14.52	≤23.98	PASS
	5510	1	11.39	≤23.98	PASS
	5510	2	11.22	≤23.98	PASS
	5510	total	14.32	≤23.98	PASS
	5550	1	11.35	≤23.98	PASS
	5550	2	11.43	≤23.98	PASS
	5550	total	14.4	≤23.98	PASS
	5590	1	10.99	≤23.98	PASS
	5590	2	11.08	≤23.98	PASS
	5590	total	14.05	≤23.98	PASS
	5670	1	11.46	≤23.98	PASS
	5670	2	11.52	≤23.98	PASS
	5670	total	14.5	≤23.98	PASS
802.11ac(VHT20)	5180	1	11.39	≤23.98	PASS
	5180	2	11.43	≤23.98	PASS
	5180	total	14.42	≤23.98	PASS
	5200	1	11.64	≤23.98	PASS
	5200	2	11.56	≤23.98	PASS
	5200	total	14.61	≤23.98	PASS
	5240	1	11.43	≤23.98	PASS
	5240	2	11.37	≤23.98	PASS
	5240	total	14.41	≤23.98	PASS
	5260	1	11.58	≤23.98	PASS
	5260	2	11.52	≤23.98	PASS
	5260	total	14.56	≤23.98	PASS
	5300	1	11.31	≤23.98	PASS
	5300	2	11.57	≤23.98	PASS
	5300	total	14.45	≤23.98	PASS
	5320	1	11.47	≤23.98	PASS
	5320	2	11.65	≤23.98	PASS
	5320	total	14.57	≤23.98	PASS
	5500	1	11.05	≤23.98	PASS
	5500	2	11.10	≤23.98	PASS
	5500	total	14.09	≤23.98	PASS
	5580	1	11.50	≤23.98	PASS
	5580	2	11.47	≤23.98	PASS
	5580	total	14.5	≤23.98	PASS
	5600	1	10.81	≤23.98	PASS
	5600	2	10.79	≤23.98	PASS
	5600	total	13.81	≤23.98	PASS
	5700	1	11.29	≤23.98	PASS
	5700	2	11.88	≤23.98	PASS
	5700	total	14.61	≤23.98	PASS

802.11ac(VHT40)	5190	1	11.80	≤23.98	PASS
	5190	2	11.80	≤23.98	PASS
	5190	total	14.81	≤23.98	PASS
	5230	1	12.09	≤23.98	PASS
	5230	2	12.17	≤23.98	PASS
	5230	total	15.14	≤23.98	PASS
	5270	1	11.64	≤23.98	PASS
	5270	2	11.62	≤23.98	PASS
	5270	total	14.64	≤23.98	PASS
	5310	1	11.53	≤23.98	PASS
	5310	2	11.53	≤23.98	PASS
	5310	total	14.54	≤23.98	PASS
	5510	1	11.74	≤23.98	PASS
	5510	2	11.23	≤23.98	PASS
	5510	total	14.5	≤23.98	PASS
	5550	1	11.26	≤23.98	PASS
	5550	2	11.86	≤23.98	PASS
	5550	total	14.58	≤23.98	PASS
	5590	1	10.95	≤23.98	PASS
	5590	2	11.10	≤23.98	PASS
	5590	total	14.04	≤23.98	PASS
	5670	1	12.12	≤23.98	PASS
	5670	2	11.37	≤23.98	PASS
	5670	total	14.77	≤23.98	PASS
802.11ac(VHT80)	5210	1	12.15	≤23.98	PASS
	5210	2	12.18	≤23.98	PASS
	5210	total	15.18	≤23.98	PASS
	5290	1	11.41	≤23.98	PASS
	5290	2	11.46	≤23.98	PASS
	5290	total	14.45	≤23.98	PASS
	5530	1	11.44	≤23.98	PASS
	5530	2	11.64	≤23.98	PASS
	5530	total	14.55	≤23.98	PASS
	5610	1	12.02	≤23.98	PASS
	5610	2	11.69	≤23.98	PASS
	5610	total	14.87	≤23.98	PASS

Test Mode	Frequency (MHz)	Ant.	EIRP (dBm)	Limit (dBm)	Verdict
802.11a	5180	1	16.31	≤22.23	PASS
	5180	2	14.8	≤22.48	PASS
	5200	1	16.34	≤22.20	PASS
	5200	2	14.93	≤22.48	PASS
	5240	1	16.38	≤22.21	PASS
	5240	2	14.78	≤22.48	PASS
	5260	1	16.45	≤29.21	PASS
	5260	2	15.01	≤29.48	PASS
	5300	1	16.28	≤29.23	PASS
	5300	2	14.73	≤29.47	PASS
	5320	1	16.39	≤29.21	PASS
	5320	2	17.23	≤29.22	PASS
	5500	1	15.92	≤29.24	PASS
	5500	2	16.1	≤29.21	PASS
	5580	1	16.22	≤29.21	PASS
	5580	2	16.66	≤29.23	PASS
	5600	1	15.65	≤29.21	PASS
	5600	2	16.55	≤29.24	PASS
	5700	1	16.5	≤29.22	PASS
	5700	2	16.8	≤29.21	PASS
802.11n(HT20)	5180	1	17.34	≤22.49	PASS
	5180	2	18.16	≤22.47	PASS
	5180	total	20.78	≤22.26	PASS
	5200	1	17.5	≤22.48	PASS
	5200	2	18.36	≤22.47	PASS
	5200	total	20.96	≤22.26	PASS
	5240	1	17.49	≤22.49	PASS
	5240	2	18.18	≤22.47	PASS
	5240	total	20.86	≤22.26	PASS
	5260	1	17.97	≤29.48	PASS
	5260	2	16.86	≤29.48	PASS
	5260	total	20.46	≤29.46	PASS
	5300	1	17.87	≤29.47	PASS
	5300	2	16.78	≤29.48	PASS
	5300	total	20.37	≤29.45	PASS
	5320	1	18.09	≤29.48	PASS
	5320	2	17.01	≤29.48	PASS
	5320	total	20.59	≤29.46	PASS
	5500	1	19.25	≤29.49	PASS
	5500	2	16.74	≤29.48	PASS
	5500	total	21.18	≤28.95	PASS
	5580	1	19.47	≤29.47	PASS
	5580	2	17.18	≤29.48	PASS
	5580	total	21.48	≤28.95	PASS
	5600	1	19	≤29.48	PASS
	5600	2	16.66	≤29.48	PASS
	5600	total	21	≤28.95	PASS
	5700	1	19.9	≤29.48	PASS
	5700	2	17.62	≤29.48	PASS
	5700	total	21.92	≤28.95	PASS
802.11n(HT40)	5190	1	17.78	≤23.01	PASS
	5190	2	18.66	≤23.01	PASS
	5190	total	21.25	≤22.8	PASS

	5230	1	17.89	≤23.01	PASS
	5230	2	18.61	≤23.01	PASS
	5230	total	21.28	≤22.8	PASS
	5270	1	18.27	≤30.00	PASS
	5270	2	17.04	≤30.00	PASS
	5270	total	20.71	≤29.98	PASS
	5310	1	18.1	≤30.00	PASS
	5310	2	16.92	≤30.00	PASS
	5310	total	20.56	≤29.98	PASS
	5510	1	19.59	≤30.00	PASS
	5510	2	17.02	≤30.00	PASS
	5510	total	21.5	≤29.47	PASS
	5550	1	19.55	≤30.00	PASS
	5550	2	17.23	≤30.00	PASS
	5550	total	21.55	≤29.47	PASS
	5590	1	19.19	≤30.00	PASS
	5590	2	16.88	≤30.00	PASS
	5590	total	21.2	≤29.47	PASS
	5670	1	19.66	≤30.00	PASS
	5670	2	17.32	≤30.00	PASS
	5670	total	21.66	≤29.47	PASS
802.11ac(VHT20)	5180	1	17.39	≤22.47	PASS
	5180	2	18.23	≤22.46	PASS
	5180	total	20.84	≤22.26	PASS
	5200	1	17.64	≤22.46	PASS
	5200	2	18.36	≤22.47	PASS
	5200	total	21.03	≤22.26	PASS
	5240	1	17.43	≤22.46	PASS
	5240	2	18.17	≤22.47	PASS
	5240	total	20.83	≤22.26	PASS
	5260	1	18.18	≤29.47	PASS
	5260	2	16.92	≤29.46	PASS
	5260	total	20.61	≤29.45	PASS
	5300	1	17.91	≤29.47	PASS
	5300	2	16.97	≤29.47	PASS
	5300	total	20.48	≤29.45	PASS
	5320	1	18.07	≤29.46	PASS
	5320	2	17.05	≤29.47	PASS
	5320	total	20.6	≤29.45	PASS
	5500	1	19.25	≤29.47	PASS
	5500	2	16.9	≤29.47	PASS
	5500	total	21.24	≤28.94	PASS
	5580	1	19.7	≤29.47	PASS
	5580	2	17.27	≤29.47	PASS
	5580	total	21.66	≤28.94	PASS
	5600	1	19.01	≤29.48	PASS
	5600	2	16.59	≤29.47	PASS
	5600	total	20.98	≤28.94	PASS
	5700	1	19.49	≤29.47	PASS
	5700	2	17.68	≤29.47	PASS
	5700	total	21.69	≤28.94	PASS
802.11ac(VHT40)	5190	1	17.8	≤23.01	PASS
	5190	2	18.6	≤23.01	PASS
	5190	total	21.23	≤22.8	PASS
	5230	1	18.09	≤23.01	PASS
	5230	2	18.97	≤23.01	PASS
	5230	total	21.56	≤22.8	PASS

	5270	1	18.24	≤30.00	PASS
	5270	2	17.02	≤30.00	PASS
	5270	total	20.68	≤29.98	PASS
	5310	1	18.13	≤30.00	PASS
	5310	2	16.93	≤30.00	PASS
	5310	total	20.58	≤29.98	PASS
	5510	1	19.94	≤30.00	PASS
	5510	2	17.03	≤30.00	PASS
	5510	total	21.73	≤29.47	PASS
	5550	1	19.46	≤30.00	PASS
	5550	2	17.66	≤30.00	PASS
	5550	total	21.66	≤29.47	PASS
	5590	1	19.15	≤30.00	PASS
	5590	2	16.9	≤30.00	PASS
	5590	total	21.18	≤29.47	PASS
802.11ac(VHT80)	5670	1	20.32	≤30.00	PASS
	5670	2	17.17	≤30.00	PASS
	5670	total	22.03	≤29.47	PASS
	5210	1	18.15	≤23.01	PASS
	5210	2	18.98	≤23.01	PASS
	5210	total	21.6	≤22.8	PASS
	5290	1	18.01	≤30.00	PASS
	5290	2	16.86	≤30.00	PASS
	5290	total	20.48	≤29.98	PASS
	5530	1	19.64	≤30.00	PASS
	5530	2	17.44	≤30.00	PASS
	5530	total	21.69	≤29.47	PASS
	5610	1	20.22	≤30.00	PASS
	5610	2	17.49	≤30.00	PASS
	5610	total	22.08	≤29.47	PASS

Note: transmit signals are completely *correlated*,

Directional gain(5150M-5250M)= $10 \times \log[(10^{3/20} + 10^{3.4/20})^2/2]$ =6.21dBi

Directional gain(5250M-5350M)= $10 \times \log[(10^{3.3/20} + 10^{2.7/20})^2/2]$ =6.02dBi

Directional gain(5470M-5725M)= $10 \times \log[(10^{4.1/20} + 10^{2.9/20})^2/2]$ =6.53dBi

Test result include duty cycle correction factor

4. Maximum Power Spectral Density (PSD)

4.1 Test Result

Test Mode	Frequency (MHz)	Ant.	Maximum Power Spectral Density (dBm/MHz)	Limits (dBm/MHz)	Verdict
802.11a	5180	1	-0.60	≤11	PASS
	5180	2	-0.96	≤11	PASS
	5200	1	-0.49	≤11	PASS
	5200	2	-0.81	≤11	PASS
	5240	1	-0.67	≤11	PASS
	5240	2	-0.51	≤11	PASS
	5260	1	3.79	≤11	PASS
	5260	2	1.52	≤11	PASS
	5300	1	3.50	≤11	PASS
	5300	2	1.24	≤11	PASS
	5320	1	3.41	≤11	PASS
	5320	2	4.17	≤11	PASS
	5500	1	3.08	≤11	PASS
	5500	2	2.70	≤11	PASS
	5580	1	3.32	≤11	PASS
	5580	2	3.24	≤11	PASS
	5600	1	2.63	≤11	PASS
	5600	2	3.14	≤11	PASS
	5700	1	3.52	≤11	PASS
	5700	2	3.53	≤11	PASS
802.11n(HT20)	5180	1	-0.74	≤11	PASS
	5180	2	-0.83	≤11	PASS
	5180	total	2.23	≤10.79	PASS
	5200	1	-0.68	≤11	PASS
	5200	2	-0.59	≤11	PASS
	5200	total	2.38	≤10.79	PASS
	5240	1	-0.78	≤11	PASS
	5240	2	-0.83	≤11	PASS
	5240	total	2.21	≤10.79	PASS
	5260	1	1.24	≤11	PASS
	5260	2	1.68	≤11	PASS
	5260	total	4.48	≤10.98	PASS
	5300	1	1.19	≤11	PASS
	5300	2	1.46	≤11	PASS
	5300	total	4.34	≤10.98	PASS
	5320	1	1.35	≤11	PASS
	5320	2	1.65	≤11	PASS
	5320	total	4.51	≤10.98	PASS
	5500	1	1.23	≤11	PASS
	5500	2	0.92	≤11	PASS
	5500	total	4.09	≤10.47	PASS
	5580	1	1.52	≤11	PASS
	5580	2	1.16	≤11	PASS
	5580	total	4.35	≤10.47	PASS
	5600	1	0.92	≤11	PASS
	5600	2	0.86	≤11	PASS
	5600	total	3.9	≤10.47	PASS

	5700	1	1.81	≤11	PASS
	5700	2	1.58	≤11	PASS
	5700	total	4.71	≤10.47	PASS
802.11n(HT40)	5190	1	-4.10	≤11	PASS
	5190	2	-4.33	≤11	PASS
	5190	total	-1.2	≤10.79	PASS
	5230	1	-4.12	≤11	PASS
	5230	2	-3.98	≤11	PASS
	5230	total	-1.04	≤10.79	PASS
	5270	1	-1.39	≤11	PASS
	5270	2	-1.51	≤11	PASS
	5270	total	1.56	≤10.98	PASS
	5310	1	-1.75	≤11	PASS
	5310	2	-1.81	≤11	PASS
	5310	total	1.23	≤10.98	PASS
	5510	1	-2.13	≤11	PASS
	5510	2	-2.28	≤11	PASS
	5510	total	0.81	≤10.47	PASS
	5550	1	-2.06	≤11	PASS
	5550	2	-1.68	≤11	PASS
	5550	total	1.14	≤10.47	PASS
	5590	1	-2.40	≤11	PASS
	5590	2	-2.33	≤11	PASS
	5590	total	0.65	≤10.47	PASS
	5670	1	-1.77	≤11	PASS
	5670	2	-1.84	≤11	PASS
	5670	total	1.21	≤10.47	PASS
802.11ac(VHT20)	5180	1	-1.20	≤11	PASS
	5180	2	-1.10	≤11	PASS
	5180	total	1.86	≤10.79	PASS
	5200	1	-0.85	≤11	PASS
	5200	2	-0.81	≤11	PASS
	5200	total	2.18	≤10.79	PASS
	5240	1	-1.09	≤11	PASS
	5240	2	-1.16	≤11	PASS
	5240	total	1.89	≤10.79	PASS
	5260	1	1.55	≤11	PASS
	5260	2	1.71	≤11	PASS
	5260	total	4.64	≤10.98	PASS
	5300	1	1.27	≤11	PASS
	5300	2	1.50	≤11	PASS
	5300	total	4.4	≤10.98	PASS
	5320	1	1.43	≤11	PASS
	5320	2	1.71	≤11	PASS
	5320	total	4.58	≤10.98	PASS
	5500	1	1.03	≤11	PASS
	5500	2	0.93	≤11	PASS
	5500	total	3.99	≤10.47	PASS
	5580	1	1.73	≤11	PASS
	5580	2	1.51	≤11	PASS
	5580	total	4.63	≤10.47	PASS
	5600	1	0.82	≤11	PASS
	5600	2	0.59	≤11	PASS
	5600	total	3.72	≤10.47	PASS
	5700	1	1.50	≤11	PASS
	5700	2	2.09	≤11	PASS
	5700	total	4.82	≤10.47	PASS

802.11ac(VHT40)	5190	1	-5.11	≤11	PASS
	5190	2	-5.12	≤11	PASS
	5190	total	-2.1	≤10.79	PASS
	5230	1	-5.19	≤11	PASS
	5230	2	-5.18	≤11	PASS
	5230	total	-2.17	≤10.79	PASS
	5270	1	-1.27	≤11	PASS
	5270	2	-1.33	≤11	PASS
	5270	total	1.71	≤10.98	PASS
	5310	1	-1.43	≤11	PASS
	5310	2	-1.59	≤11	PASS
	5310	total	1.5	≤10.98	PASS
	5510	1	-2.33	≤11	PASS
	5510	2	-2.02	≤11	PASS
	5510	total	0.84	≤10.47	PASS
	5550	1	-1.74	≤11	PASS
	5550	2	-2.20	≤11	PASS
	5550	total	1.05	≤10.47	PASS
	5590	1	-2.28	≤11	PASS
	5590	2	-1.97	≤11	PASS
	5590	total	0.89	≤10.47	PASS
802.11ac(VHT80)	5670	1	-1.78	≤11	PASS
	5670	2	-1.69	≤11	PASS
	5670	total	1.28	≤10.47	PASS
	5210	1	-8.14	≤11	PASS
	5210	2	-8.22	≤11	PASS
	5210	total	-5.17	≤10.79	PASS
	5290	1	-3.55	≤11	PASS
	5290	2	-0.43	≤11	PASS
	5290	total	1.29	≤10.98	PASS
	5530	1	-0.15	≤11	PASS
	5530	2	-0.09	≤11	PASS
	5530	total	2.89	≤10.47	PASS
	5610	1	-0.49	≤11	PASS
	5610	2	-0.21	≤11	PASS
	5610	total	2.66	≤10.47	PASS

Test Mode	Frequency (MHz)	Ant.	EIRP PSD (dBm/MHz)	Limits (dBm/MHz)	Verdict
802.11a	5180	1	2.4	≤10	PASS
	5180	2	2.44	≤10	PASS
	5200	1	2.51	≤10	PASS
	5200	2	2.59	≤10	PASS
	5240	1	2.33	≤10	PASS
	5240	2	2.89	≤10	PASS
802.11n(HT20)	5180	1	2.26	≤10	PASS
	5180	2	2.57	≤10	PASS
	5180	total	5.43	≤9.79	PASS
	5200	1	2.32	≤10	PASS
	5200	2	2.81	≤10	PASS
	5200	total	5.58	≤9.79	PASS
	5240	1	2.22	≤10	PASS
	5240	2	2.57	≤10	PASS
	5240	total	5.41	≤9.79	PASS
802.11n(HT40)	5190	1	-1.1	≤10	PASS
	5190	2	-0.93	≤10	PASS
	5190	total	2	≤9.79	PASS
802.11ac(VHT20)	5180	1	1.8	≤10	PASS
	5180	2	2.3	≤10	PASS
	5180	total	5.07	≤9.79	PASS
	5200	1	2.15	≤10	PASS
	5200	2	2.59	≤10	PASS
	5200	total	5.39	≤9.79	PASS
	5240	1	1.91	≤10	PASS
	5240	2	2.24	≤10	PASS
	5240	total	5.09	≤9.79	PASS
802.11ac(VHT40)	5190	1	-2.11	≤10	PASS
	5190	2	-1.72	≤10	PASS
	5190	total	1.1	≤9.79	PASS
802.11ac(VHT80)	5210	1	-5.14	≤10	PASS
	5210	2	-4.82	≤10	PASS
	5210	total	-1.97	≤9.79	PASS

Note: transmit signals are completely *correlated*,

Directional gain(5150M-5250M)= $10 \times \log[(10^{3/20} + 10^{3.4/20})^2/2]$ =6.21dBi


Directional gain(5250M-5350M)= $10 \times \log[(10^{3.3/20} + 10^{2.7/20})^2/2]$ =6.02dBi



Directional gain(5470M-5725M)= $10 \times \log[(10^{4.1/20} + 10^{2.9/20})^2/2]$ =6.53dBi



Test result include duty cycle correction factor



4.2 Test Graph



ANT 1:






























































































ANT 2:

