
H-Field Receiving Pattern (ϕ), $\vartheta = 90^{\circ}$




Certificate No: MAGPy-8H3D-3060


Page 22 of 26

FCC ID: A3LSMS938U	element wpt rf exposure evaluation report	Reviewed by: Quality Manager
Test Dates:	Apparatus/Device:	APPENDIX C:
10/14/2024 - 11/1/2024	Mobile Handset	Page 22 of 26

H-Field Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$



H-Field Receiving Pattern (ϕ), $\vartheta = 90^{\circ}$



SPEAG axial deviation from the ideal response tolerance for H-field: $\pm 0.6\,\text{dB}$


Certificate No: MAGPy-8H3D-3060

Page 23 of 26

FCC ID: A3LSMS938U	element wpt rf exposure evaluation report	Reviewed by: Quality Manager
Test Dates:	Apparatus/Device:	APPENDIX C:
10/14/2024 - 11/1/2024	Mobile Handset	Page 23 of 26

Isotropy E-Field


E-Field Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$



Certificate No: MAGPy-8H3D-3060 Page 24 of 26

FCC ID: A3LSMS938U	element WPT RF EXPOSU	RE EVALUATION REPORT	Reviewed by: Quality Manager
Test Dates:	Apparatus/Device:		APPENDIX C:
10/14/2024 - 11/1/2024	Mobile Handset		Page 24 of 26

E-Field Receiving Pattern (ϕ), $\vartheta = 90^{\circ}$




Certificate No: MAGPy-8H3D-3060


Page 25 of 26

FCC ID: A3LSMS938U	element wpt rf exposure evaluation report	Reviewed by: Quality Manager
Test Dates:	Apparatus/Device:	APPENDIX C:
10/14/2024 - 11/1/2024	Mobile Handset	Page 25 of 26

E-Field Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$



E-Field Receiving Pattern (ϕ), $\vartheta = 90^{\circ}$



SPEAG axial deviation from the ideal response tolerance for E-field: $\pm 0.8\,\text{dB}$

Certificate No: MAGPy-8H3D-3060

Page 26 of 26

FCC ID: A3LSMS938U	element wpt rf exposure evaluation report	Reviewed by: Quality Manager
Test Dates:	Apparatus/Device:	APPENDIX C:
10/14/2024 - 11/1/2024	Mobile Handset	Page 26 of 26