

					10	-0.39	-0.00023	PASS
					20	0.63	0.00036	PASS
					30	-0.99	-0.00057	PASS
					40	-1.4	-0.00081	PASS
					50	-0.36	-0.00021	PASS
			HCH	VN	-30	-5.08	-0.00291	PASS
					-20	-0.89	-0.00051	PASS
					-10	-1.33	-0.00076	PASS
					0	-1.65	-0.00095	PASS
					10	-3.35	-0.00192	PASS
					20	-0.89	-0.00051	PASS
					30	-1.72	-0.00099	PASS
					40	-4.45	-0.00255	PASS
					50	-3.05	-0.00175	PASS
					-30	-6.44	-0.00781	PASS
					-20	21.14	0.02563	PASS
					-10	0.19	0.00023	PASS
					0	7.6	0.00922	PASS
					10	-0.77	-0.00093	PASS
					20	11.23	0.01362	PASS
					30	7.67	0.0093	PASS
					40	25.81	0.0313	PASS
BAND5	LTE/TM1	1.4	LCH	VN	50	-5.74	-0.00696	PASS
					-30	-3.35	-0.004	PASS
					-20	-0.92	-0.0011	PASS
					-10	-84.83	-0.10141	PASS
					0	25.86	0.03091	PASS
					10	1.66	0.00198	PASS
					20	-42.24	-0.0505	PASS
					30	69.59	0.08319	PASS
					40	1.44	0.00172	PASS
			MCH	VN	50	-4.52	-0.0054	PASS
					-30	-6.91	-0.00815	PASS
					-20	-12.69	-0.01496	PASS
					-10	1.5	0.00177	PASS
					0	-6.54	-0.00771	PASS
					10	13.16	0.01551	PASS
					20	-6.09	-0.00718	PASS
					30	19.93	0.02349	PASS
					40	-2.85	-0.00336	PASS
			HCH	VN	50	-9.88	-0.01165	PASS

		3	LCH	VN	-30	10.34	0.01253	PASS
					-20	-18.73	-0.02269	PASS
					-10	10.94	0.01325	PASS
					0	283.41	0.34332	PASS
					10	-3.76	-0.00455	PASS
					20	-2.68	-0.00325	PASS
					30	-8.33	-0.01009	PASS
					40	-3.19	-0.00386	PASS
					50	-13.2	-0.01599	PASS
			MCH	VN	-30	-0.17	-0.0002	PASS
					-20	-2.7	-0.00323	PASS
					-10	-8.11	-0.0097	PASS
					0	-3.76	-0.00449	PASS
					10	-21.73	-0.02598	PASS
					20	-3.81	-0.00455	PASS
					30	-1.53	-0.00183	PASS
					40	-7.07	-0.00845	PASS
					50	-3.3	-0.00395	PASS
			HCH	VN	-30	-0.7	-0.00083	PASS
					-20	-1.1	-0.0013	PASS
					-10	-2.9	-0.00342	PASS
					0	-0.37	-0.00044	PASS
					10	0.26	0.00031	PASS
					20	-3.19	-0.00376	PASS
					30	-0.14	-0.00017	PASS
					40	-0.69	-0.00081	PASS
					50	-0.63	-0.00074	PASS
		5	LCH	VN	-30	7.7	0.00932	PASS
					-20	-3	-0.00363	PASS
					-10	-1.2	-0.00145	PASS
					0	0.79	0.00096	PASS
					10	1.36	0.00165	PASS
					20	-1.59	-0.00192	PASS
					30	3.06	0.0037	PASS
					40	-0.64	-0.00077	PASS
					50	-5.56	-0.00673	PASS
			MCH	VN	-30	-0.63	-0.00075	PASS
					-20	3.15	0.00377	PASS
					-10	0.17	0.0002	PASS
					0	-1.43	-0.00171	PASS
					10	-2.33	-0.00279	PASS

					20	-1.26	-0.00151	PASS
					30	1.39	0.00166	PASS
					40	0.63	0.00075	PASS
					50	0.43	0.00051	PASS
			HCH	VN	-30	2.3	0.00272	PASS
					-20	-0.34	-0.0004	PASS
					-10	-2	-0.00236	PASS
					0	0.84	0.00099	PASS
					10	-0.3	-0.00035	PASS
					20	-2.3	-0.00272	PASS
					30	-0.29	-0.00034	PASS
					40	-1.22	-0.00144	PASS
					50	-1.36	-0.00161	PASS
		10	LCH	VN	-30	-4.69	-0.00566	PASS
					-20	3.92	0.00473	PASS
					-10	-0.46	-0.00055	PASS
					0	-11.04	-0.01332	PASS
					10	1.04	0.00125	PASS
					20	-0.24	-0.00029	PASS
					30	0.07	0.00008	PASS
					40	16.79	0.02025	PASS
					50	-5.34	-0.00644	PASS
			MCH	VN	-30	-2.92	-0.00349	PASS
					-20	205.55	0.24573	PASS
					-10	-23.88	-0.02855	PASS
					0	14.89	0.0178	PASS
					10	-12.56	-0.01501	PASS
					20	-14.91	-0.01782	PASS
					30	-13.98	-0.01671	PASS
					40	-53.97	-0.06452	PASS
					50	-82.31	-0.0984	PASS
			HCH	VN	-30	0.3	0.00036	PASS
					-20	-2.63	-0.00312	PASS
					-10	-2.52	-0.00299	PASS
					0	-2.33	-0.00276	PASS
					10	-0.5	-0.00059	PASS
					20	-1.99	-0.00236	PASS
					30	0.44	0.00052	PASS
					40	-1.52	-0.0018	PASS
					50	-2.55	-0.00302	PASS
	LTE/TM2	1.4	LCH	VN	-30	-13.75	-0.01667	PASS

					-20	-16.48	-0.01998	PASS
					-10	12.66	0.01535	PASS
					0	-47.89	-0.05807	PASS
					10	10.31	0.0125	PASS
					20	0.86	0.00104	PASS
					30	35.09	0.04255	PASS
					40	48.59	0.05892	PASS
					50	80.7	0.09785	PASS
			MCH	VN	-30	-8.5	-0.01016	PASS
					-20	0.82	0.00098	PASS
					-10	-30.13	-0.03602	PASS
					0	24.83	0.02968	PASS
					10	23.4	0.02797	PASS
					20	10.83	0.01295	PASS
					30	-1.19	-0.00142	PASS
					40	-23.52	-0.02812	PASS
					50	7.71	0.00922	PASS
			HCH	VN	-30	-8.18	-0.00964	PASS
					-20	-2.95	-0.00348	PASS
					-10	9.13	0.01076	PASS
					0	-1.65	-0.00195	PASS
					10	-7.45	-0.00878	PASS
					20	6.84	0.00806	PASS
					30	0.07	0.00008	PASS
					40	-3.23	-0.00381	PASS
					50	2.25	0.00265	PASS
		3	LCH	VN	-30	3.52	0.00426	PASS
					-20	14.09	0.01707	PASS
					-10	-14.39	-0.01743	PASS
					0	0.37	0.00045	PASS
					10	2.75	0.00333	PASS
					20	-0.94	-0.00114	PASS
					30	8.91	0.01079	PASS
					40	77.91	0.09438	PASS
					50	-102.98	-0.12475	PASS
			MCH	VN	-30	-3.32	-0.00397	PASS
					-20	0.01	0.00001	PASS
					-10	-2.29	-0.00274	PASS
					0	-1.07	-0.00128	PASS
					10	-2.65	-0.00317	PASS
					20	-2.83	-0.00338	PASS

					30	10.89	0.01302	PASS
					40	-2.6	-0.00311	PASS
					50	2.68	0.0032	PASS
			HCH	VN	-30	1.22	0.00144	PASS
					-20	-3.5	-0.00413	PASS
					-10	-4.18	-0.00493	PASS
					0	-1.07	-0.00126	PASS
					10	-7.48	-0.00883	PASS
					20	-2.22	-0.00262	PASS
					30	-1.36	-0.0016	PASS
					40	-2.5	-0.00295	PASS
					50	-1.42	-0.00168	PASS
		5	LCH	VN	-30	-5.35	-0.00647	PASS
					-20	0.53	0.00064	PASS
					-10	-0.59	-0.00071	PASS
					0	-0.39	-0.00047	PASS
					10	2.22	0.00269	PASS
					20	-4.36	-0.00528	PASS
					30	-0.07	-0.00008	PASS
					40	0.1	0.00012	PASS
					50	0.09	0.00011	PASS
			MCH	VN	-30	-14.19	-0.01696	PASS
					-20	0.47	0.00056	PASS
					-10	-3.38	-0.00404	PASS
					0	0.8	0.00096	PASS
					10	0.5	0.0006	PASS
					20	-0.99	-0.00118	PASS
					30	1.06	0.00127	PASS
					40	-0.49	-0.00059	PASS
					50	0.96	0.00115	PASS
			HCH	VN	-30	2.79	0.0033	PASS
					-20	-4.53	-0.00535	PASS
					-10	-1.49	-0.00176	PASS
					0	-0.16	-0.00019	PASS
					10	-0.62	-0.00073	PASS
					20	0.33	0.00039	PASS
					30	1.03	0.00122	PASS
					40	0.53	0.00063	PASS
					50	-1.33	-0.00157	PASS
		10	LCH	VN	-30	-45.79	-0.05524	PASS
					-20	0.96	0.00116	PASS

					-10	-0.74	-0.00089	PASS
					0	-1.75	-0.00211	PASS
					10	-9.03	-0.01089	PASS
					20	-0.8	-0.00097	PASS
					30	-76.06	-0.09175	PASS
					40	-10.24	-0.01235	PASS
					50	-1.59	-0.00192	PASS
			MCH	VN	-30	204.32	0.24426	PASS
					-20	75.43	0.09017	PASS
					-10	57.76	0.06905	PASS
					0	-19.05	-0.02277	PASS
					10	-85.79	-0.10256	PASS
					20	114.6	0.137	PASS
					30	54.27	0.06488	PASS
					40	-101.74	-0.12163	PASS
					50	83.74	0.10011	PASS
			HCH	VN	-30	-1.92	-0.00227	PASS
					-20	0.13	0.00015	PASS
					-10	-1.92	-0.00227	PASS
					0	-0.01	-0.00001	PASS
					10	-1.99	-0.00236	PASS
					20	0.83	0.00098	PASS
					30	0.9	0.00107	PASS
					40	0.21	0.00025	PASS
					50	-0.17	-0.0002	PASS
BAND7	LTE/TM1	5	LCH	VN	-30	1.53	0.00061	PASS
					-20	1.53	0.00061	PASS
					-10	0.16	0.00006	PASS
					0	-0.39	-0.00016	PASS
					10	0.07	0.00003	PASS
					20	2.79	0.00111	PASS
					30	-1.56	-0.00062	PASS
					40	-1.86	-0.00074	PASS
					50	-1.5	-0.0006	PASS
			MCH	VN	-30	1.75	0.00069	PASS
					-20	2.86	0.00113	PASS
					-10	1.19	0.00047	PASS
					0	0.46	0.00018	PASS
					10	3.56	0.0014	PASS
					20	-0.9	-0.00036	PASS
					30	0.89	0.00035	PASS

			HCH	VN	40	1.83	0.00072	PASS
					50	0.34	0.00013	PASS
					-30	-1.53	-0.0006	PASS
					-20	-0.43	-0.00017	PASS
					-10	4.28	0.00167	PASS
					0	0.43	0.00017	PASS
					10	-1.04	-0.00041	PASS
					20	-1.4	-0.00055	PASS
					30	1.32	0.00051	PASS
					40	-1.3	-0.00051	PASS
					50	-0.3	-0.00012	PASS
		10	LCH	VN	-30	0.3	0.00012	PASS
					-20	-2.5	-0.001	PASS
					-10	-0.67	-0.00027	PASS
					0	-2.65	-0.00106	PASS
					10	2	0.0008	PASS
					20	-3.2	-0.00128	PASS
					30	2.78	0.00111	PASS
					40	0.9	0.00036	PASS
					50	-1.87	-0.00075	PASS
			MCH	VN	-30	-2.2	-0.00087	PASS
					-20	-3.16	-0.00125	PASS
					-10	1.79	0.00071	PASS
					0	-3.73	-0.00147	PASS
					10	-2.1	-0.00083	PASS
					20	-1.65	-0.00065	PASS
					30	4.05	0.0016	PASS
					40	-0.47	-0.00019	PASS
					50	0.37	0.00015	PASS
			HCH	VN	-30	1.97	0.00077	PASS
					-20	3.96	0.00154	PASS
					-10	4.28	0.00167	PASS
					0	6.01	0.00234	PASS
					10	9.26	0.00361	PASS
					20	8.48	0.00331	PASS
					30	2.78	0.00108	PASS
					40	1.49	0.00058	PASS
					50	7.9	0.00308	PASS
		15	LCH	VN	-30	8.12	0.00324	PASS
					-20	6.08	0.00242	PASS
					-10	5.75	0.00229	PASS

					0	5.06	0.00202	PASS
					10	-1.25	-0.00050	PASS
					20	4.56	0.00182	PASS
					30	3.05	0.00122	PASS
					40	5.78	0.00231	PASS
					50	2.68	0.00107	PASS
			MCH	VN	-30	3.13	0.00123	PASS
					-20	3.38	0.00133	PASS
					-10	-3.74	-0.00148	PASS
					0	5.98	0.00236	PASS
					10	6.52	0.00257	PASS
					20	4.65	0.00183	PASS
					30	-2.8	-0.00110	PASS
					40	2.43	0.00096	PASS
					50	4.35	0.00172	PASS
			HCH	VN	-30	-0.72	-0.00028	PASS
					-20	9.66	0.00377	PASS
					-10	3.78	0.00148	PASS
					0	3.62	0.00141	PASS
					10	3.85	0.00150	PASS
					20	3.23	0.00126	PASS
					30	2.53	0.00099	PASS
					40	3.13	0.00122	PASS
					50	6.94	0.00271	PASS
		20	LCH	VN	-30	-3.85	-0.00153	PASS
					-20	2.96	0.00118	PASS
					-10	5.68	0.00226	PASS
					0	1.89	0.00075	PASS
					10	-2.16	-0.00086	PASS
					20	5.84	0.00233	PASS
					30	-1.12	-0.00045	PASS
					40	-1.02	-0.00041	PASS
					50	3.15	0.00125	PASS
			MCH	VN	-30	3.5	0.00138	PASS
					-20	1.53	0.00060	PASS
					-10	2.99	0.00118	PASS
					0	5.59	0.00221	PASS
					10	-3.55	-0.00140	PASS
					20	2.42	0.00095	PASS
					30	5.41	0.00213	PASS
					40	1.95	0.00077	PASS

			HCH	VN	50	-1.99	-0.00079	PASS
					-30	2.52	0.00098	PASS
					-20	-0.43	-0.00017	PASS
					-10	4.94	0.00193	PASS
					0	-0.53	-0.00021	PASS
					10	-0.4	-0.00016	PASS
					20	3.42	0.00134	PASS
					30	0.84	0.00033	PASS
					40	0.43	0.00017	PASS
					50	1.29	0.00050	PASS
	LTE/TM2	5	LCH	VN	-30	-0.53	-0.00021	PASS
					-20	3.28	0.00131	PASS
					-10	0.89	0.00036	PASS
					0	2.15	0.00086	PASS
					10	1.76	0.00070	PASS
					20	4.03	0.00161	PASS
					30	4.36	0.00174	PASS
					40	0.07	0.00003	PASS
					50	1.06	0.00042	PASS
			MCH	VN	-30	-3.63	-0.00143	PASS
					-20	4.06	0.00160	PASS
					-10	1.19	0.00047	PASS
					0	0.24	0.00009	PASS
					10	2.23	0.00088	PASS
					20	4.42	0.00174	PASS
					30	-1.02	-0.00040	PASS
					40	-1.4	-0.00055	PASS
					50	0.86	0.00034	PASS
			HCH	VN	-30	-0.2	-0.00008	PASS
					-20	2.25	0.00088	PASS
					-10	5.84	0.00227	PASS
					0	-0.5	-0.00019	PASS
					10	0.29	0.00011	PASS
					20	1.34	0.00052	PASS
					30	-0.14	-0.00005	PASS
					40	0.17	0.00007	PASS
					50	2.3	0.00090	PASS
		10	LCH	VN	-30	4.35	0.00174	PASS
					-20	1.06	0.00042	PASS
					-10	1.33	0.00053	PASS
					0	3.39	0.00135	PASS

					10	-1.27	-0.00051	PASS
					20	3.43	0.00137	PASS
					30	0	0.00000	PASS
					40	-1.53	-0.00061	PASS
					50	3.69	0.00147	PASS
			MCH	VN	-30	1.03	0.00041	PASS
					-20	-3.28	-0.00129	PASS
					-10	3.53	0.00139	PASS
					0	2.98	0.00118	PASS
					10	-4.05	-0.00160	PASS
					20	0.92	0.00036	PASS
					30	3.86	0.00152	PASS
					40	0.1	0.00004	PASS
					50	7.04	0.00278	PASS
			HCH	VN	-30	8	0.00312	PASS
					-20	6.38	0.00249	PASS
					-10	8.24	0.00321	PASS
					0	5.92	0.00231	PASS
					10	6.27	0.00244	PASS
					20	1.72	0.00067	PASS
					30	1.22	0.00048	PASS
					40	3.85	0.00150	PASS
					50	3.22	0.00126	PASS
		15	LCH	VN	-30	2.3	0.00092	PASS
					-20	4.58	0.00183	PASS
					-10	-0.56	-0.00022	PASS
					0	5.68	0.00227	PASS
					10	3.48	0.00139	PASS
					20	5.56	0.00222	PASS
					30	1.8	0.00072	PASS
					40	3.56	0.00142	PASS
					50	3.81	0.00152	PASS
			MCH	VN	-30	0.11	0.00004	PASS
					-20	-0.5	-0.00020	PASS
					-10	-0.63	-0.00025	PASS
					0	1.85	0.00073	PASS
					10	4.19	0.00165	PASS
					20	1.5	0.00059	PASS
					30	6.79	0.00268	PASS
					40	8.97	0.00354	PASS
					50	2.86	0.00113	PASS

			HCH	VN	-30	3.92	0.00153	PASS
					-20	4.94	0.00193	PASS
					-10	-0.07	-0.00003	PASS
					0	1.13	0.00044	PASS
					10	2.45	0.00096	PASS
					20	2.55	0.00100	PASS
					30	1.13	0.00044	PASS
					40	-1.16	-0.00045	PASS
					50	2.85	0.00111	PASS
			LCH	VN	-30	4.21	0.00168	PASS
					-20	-5.38	-0.00214	PASS
					-10	-2.53	-0.00101	PASS
					0	1.09	0.00043	PASS
					10	4.69	0.00187	PASS
					20	2.55	0.00102	PASS
					30	3.23	0.00129	PASS
					40	1.89	0.00075	PASS
					50	1.47	0.00059	PASS
			MCH	VN	-30	-1.71	-0.00067	PASS
					-20	2.43	0.00096	PASS
					-10	3.55	0.00140	PASS
					0	-2.17	-0.00086	PASS
					10	-1.06	-0.00042	PASS
					20	4.41	0.00174	PASS
					30	-1.02	-0.00040	PASS
					40	-0.47	-0.00019	PASS
					50	7.52	0.00297	PASS
			HCH	VN	-30	1.16	0.00045	PASS
					-20	2.51	0.00098	PASS
					-10	1.92	0.00075	PASS
					0	-0.26	-0.00010	PASS
					10	1.47	0.00057	PASS
					20	0.99	0.00039	PASS
					30	2.02	0.00079	PASS
					40	-0.79	-0.00031	PASS
					50	5.69	0.00222	PASS

END