

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000043204

Page: 1 of 9

RF EXPOSURE EVALUATION REPORT

Application No.: FYCR2210000432AT

Applicant: Cosonic Intelligent Technologies Co., Ltd.

Address of Applicant: 5th Floor,1st Building,No.6 South Industry Road, Songshan Lake Hi-tech

Industrial Development Zone, Dongguan, Guangdong, China

Manufacturer: Cosonic Intelligent Technologies Co., Ltd.

Address of Manufacturer: Room 506 building 1, No.6, South Industrial Road, Songshan Lake High-

tech Industrial Development Zone, Dongguan, Guangdong, China

Factory: Cosonic Intelligent Technologies Co., Ltd.

Address of Factory: Room 506 building 1, No.6, South Industrial Road, Songshan Lake High-

tech Industrial Development Zone, Dongguan, Guangdong, China

Equipment Under Test (EUT):

EUT Name: ONN. TRUE WRLS GEN3

Model No.: 100069415, AAWHT100069415, AALUGO100069415, AABLSV100069415,

AAORRA100069415, AALAV100069415, AABLK100069415, AAASH100069415

Please refer to section 2 of this report which indicates which model was

actually tested and which were electrically identical.

Trade Mark: onn.

 FCC ID:
 2ALVK-ONN100069415

 Standard(s):
 FCC Rules 47 CFR §2.1093

KDB447498D01 General RF Exposure Guidance v06

Date of Receipt: 2022-10-31

Date of Evaluation: 2022-11-03 to 2022-11-09

Date of Issue: 2022-11-16

Evaluation Result: Pass*

Winkey Wang EMC Technical Manager

WinkeyWang



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-en-Document.sgx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Are remail CN Descherification

Terminal CN Descherification**

Terminal

CN Descherification

Terminal

**Ter

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

^{*} In the configuration evaluated, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000043204

Page: 2 of 9

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2022-11-16		Original

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWang	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CN Descherciffsus cond.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000043204

Page: 3 of 9

2 Contents

			Page
1	COV	VER PAGE	1
2	Con	ntents	3
3	Gen	neral Information	4
	3.1	General Description of E.U.T.	4
	3.2	General Description of E.U.T	4
	3.3	Separation Distance	5
	3.4	Test Location	6
	3.5	Test Facility	6
	3.6	Deviation from Standards	6
	3.7	Abnormalities from Standard Conditions	6
4	Tech	hnical Requirements Specification	7
	4.1	RF Exposure Evaluation	7
		1 Limit & Test Method	7
	4.1.2	2 Conclusion	8



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CN Descherciffsus cond.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000043204

Page: 4 of 9

3 General Information

3.1 General Description of E.U.T.

ordinarian – decompliants of – north		
	□ Portable device □	
Product Type:	☐ Mobile device	
	☐ Fixed device	

3.2 Details of E.U.T.

Power supply:	Left earbuds: Li-Ion Polymer Battery 3.7V 35mAh		
	(Charge by travel case)		
	Right earbuds: Li-Ion Polymer Battery 3.7V 35mAh		
	(Charge by travel case)		
	travel case with backup battery: Li-Ion Polymer Battery 3.7V 450mAh (Charged by USB port)		
Cable(s):	Type C cable:22cm unshielded		
For BT:			
Operation Frequency:	2402MHz to 2480MHz		
Bluetooth Version:	V5.3 Dual mode		
Modulation Type:	GFSK, pi/4DQPSK, 8DPSK		
Number of Channels:	79		
Channel Spacing:	1MHz		
Spectrum Spread Technology:	Frequency Hopping Spread Spectrum(FHSS)		
Antenna Type:	FPC Antenna		
Antenna Gain:	Left earbud:-1.36dBi Right earbud:-1.36dBi		
For BLE:			
Operation Frequency:	2402MHz to 2480MHz		
Bluetooth Version:	V5.3 Dual mode		
Modulation Type:	GFSK		
Number of Channels:	40		
Channel Spacing:	2MHz		
Data rate:	1M/bits and 2M/bits		
Antenna Type:	FPC Antenna		
Antenna Gain:	Left earbud:-1.36dBi Right earbud:-1.36dBi		
·			

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile: CAP Doccheck@ass.com.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000043204

Page: 5 of 9

Declaration of EUT Family Grouping:

Model No.: 100069415, AAWHT100069415, AALUGO100069415, AABLSV100069415,

AAORRA100069415, AALAV100069415, AABLK100069415, AAASH100069415

Only the model 100069415 was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used and internal wiring and functions were identical for the above models, with only difference on model No., colour of enclosure.

3.3 Separation Distance

Minimum	test	senaration	distance:	5mm

Remark: This minimum test separation distance is determined by the smallest distance from the antenna and radiating structures or outer surface of the device, according to the host form factor, exposure conditions and platform requirements, to any part of the body or extremity of a user or bystander.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents after the time of the strength of the strengt



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000043204

Page: 6 of 9

3.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

3.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC –Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

3.6 Deviation from Standards

None

3.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000043204

Page: 7 of 9

4 Technical Requirements Specification

4.1 RF Exposure Evaluation

4.1.1 Limit & Test Method

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] $\cdot [\sqrt{f(GHz)}] \le 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, where

- f(GHz) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation¹⁷
- The result is rounded to one decimal place for comparison

The test exclusions are applicable only when the minimum test separation distance is \leq 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions for Electronic Documents after the time of the strength of the streng



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000043204

Page: 8 of 9

4.1.2 Conclusion

BT

Left earbud

The Max. power (including tune-up tolerance) is 5.06 dBm on the highest chann 2.48 GHz (*) 5.06 dBm logarithmic terms convert to numeric result is nearly 3.21 mW According to the formula. calculate the test exclusion thresholds:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] · [\f(GHz)]

General RF Exposure = (3.21 mW / 5 mm) x $\sqrt{2.48}$ GHz = 1.01

(1)

(1)

SAR requirement:

 $S = 3.0 \tag{2}$

(1) < (2)

So the SAR report is not required.

(*) Max. power refer to Report No.:FYCR221000043202

Right earbud

The Max. power (including tune-up tolerance) is 4.60 dBm on the highest chann 2.441 GHz (*) 4.60 dBm logarithmic terms convert to numeric result is nearly 2.88 mW

According to the formula. calculate the test exclusion thresholds:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] · [vf(GHz)]

General RF Exposure = (2.88 mW / 5 mm) x $\sqrt{2.441}$ GHz = 0.90

SAR requirement:

 $S = 3.0 \tag{2}$

(1) < (2)

So the SAR report is not required.

(*) Max. power refer to Report No.:FYCR221000043202



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000043204

Page: 9 of 9

BLE

Left earbud

The Max. power (including tune-up tolerance) is 4.17 dBm on the highest chann 2.48 GHz (*) 4.17 dBm logarithmic terms convert to numeric result is nearly 2.61 mW According to the formula. calculate the test exclusion thresholds:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] $\sqrt{ (GHz) }$

General RF Exposure = $(2.61 \text{ mW} / 5 \text{ mm}) \times \sqrt{2.48 \text{ GHz}} = 0.82$ (1)

SAR requirement:

 $S = 3.0 \tag{2}$

(1) < (2)

So the SAR report is not required.

(*) Max. power refer to Report No.:FYCR221000043203

Right earbud

The Max. power (including tune-up tolerance) is 3.93 dBm on the highest chann 2.44 GHz (*) 3.93 dBm logarithmic terms convert to numeric result is nearly 2.47 mW According to the formula. calculate the test exclusion thresholds:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] \cdot [Vf(GHz)]

General RF Exposure = $(2.47 \text{ mW} / 5 \text{ mm}) \times \sqrt{2.44 \text{ GHz}} = 0.77$ (1)

SAR requirement:

 $S = 3.0 \tag{2}$

(1) < (2)

So the SAR report is not required.

(*) Max. power refer to Report No.:FYCR221000043203

-- End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents as the subject to Terms and Conditions for Electronic Documents as the time of its drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Diese stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,