

Shenzhen Branch

Report No.: FYCR220400006202

Page: 1 of 69

TEST REPORT

Application No.: FYCR2204000062CR

Applicant: Uniden America Corporation

Address of Applicant: 6225 N. State Highway 161 Suite 300, Irving, Texas 75038 United States

Manufacturer: Uniden Holding Corporation

Address of Manufacturer: 2-12-7, Hacchobori, Chuo-ku, Tokyo, Japan, 104-8512

Factory: Uniden Vietnam Limited

Address of Factory: Lot 5. 1, Tan Truong Industrial Zone, Cam Giang District, Hai Duong Province,

Vietnam

Equipment Under Test (EUT):

EUT Name: Handheld VHF Marine Radio

Model No.: MHS338BT

Trade mark: Uniden

FCC ID: AMWUT665

Standards: 47 CFR Part 80

Date of Receipt: 2022-04-09

Date of Test: 2022-04-14 to 2022-05-19

Date of Issue: 2022-05-20

Test Result: Pass*





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.gay and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.atention is drawn to the limitation of liability, indemnification and juriadictor issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed the rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only a content of a sample of the company of the sample of the sample of the sample of the company. The content of the content

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: FYCR220400006202

Page: 2 of 69

	Revision Record						
Version	Chapter	Date	Modifier	Remark			
01		2022-05-20		Original			

Authorized for issue by:			
	Tree Zhan	_	
	Tree Zhan/Project Engineer		
	WinkeyWarg		
	Winkey Wang/Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI Doccheck@ss.com



Shenzhen Branch

Report No.: FYCR220400006202

Page: 3 of 69

Test Summary

Radio Spectrum Technical Requirement							
Item	Standard	Method	Requirement	Result			
Antenna Requirement	47 CFR Part 80	N/A	47 CFR Part 80.3(e),	Pass			

Item	Standard	Method	Requirement	Result
Bandwidths	47 CFR Part 80		47 CFR Part 2.1049, 80.205(a)	Pass
Transmitter frequency tolerances	47 CFR Part 80		47 CFR Part 2.1055, 80.209(a)	Pass
Emission Mask	47 CFR Part 80		47 CFR Part 2.1047, 80.211(f)(1)(2)	Pass
Spurious Emissions at antenna Terminals	47 CFR Part 80		47 CFR Part 2.1047, 80.211(f)(3)	Pass
Modulation requirements	47 CFR Part 80	ANSI/TIA-603-E-2016 ANSI C63.26:2015	47 CFR Part 2.1047, 80.213	Pass
Transmitter frequency Deviation	47 CFR Part 80	ANOI 000.20.2010	47 CFR Part .1047, 80.213	Pass
Transmitter power	47 CFR Part 80		47 CFR Part 2.1046, 80.215	Pass
Transmitter Carrier Power Reduction	47 CFR Part 80		47 CFR Part 80.215(e)(f)	N/A
Suppression of interference aboard ships	47 CFR Part 80		47 CFR Part 80.217	Pass

Note:

N/A: Not Applicable, Hand-held portable transmitters are not required to comply with the automatic reduction of carrier power.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Shenzhen Branch

Report No.: FYCR220400006202

Page: 4 of 69

2 Contents

	COVED DAGE		Page
1			
1	TEST SUMMAR	Y	3
2	CONTENTS		4
3	GENERAL INFO	DRMATION	6
Ŭ		U.T	
		U.1 DF SUPPORT UNITS	
		Γ UNCERTAINTY	
		N	
		N.	
		DM STANDARDS	
		ES FROM STANDARD CONDITIONS	
4	EQUIPMENT LIS	ST	9
5	RADIO SPECTR	RUM TECHNICAL REQUIREMENT	12
	5.1 ANTENNA REOU	UIREMENT	12
		quirement:	
		ion	
6		RUM MATTER TEST RESULTS	
		Operation	
		Operation	
		ement Data	
		Frequency Tolerances.	
		Operation	
		Operation	
	6.2.3 Measure	ement Data	
	6.3 Emissions Mas	SK	16
		Operation	
		Operation	
		ement Data	
		SSIONS AT ANTENNA TERMINALS	
		Operation	
		Operation	
		ement Data	
		UNWANTED EMISSIONS(RADIATED)	
		Operation Operation	
	6.5.2 E.U.T. O	JURI 811011	19
	6.5.3 Measure	ement Data	20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVI. Doccheck@sss.com



Report No.: FYCR220400006202

Compliance Certification Services (Kunshan) Inc.

Shenzhen Branch

Page: 5 of 69

	6.6 Moi	DULATION REQUIREMENTS	21
	6.6.1	E.U.T. Operation	
	6.6.2	Test Setup Diagram	2
	6.6.3	Measurement Data	2
	6.7 Tra	NSMITTER FREQUENCY DEVIATION	22
	6.7.1	E.U.T. Operation	22
	6.7.2	Test Setup Diagram	22
	6.7.3	Measurement Data	22
	6.8 Tra	SMITTER POWER	23
	6.8.1	E.U.T. Operation	23
	6.8.2	Test Setup Diagram	
	6.8.3	Measurement Data	
	6.9 Tra	SMITTER CARRIER POWER REDUCTION	
	6.9.1	E.U.T. Operation	25
	6.9.2	Test Setup Diagram	
	6.9.3	Measurement Data	20
	6.10 S	UPPRESSION OF INTERFERENCE ABOARD SHIPS	27
	6.10.1	E.U.T. Operation	27
	6.10.2		
	6.10.3	Measurement Data	27
7	PHOT	OGRAPHS	28
	7.1 TEST	r Setup	28
	7.2 EUT	CONSTRUCTIONAL DETAILS	28
8	APPE	NDIX FCC DATA	20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amail: CMP Doccheck@ass.com.



Shenzhen Branch

Report No.: FYCR220400006202

Page: 6 of 69

3 General Information

3.1 Details of E.U.T.

Power supply:	Power Supply:
	Model: SAW12-120-1000UD
	Input: AC 100-240V, 50/60Hz, 0.3A
	Output: DC 12V, 1000mA
	Li-ion POLYMER RECHARGEABLE BATTERY
	Input: 7.4V, 1800mAh, 13.32Wh
	Model: BT335
Cable(s):	DC cable:177cm unshielded
Sample Type:	Portable device
Internal Source:	More than 108MHz
Transceiver frequency Range:	156.025MHz-161.60MHz(TX)
	156.050MHz-163.275MHz(RX)
DSC Transmitter Frequency Range:	156.525MHz(CH70), Meets Global DSC Class D standards.
Modulation Type:	VHF:FM for Analog
	DSC:FSK
Frequency Spacing:	VHF: 25KHz
Emission Type:	16K0G3E for VHF
	16K0G2B for DSC
Rated Output Power:	6W/2.5W/1W for VHF/DSC;
VHF/DSC Antenna Connectors:	External Antenna
VHF/DSC Antenna Gain:	3dBi
Type of Equipment:	Ship stations

3.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
DC power	NOISEKEN	BP-4610	9105713
Coaxial Attenuator	Provided by client	TS4	HYT168793



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Report No.: FYCR220400006202

Page: 7 of 69

3.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
99% Bandwidth	± 0.3%
Conducted Band Edges Measurement	± 2.7dB
Conducted Emissions at AC Power Line (150kHz-30MHz)	± 2.1 dB (9kHz to 30MHz)
Maximum Conducted Output Power	± 0.8dB
Conducted Spurious Emissions	± 2.7dB
Minimum 6dB Bandwidth	± 0.3%
Power Spectrum Density	± 0.4dB
Radiated Emissions below 1GHz	± 3.1dB (Below 1GHz)
Radiated Emissions which fall in the restricted bands	± 4.4dB (Above 1GHz)
Frequency Stability	± 5.4 x 10-8
Radiated Emissions Above 1GHz	± 4.4dB (Above 1GHz)





Report No.: FYCR220400006202

Page: 8 of 69

3.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

3.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

3.6 Deviation from Standards

None

3.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents as the title; <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms



Report No.: FYCR220400006202

Page: 9 of 69

4 Equipment List

RF Conducted Test					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
Programmable	Votsch				
Temperature & Humidity	Industrietechnik	VT 4002	SEM002-15	2021/7/13	2022/7/12
Chamber	GmbH				
MXA Signal					
Analyzer(10Hz-	Agilent	N9020A	SEM004-20	2021/7/13	2022/7/12
26.5GHz)					
Signal Generator(9kHz-	Arilant	NEAZOD	CEMOOC OF	0004/7/40	2022/7/42
40GHz)	Agilent	N5173B	SEM006-05	2021/7/13	2022/7/12
ESG Vector Signal					
Generator(250kHz-	Agilent	E4438C	SEM006-15	2021/7/13	2022/7/12
6GHz)					
Power Sensor	KEYSIGHT	U2021XA	SEM009-15	2021/7/13	2022/7/12
Power Sensor	KEYSIGHT	U2021XA	SEM009-16	2021/7/13	2022/7/12
Wideband Radio		01.04/.500	0514040.00	0004/7/40	0000/7/40
Communication Tester	Rohde & Schwarz	CMW 500	SEM010-08	2021/7/13	2022/7/12
Programmable DC	Ob server	C0004D 00 00	OEM044.00	0004/7/40	0000/7/40
Source	Chroma	62024P-80-60	SEM011-09	2021/7/13	2022/7/12
Attenuator(18GHz,	Living and Overlands	6620_SMA-50-	OEM004.00	0004/7/40	2022/7/40
20dB, 2W)	Huber+Suhner	1	SEM021-09	2021/7/13	2022/7/12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



Report No.: FYCR220400006202

Page: 10 of 69

Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2022/7/12
Trilog-Broadband Antenna(25MHz-2GHz)	Schwarzbeck	VULB9168	SEM003-33	2021/9/25	2024/9/24
Biconical Antenna(150MHz- 1GHz)	Schwarzbeck	VUBA9117	SEM003-35	2021/12/26	2024/12/25
Loop Antenna(9kHz-30MHz)	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25
MXE EMI receiver(20Hz- 8.4GHz)	Agilent	N9038A	SEM004-05	2021/7/13	2022/7/12
Pre-amplifier (0.1-1.3GHz)	HP	8447D	SEM005-02	2021/7/13	2022/7/12
Broad-Band Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10
Broad-Band Horn Antenna (1- 18GHz)	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25
Double-ridged waveguide horn (1-18GHz)	ETS-LINDGREN	3117	SEM003-34	2021/9/25	2024/9/24
Spectrum Analyzer(20Hz- 43GHz)	Rohde & Schwarz	101288	SEM004-08	2021/7/13	2022/7/12
Low Noise Amplifier(100MHz- 18GHz)	CLAVIIO	BDLNA-0118- 352810	SEM005-05	2021/7/13	2022/7/12
Pre-amplifier(26GHz-40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2021/7/13	2022/7/12
Pre-amplifier(18GHz-26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2021/7/13	2022/7/12
Substitution Antenna	ETS-Lindgren	3142C	SEM003-01	2020-06-26	2023-06-25
Substitution Antenna	Schwarzbeck	VUSLP9111B	9111B-429	2021/10/17	2022/10/16
Signal Generator	R&S	SMA100A	102174	2022/3/22	2023/3/21



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVI. Doccheck@sss.com



Shenzhen Branch

Report No.: FYCR220400006202

Page: 11 of 69

General used equipment						
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date	
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2021-07-13	2022-07-12	
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2021-07-13	2022-07-12	
Barometer	DUMAI	DYM3	SEM002-24	2021-07-13	2022-07-12	





Shenzhen Branch

Report No.: FYCR220400006202

Page: 12 of 69

5 Radio Spectrum Technical Requirement

5.1 Antenna Requirement

5.1.1 Test Requirement:

47 CFR Part Part 80.81

5.1.2 Conclusion

80.81 Requirements:

All telephony emissions of a ship station or a marine utility station on board ship within the frequency band 30-200 MHz must be vertically polarized.

EUT Antenna:

Antenna location: Refer to Internal photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.px and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi



Report No.: FYCR220400006202

Page: 13 of 69

6 Radio Spectrum Matter Test Results

6.1 Bandwidths

Test Requirement: 47 CFR FCC Part 2.1049 & FCC Part 80.205(a)

Test Method: ANSI/TIA-603-E:2016

Limit:

Class of emission	Emission designator	Authorized bandwidth (kHz)
A1A	160HA1A	0.4
A1B ¹	160HA1B	0.4
A1D ¹²	16K0A1D	20.0
A2A	2K66A2A	2.8
A2B ¹	2K66A2B	2.8
A2D ¹²	16K0A2D	20.0
A3E	6K00A3E	8.0
A3N ²	2K66A3N	2.8
A3X ³	3K20A3X	25.0
F1B ⁴	280HF1B	0.3
F1B ⁵	300HF1B	0.5
F1B ⁶	16KOF1B	20.0
F1C	2K80F1C	3.0
F1D ¹²	16K0F1D	20.0
F2B ⁶	16KOF2B	20.0
F2C ⁷	16KOF2C	20.0
F2D ¹²	16K0F2D	20.0
F3C	2K80F3C	3.0
F3C ⁷	16KOF3C	20.0
F3E ⁸	16KOF3E	20.0

6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 56.2 % RH Atmospheric Pressure: 1015 mbar

Test mode: 05: TX mode, Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx Attention is drawn to the limitation of lability, indemnification and jurisdiction issues effined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits or transaction for the company sole responsibility is to its Cleint and document does ne sonerate parties to a transaction for the company sole responsibility is to its Cleint and documents. This document cannot be reproduced for the transaction documents. This document cannot be reproduced to the company of the company. Any unauthorized alteration, forget or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Shenzhen Branch

Report No.: FYCR220400006202

Page: 14 of 69

6.1.2 E.U.T. Operation



6.1.3 Measurement Data

The detailed test data see: Appendix FCC data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Carmail-CM** Descheck-Mexicans**



Shenzhen Branch

Report No.: FYCR220400006202

Page: 15 of 69

6.2 Transmitter Frequency Tolerances.

Test Requirement 47 CFR FCC Part2.1055 & FCC Part 80.209(a)

Test Method: ANSI/TIA-603-E:2016

Limit: ± 10


6.2.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 56.2 % RH Atmospheric Pressure: 1015 mbar

Test mode: 05: TX mode, Keep the EUT in transmitting mode.

6.2.2 E.U.T. Operation



6.2.3 Measurement Data

The detailed test data see: Appendix FCC data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (85-755) 8307 1443 or email: CNP Doccheck@ass.com"



Shenzhen Branch

Report No.: FYCR220400006202

Page: 16 of 69

6.3 Emissions Mask

Test Requirement: 47 CFR FCC Part2.1047 & FCC Part 80.211(f) (1) (2)

Test Method: ANSI/TIA-603-E:2016

Limit: (f) The mean power when using emissions other than those in paragraphs

(a), (b), (c) and (d) of this section:

(1) On any frequency removed from the assigned frequency by more than 50 percent up to and including 100 percent of the authorized bandwidth: At least 25 dB;

(2) On any frequency removed from the assigned frequency by more than 100 percent up to and including 250 percent of the authorized bandwidth: At least 35 dB:

Note: As required by FCC part 80.211(f), the limit value of the Emission Mask is calculated based on the measured maximum carrier power minus the corresponding value defined by the standard.


6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 56.2 % RH Atmospheric Pressure: 1015 mbar

Test mode: 05: TX mode, Keep the EUT in transmitting mode.

6.3.2 E.U.T. Operation



6.3.3 Measurement Data

The detailed test data see: Appendix FCC data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en/Comditions/Ferms-en/



Shenzhen Branch

Report No.: FYCR220400006202

Page: 17 of 69

6.4 Spurious Emissions at Antenna Terminals

Test Requirement: 47 CFR FCC Part2.1047 & FCC Part 80.211(f) (3)

Test Method: ANSI/TIA-603-E:2016

Limit: (f) The mean power when using emissions other than those in paragraphs

(a), (b), (c) and (d) of this section:

(3) On any frequency removed from the assigned frequency by more than 250 percent of the authorized bandwidth: At least 43 plus 10log10 (mean

power in watts) dB.


6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 56.2 % RH Atmospheric Pressure: 1015 mbar

Test mode: 05: TX mode, Keep the EUT in transmitting mode.

6.4.2 E.U.T. Operation



6.4.3 Measurement Data

The detailed test data see: Appendix FCC data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en/Comditions/Ferms-en/



Shenzhen Branch

Report No.: FYCR220400006202

Page: 18 of 69

6.5 Transmitter Unwanted Emissions(Radiated)

Test Requirement: 47 CFR FCC Part2.1047 & FCC Part 80.211(f)

Test Method: ANSI/TIA-603-E:2016

Limit: (f) The mean power when using emissions other than those in paragraphs

(a), (b), (c) and (d) of this section:

(1) On any frequency removed from the assigned frequency by more than 50 percent up to and including 100 percent of the authorized bandwidth: At least

25 dB;

(2) On any frequency removed from the assigned frequency by more than 100 percent up to and including 250 percent of the authorized bandwidth: At

least 35 dB; and

(3) On any frequency removed from the assigned frequency by more than 250 percent of the authorized bandwidth: At least 43 plus 10log10 (mean

power in watts) dB.

6.5.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 56.2 % RH Atmospheric Pressure: 1015 mbar

Test mode: 05: TX mode, Keep the EUT in transmitting mode.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents as the title; <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms




Report No.: FYCR220400006202

Page: 19 of 69

6.5.2 E.U.T. Operation







30MHz-1GHz

Above 1GHz

Radiation Emission Test Setup





EUT

Substiute Antenna+Signal Generator

Substitution Test Setup



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond



Report No.: FYCR220400006202

Page: 20 of 69

6.5.3 Measurement Data

Test Procedure:

- (1)On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4)The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall than be rotated through 360 in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13)If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14)The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15)The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17) The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.

The detailed test data see: Appendix FCC data.

Note: The disturbance below 1GHz was very low and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law lunes to the terms of the law lunes stated the results shown in this test report refer only to the sample(s) fested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443, *



Shenzhen Branch

Report No.: FYCR220400006202

Page: 21 of 69

6.6 Modulation Requirements

Test Requirement: 47 CFR FCC Part2.1047 & FCC Part 80.213(a)

Test Method: ANSI/TIA-603-E:2016

Limit: (a) Transmitters must meet the following modulation requirements:

(1) When double sideband emission is used the peak modulation must be maintained between 75 and 100 percent;

(2) When phase or frequency modulation is used in the 156-162 MHz band the peak modulation must be maintained between 75 and 100 percent. A frequency deviation of ± 5 kHz is defined as 100 percent peak modulation;

and

(3) In single sideband operation the upper sideband must be transmitted. Single sideband transmitters must automatically limit the peak envelope power to their authorized operating power and meet the requirements in § 80.207(c).


6.6.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 56.2 % RH Atmospheric Pressure: 1015 mbar

Test mode: 05: TX mode, Keep the EUT in transmitting mode.

6.6.2 Test Setup Diagram



6.6.3 Measurement Data

The detailed test data see: Appendix FCC data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents as the title; <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms



Shenzhen Branch

Report No.: FYCR220400006202

Page: 22 of 69

6.7 Transmitter Frequency Deviation

Test Requirement: 47 CFR FCC Part2.1047 & FCC Part 80.213(d)

Test Method: ANSI/TIA-603-E:2016

Limit: (d) Ship and coast station transmitters operating in the 156-162 MHz and

216-220 bands must be capable of proper operation with a frequency

deviation that does not exceed ± 5 kHz when using any emission authorized

by § 80.207.


6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 56.2 % RH Atmospheric Pressure: 1015 mbar

Test mode: 05: TX mode, Keep the EUT in transmitting mode.

6.7.2 Test Setup Diagram



6.7.3 Measurement Data

The detailed test data see: Appendix FCC data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents as the title; <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms



Page: 23 of 69 Shenzhen Branch

6.8 Trasmitter Power

Test Requirement: 47 CFR FCC Part2.1046 & FCC Part 80.215

Test Method: ANSI/TIA-603-E:2016

Limit:

e) Ship stations frequencies above 27500 kHz. The maximum power must not exceed the values listed below.

(1) Ship stations 156-162 MHz-25W6

⁶Reducible to 1 watt or less, except for transmitters limited to public correspondence channels and used in an automated system.

- (g) The carrier power of ship station radiotelephone transmitters, except portable transmitters, operating in the 156-162 MHz band must be at least 8 but not more than 25 watts. Transmitters that use 12 volt lead acid storage batteries as a primary power source must be measured with a primary voltage between 12.2 and 13.7 volts DC. Additionally, unless otherwise indicated, equipment in radiotelephone ship stations operating in the 156-162 MHz band must meet the following requirements:
- (1) All transmitters and remote control units must be capable of reducing the carrier power to one watt or less;
- (2) Except as indicated in (g)(4) of this section, all transmitters manufactured after January 21, 1987, or in use after January 21, 1997, must automatically reduce the carrier power to one watt or less when the transmitter is tuned to 156.375 MHz or 156.650 MHz, and must be provided with a manual override switch which when held by an operator will permit full carrier power operation on 156.375 MHz and 156.650 MHz;


6.8.1 E.U.T. Operation

Operating Environment:

1015 mbar Temperature: 23.4 °C Humidity: 56.2 % RH Atmospheric Pressure:

05: TX mode, Keep the EUT in transmitting mode. Test mode:

6.8.2 Test Setup Diagram





wise agreed in writing, this document is issued by the Company subject to its General Conditions of Serv lable on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/terms-e-Docurawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this dinformation contained hereon reflects the Company's findings at the time of its intervention van dwithin tuctions, if any. The Company's sole responsibility is to its Client and this document does not exonerate prome exercising all their rights and obligations under the transaction documents. This document cannot be to, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the fithis document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

18.755

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86–755) 88663988 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Report No.: FYCR220400006202



Report No.: FYCR220400006202

Page: 24 of 69

6.8.3 Measurement Data

The detailed test data see: Appendix FCC data.





Report No.: FYCR220400006202

Page: 25 of 69

6.9 Trasmitter Carrier Power Reduction

Test Requirement 47 CFR FCC Part 80.215
Test Method: 47 CFR FCC Part 80.215
ANSI/TIA-603-E:2016

Limit:

e) Ship stations frequencies above 27500 kHz. The maximum power must not exceed the values listed below.

(1) Ship stations 156-162 MHz-25W6

6Reducible to 1 watt or less, except for transmitters limited to public correspondence channels and used in an automated system.

- (g) The carrier power of ship station radiotelephone transmitters, except portable transmitters, operating in the 156-162 MHz band must be at least 8 but not more than 25 watts. Transmitters that use 12 volt lead acid storage batteries as a primary power source must be measured with a primary voltage between 12.2 and 13.7 volts DC. Additionally, unless otherwise indicated, equipment in radiotelephone ship stations operating in the 156-162 MHz band must meet the following requirements:
- (1) All transmitters and remote control units must be capable of reducing the carrier power to one watt or less;
- (2) Except as indicated in (g)(4) of this section, all transmitters manufactured after January 21, 1987, or in use after January 21, 1997, must automatically reduce the carrier power to one watt or less when the transmitter is tuned to 156.375 MHz or 156.650 MHz, and must be provided with a manual override switch which when held by an operator will permit full carrier power operation on 156.375 MHz and 156.650 MHz;


6.9.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 56.2 % RH Atmospheric Pressure: 1015 mbar

Test mode: 05: TX mode, Keep the EUT in transmitting mode.

6.9.2 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.gay and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.atention is drawn to the limitation of liability, indemnification and juriadictor issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed the rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only a content of a sample of the company of the sample of the sample of the sample of the company. The content of the content



Report No.: FYCR220400006202

Page: 26 of 69

6.9.3 Measurement Data

The detailed test data see: Appendix FCC data.





Shenzhen Branch

Report No.: FYCR220400006202

Page: 27 of 69

6.10 Suppression of interference aboard ships

Test Requirement 47 CFR FCC Part 80.217
Test Method: 47 CFR FCC Part 80.217
ANSI/TIA-603-E:2016

Limit:

(a) A voluntarily equipped ship station receiver must not cause harmful interference to any receiver required by statute or treaty.

(b) The electromagnetic field from receivers required by statute or treaty must not exceed the following value at a distance over sea water of one nautical mile from the receiver:

Frequency of interfering emissions	Field intensity in microvolts per meter
Below 30 MHz	0.1
30 to 100 MHz	0.3
100 to 300 MHz	1.0
Over 300 MHz	3.0

Or Deliver not more than the following amounts of power, to an artificial antenna having electrical characteristics equivalent to those of the average receiving antenna(s) use on shipboard:

Frequency of interfering emissions	Power to artificial antenna in microwatts
Below 30 MHz	400(-3.98dBm)
30 to 100 MHz	4,000(6.02dBm)
100 to 300 MHz	40,000(16.02dBm)
Over 300 MHz	400,000(36.02dBm)


6.10.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 56.2 % RH Atmospheric Pressure: 1015 mbar

Test mode: 05: TX mode, Keep the EUT in transmitting mode.

6.10.2 E.U.T. Operation



6.10.3 Measurement Data

The detailed test data see: Appendix FCC data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are reflected for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443 certificate.



Report No.: FYCR220400006202

Page: 28 of 69

7 Photographs

7.1 Test Setup

Please refer to setup photos.

7.2 EUT Constructional Details

Please Refer to external and internal photos for details.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certail-CARTABLE ADDRIBATED REPORTED REPORTS ADDRIBATED REPORTS



Report No.: FYCR220400006202

Page: 29 of 69

8 Appendix FCC data.

1.Occupied Bandwidth

1.Occupied Bandwidth							
Test Frequency (MHz)	Modulation Type	Power Level	99% Occupied Bandwidth (kHz)	26dB Bandwidth (kHz)	Limit (kHz)		
156.025		Max	14.771	17.36	N/A		
		Mid	14.754	15.79	N/A		
		Low	14.661	15.72	N/A		
		Max	14.456	17.00	N/A		
156.3		Mid	14.811	15.81	N/A		
		Low	14.736	17.27	N/A		
		Max	14.435	17.04	N/A		
156.8		Mid	14.739	15.82	N/A		
	514/005	Low	14.453	17.02	N/A		
	FM/G3E	Max	14.461	17.04	N/A		
156.65		Mid	14.750	15.83	N/A		
		Low	14.480	16.97	N/A		
		Max	14.697	17.32	N/A		
157.425		Mid	14.561	15.83	N/A		
		Low	14.691	17.16	N/A		
		Max	14.222	15.61	N/A		
161.6		Mid	14.573	15.69	N/A		
		Low	14.241	15.58	N/A		
	FSK/G2B (dsc-1300Hz)	Max	8.018	10.64	N/A		
		Mid	8.028	10.64	N/A		
		Low	8.012	10.64	N/A		
156.525	FSK/G2B dsc-2100Hz	Max	12.780	16.95	N/A		
		Mid	12.779	16.97	N/A		
	u30-2100112	Low	12.786	16.96	N/A		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVB. Doccheck@ss.com



Report No.: FYCR220400006202

Page: 30 of 69

Test data for 99% Occupied Bandwidth / 26dB Bandwidth, Modulation Type: FM






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Duless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing finspection report & certificite, please contact us at telephone: (86-755) 3307 1443, **Attention:**To check the authenticity of testing finspection report & certificite, please contact us at telephone: (86-755) 3307 1443,



Report No.: FYCR220400006202

Page: 31 of 69






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest event of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220400006202

Page: 32 of 69





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest event of the faw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220400006202

Page: 33 of 69

Test data for 99% Occupied Bandwidth / 26dB Bandwidth, Modulation Type: FSK






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220400006202

Page: 34 of 69





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)



Report No.: FYCR220400006202

Compliance Certification Services (Kunshan) Inc.

Shenzhen Branch

Page: 35 of 69

2. Transmitter Frequency Tolerances.

Unmodulated, Assigned Frequency:156.025MHz					
Voltage(V)	Temperature (°C)	Measured Frequency(MHz)	Frequency Error(ppm)	FCC Limit	Result
			,, ,	(ppm)	
	-20	156.025034	-0.2179		Pass
	-15	156.025015	-0.0961	±10	
	-10	156.024889	0.7114		
	0	156.02494	0.3846		
7.4	10	156.025025	-0.1602		
7.4	20	156.025032	-0.2051		
	30	156.02501	-0.0641		
	40	156.02490	0.6409		
	50	156.02499	0.0641		
	55	156.025036	-0.2307		
6.29	25	156.025042	-0.2692		
8.51	25	156.024916	0.5384		

Unmodulated, Assigned Frequency:156.525MHz						
Voltage(V)	Temperature	Measured	Frequency	FCC Limit	Decult	
	(°C)	Frequency(MHz)	Error(ppm)	(ppm)	Result	
	-20	156.525051	-0.3258		Pass	
	-15	156.524999	0.0064			
	-10	156.524918	0.5239	±10		
	0	156.52487	0.8305			
	10	156.525061	-0.3897			
7.4	20	156.525076	-0.4855			
	30	156.52485	0.9583			
	40	156.52498	0.1278			
	50	156.52491	0.5750			
	55	156.525067	-0.4280			
6.29	25	156.525051	-0.3258			
8.51	25	25 156.524905				







Report No.: FYCR220400006202


Page: 36 of 69


3. Emission Mask







Assigned Frequency:156.025MHz, Mid Power






Assigned Frequency:156.025MHz, Low Power










Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; CN Doccheck@ess.com)



Report No.: FYCR220400006202

Page: 37 of 69






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-end-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-end-Conditions-end-Conditions-end-Conditio



Report No.: FYCR220400006202

Page: 38 of 69





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document ose not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or small: VN Deccheck-Views come.




Shenzhen Branch

Report No.: FYCR220400006202

Page: 39 of 69

Test data for 99% Occupied Bandwidth / 26dB Bandwidth, Modulation Type: FSK






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: FYCR220400006202

Page: 40 of 69







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.