## **Cover Letter-Modular Approval**

FCC ID: VVX-LM811-04XX Date: September. 9, 2016

## Gentlemen:

There's an LM811 that would like to have your authorization as a modular approval.

The specific product as below, LM811 with its designed features and specified description, meets special requirements for Full modular approval on FCC KDB996369 by cross-reference list below.

Company	LM Technologies Ltd.
Model Name	LM811
Model Number	LM811-04XX
FCC ID	VVX-LM811-04XX

Requirement of FCC KDB996369	Comply (Y/N) (如产品符合左侧要求填Y,	
	不符合填N)	
1. The modular transmitter must have its	Y	
own RF shielding.	The EUT provides the RF shielding. See EUT	
	photo.	
2. The modular transmitter must have buffered	Y	
modulation/data inputs (if such inputs are	The EUT has its buffered modulation. Please	
provided) to ensure that the module will	see the Schematic Diagram.	
comply with Part 15 requirements under		
conditions of excessive data rates or		
over-modulation.		
3. The modular transmitter must have its	Y	
own power supply regulation.	The EUT has its own power supply	
	regulation, please see the Schematic Diagram.	
4. The modular transmitter must comply with the	Y	
antenna and transmission system requirements	The EUT meets the FCC antenna	
of Sections 15.203, 15.204(b) and 15.204(c).	requirements; unique antenna connector and	
The antenna must either be permanently	photo of antenna are shown in the test report.	
attached or employ a "unique" antenna coupler		
(at all connections between the module and the		
antenna, including the cable). The		
"professional installation" provision of Section		
15.203 is not applicable to modules but can		
apply to limited modular approvals under		
paragraph (b) of this section.		
5. The modular transmitter must be tested	Y	
in a stand-along configuration, i.e., the	The EUT was tested with a test board, Please	
module must not be inside another device	see test report and setup photo	
during testing.		

6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: VVX-LM811-04XX" "Contains FCC ID: VVX-LM811-04XX" Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.

Please see exhibition label sample for the FCC ID of this module. And also in the exhibition Users manual, there are instructions give to the OEM on how to label the end product.

7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.

Y
The EUT is compliant with all applicable
FCC rules. Details instructions for
maintaining compliance are give in the User
Manual.

8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4).

The EUT complies with RF exposure requirement.

Y

Thank you.

## LM Technologies Ltd.

Sincerely,

Title:

By: (Signature<sup>1</sup>)

**Managing Director** 

Michael Sims
(Print name)

On behalf of: \_ LM Technologies Ltd.

(Company Name)

Telephone: +44 207 428 2647