



HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.42 Spurious emission measurements in 30 - 1000 MHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.43 Spurious emission measurements in 1000 - 3500 MHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.44 Spurious emission measurements in 1000 - 3500 MHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.45 Spurious emission measurements in 1000 - 3500 MHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550

Date of Issue: 3-Sep-20


Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.46 Spurious emission measurements in 3500 - 3530 MHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5

* Agilent




* Agilent




ANTENNA CHAIN: #2

* Agilent



ANTENNA CHAIN: #6

* Agilent






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.47 Spurious emission measurements in 3500 - 3530 MHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.48 Spurious emission measurements in 3500 - 3530 MHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.49 Spurious emission measurements in 3720 - 3750 GHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.50 Spurious emission measurements in 3720 - 3750 range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.51 Spurious emission measurements in 3720 - 3750 range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.52 Spurious emission measurements in 3750 - 6000 GHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550

Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			





HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.53 Spurious emission measurements in 3750 - 6000 range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.54 Spurious emission measurements in 3750 - 6000 range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550

Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			





HERMON LABORATORIES


Report ID: AIRRAD_FCC.37550

Date of Issue: 3-Sep-20


Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.55 Spurious emission measurements in 6 - 10 GHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6






HERMON LABORATORIES


Report ID: AIRRAD_FCC.37550
Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Compliance	Verdict: PASS
Date(s):		13-Aug-20	
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550
Date of Issue: 3-Sep-20


Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.56 Spurious emission measurements in 6 - 10 GHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6






HERMON LABORATORIES


Report ID: AIRRAD_FCC.37550
Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Compliance	Verdict: PASS
Date(s):		13-Aug-20	
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES


Report ID: AIRRAD_FCC.37550

Date of Issue: 3-Sep-20


Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Compliance	Verdict: PASS
Date(s):		13-Aug-20	
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.57 Spurious emission measurements in 6 - 10 GHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6






HERMON LABORATORIES


Report ID: AIRRAD_FCC.37550
Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Compliance	Verdict: PASS
Date(s):		13-Aug-20	
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES


Report ID: AIRRAD_FCC.37550

Date of Issue: 3-Sep-20


Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.58 Spurious emission measurements in 10 - 18 GHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6






HERMON LABORATORIES


Report ID: AIRRAD_FCC.37550
Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Compliance	Verdict: PASS
Date(s):		13-Aug-20	
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES


Report ID: AIRRAD_FCC.37550

Date of Issue: 3-Sep-20


Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.59 Spurious emission measurements in 10 - 18 GHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6






HERMON LABORATORIES

Report ID: AIRRAD_FCC.37550


Date of Issue: 3-Sep-20

Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Compliance	Verdict: PASS
Date(s):		13-Aug-20	
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8





HERMON LABORATORIES


Report ID: AIRRAD_FCC.37550

Date of Issue: 3-Sep-20


Test specification:		Section 96.41(e)(3), Conducted spurious emissions	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.60 Spurious emission measurements in 10 - 18 GHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1



64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6

