

FCC Test Report

Report No.: AGC03946210701FE04

FCC ID	: 2AYA9L-WP-05A5
APPLICATION PURPOSE	: Original Equipment
PRODUCT DESIGNATION	: Magnetic wireless power bank
BRAND NAME	: LOOWOKO
MODEL NAME	: L-WP-05A5
APPLICANT	: ShenZhen Loowoko Technology Limited
DATE OF ISSUE	: Aug. 31, 2021
STANDARD(S) TEST PROCEDURE(S)	: FCC Part 15 Rules
REPORT VERSION	: V1.0 Compliance She

AGC Attestation of Globar Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated Pestua/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



REPORT REVISE RECORD

	Report Version	Revise Time	Issued Date	Valid Version	Notes
)	V1.0	/	Aug. 31, 2021	Valid	Initial Release

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Festive/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGE" the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



TABLE OF CONTENTS

1. VERIFICATION OF CONFORMITY	
2. GENERAL INFORMATION	
2.1. PRODUCT DESCRIPTION	
3. MEASUREMENT UNCERTAINTY	6
4. DESCRIPTION OF TEST MODES	
5. SYSTEM TEST CONFIGURATION	8
5.1. CONFIGURATION OF EUT SYSTEM 5.2. EQUIPMENT USED IN EUT SYSTEM 5.3. SUMMARY OF TEST RESULTS	8
6. TEST FACILITY	
7. RADIATED EMISSION	
7.1TEST LIMIT 7.2. MEASUREMENT PROCEDURE 7.3. TEST SETUP 7.4. TEST RESULT	11
8. 20DB BANDWIDTH	19
8.1. MEASUREMENT PROCEDURE 8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION) 8.3. MEASUREMENT RESULTS	
9. FCC LINE CONDUCTED EMISSION TEST	
 9.1. LIMITS OF LINE CONDUCTED EMISSION TEST 9.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST 9.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST 9.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST	21 22 22
APPENDIX A: PHOTOGRAPHS OF TEST SETUP	
APPENDIX B: PHOTOGRAPHS OF EUT	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuerce of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



1. VERIFICATION OF CONFORMITY

Annelisent	Ohen 7 hen henneles Techneles und insite d					
Applicant						
Address	4F, E building ,Jin Bao Bao Industry Dist., No2 North Part, Shang Xue Industry City, Long Gang, Shenzhen, 518129, P.R.China					
Manufacturer	ShenZhen Loowoko Technology Limited					
Address	4F, E building ,Jin Bao Bao Industry Dist., No2 North Part, Shang Xue Industry City, Long Gang, Shenzhen, 518129, P.R.China					
Factory	ShenZhen Loowoko Technology Limited					
Address 4F, E building ,Jin Bao Bao Industry Dist., No2 North Part, Shang Xue Ind City, Long Gang, Shenzhen, 518129, P.R.China						
Product Designation Magnetic wireless power bank						
Brand Name	LOOWOKO					
Test Model	L-WP-05A5					
Date of test	Aug. 11, 2021 to Aug. 30, 2021					
Deviation	No any deviation from the test method					
Condition of Test Sample	Normal					
Test Result	Pass					
Report Template	AGCRT-US-BR/RF					

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2020) and the energy emitted by the sample EUT tested as described in this report is in compliance with Section 15.207, 15.209, 15.203 of the FCC Part 15, Subpart C Rules. The results of testing in this report apply to the product/system which was tested only.

Bibo shang Prepared By Bibo Zhang Aug. 30, 2021 (Project Engineer) Max Zhan **Reviewed By** Max Zhang Aug. 31, 2021 (Reviewer) Approved By Forrest Lei Aug. 31, 2021 (Authorized Officer)

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stead festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exphorization of AGS. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issue of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



2. GENERAL INFORMATION

2.1. PRODUCT DESCRIPTION

A major technical description of EUT is described as following

Operation Frequency	110.1KHz-205KHz
Test Frequency	122.9KHz
Maximum field strength	62.95dBuV/m(PK)@3m
Modulation	FSK
Number of channels	
Antenna Designation	Coil Antenna (Met 15.203 Antenna requirement)
Hardware Version	YQX-IP5322-V2
Software Version	IP5568_LED_MGT_20W
Power Supply(Input)	Input: DC 5V-3A , DC 9V-2.2A, DC12V-2.0A (Powered by Type-C) or DC 3.85V (Powered by battery) Output: DC 5V-2.4A , DC 9V-1.1A, DC12V-1.0A(Powered by Type-C)
Wireless Charging Output power	5W/ 7.5W (max)

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



3. MEASUREMENT UNCERTAINTY

The uncertainty is calculated using the methods suggested in the "Guide to the Expression of Uncertainty in

- measurement" (GUM) published by CISPR and ANSI.
- Uncertainty of Conducted Emission, $Uc = \pm 3.2 dB$
- Uncertainty of Radiated Emission below 1GHz, Uc = ±3.9 dB
- Uncertainty of Radiated Emission above 1GHz, Uc = ±4.8 dB

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand resting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, being a standard resting in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



4. DESCRIPTION OF TEST MODES

NO.	TEST MODE DESCRIPTION
1	Wireless Discharge Mode (Full load) -7.5W
2	Wireless Discharge Mode (Half load) -7.5W
3	Wireless Discharge Mode (Null load) -7.5W
4	Charge+Wireless Discharge Mode (Full load) -5W
5	Charge+Wireless Discharge Mode (Half load) -5W
6	Charge+Wireless Discharge Mode(Null load) -5W
Note:	

Note:

1. The mode 1 was the worst case and only the data of the worst case record in this report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issue of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



5. SYSTEM TEST CONFIGURATION

5.1. CONFIGURATION OF EUT SYSTEM

Configure :

EUT	c,Ô	AE

5.2. EQUIPMENT USED IN EUT SYSTEM

Item Equipment		Model No.	ID or Specification	Remark	
1	Magnetic wireless power bank	L-WP-05A5	2AYA9L-WP-05A5	EUT	
2	Adapter	AD651		AE	
3	Wireless Load	N/A	7.5W	AE	

5.3. SUMMARY OF TEST RESULTS

FCC RULES	DESCRIPTION OF TEST	RESULT
§15.209	Radiated Emission	Compliant
§15.215	20dB bandwidth	Compliant
§15.207	Conducted Emission	Compliant

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



6. TEST FACILITY

Test Site	Attestation of Global Compliance (Shenzhen) Co., Ltd				
Location 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community Fuhai Street, Bao'an District, Shenzhen, Guangdong, China					
Designation Number	CN1259				
FCC Test Firm Registration Number	975832				
A2LA Cert. No.	5054.02				
Description	Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA				

TEST EQUIPMENT OF CONDUCTED EMISSION TEST

Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due
TEST RECEIVER	R&S	ESCI	10096	May 15, 2021	May 14,2022
LISN	R&S	ESH2-Z5	100086	Jun. 09, 2021	Jun. 08, 2022
Test software	R&S	ES-K1(Ver.V1.71)	N/A	N/A	N/A

TEST EQUIPMENT OF RADIATED EMISSION TEST

Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due
TEST RECEIVER	R&S	ESCI	10096	May 15, 2021	May 14, 2022
EXA Signal Analyzer	Aglient	N9010A	MY53470504	Dec. 07, 2020	Dec. 06, 2021
Active loop antenna (9K-30MHz)	ZHINAN	ZN30900C	18051	May 22, 2020	May 21, 2022
ANTENNA	SCHWARZBECK	VULB9168	D69250	Sep. 20, 2019	Sep. 19, 2021
Test software	FARA	EZ_EMC (Ver.RA-03A)	N/A	N/A	N/A

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



7. RADIATED EMISSION

7.1TEST LIMIT

Standard FCC 15.209

	Field Strengths Limit				
Meters	μ V/m	dB(µV)/m			
300	2400/F(kHz)				
30	24000/F(kHz)				
30	30	···· 6			
3	100	40.0			
3	150	43.5			
3	200	46.0			
3	500	54.0			
3	Other:74.0 dB(µV)/m	n (Peak) 54.0 dB(µV)/m (Average)			
	300 30 30 30 3 3 3 3 3 3 3 3 3 3 3	300 2400/F(kHz) 30 24000/F(kHz) 30 30 31 100 32 150 33 200 33 500 33 00			

Remark: (1) Emission level dB μ V = 20 log Emission level μ V/m

(2) The smaller limit shall apply at the cross point between two frequency bands.

(3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated fracting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written beinvalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written beinvalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written beinvalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written beinvalid. Copying or excerpting portion of or eport issued by AGC should be submitted to AGC within 15day affective is in the report apply only to the test report should be addressed to AGC by agc@agc-cert.com.



7.2. MEASUREMENT PROCEDURE

- 1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- 5. Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.

The following table is the setting of spectrum analyzer and receiver.

Spectrum Parameter	Setting
Start ~Stop Frequency	9KHz~150KHz/RB 200Hz for QP
Start ~Stop Frequency	150KHz~30MHz/RB 9KHz for QP
Start ~Stop Frequency	30MHz~1000MHz/RB 120KHz for QP


Receiver Parameter	Setting
Start ~Stop Frequency	9KHz~150KHz/RB 200Hz for QP
Start ~Stop Frequency	150KHz~30MHz/RB 9KHz for QP
Start ~Stop Frequency	30MHz~1000MHz/RB 120KHz for QP

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




7.3. TEST SETUP

Radiated Emission Test-Setup Frequency Below 30MHz



RADIATED EMISSION TEST SETUP 30MHz-1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand of t



7.4. TEST RESULT

JT : Magnetic wireless power bank			ank	Model Na	me. :	L-WP-	-05A5		
est Mode :	Mode	e 4 (Full l	oad)		Polarization : Face				
Test Power : Output: 5W,			put: AC 120V 60Hz				8	0	
132.0 dBu	//m								_
								Limit: – Margin: –	
72									
							5		
		2 3	4 5						
- 6		Ň/Ŵ-	ň. Λ						
	$\sim N$		11/11	$\Lambda \Lambda$	~				-
©					m	1 mm	~ ~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
0.009	0.02	0.04	0.05 0.07	0.08	0.09	0.11	0.12	0.15	MHz
0.003	0.02	0.04	0.05 0.07	0.00	0.05	0.11	0.12	0.15	M112
			Reading	Correct	Measur				
N	o. Mk.	Freq.	Level	Factor	ment	Limit	Over		
0.0		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	
	1	0.0098	10.62	28.36	38.98	128.4	-89.48	peak	
	2	0.0351	23.36	26.47	49.83	126.6	-76.80	peak	

52.32

50.31

52.35

62.95

126.3

125.7

124.6

120.9

-73.98

-75.42

-72.32

-57.34

peak

peak

peak

peak

RADIATED EMISSION BELOW 30MHZ

Remark:

Final level = Reading level + Correct Factor Correct Factor=Antenna Factor + Cable Loss - Preamplifier Factor

0.0396

0.0476

0.0622

0.1229

26.19

24.78

27.91

41.37

26.13

25.53

24.44

21.58

3

4

5

6

*

Compliance Dedicated Fe Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written a presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daws Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com. /Inspection he test results apthorization of AC ne test report.



EUT :	Magnetic wire	eless power bank	Model Name	э.: L	L-WP-05A5		
Test Mode :	Mode 4 (Full	load)	Polarization	: F	ace		
Test Power :	Output: 5W, I	nput: AC 120V 60H	z				
122.0 dBuV	/m						
					Limit: — Margin: —		
62							
N							
1))	2 3	4	5 5		wh		
which	al and the station of the station of	Annitan	าราร์การเกาะจะไ	spanna	mander		
2.0							
0.150	3.14 6.12	9.10 12.09 15	.08 18.06	21.04 24.03	30.00 MHz		
-		Reading Corre	ct Measure-				
N	o. Mk. Freq.	Level Fact		Limit O	ver		
_	MHz	dBuV dB	dBuV/m	dBuV/m d	B Detector		
_	1 0.1500	8.64 21.5	3 30.17	128.5 -98	3.34 peak		

	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1	0.1500	8.64	21.53	30.17	128.5	-98.34	peak
2	4.6574	1.87	22.92	24.79	69.54	-44.75	peak
3	7.7020	2.58	23.75	26.33	69.54	-43.21	peak
4 *	10.9856	1.94	24.45	26.39	69.54	-43.15	peak
5	16.4481	-0.05	24.85	24.80	69.54	-44.74	peak
6	19.8506	-0.33	25.10	24.77	69.54	-44.77	peak

Remark:

Final level = Reading level + Correct Factor

Correct Factor=Antenna Factor + Cable Loss -Preamplifier Factor

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pasting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



UT :	Magnetic wireless power bank			Model Name. : L-W			-WP-05A5		
est Mode :	Mode	e 4(Full I	load)	8	Polarization	n :	Side	0	
est Power :	Outp	ut: 5W, In	put: AC 120	V 60Hz	8				69
132.0 dB	BuV/m								
								Limit: – Margin: –	
8									C
G									
									®
									- 0
72							c		
							Å		_
		2 3	4 5						
		90 (/))	_n						
<u>ı</u>		$M \sim$	A = A						
		\mathbb{A}	Λ	~ ~	<u>م</u>				
<u> </u>	\sim			w	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			~~	
12.0	\sim			۸Å	Lund	~~~~	A	~~~~~	
12.0	0.02	0.04	0.05 0.07	0.08	0.09	0.11	0.12	0.15	MHz
	0.02	0.04		- 11			0.12	0.15	MHz
0.009	0.02 No. Mk.	0.04	0.05 0.07 Reading Level	0.08 Correct Factor	0.09 Measure- ment		0.12 Over	0.15	MHz
0.009	3		Reading	Correct	Measure-		8	0.15 Detector	MHz
0.009	3	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		MHz
0.009	No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	MHz
0.009	No. Mk. 1	Freq. MHz 0.0098	Reading Level dBuV 10.62	Correct Factor dB 28.36	Measure- ment dBuV/m 38.98	Limit dBuV/m 128.4	Over dB -89.48	Detector peak	MHz
0.009	No. Mk.	Freq. MHz 0.0098 0.0351	Reading Level dBuV 10.62 23.36	Correct Factor dB 28.36 26.47	Measure- ment dBuV/m 38.98 49.83	Limit dBuV/m 128.4 126.6	Over dB -89.48 -76.80	Detector peak peak	MHz
0.009	No. Mk.	Freq. MHz 0.0098 0.0351 0.0396	Reading Level dBuV 10.62 23.36 26.19	Correct Factor dB 28.36 26.47 26.13	Measure- ment dBuV/m 38.98 49.83 52.32	Limit dBuV/m 128.4 126.6 126.3	Over dB -89.48 -76.80 -73.98	Detector peak peak peak	MHz

Remark:

Final level = Reading level + Correct Factor

Correct Factor=Antenna Factor + Cable Loss - Preamplifier Factor

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



EUT :	JT : Mag			less power b	bank	Model Name. : L-W			WP-05A5		
Fest Mode :	Мо	de 4 (Full	load)	8	Polarization	:	Side	0			
Test Power :		Out	Output: 5W, Input: AC 120V 60Hz								
122	0 dBu	W/m								_	
									Limit: — Margin: —		
6:	2										
	A myken	Kanador	appender and the second	munalina	Man Manager	an Swydynawian	รี้ ที่การหลางกับเพ	www.childer.after	with which which	A	
2.0											
ı	0.150	3.14									
			6.12	9.10 12.0		18.06 Mogeuro	21.04	24.03	30.00	MHz	
	1	No. Mk		9.10 12.0 Reading Level	9 15.08 Correct Factor	18.06 Measure- ment	Limit	Over		MHz	
	1	No. Mk		Reading	Correct	Measure-			Detector	MHz	
	1	No. Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		MHz	
	1		K. Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBu∀/m	Over dB	Detector	MHZ	
	1	1	к. Freq. MHz 2.1201	Reading Level dBuV 10.50	Correct Factor dB 22.15	Measure- ment dBuV/m 32.65	Limit dBuV/m 69.54	Over dB -36.89	Detector peak	MHZ	
	 - - -	1 2 *	к. Freq. MHz 2.1201 6.5379	Reading Level dBuV 10.50 12.53	Correct Factor dB 22.15 23.44	Measure- ment dBuV/m 32.65 35.97	Limit dBuV/m 69.54 69.54	Over dB -36.89 -33.57	Detector peak peak	MHZ	
	 - - -	1 2 * 3	 Freq. MHz 2.1201 6.5379 13.1049 	Reading Level dBuV 10.50 12.53 10.04	Correct Factor dB 22.15 23.44 24.61	Measure- ment dBuV/m 32.65 35.97 34.65	Limit dBuV/m 69.54 69.54 69.54	Over dB -36.89 -33.57 -34.89	Detector peak peak peak	MH	
	1 	1 2 * 3 4	 Freq. MHz 2.1201 6.5379 13.1049 16.4481 	Reading Level dBu∨ 10.50 12.53 10.04 8.92	Correct Factor dB 22.15 23.44 24.61 24.85	Measure- ment dBuV/m 32.65 35.97 34.65 33.77	Limit dBuV/m 69.54 69.54 69.54 69.54	Over dB -36.89 -33.57 -34.89 -35.77	Detector peak peak peak peak	MI	

Remark:

Final level = Reading level + Correct Factor

Correct Factor=Antenna Factor + Cable Loss -Preamplifier Factor


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC03946210701FE04 Page 17 of 32

EUT :	Magnetic wireless power bank	Model Name.	L-WP-05A5
Temperature :	21.8 ℃	Relative Humidity:	58%
Pressure :	1010 hPa	Test Voltage :	DC 5V
Test Mode :	Mode 4	Polarization :	Horizontal

RADIATED EMISSION 30MHz-1GHz



			Reading	Correct	Measure-			
No.	Mk	. Freq.	Level	Factor	ment	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		60.0700	10.87	11.48	22.35	40.00	-17.65	peak
2		117.3000	21.04	12.52	33.56	43.50	-9.94	peak
3	*	158.0399	25.95	11.33	37.28	43.50	-6.22	peak
4		242.4300	14.69	8.62	23.31	46.00	-22.69	peak
5		331.6700	13.72	10.96	24.68	46.00	-21.32	peak
6		402.4800	15.11	10.97	26.08	46.00	-19.92	peak


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC03946210701FE04 Page 18 of 32

EUT :	Magnetic wireless power bank	Model Name.	L-WP-05A5
Temperature :	21.8 °C	Relative Humidity:	58%
Pressure :	1010 hPa	Test Voltage :	DC 5V
Test Mode :	Mode 4	Polarization :	Vertical



RESULT: PASS Note:

5

6

Factor=Antenna Factor + Cable loss, Margin=Result-Limit.

13.47

8.33

388.9000

587.7500

The "Factor" value can be calculated automatically by software of measurement system.

14.03

19.59

27.50

27.92

46.00

46.00

-18.50

-18.08

peak

peak

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pertug/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE" he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after he issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




8. 20DB BANDWIDTH

8.1. MEASUREMENT PROCEDURE

- 1. The EUT was placed on the top of the turntable 0.8 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2, Set the EUT Work on operation frequency.
- 3. Set Span = approximately 2 to 5 times the 20 dB bandwidth, centered on a channel The nominal IF filter bandwidth (3 dB RBW) shall be in the range of 1% to 5% of the OBW and video bandwidth (VBW) shall be approximately three times RBW; Sweep = auto; Detector function = peak
- 4. Set SPA Trace 1 Max hold, then View.

8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Perturn/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGC The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



8.3. MEASUREMENT RESULTS

TEST ITEM	20DB BANDWIDTH	20-	<u>_</u> GC	- G	8	
TEST MODULATION	FSK	8		20	~GC	<i>c.</i> 0
				(3)		

Test Data (Hz)	Criteria		
Operate Channel	815	PASS	

TEST PLOT OF BANDWIDTH



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day affective the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

9. FCC LINE CONDUCTED EMISSION TEST

9.1. LIMITS OF LINE CONDUCTED EMISSION TEST


Franciscov	Maximum RF Line Voltage						
Frequency	Q.P.(dBuV)	Average(dBuV)					
150kHz~500kHz	66-56	56-46					
500kHz~5MHz	56	46					
5MHz~30MHz	60	50					

Note:

1. The lower limit shall apply at the transition frequency.

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50MHz.

9.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand in spectrum of the stand in the report is not permitted without the written authorization of AGE in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day affective issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



9.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipments received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received charging voltage by adapter which received 120V/60Hzpower by a LISN..
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

9.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST


- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less –2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stead results (Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGS. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



9.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST

LINE CONDUCTED EMISSION TEST-L



MEASUREMENT RESULT: "agc_fin"

2021/8/11 19	:59					
Frequency MHz	Level dBµV	Transd dB		Margin dB	Detector	Line
0.158000	54.80	6.8	66	10.8	QP	L1
0.462000	37.50	5.5	57	19.2	QP	L1
2.934000	30.30	6.5	56	25.7	QP	L1
3.442000	32.70	6.5	56	23.3	QP	L1
4.334000	32.60	6.5	56	23.4	QP	L1
4.590000	32.10	6.6	56	23.9	QP	L1

MEASUREMENT RESULT: "agc fin2"


2021/8/11 19:	:59					
Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line
0.150000	42.80	6.9	56	13.2	AV	L1
0.466000	32.60	5.5	47	14.0	AV	L1
1.658000	29.50	6.2	46	16.5	AV	L1
2.550000	28.90	6.5	46	17.1	AV	L1
3.442000	29.30	6.5	46	16.7	AV	L1
4.334000	28.70	6.5	46	17.3	AV	L1

RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/





LINE CONDUCTED EMISSION TEST-N

MEASUREMENT RESULT: "agc_fin"

2	0.	2	1	/	8	/	1	1	1	9	÷	5	7			

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line
0.158000	55.30	6.8	66	10.3	-	N
0.242000 0.410000	44.10 33.00	6.3 5.7	62 58	17.9 24.6	-	N N
0.458000	39.50	5.5	57	17.2	-	N
0.518000 2.554000	34.80 31.40	5.4 6.5	56 56	21.2 24.6		N N

MEASUREMENT RESULT: "agc fin2"

2021/8/11	19:57					
Frequenc MH	-	Transd dB	Limit dBµV	Margin dB	Detector	Line
0.15800	0 40.10	6.8	56	15.5	AV	N
0.45800	0 34.30	5.5	47	12.4	AV	N
0.51800	0 29.60	5.4	46	16.4	AV	N
1.65800	0 30.40	6.2	46	15.6	AV	N
3.06200	0 28.70	6.5	46	17.3	AV	N
4.33800	0 27.20	6.5	46	18.8	AV	N


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC03946210701FE04 Page 25 of 32

APPENDIX A: PHOTOGRAPHS OF TEST SETUP FCC RADIATED EMISSION TEST SETUP 9kHz-30MHZ



FCC RADIATED EMISSION TEST SETUP 30MHz-1GHZ



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated for the formation of the stamp. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC03946210701FE04 Page 26 of 32



FCC LINE CONDUCTED EMISSION TEST SETUP

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuerce of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC03946210701FE04 Page 27 of 32

APPENDIX B: PHOTOGRAPHS OF EUT

EXTERNAL VIEW-1 OF EUT



EXTERNAL VIEW-2 OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC03946210701FE04 Page 28 of 32

EXTERNAL VIEW-3 OF EUT



EXTERNAL VIEW-4 OF EUT




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand of the test results of the test results been altered in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day affective is not permitted without the written authorization of AGC of the test results be addressed to AGC by agc@agc~cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/




Report No.: AGC03946210701FE04 Page 29 of 32

EXTERNAL VIEW-5 OF EUT



EXTERNAL VIEW-6 OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand of the test results of the test results been at the report is not permitted without the writter aphorization of AGE in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Report No.: AGC03946210701FE04 Page 30 of 32

PORT VIEW OF EUT

OPEN VIEW OF EUT




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issue of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC03946210701FE04 Page 31 of 32

VIEW OF BATTERY



INTERNAL VIEW-1 OF EUT




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC03946210701FE04 Page 32 of 32

INTERNAL VIEW-2 OF EUT



INTERNAL VIEW-3 OF EUT



----END OF REPORT----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. The non-CMA report issued by AGC is only permitted to be used by the client as internal reference use and shall not be used for public demonstration purpose.

5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

9. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

10. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Perturn/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/