



Appendix A

RF Test Data for BT(Conducted Measurement)

Product Name: Tablet PC

Test Model: Q16W

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.983	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.946	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.948	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.287	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.281	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.289	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.279	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.311	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.288	N/A	Pass





Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.49	21	Pass
NVNT	1-DH5	2441	Ant1	-0.43	21	Pass
NVNT	1-DH5	2480	Ant1	-1.27	21	Pass
NVNT	2-DH5	2402	Ant1	-0.83	21	Pass
NVNT	2-DH5	2441	Ant1	-1.30	21	Pass
NVNT	2-DH5	2480	Ant1	0.61	21	Pass
NVNT	3-DH5	2402	Ant1	-0.41	21	Pass
NVNT	3-DH5	2441	Ant1	-0.79	21	Pass
NVNT	3-DH5	2480	Ant1	0.98	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.836	2402.838	1.002	0.655	Pass
NVNT	2-DH5	Ant1	2402.02	2403.142	1.122	0.859	Pass
NVNT	3-DH5	Ant1	2402.16	2403.016	0.856	0.874	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.899	327.587	113	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.899	284.102	98	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	289.7	100	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.93	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.5	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-51.46	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.19	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-49.97	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.76	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-50.09	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-51.1	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-61.93	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-60.32	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-62.45	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-52.92	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.79	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.54	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.3	-20	Pass
NVNT	2-DH5	2402	Ant1	-51.42	-20	Pass
NVNT	2-DH5	2441	Ant1	-51.32	-20	Pass
NVNT	2-DH5	2480	Ant1	-53.87	-20	Pass
NVNT	3-DH5	2402	Ant1	-50.87	-20	Pass
NVNT	3-DH5	2441	Ant1	-49.44	-20	Pass
NVNT	3-DH5	2480	Ant1	-53.35	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	76.43	1.17	0.36
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.23	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.19	2	-	47.07	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-59.24	2	1.1	39.12	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2359.152	-47.33	2	-	49.93	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2379.696	-57.47	2	1.1	40.89	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.85	2	-	46.41	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.47	2	1.1	39.89	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-48.84	2	-	48.42	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.38	2	1.1	39.98	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2486.848	-45.58	2	-	51.68	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2496.952	-56.9	2	1.1	41.46	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.21	2	-	48.05	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.59	2	1.1	40.77	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.21	2	-	46.05	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.81	2	1.12	39.57	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2337.744	-47.55	2	-	49.71	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2387.952	-57.63	2	1.12	40.75	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-49.6	2	-	47.66	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.96	2	1.12	39.42	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-46.92	2	-	50.34	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-56.63	2	0.12	40.75	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.256	-44.59	2	-	52.67	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.512	-56.63	2	0.12	40.75	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.75	2	-	47.51	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.16	2	0.12	39.22	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-51.39	2	-	45.87	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-59.03	2	0.12	38.35	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2321.616	-47.41	2	-	49.85	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2380.944	-57.67	2	0.12	39.71	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.24	2	-	47.02	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.42	2	0.12	38.96	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-47.47	2	-	49.79	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.39	2	1.12	40.99	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.68	-44.94	2	-	52.32	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.608	-56.94	2	1.12	41.44	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.05	2	-	48.21	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.77	2	1.12	40.61	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

