

DFS PORTION of FCC 47 CFR PART 15 SUBPART E DFS PORTION of INDUSTRY CANADA RSS-247 ISSUE 2

CERTIFICATION TEST REPORT

FOR

ACCESS POINT

MODEL NUMBERS: MR45-HW, MR46-HW

FCC ID: UDX-60079011 IC: 6961A-60079010

REPORT NUMBER: 12659283-E1V3

ISSUE DATE: OCTOBER 7, 2022

Prepared for

CISCO SYSTEMS, INC. 170 WEST TASMAN DRIVE SAN JOSE, CA 95134, U.S.A.

Prepared by

UL VERIFICATION SERVICES INC. 47173 BENICIA STREET FREMONT, CA 94538, U.S.A.

TEL: (510) 319-4000 FAX: (510) 661-0888



Revision History

| Rev. | Issue Date | Revisions | Revised By |
|------|---------------|---|----------------|
| V1 | 03/13/19 | Initial Issue | Conan Cheung |
| V2 | 03/27/19 | Section 6.1.5, 6.3.6, 6.3.7, 6.4.8 updated. | Henry Lau |
| V3 | 02/28/2020 | Updated model name from MR45-HW to MR46-HW | Edgard Rincand |
| V4 | 10/07/2022 | Corrected model numbers, updated FCC ID, added model differences under Section 5.4. | Edgard Rincand |

DATE: October 7, 2022 IC: 6961A-60079010

TABLE OF CONTENTS

| 1. | ATT | ESTATION OF TEST RESULTS | . 5 |
|----|----------------|----------------------------------|------------|
| 2. | TES | T METHODOLOGY | . 6 |
| 3. | REF | ERENCE DOCUMENTS | . 6 |
| 4. | FAC | ILITIES AND ACCREDITATION | . 6 |
| 5. | CAL | IBRATION AND UNCERTAINTY | . 6 |
| | 5.1. | MEASURING INSTRUMENT CALIBRATION | . <i>E</i> |
| | 5.2. | SAMPLE CALCULATION | . 6 |
| | 5.3. | MEASUREMENT UNCERTAINTY | . 6 |
| | <i>5.4.</i> | MODEL DIFFERENCES | . 7 |
| 6. | DYN | IAMIC FREQUENCY SELECTION | . 8 |
| | | OVERVIEW | |
| | 6.1.1 | I. LIMITS | . 8 |
| | 6.1.2 | | |
| | 6.1.3 6.1.4 | | |
| | 6.1.5 | | |
| | 6.1.6 | | |
| | 6.2. | RESULTS FOR 20 MHz BANDWIDTH | 18 |
| | 6.2.1 | I. TEST CHANNEL | 18 |
| | 6.2.2 | | 18 |
| | 6.2.3 | | |
| | 6.2.4 6.2.5 | | |
| | 6.2.6 | | |
| | 6.2.7 | | |
| | 6.3. | RESULTS FOR 40 MHz BANDWIDTH | 46 |
| | 6.3.1 | I. TEST CHANNEL | 46 |
| | 6.3.2 | | |
| | 6.3.3 | | |
| | 6.3.4 6.3.5 | | |
| | 6.3.6 | | |
| | 6.3.7 | | 67 |
| | 6.4. | RESULTS FOR 80 MHz BANDWIDTH | 74 |
| | 6.4.1 | I. TEST CHANNEL | 74 |
| | 6.4.2 | | |
| | 6.4.3 | | 33 or |
| | 6.4.4 6.4.5 | | |
| | 6.4.6 | | |
| | 6.4.7 | 7. DETECTION BANDWIDTH | 94 |
| | 6.4.8 | | 96 |
| | | Page 3 of 106 | |

| REPORT NO: 12659283-E1V4 | DATE: October 7, 2022 |
|--------------------------|-----------------------|
| FCC ID: UDX-60079011 | IC: 6961A-60079010 |
| | |

| (| 6.5. | BRIDGE MODE RESULTS | 104 |
|----|------|---------------------|-----|
| 7. | SE | TUP PHOTOS | 105 |

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: CISCO SYSTEMS, INC.

170 WEST TASMAN DRIVE SAN JOSE, CA 95134, U.S.A.

EUT DESCRIPTION: ACCESS POINT

MODEL NUMBER TESTED: MR45-HW

SERIAL NUMBER: Q3AA-V9U3-W3G5

DATE TESTED: MARCH 06, 2019 & MARCH 27, 2019

APPLICABLE STANDARDS

STANDARD

TEST RESULTS

DFS Portion of CFR 47 Part 15 Subpart E

Complies

DFS Portion of INDUSTRY CANADA RSS-247 Issue 2

Complies

UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. It is the manufacturer's responsibility to assure that additional production units of this model are manufactured with identical electrical and mechanical components. All samples tested were in good operating condition throughout the entire test program. Measurement Uncertainties are published for informational purposes only and were not taken into account unless noted otherwise.

This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of the U.S. government.

Approved & Released For

UL Verification Services Inc. By:

Prepared By:

Conan Cheung Lead Test Engineer

CONSUMER TECHNOLOGY DIVISION

UL Verification Services Inc.

Henry Lau Test Engineer

CONSUMER TECHNOLOGY DIVISION

UL Verification Services Inc.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with the DFS portion of FCC CFR 47 Part 2, FCC CFR 47 Part 15, FCC 06-96, FCC KDB 789033, KDB 905462 D02 and D03 and RSS-247 Issue 2.

3. REFERENCE DOCUMENTS

Measurements of transmitter parameters as referenced in this report are documented in Bureau Veritas Consumer Products Services report number RF180704E03D-1.

4. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 47173 and 47266 Benicia Street, and 47658 Kato Road, Fremont, California, USA. Specific facilities are also identified in the test results sections.

The test sites and facilities are covered under FCC Test Firm Registration # 208313. Chambers are covered under Industry Canada company address and respective code.

UL Verification Services Inc. is accredited by NVLAP, Laboratory Code 200065-0.

5. CALIBRATION AND UNCERTAINTY

5.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

5.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

Field Strength (dBuV/m) = Measured Voltage (dBuV) + Antenna Factor (dB/m) + Cable Loss (dB) – Preamp Gain (dB) 36.5 dBuV + 18.7 dB/m + 0.6 dB – 26.9 dB = 28.9 dBuV/m

5.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty level has been estimated for tests performed on the apparatus:

| PARAMETER | UNCERTAINTY | |
|-----------|-------------|--|
| Time | ± 0.02 % | |

The Uncertainty figure is valid to a confidence level of 95%.

Page 6 of 106

5.4. MODEL DIFFERENCES

The manufacturer hereby declares that:

The difference between Model MR46-HW and Model MR45-HW is that Model MR46-HW has a CPU version update. The update is not related to radio components.

6. DYNAMIC FREQUENCY SELECTION

6.1. OVERVIEW

6.1.1. LIMITS

INDUSTRY CANADA

IC RSS-247 is closely harmonized with FCC Part 15 DFS rules. The deviations are as follows:

RSS-247 Issue 2

Note: For the band 5600–5650 MHz, no operation is permitted.

Until further notice, devices subject to this annex shall not be capable of transmitting in the band 5600–5650 MHz. This restriction is for the protection of Environment Canada weather radars operating in this band.

FCC

§15.407 (h), FCC KDB 905462 D02 "COMPLIANCE MEASUREMENT PROCEDURES FOR UNLICENSED-NATIONAL INFORMATION INFRASTRUCTURE DEVICES OPERATING IN THE 5250-5350 MHz AND 5470-5725 MHz BANDS INCORPORATING DYNAMIC FREQUENCY SELECTION" and KDB 905462 D03 "U-NII CLIENT DEVICES WITHOUT RADAR DETECTION CAPABILITY".

Table 1: Applicability of DFS requirements prior to use of a channel

| Requirement | Operational Mode | | | |
|---------------------------------|------------------|----------------------------------|-------------------------------|--|
| | Master | Client (without radar detection) | Client (with radar detection) | |
| Non-Occupancy Period | Yes | Not required | Yes | |
| DFS Detection Threshold | Yes | Not required | Yes | |
| Channel Availability Check Time | Yes | Not required | Not required | |
| U-NII Detection Bandwidth | Yes | Not required | Yes | |

Table 2: Applicability of DFS requirements during normal operation

| Requirement | Operational Mode | | | |
|-----------------------------------|------------------|----------------------|-------------------|--|
| | Master | Client (without DFS) | Client (with DFS) | |
| DFS Detection Threshold | Yes | Not required | Yes | |
| Channel Closing Transmission Time | Yes | Yes | Yes | |
| Channel Move Time | Yes | Yes | Yes | |
| U-NII Detection Bandwidth | Yes | Not required | Yes | |

| Additional requirements for devices with multiple bandwidth | Master Device or Client with Radar DFS | Client (without DFS) |
|---|--|-------------------------|
| modes | | |
| U-NII Detection Bandwidth and | All BW modes must be | Not required |
| Statistical Performance Check | tested | |
| Channel Move Time and Channel | Test using widest BW mode | Test using the |
| Closing Transmission Time | available | widest BW mode |
| | | available for the link |
| All other tests | Any single BW mode | Not required |

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in all 20 MHz channel blocks and a null frequency between the bonded 20 MHz channel blocks.

Table 3: Interference Threshold values, Master or Client incorporating In-Service Monitoring

| _ inormorning | |
|--|-------------|
| Maximum Transmit Power | Value |
| | (see notes) |
| E.I.R.P. ≥ 200 mill watt | -64 dBm |
| E.I.R.P. < 200 mill watt and | -62 dBm |
| power spectral density < 10 dBm/MHz | |
| E.I.R.P. < 200 mill watt that do not meet power spectral | -64 dBm |
| density requirement | |

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note 3: E.I.R.P. is based on the highest antenna gain. For MIMO devices refer to KDB publication 662911 D01.

Table 4: DFS Response requirement values

| Parameter Parameter | Value |
|-----------------------------------|---|
| Non-occupancy period | 30 minutes |
| Channel Availability Check Time | 60 seconds |
| Channel Move Time | 10 seconds (See Note 1) |
| Channel Closing Transmission Time | 200 milliseconds + approx. 60 milliseconds over remaining 10 second period. (See Notes 1 and 2) |
| U-NII Detection Bandwidth | Minimum 100% of the U- NII 99% transmission power bandwidth. (See Note 3) |

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The *Channel Closing Transmission Time* is comprised of 200 milliseconds starting at the beginning of the *Channel Move Time* plus any additional intermittent control signals required to facilitate a *Channel* move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

REPORT NO: 12659283-E1V4 DATE: October 7, 2022 IC: 6961A-60079010 FCC ID: UDX-60079011

Table 5 - Short Pulse Radar Test Waveforms

| Radar | Pulse | PRI | Pulses | Minimum | Minimum |
|-------|--------|------------------------|---|---------------|----------|
| Type | Width | (usec) | | Percentage | Trials |
| | (usec) | | | of Successful | |
| | | | | Detection | |
| 0 | 1 | 1428 | 18 | See Note 1 | See Note |
| | | | | | 1 |
| 1 | 1 | Test A: 15 unique | | 60% | 30 |
| | | PRI values randomly | | | |
| | | selected from the list | Roundup: | | |
| | | of 23 PRI values in | {(1/360) x (19 x 10 ⁶ PRI _{usec})} | | |
| | | table 5a | | | |
| | | Test B: 15 unique | | | |
| | | PRI values randomly | | | |
| | | selected within the | | | |
| | | range of 518-3066 | | | |
| | | usec. With a | | | |
| | | minimum increment | | | |
| | | of 1 usec, excluding | | | |
| | | PRI values selected | | | |
| | | in Test A | | | |
| 2 | 1-5 | 150-230 | 23-29 | 60% | 30 |
| 3 | 6-10 | 200-500 | 16-18 | 60% | 30 |
| 4 | 11-20 | 200-500 | 12-16 | 60% | 30 |
| | | Aggregate (Radar T | ypes 1-4) | 80% | 120 |

Note 1: Short Pulse Radar Type 0 should be used for the Detection Bandwidth test, Channel Move Time, and Channel Closing Time tests.

Table 6 - Long Pulse Radar Test Signal


| Radar Waveform | Pulse Width | Chirp Width | PRI (µsec) | Pulses per | Number of | Minimum Percentage | Minimum Trials |
|-------------------|----------------|----------------|---------------|---------------|--------------|----------------------------|-------------------|
| Type | (µsec) | (MHz) | | Burst | Bursts | of Successful Detection | |
| 5 | 50-100 | 5-20 | 1000- | 1-3 | 8-20 | 80% | 30 |
| | | | 2000 | | | | |

Table 7 – Frequency Hopping Radar Test Signal

| Tubic 1 Trequency frephing Rudai Test Signal | | | | | | | |
|--|--------|--------|--------|---------|----------|---------------|---------|
| Radar | Pulse | PRI | Pulses | Hopping | Hopping | Minimum | Minimum |
| Waveform | Width | (µsec) | per | Rate | Sequence | Percentage of | Trials |
| Type | (µsec) | | Hop | (kHz) | Length | Successful | |
| | | | | | (msec) | Detection | |
| 6 | 1 | 333 | 9 | 0.333 | 300 | 70% | 30 |

6.1.2. TEST AND MEASUREMENT SYSTEM

RADIATED METHOD SYSTEM BLOCK DIAGRAM



DATE: October 7, 2022 IC: 6961A-60079010

SYSTEM OVERVIEW

The short pulse and long pulse signal generating system utilizes the NTIA software. The Vector Signal Generator has been validated by the NTIA. The hopping signal generating system utilizes the CCS simulated hopping method and system, which has been validated by the DoD, FCC and NTIA. The software selects waveform parameters from within the bounds of the signal type on a random basis using uniform distribution.

The short pulse types 1, 2, 3 and 4, and the long pulse type 5 parameters are randomized at run-time.

The hopping type 6 pulse parameters are fixed while the hopping sequence is based on the August 2005 NTIA Hopping Frequency List. The initial starting point randomized at run-time and each subsequent starting point is incremented by 475. Each frequency in the 100-length segment is compared to the boundaries of the EUT Detection Bandwidth and the software creates a hopping burst pattern in accordance with Section 7.4.1.3 Method #2 Simulated Frequency Hopping Radar Waveform Generating Subsystem of KDB 905462 D02. The frequency of the signal generator is incremented in 1 MHz steps from F_L to F_H for each successive trial. This incremental sequence is repeated as required to generate a minimum of 30 total trials and to maintain a uniform frequency distribution over the entire Detection Bandwidth.

The signal monitoring equipment consists of a spectrum analyzer. The aggregate ON time is calculated by multiplying the number of bins above a threshold during a particular observation period by the dwell time per bin, with the analyzer set to peak detection and max hold.

SYSTEM CALIBRATION

A 50-ohm load is connected in place of the spectrum analyzer, and the spectrum analyzer is connected to a horn antenna via a coaxial cable, with the reference level offset set to (horn antenna gain – coaxial cable loss). The signal generator is set to CW mode. The amplitude of the signal generator is adjusted to yield a level of –64 dBm as measured on the spectrum analyzer.

Without changing any of the instrument settings, the spectrum analyzer is reconnected to the Common port of the Spectrum Analyzer Combiner/Divider. The Reference Level Offset of the spectrum analyzer is adjusted so that the displayed amplitude of the signal is –64 dBm.

The spectrum analyzer displays the level of the signal generator as received at the antenna ports of the Master Device. The interference detection threshold may be varied from the calibrated value of –64 dBm and the spectrum analyzer will still indicate the level as received by the Master Device.

ADJUSTMENT OF DISPLAYED TRAFFIC LEVEL

A link is established between the Master and Slave and the distance between the units is adjusted as needed to provide a suitable received level at the Master and Slave devices. Iperf is utilized to generate WLAN traffic that meets or exceed the minimum loading requirement. The monitoring antenna is adjusted so that the WLAN traffic level, as displayed on the spectrum analyzer, is at lower amplitude than the radar detection threshold.

TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the DFS tests documented in this report:

| TEST EQUIPMENT LIST | | | | | | |
|--|--------------|--------|--------|----------|--|--|
| Description | Manufacturer | Model | ID No. | Cal Due | | |
| | | | | | | |
| Spectrum Analyzer, PXA, 3Hz to 44GHz | Keysight | N9030A | T459 | 01/24/20 | | |
| Signal Generator, MXG X-Series RF Vector | Agilent | N5182B | T1633 | 02/08/20 | | |
| Arbitrary Waveform Generator | Agilent / HP | 33220A | T190 | 01/31/20 | | |

6.1.3. TEST AND MEASUREMENT SOFTWARE

The following test and measurement software was utilized for the tests documented in this report:

| TEST SOFTWARE LIST | | | | | |
|----------------------------------|---------|--|--|--|--|
| Name | Version | Test / Function | | | |
| Aggregate Time-PXA | 3.1 | Channel Loading and Aggregate Closing Time | | | |
| FCC 2014 Detection Bandwidth-PXA | 3.1.1 | Detection Bandwidth in 5 MHz Steps | | | |
| In Service Monitoring-PXA | 3.3.4 | In-Service Monitoring (Probability of Detection) | | | |
| PXA Read | 3.1 | Signal Generator Screen Capture Utility | | | |
| SGXProject.exe | 1.7 | Radar Waveform Generation and Download | | | |

6.1.4. TEST ROOM ENVIRONMENT


The test room temperature and humidity shall be maintained within normal temperature of 15~35 °C and normal humidity 20~75% (relative humidity).

ENVIRONMENT CONDITION

| Parameter | Value | |
|-------------|---------|--|
| Temperature | 24.2 °C | |
| Humidity | 40 % | |

6.1.5. SETUP OF EUT

RADIATED METHOD EUT TEST SETUP



SUPPORT EQUIPMENT

The following support equipment was utilized for the DFS tests documented in this report:

| PERIPHERAL SUPPORT EQUIPMENT LIST | | | | | | | |
|-----------------------------------|--------------|------------------|--------------------|------------|--|--|--|
| Description | Manufacturer | Model | Serial Number | FCC ID | | | |
| Notebook PC (Controller & | Lenovo | TYPE 20F6-005HUS | PC-0D9Y3U 16/06 | DoC | | | |
| Traffic Generator) | | | | | | | |
| AC Adapter (Controller PC & | Lenovo | ADLX45NDC2A | 8SSA10E75790D1SG7 | DoC | | | |
| Traffic Generator) | | | 6K04T5 | | | | |
| Notebook PC (Slave Device) | Lenovo | TYPE 20CM-0046US | PC-082D5Y 15/10 | PD97265NGU | | | |
| AC Adapter (Slave PC) | Lenovo | ADLX45DLC2A | 8SSA10E75792L1CZ73 | DoC | | | |
| | | | D0N4C | | | | |
| Gigabit Switch | Meraki | MS220-8P | Q2HP-DR3G-TQZS | DoC | | | |

6.1.6. DESCRIPTION OF EUT

For FCC the EUT operates over the 5250-5350 MHz and 5470-5725 MHz ranges.

For IC the EUT operates over the 5250-5350 MHz and 5470-5725 MHz ranges, excluding the 5600-5650 MHz range.

The EUT is a Master Device.

The highest power level within these bands is 29.89 dBm EIRP in the 5250-5350 MHz band and 29.99 dBm EIRP in the 5470-5725 MHz band.

The highest gain antenna assembly utilized with the EUT has a gain of 5.23 dBi in the 5250-5350 MHz band and 5.44 dBi in the 5470-5725 MHz band. The lowest gain antenna assembly utilized with the EUT has a gain of 3.72 dBi in the 5250-5350 MHz band and 4.43 dBi in the 5470-5725 MHz band.

Four antennas are utilized to meet the diversity and MIMO operational requirements.

The rated output power of the Master unit is > 23dBm (EIRP). Therefore the required interference threshold level is -64 dBm. After correction for procedural adjustments, the required radiated threshold at the antenna port is -64 + 1 = -63 dBm.

The calibrated radiated DFS Detection Threshold level is set to –64 dBm. The tested level is lower than the required level hence it provides a margin to the limit.

The EUT uses Four transmitter/receiver chains and one receive only chain, each connected to an antenna to perform radiated tests.

The Slave device associated with the EUT during these tests does not have radar detection capability.

WLAN traffic that meets or exceeds the minimum required loading was generated by transferring a data stream from the Master Device to the Slave Device using iPerf software package.

TPC is required since the maximum EIRP is greater than 500 mW (27 dBm).

The EUT utilizes the 802.11ax architecture. Three nominal channel bandwidths are implemented: 20 MHz, 40 MHz and 80 MHz.

The software installed in the EUT is firmware_axe_version T-201903052123-G2b2dfdd5-L630f066d-samrat-brook.

UNIFORM CHANNEL SPREADING

This function is not required per KDB 905462.

OVERVIEW OF MASTER DEVICE WITH RESPECT TO §15.407 (h) REQUIREMENTS

The Master Device is a Cisco Meraki Access Point, FCC ID: UDX-60079010. The minimum antenna gain for the Master Device is 3.72 dBi.

The rated output power of the Master unit is > 23dBm (EIRP). Therefore the required interference threshold level is -64 dBm. After correction for procedural adjustments, the required radiated threshold at the antenna port is -64 + 1 = -63 dBm.

The calibrated radiated DFS Detection Threshold level is set to –64 dBm. The tested level is lower than the required level hence it provides a margin to the limit.

The software installed in the EUT is firmware_axe_version T-201903052123-G2b2dfdd5-L630f066d-samrat-brook.


6.2. **RESULTS FOR 20 MHz BANDWIDTH**

6.2.1. TEST CHANNEL


All tests were performed at a channel center frequency of 5500 MHz.

6.2.2. RADAR WAVEFORMS AND TRAFFIC

RADAR WAVEFORMS




TRAFFIC



REPORT NO: 12659283-E1V4 DATE: October 7, 2022 IC: 6961A-60079010 FCC ID: UDX-60079011

CHANNEL LOADING



The level of traffic loading on the channel by the EUT is 17.16%

6.2.3. CHANNEL AVAILABILITY CHECK TIME

PROCEDURE TO DETERMINE INITIAL POWER-UP CYCLE TIME

A link was established on channel then the EUT was rebooted. The time from the cessation of traffic to the re-initialization of traffic was measured as the time required for the EUT to complete the total power-up cycle. The time to complete the initial power-up period is 60 seconds less than this total power-up time.

PROCEDURE FOR TIMING OF RADAR BURST

With a link established on channel, the EUT was rebooted. A radar signal was triggered within 0 to 6 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

The Non-Occupancy list was cleared. With a link established on channel, the EUT was rebooted. A radar signal was triggered within 54 to 60 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

DATE: October 7, 2022 REPORT NO: 12659283-E1V4 IC: 6961A-60079010 FCC ID: UDX-60079011

QUANTITATIVE RESULTS

No Radar Triggered

| Timing of | Timing of | Total Power-up | Initial Power-up |
|-----------|------------------|----------------|------------------|
| Reboot | Start of Traffic | Cycle Time | Cycle Time |
| (sec) | (sec) | (sec) | (sec) |
| 30.24 | 178.2 | 148.0 | 88.0 |

Radar Near Beginning of CAC

| Timing of | Timing of | Radar Relative | Radar Relative | |
|-----------------|----------------------|--------------------|--------------------------|--|
| Reboot (sec) | Radar Burst (sec) | to Reboot (sec) | to Start of CAC (sec) | |
| 30.32 | 119.3 | 89.0 | 1.0 | |


Radar Near End of CAC

| Timing of | Timing of | Radar Relative | Radar Relative |
|-----------|-------------|----------------|-----------------|
| Reboot | Radar Burst | to Reboot | to Start of CAC |
| (sec) | (sec) | (sec) | (sec) |
| 30.45 | 176.7 | 146.3 | 58.3 |

QUALITATIVE RESULTS

| Timing of Radar Burst | Display on Control Computer | Spectrum Analyzer Display |
|-------------------------------|--------------------------------|---|
| No Radar Triggered | EUT marks Channel as active | Transmissions begin on channel after completion of the initial power-up cycle and the CAC |
| Within 0 to 6 second window | EUT indicates radar detected | No transmissions on channel |
| Within 54 to 60 second window | EUT indicates radar detected | No transmissions on channel |

TIMING WITHOUT RADAR DURING CAC



Transmissions begin on channel after completion of the initial power-up cycle and the CAC.

TIMING WITH RADAR NEAR BEGINNING OF CAC

AP is rebooted Traffic ceases Start of Initial Power-up cycle End of Initial Power-up cycle Start of CAC Radar Signal Applied TIMING WITH RADAR NEAR BEGINNING OF CAC AUGNAUTO
Avg Type: Log-Pwr Frequency Trig: ree Run #8 ten: 0 dB PNO: Fast ->-IFGain:High **Auto Tune** Mkr2 119.7 s -63.74 dBm Ref Offset -23.5 dB Ref -45.00 dBm Center Fred 5.500000000 GH: Start Fred 5.500000000 GH Stop Fred 5.500000000 GH: Center 5.500000000 GHz Span 0 Hz CF Step 3.000000 MHz Res BW 3.0 MHz **#VBW 3.0 MHz** Sweep 400.0 s (40001 pts) MKR MODE TRC SCL Freq Offset 0 Hz

No EUT transmissions were observed after the radar signal.

TIMING WITH RADAR NEAR END OF CAC

AP is rebooted Traffic ceases Start of Initial Power-up cycle End of Initial Power-up cycle Start of CAC Radar Signal Applied TIMING WITH RADAR NEAR END OF CAC 07:43:19 PM Mar 05, 2019 TRACE 1 2 3 4 5 6 TYPE WWWWWW DET P P P P P P vg Type: Log-Pwr Frequency Trig: Free Run #Atten: 0 dB PN Fast 1 **Auto Tune** Mkr2 176.7 s -63.77 dBm Ref Offset -23.5 dB Ref -45.00 dBm Center Fred 5.500000000 GH: Start Fred 5.500000000 GH Stop Fred 5.500000000 GHz Center 5.500000000 GHz Span 0 Hz CF Step 3.000000 MHz Res BW 3.0 MHz **#VBW 3.0 MHz** Sweep 400.0 s (40001 pts) MKR MODE TRC SCL Freq Offset 0 Hz

No EUT transmissions were observed after the radar signal.

6.2.4. OVERLAPPING CHANNEL TESTS

RESULTS

The channel spacing is not less than the channel bandwidth therefore the EUT does not have an overlapping channel plan.

These tests are not applicable.

6.2.5. MOVE AND CLOSING TIME

REPORTING NOTES

The reference marker is set at the end of last radar pulse.

The delta marker is set at the end of the last WLAN transmission following the radar pulse. This delta is the channel move time.

The aggregate channel closing transmission time is calculated as follows:

Aggregate Transmission Time = (Number of analyzer bins showing transmission) * (dwell time per bin)

The observation period over which the aggregate time is calculated begins at (Reference Marker + 200 msec) and ends no earlier than (Reference Marker + 10 sec).


RESULTS

| Channel Move Time | Limit |
|-------------------|-------|
| (sec) | (sec) |
| 0.457 | 10 |

| Aggregate Channel Closing Transmission Time | Limit |
|---|--------|
| (msec) | (msec) |
| 3.6 | 60 |


REPORT NO: 12659283-E1V4 FCC ID: UDX-60079011

MOVE TIME




DATE: October 7, 2022 IC: 6961A-60079010

CHANNEL CLOSING TIME




AGGREGATE CHANNEL CLOSING TRANSMISSION TIME

Only intermittent transmissions are observed during the aggregate monitoring period.



LONG PULSE CHANNEL MOVE TIME


The traffic ceases prior to 10 seconds after the end of the radar waveform.



REPORT NO: 12659283-E1V4 DATE: October 7, 2022 IC: 6961A-60079010 FCC ID: UDX-60079011

6.2.6. DETECTION BANDWIDTH

REFERENCE PLOT OF 99% POWER BANDWIDTH



RESULTS

| FL | FH | Detection | 99% Power | Ratio of | Minimum |
|-------|-------|-----------|-----------|-----------------|---------|
| | | Bandwidth | Bandwidth | Detection BW to | Limit |
| | | | | 99% Power BW | |
| (MHz) | (MHz) | (MHz) | (MHz) | (%) | (%) |
| 5490 | 5510 | 20 | 17.477 | 114.4 | 100 |

DETECTION BANDWIDTH PROBABILITY

| | dwidth Test Res | 44352 28 us PRI, 18 Pu | DFS 1 | |
|-----------|-----------------|---------------------------|-----------|------|
| Frequency | Number | Number | Detection | Mark |
| (MHz) | of Trials | Detected | (%) | |
| 5489 | 10 | 0 | 0 | |
| 5490 | 10 | 10 | 100 | FL |
| 5495 | 10 | 10 | 100 | |
| 5500 | 10 | 10 | 100 | |
| 5505 | 10 | 10 | 100 | |
| 5510 | 10 | 10 | 100 | FH |
| 5511 | 10 | 0 | 0 | |

6.2.7. IN-SERVICE MONITORING

RESULTS

| CC Radar Test Summ | iary | | | | | | | | | |
|------------------------|-----------|-----------|---------|------------|------|-------|-------|----------|----------|--------------|
| Signal Type | Number | Detection | Limit | Pass/Fail | Dete | ction | | | | In-Service |
| Olgilai Type | Number | Detection | Lilling | i assi ali | Band | width | | Test | Employee | Monitoring |
| | of Trials | (%) | (%) | | FL | FH | OBW | Location | Number | Version |
| FCC Short Pulse Type 1 | 30 | 93.33 | 60 | Pass | 5490 | 5510 | 17.48 | DFS 1 | 44352 | Version 3.3. |
| FCC Short Pulse Type 2 | 30 | 90.00 | 60 | Pass | 5490 | 5510 | 17.48 | DFS 1 | 44352 | Version 3.3. |
| FCC Short Pulse Type 3 | 30 | 93.33 | 60 | Pass | 5490 | 5510 | 17.48 | DFS 1 | 44352 | Version 3.3. |
| FCC Short Pulse Type 4 | 30 | 86.67 | 60 | Pass | 5490 | 5510 | 17.48 | DFS 1 | 44352 | Version 3.3. |
| Aggregate | | 90.83 | 80 | Pass | | | | | | |
| FCC Long Pulse Type 5 | 30 | 100.00 | 80 | Pass | 5490 | 5510 | 17.48 | DFS 1 | 44352 | Version 3.3. |
| FCC Hopping Type 6 | 42 | 100.00 | 70 | Pass | 5490 | 5510 | | DFS 1 | 44352 | Version 3.3. |

TYPE 1 DETECTION PROBABILITY

| Waveform | Pulse Width | PRI | Pulses | Test | Frequency | Successful Detection |
|----------|-------------|------|-----------|-------|-----------|----------------------|
| | (us) | (us) | Per Burst | (A/B) | (MHz) | (Yes/No) |
| 1001 | 1 | 3066 | 18 | Α | 5491 | Yes |
| 1002 | 1 | 938 | 57 | Α | 5509 | Yes |
| 1003 | 1 | 658 | 81 | Α | 5498 | Yes |
| 1004 | 1 | 778 | 68 | Α | 5498 | Yes |
| 1005 | 1 | 758 | 70 | Α | 5509 | Yes |
| 1006 | 1 | 898 | 59 | Α | 5506 | Yes |
| 1007 | 1 | 678 | 78 | Α | 5491 | Yes |
| 1008 | 1 | 838 | 63 | Α | 5494 | Yes |
| 1009 | 1 | 638 | 83 | Α | 5502 | Yes |
| 1010 | 1 | 918 | 58 | Α | 5497 | Yes |
| 1011 | 1 | 578 | 92 | Α | 5507 | Yes |
| 1012 | 1 | 698 | 76 | Α | 5506 | Yes |
| 1013 | 1 | 538 | 99 | Α | 5508 | Yes |
| 1014 | 1 | 598 | 89 | Α | 5510 | Yes |
| 1015 | 1 | 718 | 74 | Α | 5495 | No |
| 1016 | 1 | 1649 | 33 | В | 5505 | Yes |
| 1017 | 1 | 1410 | 38 | В | 5499 | Yes |
| 1018 | 1 | 1495 | 36 | В | 5496 | Yes |
| 1019 | 1 | 1387 | 39 | В | 5504 | Yes |
| 1020 | 1 | 2955 | 18 | В | 5500 | Yes |
| 1021 | 1 | 2976 | 18 | В | 5503 | Yes |
| 1022 | 1 | 931 | 57 | В | 5498 | Yes |
| 1023 | 1 | 1081 | 49 | В | 5504 | No |
| 1024 | 1 | 1713 | 31 | В | 5500 | Yes |
| 1025 | 1 | 798 | 67 | В | 5497 | Yes |
| 1026 | 1 | 1560 | 34 | В | 5496 | Yes |
| 1027 | 1 | 2128 | 25 | В | 5493 | Yes |
| 1028 | 1 | 3020 | 18 | В | 5506 | Yes |
| 1029 | 1 | 1169 | 46 | В | 5498 | Yes |
| 1030 | 1 | 995 | 54 | В | 5500 | Yes |
| | | | | | | |

TYPE 2 DETECTION PROBABILITY

| Waveform | Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|-------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 2001 | 2.9 | 186 | 25 | 5500 | Yes |
| 2002 | 2.6 | 178 | 29 | 5497 | Yes |
| 2003 | 3 | 163 | 28 | 5493 | Yes |
| 2004 | 2.9 | 202 | 29 | 5505 | No |
| 2005 | 3.6 | 192 | 24 | 5503 | Yes |
| 2006 | 1.8 | 192 | 23 | 5506 | Yes |
| 2007 | 2.6 | 228 | 29 | 5502 | Yes |
| 2008 | 3.2 | 195 | 24 | 5496 | No |
| 2009 | 4.3 | 154 | 27 | 5497 | Yes |
| 2010 | 1 | 206 | 27 | 5493 | Yes |
| 2011 | 4.4 | 213 | 23 | 5506 | Yes |
| 2012 | 1.3 | 230 | 23 | 5505 | Yes |
| 2013 | 5 | 198 | 27 | 5500 | Yes |
| 2014 | 4.2 | 181 | 23 | 5505 | Yes |
| 2015 | 4 | 154 | 24 | 5508 | Yes |
| 2016 | 3.5 | 222 | 28 | 5508 | Yes |
| 2017 | 1.6 | 161 | 23 | 5493 | Yes |
| 2018 | 3.4 | 195 | 27 | 5500 | Yes |
| 2019 | 1.7 | 219 | 26 | 5505 | Yes |
| 2020 | 3.8 | 177 | 27 | 5495 | Yes |
| 2021 | 2.3 | 166 | 26 | 5497 | No |
| 2022 | 4.6 | 209 | 28 | 5507 | Yes |
| 2023 | 1.3 | 203 | 27 | 5500 | Yes |
| 2024 | 1.9 | 169 | 26 | 5492 | Yes |
| 2025 | 3 | 210 | 25 | 5497 | Yes |
| 2026 | 3.8 | 223 | 24 | 5494 | Yes |
| 2027 | 3.1 | 187 | 28 | 5494 | Yes |
| 2028 | 4.1 | 204 | 27 | 5495 | Yes |
| 2029 | 3.7 | 210 | 25 | 5495 | Yes |
| 2030 | 4.9 | 194 | 24 | 5502 | Yes |

TYPE 3 DETECTION PROBABILITY

| Waveform | Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|-------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 3001 | 9.7 | 301 | 17 | 5504 | Yes |
| 3002 | 9.1 | 262 | 18 | 5510 | Yes |
| 3003 | 7.2 | 455 | 16 | 5495 | Yes |
| 3004 | 9.1 | 430 | 16 | 5497 | Yes |
| 3005 | 7.3 | 251 | 17 | 5502 | Yes |
| 3006 | 9.4 | 372 | 18 | 5495 | Yes |
| 3007 | 7.9 | 339 | 17 | 5498 | Yes |
| 3008 | 6.1 | 473 | 18 | 5507 | Yes |
| 3009 | 9.1 | 453 | 18 | 5504 | Yes |
| 3010 | 7.5 | 348 | 17 | 5507 | Yes |
| 3011 | 8.6 | 475 | 17 | 5497 | Yes |
| 3012 | 9.4 | 264 | 17 | 5492 | Yes |
| 3013 | 8.8 | 404 | 18 | 5499 | Yes |
| 3014 | 9.7 | 457 | 18 | 5495 | Yes |
| 3015 | 9.3 | 359 | 18 | 5499 | Yes |
| 3016 | 8.6 | 307 | 18 | 5491 | Yes |
| 3017 | 6.4 | 355 | 16 | 5498 | Yes |
| 3018 | 10 | 434 | 17 | 5504 | No |
| 3019 | 10 | 376 | 18 | 5499 | Yes |
| 3020 | 7.8 | 350 | 16 | 5510 | Yes |
| 3021 | 6.1 | 423 | 16 | 5504 | Yes |
| 3022 | 8.1 | 292 | 17 | 5498 | Yes |
| 3023 | 6.6 | 260 | 16 | 5500 | Yes |
| 3024 | 7 | 393 | 17 | 5509 | Yes |
| 3025 | 7.8 | 374 | 17 | 5501 | Yes |
| 3026 | 6.2 | 268 | 16 | 5500 | Yes |
| 3027 | 9.5 | 395 | 16 | 5494 | Yes |
| 3028 | 8.1 | 436 | 16 | 5497 | Yes |
| 3029 | 7.5 | 324 | 17 | 5498 | No |
| 3030 | 8.4 | 378 | 16 | 5497 | Yes |

TYPE 4 DETECTION PROBABILITY

| Waveform | Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|-------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 4001 | 11.3 | 279 | 15 | 5496 | Yes |
| 4002 | 13.9 | 479 | 12 | 5497 | Yes |
| 4003 | 18.3 | 275 | 15 | 5496 | Yes |
| 4004 | 17.1 | 488 | 13 | 5492 | No |
| 4005 | 12.8 | 297 | 14 | 5497 | Yes |
| 4006 | 12.1 | 271 | 15 | 5498 | Yes |
| 4007 | 17.4 | 477 | 16 | 5492 | Yes |
| 4008 | 12.9 | 464 | 12 | 5508 | Yes |
| 4009 | 14.4 | 432 | 16 | 5504 | Yes |
| 4010 | 19.4 | 314 | 13 | 5498 | Yes |
| 4011 | 12.3 | 294 | 12 | 5508 | No |
| 4012 | 17.8 | 322 | 16 | 5504 | Yes |
| 4013 | 15.9 | 316 | 16 | 5505 | Yes |
| 4014 | 12.8 | 357 | 15 | 5491 | No |
| 4015 | 11.4 | 496 | 13 | 5494 | Yes |
| 4016 | 18.4 | 299 | 15 | 5504 | Yes |
| 4017 | 17.5 | 333 | 13 | 5492 | Yes |
| 4018 | 11 | 399 | 16 | 5509 | Yes |
| 4019 | 15.4 | 447 | 14 | 5493 | Yes |
| 4020 | 14.2 | 408 | 12 | 5497 | Yes |
| 4021 | 19 | 468 | 15 | 5497 | Yes |
| 4022 | 18.3 | 442 | 13 | 5490 | No |
| 4023 | 14.5 | 397 | 15 | 5501 | Yes |
| 4024 | 19.1 | 384 | 16 | 5503 | Yes |
| 4025 | 11.5 | 352 | 15 | 5495 | Yes |
| 4026 | 16.5 | 485 | 16 | 5504 | Yes |
| 4027 | 18.5 | 466 | 16 | 5499 | Yes |
| 4028 | 14.9 | 494 | 15 | 5495 | Yes |
| 4029 | 13 | 487 | 12 | 5508 | Yes |
| 4030 | 14.8 | 277 | 16 | 5502 | Yes |

TYPE 5 DETECTION PROBABILITY

| Data Sheet for FO | | Successful Detection |
|-------------------|-------|----------------------|
| | (MHz) | (Yes/No) |
| 1 | 5500 | Yes |
| 2 | 5500 | Yes |
| 3 | 5500 | Yes |
| 4 | 5500 | Yes |
| 5 | 5500 | Yes |
| 6 | 5500 | Yes |
| 7 | 5500 | Yes |
| 8 | 5500 | Yes |
| 9 | 5500 | Yes |
| 10 | 5500 | Yes |
| 11 | 5498 | Yes |
| 12 | 5499 | Yes |
| 13 | 5498 | Yes |
| 14 | 5499 | Yes |
| 15 | 5498 | Yes |
| 16 | 5499 | Yes |
| 17 | 5495 | Yes |
| 18 | 5495 | Yes |
| 19 | 5500 | Yes |
| 20 | 5496 | Yes |
| 21 | 5506 | Yes |
| 22 | 5502 | Yes |
| 23 | 5502 | Yes |
| 24 | 5505 | Yes |
| 25 | 5500 | Yes |
| 26 | 5503 | Yes |
| 27 | 5502 | Yes |
| 28 | 5506 | Yes |
| 29 | 5500 | Yes |
| 30 | 5504 | Yes |

Note: The Type 5 randomized parameters tested are shown in a separate document.

TYPE 6 DETECTION PROBABILITY

| us Puls | e Width, 333 us PRI, | 9 Pulses per Burst, | 1 Burst per Hop | |
|---------|----------------------|---------------------|-----------------|------------|
| | ust 2005 Hopping Se | • | | |
| | Starting Index | Signal Generator | Hops within | Successful |
| Trial | Within Sequence | Frequency | Detection BW | Detection |
| | , | (MHz) | | (Yes/No) |
| 1 | 243 | 5490 | 5 | Yes |
| 2 | 718 | 5491 | 4 | Yes |
| 3 | 1193 | 5492 | 3 | Yes |
| 4 | 1668 | 5493 | 2 | Yes |
| 5 | 2143 | 5494 | 7 | Yes |
| 6 | 3093 | 5495 | 6 | Yes |
| 7 | 3568 | 5496 | 3 | Yes |
| 8 | 4043 | 5497 | 2 | Yes |
| 9 | 4518 | 5498 | 6 | Yes |
| 10 | 4993 | 5499 | 3 | Yes |
| 11 | 5468 | 5500 | 7 | Yes |
| 12 | 5943 | 5501 | 1 | Yes |
| 13 | 6418 | 5502 | 3 | Yes |
| 14 | 6893 | 5503 | 5 | Yes |
| 15 | 7368 | 5504 | 4 | Yes |
| 16 | 7843 | 5505 | 4 | Yes |
| 17 | 8318 | 5506 | 3 | Yes |
| 18 | 8793 | 5507 | 1 | Yes |
| 19 | 9268 | 5508 | 3 | Yes |
| 20 | 9743 | 5509 | 3 | Yes |
| 21 | 10218 | 5510 | 4 | Yes |
| 22 | 10693 | 5490 | 5 | Yes |
| 23 | 11168 | 5491 | 3 | Yes |
| 24 | 11643 | 5492 | 4 | Yes |
| 25 | 12118 | 5493 | 1 | Yes |
| 26 | 12593 | 5494 | 3 | Yes |
| 27 | 13068 | 5495 | 5 | Yes |
| 28 | 13543 | 5496 | 2 | Yes |
| 29 | 14018 | 5497 | 4 | Yes |
| 30 | 14493 | 5498 | 6 | Yes |
| 31 | 14968 | 5499 | 3 | Yes |
| 32 | 15443 | 5500 | 5 | Yes |
| 33 | 15918 | 5501 | 5 | Yes |
| 34 | 16393 | 5502 | 3 | Yes |
| 35 | 16868 | 5503 | 3 | Yes |
| 36 | 17343 | 5504 | 4 | Yes |
| 37 | 17818 | 5505 | 3 | Yes |
| 38 | 18293 | 5506 | 4 | Yes |
| 39 | 18768 | 5507 | 2 | Yes |
| 40 | 19243 | 5508 | 4 | Yes |
| 41 | 19718 | 5509 | 4 | Yes |
| 42 | 20193 | 5510 | 4 | Yes |


6.3. **RESULTS FOR 40 MHz BANDWIDTH**

6.3.1. TEST CHANNEL

All tests were performed at a channel center frequency of 5510 MHz.


6.3.2. RADAR WAVEFORMS AND TRAFFIC

RADAR WAVEFORMS




REPORT NO: 12659283-E1V4 FCC ID: UDX-60079011

TRAFFIC



DATE: October 7, 2022 IC: 6961A-60079010

CHANNEL LOADING



The level of traffic loading on the channel by the EUT is 17.57%

6.3.3. CHANNEL AVAILABILITY CHECK TIME

PROCEDURE TO DETERMINE INITIAL POWER-UP CYCLE TIME

A link was established on channel then the EUT was rebooted. The time from the cessation of traffic to the re-initialization of traffic was measured as the time required for the EUT to complete the total power-up cycle. The time to complete the initial power-up period is 60 seconds less than this total power-up time.

PROCEDURE FOR TIMING OF RADAR BURST

With a link established on channel, the EUT was rebooted. A radar signal was triggered within 0 to 6 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

The Non-Occupancy list was cleared. With a link established on channel, the EUT was rebooted. A radar signal was triggered within 54 to 60 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

DATE: October 7, 2022 REPORT NO: 12659283-E1V4 IC: 6961A-60079010 FCC ID: UDX-60079011

QUANTITATIVE RESULTS

No Radar Triggered

| Timing of | Timing of | Total Power-up | Initial Power-up |
|-----------|------------------|----------------|------------------|
| Reboot | Start of Traffic | Cycle Time | Cycle Time |
| (sec) | (sec) | (sec) | (sec) |
| 30.3 | 177.8 | 147.5 | 87.5 |

Radar Near Beginning of CAC

| | gg c. c. c. | | |
|-----------|-------------|----------------|-----------------|
| Timing of | Timing of | Radar Relative | Radar Relative |
| Reboot | Radar Burst | to Reboot | to Start of CAC |
| (sec) | (sec) | (sec) | (sec) |
| 30.07 | 119.0 | 88.9 | 1.4 |


Radar Near End of CAC

| Timing of | Timing of | Radar Relative | Radar Relative |
|-----------|-------------|----------------|-----------------|
| Reboot | Radar Burst | to Reboot | to Start of CAC |
| (sec) | (sec) | (sec) | (sec) |
| 30.16 | 175.9 | 145.7 | 58.2 |

QUALITATIVE RESULTS

| Timing of Radar Burst | Display on Control Computer | Spectrum Analyzer Display |
|-------------------------------|--------------------------------|---|
| No Radar Triggered | EUT marks Channel as active | Transmissions begin on channel after completion of the initial power-up cycle and the CAC |
| Within 0 to 6 second window | EUT indicates radar detected | No transmissions on channel |
| Within 54 to 60 second window | EUT indicates radar detected | No transmissions on channel |

TIMING WITHOUT RADAR DURING CAC



Transmissions begin on channel after completion of the initial power-up cycle and the CAC.

TIMING WITH RADAR NEAR BEGINNING OF CAC

AP is rebooted Traffic ceases Start of Initial Power-up cycle End of Initial Power-up cycle Start of CAC Radar Signal Applied TIMING WITH RADAK NEAR BEGINNING OF CAC 11:15:27 PM Mar 06, 2019 TRACE 1 2 2 4 5 6 AUGNAUTO
Avg Type: Log-Pwr Frequency ir Free Run iten: 0 dB **Auto Tune** Mkr2 119.0 s -63.83 dBm Ref Offset -23.5 dB Ref -45.00 dBm Center Fred 5.510000000 GH Start Fred 5.510000000 GH Stop Fred 5.510000000 GHz Center 5.510000000 GHz Span 0 Hz CF Step 3.000000 MHz Res BW 3.0 MHz **#VBW 3.0 MHz** Sweep 400.0 s (40001 pts) MKR MODE TRC SCL Freq Offset 0 Hz

No EUT transmissions were observed after the radar signal.

TIMING WITH RADAR NEAR END OF CAC

AP is rebooted Traffic ceases Start of Initial Power-up cycle End of Initial Power-up cycle Start of CAC Radar Signal Applied TIMING WITH RADAR NEAR END OF CAC 11:27:30 PM Mar 06, 2019 TRACE 1 2 3 4 5 6 TYPE WWWWWWW DET P P P P P P ALIGNAUTO Frequency Trig: Free Run #Atten: 0 dB PN Fast 1 IFGain:High **Auto Tune** Mkr2 175.9 s -64.24 dBm Ref Offset -23.5 dB Ref -45.00 dBm Center Fred 5.510000000 GH Start Fred 5.510000000 GH Stop Fred 5.510000000 GHz Center 5.510000000 GHz Span 0 Hz CF Step 3.000000 MHz Res BW 3.0 MHz **#VBW 3.0 MHz** Sweep 400.0 s (40001 pts) MKR MODE TRC SCL Freq Offset 0 Hz

No EUT transmissions were observed after the radar signal.

6.3.4. OVERLAPPING CHANNEL TESTS

RESULTS

The channel spacing is not less than the channel bandwidth therefore the EUT does not have an overlapping channel plan.

These tests are not applicable.

6.3.5. MOVE AND CLOSING TIME

REPORTING NOTES

The reference marker is set at the end of last radar pulse.

The delta marker is set at the end of the last WLAN transmission following the radar pulse. This delta is the channel move time.

The aggregate channel closing transmission time is calculated as follows:

Aggregate Transmission Time = (Number of analyzer bins showing transmission) * (dwell time per bin)


The observation period over which the aggregate time is calculated begins at (Reference Marker + 200 msec) and ends no earlier than (Reference Marker + 10 sec).

RESULTS


| Channel Move Time | Limit |
|-------------------|-------|
| (sec) | (sec) |
| 0.426 | 10 |

| Aggregate Channel Closing Transmission Time | Limit |
|---|--------|
| (msec) | (msec) |
| 6.0 | 60 |

MOVE TIME



CHANNEL CLOSING TIME




AGGREGATE CHANNEL CLOSING TRANSMISSION TIME

Only intermittent transmissions are observed during the aggregate monitoring period.




LONG PULSE CHANNEL MOVE TIME

The traffic ceases prior to 10 seconds after the end of the radar waveform.



6.3.6. DETECTION BANDWIDTH

REFERENCE PLOT OF 99% POWER BANDWIDTH



RESULTS

| FL | FH | Detection | 99% Power | Ratio of | Minimum |
|-------|-------|-----------|-----------|-----------------|---------|
| | | Bandwidth | Bandwidth | Detection BW to | Limit |
| | | | | 99% Power BW | |
| (MHz) | (MHz) | (MHz) | (MHz) | (%) | (%) |
| 5490 | 5530 | 40 | 36.531 | 109.5 | 100 |

DETECTION BANDWIDTH PROBABILITY

| DETECTION BANDWIDTH PROBABILITY RESULTS Detection Bandwidth Test Results 19410 DFS 1 FCC Type 0 Waveform: 1 us Pulse Width, 1428 us PRI, 18 Pulses per Burst | | | | | | |
|--|-----------|----------|-----------|------|--|--|
| Frequency | Number | Number | Detection | Mark | | |
| (MHz) | of Trials | Detected | (%) | | | |
| 5489 | 10 | 0 | 0 | | | |
| 5490 | 10 | 9 | 90 | FL | | |
| 5495 | 10 | 10 | 100 | | | |
| 5500 | 10 | 10 | 100 | | | |
| 5505 | 10 | 10 | 100 | | | |
| 5510 | 10 | 10 | 100 | | | |
| 5515 | 10 | 10 | 100 | | | |
| 5520 | 10 | 10 | 100 | | | |
| 5525 | 10 | 10 | 100 | | | |
| 5530 | 10 | 10 | 100 | FH | | |
| 5531 | 10 | 0 | 0 | | | |

6.3.7. IN-SERVICE MONITORING

RESULTS

| FCC Radar Test Summ | ary | | | | | | | | | |
|------------------------|-----------|-----------|---------|-----------|------|-------|-------|----------|----------|--------------|
| Signal Type | Number | Detection | Limit | Pass/Fail | Dete | ction | | | | In-Service |
| Signal Type | Number | Detection | Liiiiii | rass/raii | Band | width | | Test | Employee | Monitoring |
| | of Trials | (%) | (%) | | FL | FH | OBW | Location | Number | Version |
| FCC Short Pulse Type 1 | 30 | 96.67 | 60 | Pass | 5490 | 5530 | 36.53 | DFS 1 | 19410 | Version 3.3. |
| FCC Short Pulse Type 2 | 30 | 93.33 | 60 | Pass | 5490 | 5530 | 36.53 | DFS 1 | 19410 | Version 3.3. |
| FCC Short Pulse Type 3 | 30 | 100.00 | 60 | Pass | 5490 | 5530 | 36.53 | DFS 1 | 19410 | Version 3.3. |
| FCC Short Pulse Type 4 | 30 | 96.67 | 60 | Pass | 5490 | 5530 | 36.53 | DFS 1 | 19410 | Version 3.3. |
| Aggregate | | 96.67 | 80 | Pass | | | | | | |
| FCC Long Pulse Type 5 | 30 | 100.00 | 80 | Pass | 5490 | 5530 | 36.53 | DFS 1 | 19410 | Version 3.3. |
| FCC Hopping Type 6 | 41 | 100.00 | 70 | Pass | 5490 | 5530 | 36.53 | DFS 1 | 19410 | Version 3.3. |

TYPE 1 DETECTION PROBABILITY

| Waveform | Pulse Width | PRI | Pulses | Test | Frequency | Successful Detection |
|----------|-------------|------|-----------|------|-----------|----------------------|
| | (us) | (us) | Per Burst | | (MHz) | (Yes/No) |
| 1001 | 1 | 3066 | 18 | Α | 5490 | Yes |
| 1002 | 1 | 938 | 57 | Α | 5522 | Yes |
| 1003 | 1 | 658 | 81 | Α | 5500 | Yes |
| 1004 | 1 | 778 | 68 | Α | 5501 | Yes |
| 1005 | 1 | 758 | 70 | Α | 5492 | Yes |
| 1006 | 1 | 898 | 59 | Α | 5509 | Yes |
| 1007 | 1 | 678 | 78 | Α | 5521 | Yes |
| 1008 | 1 | 838 | 63 | Α | 5526 | Yes |
| 1009 | 1 | 638 | 83 | Α | 5520 | Yes |
| 1010 | 1 | 918 | 58 | Α | 5510 | Yes |
| 1011 | 1 | 578 | 92 | Α | 5530 | Yes |
| 1012 | 1 | 698 | 76 | Α | 5502 | Yes |
| 1013 | 1 | 538 | 99 | Α | 5509 | Yes |
| 1014 | 1 | 598 | 89 | Α | 5500 | Yes |
| 1015 | 1 | 718 | 74 | Α | 5508 | No |
| 1016 | 1 | 1649 | 33 | В | 5508 | Yes |
| 1017 | 1 | 1410 | 38 | В | 5515 | Yes |
| 1018 | 1 | 1495 | 36 | В | 5529 | Yes |
| 1019 | 1 | 1387 | 39 | В | 5507 | Yes |
| 1020 | 1 | 2955 | 18 | В | 5530 | Yes |
| 1021 | 1 | 2976 | 18 | В | 5518 | Yes |
| 1022 | 1 | 931 | 57 | В | 5524 | Yes |
| 1023 | 1 | 1081 | 49 | В | 5512 | Yes |
| 1024 | 1 | 1713 | 31 | В | 5494 | Yes |
| 1025 | 1 | 798 | 67 | В | 5526 | Yes |
| 1026 | 1 | 1560 | 34 | В | 5493 | Yes |
| 1027 | 1 | 2128 | 25 | В | 5507 | Yes |
| 1028 | 1 | 3020 | 18 | В | 5502 | Yes |
| 1029 | 1 | 1169 | 46 | В | 5525 | Yes |
| 1030 | 1 | 995 | 54 | В | 5528 | Yes |

TYPE 2 DETECTION PROBABILITY

| Waveform | Pulse Width (us) | PRI (us) | Pulses Per Burst | Frequency (MHz) | Successful Detection (Yes/No) |
|----------|------------------|-------------|------------------|--------------------|----------------------------------|
| 2001 | 2.9 | 186 | 25 | 5494 | Yes |
| 2002 | 2.6 | 178 | 29 | 5530 | Yes |
| 2003 | 3 | 163 | 28 | 5511 | Yes |
| 2004 | 2.9 | 202 | 29 | 5520 | Yes |
| 2005 | 3.6 | 192 | 24 | 5510 | Yes |
| 2006 | 1.8 | 192 | 23 | 5517 | Yes |
| 2007 | 2.6 | 228 | 29 | 5522 | Yes |
| 2008 | 3.2 | 195 | 24 | 5515 | Yes |
| 2009 | 4.3 | 154 | 27 | 5511 | No |
| 2010 | 1 | 206 | 27 | 5515 | Yes |
| 2011 | 4.4 | 213 | 23 | 5492 | Yes |
| 2012 | 1.3 | 230 | 23 | 5508 | Yes |
| 2013 | 5 | 198 | 27 | 5504 | Yes |
| 2014 | 4.2 | 181 | 23 | 5528 | Yes |
| 2015 | 4 | 154 | 24 | 5528 | Yes |
| 2016 | 3.5 | 222 | 28 | 5497 | Yes |
| 2017 | 1.6 | 161 | 23 | 5527 | Yes |
| 2018 | 3.4 | 195 | 27 | 5528 | Yes |
| 2019 | 1.7 | 219 | 26 | 5498 | Yes |
| 2020 | 3.8 | 177 | 27 | 5519 | Yes |
| 2021 | 2.3 | 166 | 26 | 5525 | Yes |
| 2022 | 4.6 | 209 | 28 | 5508 | Yes |
| 2023 | 1.3 | 203 | 27 | 5509 | Yes |
| 2024 | 1.9 | 169 | 26 | 5491 | Yes |
| 2025 | 3 | 210 | 25 | 5528 | Yes |
| 2026 | 3.8 | 223 | 24 | 5504 | Yes |
| 2027 | 3.1 | 187 | 28 | 5528 | Yes |
| 2028 | 4.1 | 204 | 27 | 5513 | Yes |
| 2029 | 3.7 | 210 | 25 | 5518 | No |
| 2030 | 4.9 | 194 | 24 | 5502 | Yes |

TYPE 3 DETECTION PROBABILITY

| Waveform | or FCC Short Pu Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|--------------------------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 3001 | 9.7 | 301 | 17 | 5530 | Yes |
| 3002 | 9.1 | 262 | 18 | 5508 | Yes |
| 3003 | 7.2 | 455 | 16 | 5501 | Yes |
| 3004 | 9.1 | 430 | 16 | 5524 | Yes |
| 3005 | 7.3 | 251 | 17 | 5529 | Yes |
| 3006 | 9.4 | 372 | 18 | 5490 | Yes |
| 3007 | 7.9 | 339 | 17 | 5525 | Yes |
| 3008 | 6.1 | 473 | 18 | 5495 | Yes |
| 3009 | 9.1 | 453 | 18 | 5500 | Yes |
| 3010 | 7.5 | 348 | 17 | 5512 | Yes |
| 3011 | 8.6 | 475 | 17 | 5503 | Yes |
| 3012 | 9.4 | 264 | 17 | 5526 | Yes |
| 3013 | 8.8 | 404 | 18 | 5501 | Yes |
| 3014 | 9.7 | 457 | 18 | 5527 | Yes |
| 3015 | 9.3 | 359 | 18 | 5501 | Yes |
| 3016 | 8.6 | 307 | 18 | 5502 | Yes |
| 3017 | 6.4 | 355 | 16 | 5501 | Yes |
| 3018 | 10 | 434 | 17 | 5507 | Yes |
| 3019 | 10 | 376 | 18 | 5516 | Yes |
| 3020 | 7.8 | 350 | 16 | 5518 | Yes |
| 3021 | 6.1 | 423 | 16 | 5515 | Yes |
| 3022 | 8.1 | 292 | 17 | 5495 | Yes |
| 3023 | 6.6 | 260 | 16 | 5506 | Yes |
| 3024 | 7 | 393 | 17 | 5491 | Yes |
| 3025 | 7.8 | 374 | 17 | 5514 | Yes |
| 3026 | 6.2 | 268 | 16 | 5505 | Yes |
| 3027 | 9.5 | 395 | 16 | 5510 | Yes |
| 3028 | 8.1 | 436 | 16 | 5508 | Yes |
| 3029 | 7.5 | 324 | 17 | 5517 | Yes |
| 3030 | 8.4 | 378 | 16 | 5504 | Yes |

TYPE 4 DETECTION PROBABILITY

| Waveform | Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|-------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 4001 | 11.3 | 279 | 15 | 5517 | Yes |
| 4002 | 13.9 | 479 | 12 | 5512 | Yes |
| 4003 | 18.3 | 275 | 15 | 5507 | Yes |
| 4004 | 17.1 | 488 | 13 | 5513 | Yes |
| 4005 | 12.8 | 297 | 14 | 5512 | Yes |
| 4006 | 12.1 | 271 | 15 | 5509 | Yes |
| 4007 | 17.4 | 477 | 16 | 5514 | Yes |
| 4008 | 12.9 | 464 | 12 | 5501 | Yes |
| 4009 | 14.4 | 432 | 16 | 5505 | Yes |
| 4010 | 19.4 | 314 | 13 | 5509 | Yes |
| 4011 | 12.3 | 294 | 12 | 5497 | Yes |
| 4012 | 17.8 | 322 | 16 | 5518 | Yes |
| 4013 | 15.9 | 316 | 16 | 5498 | Yes |
| 4014 | 12.8 | 357 | 15 | 5503 | Yes |
| 4015 | 11.4 | 496 | 13 | 5503 | Yes |
| 4016 | 18.4 | 299 | 15 | 5516 | Yes |
| 4017 | 17.5 | 333 | 13 | 5530 | Yes |
| 4018 | 11 | 399 | 16 | 5508 | No |
| 4019 | 15.4 | 447 | 14 | 5499 | Yes |
| 4020 | 14.2 | 408 | 12 | 5528 | Yes |
| 4021 | 19 | 468 | 15 | 5517 | Yes |
| 4022 | 18.3 | 442 | 13 | 5508 | Yes |
| 4023 | 14.5 | 397 | 15 | 5510 | Yes |
| 4024 | 19.1 | 384 | 16 | 5525 | Yes |
| 4025 | 11.5 | 352 | 15 | 5502 | Yes |
| 4026 | 16.5 | 485 | 16 | 5509 | Yes |
| 4027 | 18.5 | 466 | 16 | 5502 | Yes |
| 4028 | 14.9 | 494 | 15 | 5502 | Yes |
| 4029 | 13 | 487 | 12 | 5527 | Yes |

TYPE 5 DETECTION PROBABILITY

| Data Sheet for FCC | Long Pulse | Radar Type 5 |
|--------------------|------------|--------------|
| Trial | Frequency | |
| | (MHz) | (Yes/No) |
| 1 | 5510 | Yes |
| 2 | 5510 | Yes |
| 3 | 5510 | Yes |
| 4 | 5510 | Yes |
| 5 | 5510 | Yes |
| 6 | 5510 | Yes |
| 7 | 5510 | Yes |
| 8 | 5510 | Yes |
| 9 | 5510 | Yes |
| 10 | 5510 | Yes |
| 11 | 5499 | Yes |
| 12 | 5499 | Yes |
| 13 | 5499 | Yes |
| 14 | 5499 | Yes |
| 15 | 5499 | Yes |
| 16 | 5499 | Yes |
| 17 | 5496 | Yes |
| 18 | 5496 | Yes |
| 19 | 5500 | Yes |
| 20 | 5497 | Yes |
| 21 | 5526 | Yes |
| 22 | 5521 | Yes |
| 23 | 5521 | Yes |
| 24 | 5525 | Yes |
| 25 | 5520 | Yes |
| 26 | 5522 | Yes |
| 27 | 5521 | Yes |
| 28 | 5526 | Yes |
| 29 | 5520 | Yes |
| 30 | 5524 | Yes |
| | | |

Note: The Type 5 randomized parameters tested are shown in a separate document.

TYPE 6 DETECTION PROBABILITY

| | e Width, 333 us PRI, just 2005 Hopping Se | • | i burst per Hop |) | |
|-------|--|--|-----------------|-----|--|
| Trial | Starting Index Within Sequence | Signal Generator Frequency (MHz) | Detection BW | | |
| 1 | 226 | 5490 | 12 | Yes | |
| 2 | 701 | 5491 | 10 | Yes | |
| 3 | 1176 | 5492 | 8 | Yes | |
| 4 | 1651 | 5493 | 2 | Yes | |
| 5 | 2126 | 5494 | 5 | Yes | |
| 6 | 2601 | 5495 | 10 | Yes | |
| 7 | 3076 | 5496 | 9 | Yes | |
| 8 | 3551 | 5497 | 8 | Yes | |
| 9 | 4026 | 5498 | 9 | Yes | |
| 10 | 4501 | 5499 | 12 | Yes | |
| 11 | 4976 | 5500 | 7 | Yes | |
| 12 | 5451 | 5501 | 13 | Yes | |
| 13 | 5926 | 5502 | 8 | Yes | |
| 14 | 6401 | 5503 | 8 | Yes | |
| 15 | 6876 | 5504 | 6 | Yes | |
| 16 | 7351 | 5505 | 8 | Yes | |
| 17 | 7826 | 5506 | 13 | Yes | |
| 18 | 8301 | 5507 | 7 | Yes | |
| 19 | 8776 | 5508 | 8 | Yes | |
| 20 | 9251 | 5509 | 6 | Yes | |
| 21 | 9726 | 5510 | 14 | Yes | |
| 22 | 10201 | 5511 | 8 | Yes | |
| 23 | 10676 | 5512 | 8 | Yes | |
| 24 | 11151 | 5513 | 4 | Yes | |
| 25 | 11626 | 5514 | 11 | Yes | |
| 26 | 12101 | 5515 | 6 | Yes | |
| 27 | 12576 | 5516 | 6 | Yes | |
| 28 | 13051 | 5517 | 9 | Yes | |
| 29 | 13526 | 5518 | 3 | Yes | |
| 30 | 14001 | 5519 | 10 | Yes | |
| 31 | 14476 | 5520 | 10 | Yes | |
| 32 | 14951 | 5521 | 6 | Yes | |
| 33 | 15426 | 5522 | 9 | Yes | |
| 34 | 15901 | 5523 | 9 | Yes | |
| 35 | 16376 | 5524 | 8 | Yes | |
| 36 | 16851 | 5525 | 9 | Yes | |
| 37 | 17326 | 5526 | 10 | Yes | |
| 38 | 17801 | 5527 | 13 | Yes | |
| 39 | 18276 | 5528 | 4 | Yes | |
| 40 | 18751 | 5529 | 6 | Yes | |


6.4. RESULTS FOR 80 MHz BANDWIDTH

6.4.1. TEST CHANNEL

All tests were performed at a channel center frequency of 5530 MHz.


6.4.2. RADAR WAVEFORMS AND TRAFFIC

RADAR WAVEFORMS




DATE: October 7, 2022 IC: 6961A-60079010

TRAFFIC



CHANNEL LOADING



The level of traffic loading on the channel by the EUT is 17.91%

6.4.3. CHANNEL AVAILABILITY CHECK TIME

PROCEDURE TO DETERMINE INITIAL POWER-UP CYCLE TIME

A link was established on channel then the EUT was rebooted. The time from the cessation of traffic to the re-initialization of traffic was measured as the time required for the EUT to complete the total power-up cycle. The time to complete the initial power-up period is 60 seconds less than this total power-up time.

PROCEDURE FOR TIMING OF RADAR BURST

With a link established on channel, the EUT was rebooted. A radar signal was triggered within 0 to 6 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

The Non-Occupancy list was cleared. With a link established on channel, the EUT was rebooted. A radar signal was triggered within 54 to 60 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

QUANTITATIVE RESULTS

No Radar Triggered

| Timing of | Timing of | Total Power-up | Initial Power-up |
|-----------|------------------|----------------|------------------|
| Reboot | Start of Traffic | Cycle Time | Cycle Time |
| (sec) | (sec) | (sec) | (sec) |
| 30.25 | 178.3 | 148.1 | 88.1 |

Radar Near Beginning of CAC

| Timing of | Timing of | Radar Relative | Radar Relative |
|-----------|-------------|----------------|-----------------|
| Reboot | Radar Burst | to Reboot | to Start of CAC |
| (sec) | (sec) | (sec) | (sec) |
| 30.26 | 119.6 | 89.3 | 1.3 |


Radar Near End of CAC

| Timing of | Timing of | Radar Relative | Radar Relative |
|-----------|-------------|----------------|-----------------|
| Reboot | Radar Burst | to Reboot | to Start of CAC |
| (sec) | (sec) | (sec) | (sec) |
| 30.3 | 175.8 | 145.5 | 57.5 |

QUALITATIVE RESULTS

| Timing of Radar Burst | Display on Control Computer | Spectrum Analyzer Display |
|-------------------------------|--------------------------------|---|
| No Radar Triggered | EUT marks Channel as active | Transmissions begin on channel after completion of the initial power-up cycle and the CAC |
| Within 0 to 6 second window | EUT indicates radar detected | No transmissions on channel |
| Within 54 to 60 second window | EUT indicates radar detected | No transmissions on channel |

TIMING WITHOUT RADAR DURING CAC



Transmissions begin on channel after completion of the initial power-up cycle and the CAC.

TIMING WITH RADAR NEAR BEGINNING OF CAC

AP is rebooted Traffic ceases Start of Initial Power-up cycle End of Initial Power-up cycle Start of CAC Radar Signal Applied TIMING WITH RADAR NEAR BEGINNING OF CAC 10:19:51 PM Mar 06, 2019 AUGNAUTO
Avg Type: Log-Pwr Frequency Trig: ree Run #8 ten: 0 dB PNO: Fast ->-IFGain:High **Auto Tune** Mkr2 119.6 s -64.86 dBm Ref Offset -23.5 dB Ref -45.00 dBm Center Fred 5.530000000 GH: Start Fred 5.530000000 GH: Stop Fred 5.530000000 GHz Center 5.530000000 GHz Span 0 Hz CF Step 3.000000 MHz Res BW 3.0 MHz **#VBW 3.0 MHz** Sweep 400.0 s (40001 pts) MKR MODE TRC SCL Freq Offset 0 Hz

No EUT transmissions were observed after the radar signal.

TIMING WITH RADAR NEAR END OF CAC

AP is rebooted Traffic ceases Start of Initial Power-up cycle End of Initial Power-up cycle Start of CAC Radar Signal Applied TIMING WITH RADAR NEAR END OF CAC 10:30:19 PM Mar 06, 2019 IRACE 1 2 3 4 5 6 TYPE WWWWWWW DET P P P P P P vg Type: Log-Pwr Frequency Trig: Free Run #Atten: 0 dB PN Fast 1 **Auto Tune** Mkr2 175.8 s -64.54 dBm Ref Offset -23.5 dB Ref -45.00 dBm Center Fred 5.530000000 GH: Start Fred 5.530000000 GH: Stop Fred 5.530000000 GHz Center 5.530000000 GHz Span 0 Hz CF Step 3.000000 MHz Res BW 3.0 MHz **#VBW 3.0 MHz** Sweep 400.0 s (40001 pts) MKR MODE TRC SCL Freq Offset 0 Hz

No EUT transmissions were observed after the radar signal.

6.4.4. OVERLAPPING CHANNEL TESTS

RESULTS

The channel spacing is not less than the channel bandwidth therefore the EUT does not have an overlapping channel plan.

These tests are not applicable.

6.4.5. MOVE AND CLOSING TIME

REPORTING NOTES

The reference marker is set at the end of last radar pulse.

The delta marker is set at the end of the last WLAN transmission following the radar pulse. This delta is the channel move time.

The aggregate channel closing transmission time is calculated as follows:

Aggregate Transmission Time = (Number of analyzer bins showing transmission) * (dwell time per bin)


The observation period over which the aggregate time is calculated begins at (Reference Marker + 200 msec) and ends no earlier than (Reference Marker + 10 sec).

RESULTS


| Channel Move Time | Limit |
|-------------------|-------|
| (sec) | (sec) |
| 0.000 | 10 |

| Aggregate Channel Closing Transmission Time | Limit |
|---|--------|
| (msec) | (msec) |
| 0.0 | 60 |

MOVE TIME




CHANNEL CLOSING TIME




AGGREGATE CHANNEL CLOSING TRANSMISSION TIME

No transmissions are observed during the aggregate monitoring period.



LONG PULSE CHANNEL MOVE TIME


The traffic ceases prior to 10 seconds after the end of the radar waveform.



6.4.6. NON-OCCUPANCY PERIOD


RESULTS

No EUT transmissions were observed on the test channel during the 30-minute observation time.



6.4.7. DETECTION BANDWIDTH

REFERENCE PLOT OF 99% POWER BANDWIDTH



RESULTS

| FL | FH | Detection | 99% Power | Ratio of | Minimum |
|-------|-------|-----------|-----------|-----------------|---------|
| | | Bandwidth | Bandwidth | Detection BW to | Limit |
| | | | | 99% Power BW | |
| (MHz) | (MHz) | (MHz) | (MHz) | (%) | (%) |
| 5495 | 5570 | 75 | 74.769 | 100.3 | 100 |

DETECTION BANDWIDTH PROBABILITY

| Detection Band | lwidth Test Res | | 19410 | DFS 1 |
|----------------|-----------------|----------|-----------------|-------|
| | | | 8 us PRI, 18 Pu | |
| Frequency | Number | Number | Detection | Mark |
| (MHz) | of Trials | Detected | (%) | |
| 5494 | 10 | 5 | 50 | |
| 5495 | 10 | 9 | 90 | FL |
| 5500 | 10 | 10 | 100 | |
| 5505 | 10 | 10 | 100 | |
| 5510 | 10 | 10 | 100 | |
| 5515 | 10 | 10 | 100 | |
| 5520 | 10 | 10 | 100 | |
| 5525 | 10 | 10 | 100 | |
| 5530 | 10 | 10 | 100 | |
| 5535 | 10 | 10 | 100 | |
| 5540 | 10 | 10 | 100 | |
| 5545 | 10 | 10 | 100 | |
| 5550 | 10 | 10 | 100 | |
| 5555 | 10 | 10 | 100 | |
| 5560 | 10 | 9 | 90 | |
| 5565 | 10 | 9 | 90 | |
| 5570 | 10 | 10 | 100 | FH |
| 5571 | 10 | 0 | 0 | |

6.4.8. IN-SERVICE MONITORING

RESULTS

| FCC Radar Test Summ | агу | | | | | | | | | |
|------------------------|-----------|-----------|-------|-----------|------|----------------|-------|----------|----------|--------------------------|
| Signal Type | Number | Detection | Limit | Pass/Fail | Dete | ction width | | Test | Employee | In-Service Monitoring |
| | of Trials | (%) | (%) | | FL | FH | OBW | Location | Number | Version |
| FCC Short Pulse Type 1 | 30 | 100.00 | 60 | Pass | 5495 | 5570 | 74.77 | DFS 1 | 19410 | Version 3.3.4 |
| FCC Short Pulse Type 2 | 30 | 90.00 | 60 | Pass | 5495 | 5570 | 74.77 | DFS 1 | 19410 | Version 3.3.4 |
| FCC Short Pulse Type 3 | 30 | 96.67 | 60 | Pass | 5495 | 5570 | 74.77 | DFS 1 | 19410 | Version 3.3.4 |
| FCC Short Pulse Type 4 | 30 | 83.33 | 60 | Pass | 5495 | 5570 | 74.77 | DFS 1 | 19410 | Version 3.3.4 |
| Aggregate | | 92.50 | 80 | Pass | | | | | | |
| FCC Long Pulse Type 5 | 30 | 100.00 | 80 | Pass | 5495 | 5570 | 74.77 | DFS 1 | 19410 | Version 3.3.4 |
| FCC Hopping Type 6 | 76 | 100.00 | 70 | Pass | 5495 | 5570 | 74.77 | DFS 1 | 19410 | Version 3.3.4 |

TYPE 1 DETECTION PROBABILITY

| Waveform | Pulse Width | PRI | Pulses | Test | Frequency | Successful Detection |
|----------|-------------|------|-----------|-------|-----------|----------------------|
| | (us) | (us) | Per Burst | (A/B) | (MHz) | (Yes/No) |
| 1001 | 1 | 3066 | 18 | Α | 5564 | Yes |
| 1002 | 1 | 938 | 57 | Α | 5539 | Yes |
| 1003 | 1 | 658 | 81 | Α | 5540 | Yes |
| 1004 | 1 | 778 | 68 | Α | 5553 | Yes |
| 1005 | 1 | 758 | 70 | Α | 5564 | Yes |
| 1006 | 1 | 898 | 59 | Α | 5500 | Yes |
| 1007 | 1 | 678 | 78 | Α | 5524 | Yes |
| 1008 | 1 | 838 | 63 | Α | 5499 | Yes |
| 1009 | 1 | 638 | 83 | Α | 5535 | Yes |
| 1010 | 1 | 918 | 58 | Α | 5557 | Yes |
| 1011 | 1 | 578 | 92 | Α | 5542 | Yes |
| 1012 | 1 | 698 | 76 | Α | 5528 | Yes |
| 1013 | 1 | 538 | 99 | Α | 5519 | Yes |
| 1014 | 1 | 598 | 89 | Α | 5503 | Yes |
| 1015 | 1 | 718 | 74 | Α | 5561 | Yes |
| 1016 | 1 | 1649 | 33 | В | 5500 | Yes |
| 1017 | 1 | 1410 | 38 | В | 5533 | Yes |
| 1018 | 1 | 1495 | 36 | В | 5495 | Yes |
| 1019 | 1 | 1387 | 39 | В | 5523 | Yes |
| 1020 | 1 | 2955 | 18 | В | 5560 | Yes |
| 1021 | 1 | 2976 | 18 | В | 5498 | Yes |
| 1022 | 1 | 931 | 57 | В | 5496 | Yes |
| 1023 | 1 | 1081 | 49 | В | 5542 | Yes |
| 1024 | 1 | 1713 | 31 | В | 5527 | Yes |
| 1025 | 1 | 798 | 67 | В | 5517 | Yes |
| 1026 | 1 | 1560 | 34 | В | 5504 | Yes |
| 1027 | 1 | 2128 | 25 | В | 5512 | Yes |
| 1028 | 1 | 3020 | 18 | В | 5537 | Yes |
| 1029 | 1 | 1169 | 46 | В | 5499 | Yes |
| 1030 | 1 | 995 | 54 | В | 5537 | Yes |

TYPE 2 DETECTION PROBABILITY

| Waveform | Pulse Width (us) | PRI (us) | Pulses Per Burst | Frequency (MHz) | Successful Detection (Yes/No) |
|----------|------------------|-------------|------------------|--------------------|----------------------------------|
| 2001 | 2.9 | 186 | 25 | 5551 | Yes |
| 2002 | 2.6 | 178 | 29 | 5548 | Yes |
| 2003 | 3 | 163 | 28 | 5501 | Yes |
| 2004 | 2.9 | 202 | 29 | 5513 | Yes |
| 2005 | 3.6 | 192 | 24 | 5566 | Yes |
| 2006 | 1.8 | 192 | 23 | 5522 | Yes |
| 2007 | 2.6 | 228 | 29 | 5564 | Yes |
| 2008 | 3.2 | 195 | 24 | 5526 | Yes |
| 2009 | 4.3 | 154 | 27 | 5565 | No |
| 2010 | 1 | 206 | 27 | 5508 | Yes |
| 2011 | 4.4 | 213 | 23 | 5537 | Yes |
| 2012 | 1.3 | 230 | 23 | 5555 | Yes |
| 2013 | 5 | 198 | 27 | 5537 | Yes |
| 2014 | 4.2 | 181 | 23 | 5528 | Yes |
| 2015 | 4 | 154 | 24 | 5515 | Yes |
| 2016 | 3.5 | 222 | 28 | 5504 | Yes |
| 2017 | 1.6 | 161 | 23 | 5516 | No |
| 2018 | 3.4 | 195 | 27 | 5560 | Yes |
| 2019 | 1.7 | 219 | 26 | 5564 | Yes |
| 2020 | 3.8 | 177 | 27 | 5562 | Yes |
| 2021 | 2.3 | 166 | 26 | 5516 | Yes |
| 2022 | 4.6 | 209 | 28 | 5552 | Yes |
| 2023 | 1.3 | 203 | 27 | 5570 | Yes |
| 2024 | 1.9 | 169 | 26 | 5566 | Yes |
| 2025 | 3 | 210 | 25 | 5511 | Yes |
| 2026 | 3.8 | 223 | 24 | 5544 | Yes |
| 2027 | 3.1 | 187 | 28 | 5502 | Yes |
| 2028 | 4.1 | 204 | 27 | 5518 | Yes |
| 2029 | 3.7 | 210 | 25 | 5508 | No |
| 2030 | 4.9 | 194 | 24 | 5557 | Yes |

TYPE 3 DETECTION PROBABILITY

| Waveform | or FCC Short Pu Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|--------------------------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 3001 | 9.7 | 301 | 17 | 5526 | Yes |
| 3002 | 9.1 | 262 | 18 | 5513 | Yes |
| 3003 | 7.2 | 455 | 16 | 5516 | Yes |
| 3004 | 9.1 | 430 | 16 | 5496 | Yes |
| 3005 | 7.3 | 251 | 17 | 5565 | Yes |
| 3006 | 9.4 | 372 | 18 | 5570 | No |
| 3007 | 7.9 | 339 | 17 | 5566 | Yes |
| 3008 | 6.1 | 473 | 18 | 5554 | Yes |
| 3009 | 9.1 | 453 | 18 | 5565 | Yes |
| 3010 | 7.5 | 348 | 17 | 5530 | Yes |
| 3011 | 8.6 | 475 | 17 | 5502 | Yes |
| 3012 | 9.4 | 264 | 17 | 5513 | Yes |
| 3013 | 8.8 | 404 | 18 | 5510 | Yes |
| 3014 | 9.7 | 457 | 18 | 5527 | Yes |
| 3015 | 9.3 | 359 | 18 | 5568 | Yes |
| 3016 | 8.6 | 307 | 18 | 5552 | Yes |
| 3017 | 6.4 | 355 | 16 | 5507 | Yes |
| 3018 | 10 | 434 | 17 | 5544 | Yes |
| 3019 | 10 | 376 | 18 | 5566 | Yes |
| 3020 | 7.8 | 350 | 16 | 5555 | Yes |
| 3021 | 6.1 | 423 | 16 | 5556 | Yes |
| 3022 | 8.1 | 292 | 17 | 5503 | Yes |
| 3023 | 6.6 | 260 | 16 | 5507 | Yes |
| 3024 | 7 | 393 | 17 | 5569 | Yes |
| 3025 | 7.8 | 374 | 17 | 5530 | Yes |
| 3026 | 6.2 | 268 | 16 | 5539 | Yes |
| 3027 | 9.5 | 395 | 16 | 5526 | Yes |
| 3028 | 8.1 | 436 | 16 | 5542 | Yes |
| 3029 | 7.5 | 324 | 17 | 5514 | Yes |
| 3030 | 8.4 | 378 | 16 | 5496 | Yes |

TYPE 4 DETECTION PROBABILITY

| Waveform | Pulse Width (us) | PRI (us) | Pulses Per Burst | Frequency (MHz) | Successful Detection (Yes/No) |
|----------|------------------|-------------|------------------|--------------------|----------------------------------|
| 4001 | 11,3 | 279 | 15 | 5549 | Yes |
| 4002 | 13.9 | 479 | 12 | 5505 | No |
| 4003 | 18.3 | 275 | 15 | 5542 | Yes |
| 4004 | 17.1 | 488 | 13 | 5565 | Yes |
| 4005 | 12.8 | 297 | 14 | 5534 | Yes |
| 4006 | 12.1 | 271 | 15 | 5547 | Yes |
| 4007 | 17.4 | 477 | 16 | 5547 | Yes |
| 4008 | 12.9 | 464 | 12 | 5511 | Yes |
| 4009 | 14.4 | 432 | 16 | 5505 | Yes |
| 4010 | 19.4 | 314 | 13 | 5505 | Yes |
| 4011 | 12.3 | 294 | 12 | 5503 | Yes |
| 4012 | 17.8 | 322 | 16 | 5561 | Yes |
| 4013 | 15.9 | 316 | 16 | 5528 | Yes |
| 4014 | 12.8 | 357 | 15 | 5533 | Yes |
| 4015 | 11.4 | 496 | 13 | 5522 | No |
| 4016 | 18.4 | 299 | 15 | 5560 | No |
| 4017 | 17.5 | 333 | 13 | 5554 | No |
| 4018 | 11 | 399 | 16 | 5529 | Yes |
| 4019 | 15.4 | 447 | 14 | 5564 | Yes |
| 4020 | 14.2 | 408 | 12 | 5528 | Yes |
| 4021 | 19 | 468 | 15 | 5522 | Yes |
| 4022 | 18.3 | 442 | 13 | 5527 | Yes |
| 4023 | 14.5 | 397 | 15 | 5536 | Yes |
| 4024 | 19.1 | 384 | 16 | 5544 | Yes |
| 4025 | 11.5 | 352 | 15 | 5563 | Yes |
| 4026 | 16.5 | 485 | 16 | 5502 | Yes |
| 4027 | 18.5 | 466 | 16 | 5512 | Yes |
| 4028 | 14.9 | 494 | 15 | 5540 | Yes |
| 4029 | 13 | 487 | 12 | 5562 | No |
| 4030 | 14.8 | 277 | 16 | 5563 | Yes |

TYPE 5 DETECTION PROBABILITY

| Data Sheet for FCC | Long Pulso | Padar Tyne 5 | |
|--------------------|------------|----------------------------------|--|
| Trial | | Successful Detection (Yes/No) | |
| 1 | 5530 | Yes | |
| 2 | 5530 | Yes | |
| 3 | 5530 | Yes | |
| 4 | 5530 | Yes | |
| 5 | 5530 | Yes | |
| 6 | 5530 | Yes | |
| 7 | 5530 | Yes | |
| 8 | 5530 | Yes | |
| 9 | 5530 | Yes | |
| 10 | 5530 | Yes | |
| 11 | 5500 | Yes | |
| 12 | 5500 | Yes | |
| 13 | 5500 | Yes | |
| 14 | 5500 | Yes | |
| 15 | 5500 | Yes | |
| 16 | 5500 | Yes | |
| 17 | 5497 | Yes | |
| 18 | 5496 | Yes | |
| 19 | 5501 | Yes | |
| 20 | 5498 | Yes | |
| 21 | 5565 | Yes | |
| 22 | 5560 | Yes | |
| 23 | 5561 | Yes | |
| 24 | 5564 | Yes | |
| 25 | 5559 | Yes | |
| 26 | 5561 | Yes | |
| 27 | 5561 | Yes | |
| 28 | 5565 | Yes | |
| 29 | 5559 | Yes | |
| 30 | 5563 | Yes | |

Note: The Type 5 randomized parameters tested are shown in a separate document.

TYPE 6 DETECTION PROBABILITY

| I IA AUL | just 2005 Hopping Se | quence | | |
|----------|-----------------------------------|--|-----------------------------|-------------------------------------|
| Trial | Starting Index Within Sequence | Signal Generator Frequency (MHz) | Hops within Detection BW | Successful Detection (Yes/No) |
| 1 | 345 | 5495 | 11 | Yes |
| 2 | 820 | 5496 | 14 | Yes |
| 3 | 1295 | 5497 | 19 | Yes |
| 4 | 1770 | 5498 | 20 | Yes |
| 5 | 2245 | 5499 | 19 | Yes |
| 6 | 2720 | 5500 | 15 | Yes |
| 7 | 3195 | 5501 | 10 | Yes |
| 8 | 3670 | 5502 | 11 | Yes |
| 9 | 4145 | 5503 | 18 | Yes |
| 10 | 4620 | 5504 | 15 | Yes |
| 11 | 5095 | 5505 | 12 | Yes |
| 12 | 5570 | 5506 | 15 | Yes |
| 13 | 6045 | 5507 | 10 | Yes |
| 14 | 6520 | 5508 | 15 | Yes |
| 15 | 6995 | 5509 | 16 | Yes |
| 16 | 7470 | 5510 | 12 | Yes |
| 17 | 7945 | 5511 | 12 | Yes |
| 18 | 8420 | 5512 | 18 | Yes |
| 19 | 8895 | 5513 | 23 | Yes |
| 20 | 9370 | 5514 | 13 | Yes |
| 21 | 9845 | 5515 | 13 | Yes |
| 22 | 10320 | 5516 | 17 | Yes |
| 23 | 10795 | 5517 | 20 | Yes |
| 24 | 11270 | 5518 | 17 | Yes |
| 25 | 11745 | 5519 | 12 | Yes |
| 26 | 12220 | 5520 | 13 | Yes |
| 27 | 12695 | 5521 | 26 | Yes |
| 28 | 13170 | 5522 | 15 | Yes |
| 29 | 13645 | 5523 | 13 | Yes |
| 30 | 14120 | 5524 | 17 | Yes |
| 31 | 14595 | 5525 | 12 | Yes |
| 32 | 15070 | 5526 | 14 | Yes |
| 33 | 15545 | 5527 | 15 | Yes |
| 34 | 16020 | 5528 | 20 | Yes |
| 35 | 16495 | 5529 | 18 | Yes |

TYPE 6 DETECTION PROBABILITY (CONTINUED)

| 36 | 16970 | 5530 | 14 | Yes |
|----|-------|------|----|-----|
| 37 | 17445 | 5531 | 13 | Yes |
| 38 | 17920 | 5532 | 14 | Yes |
| 39 | 18395 | 5533 | 15 | Yes |
| 40 | 18870 | 5534 | 18 | Yes |
| 41 | 19345 | 5535 | 21 | Yes |
| 42 | 19820 | 5536 | 15 | Yes |
| 43 | 20295 | 5537 | 13 | Yes |
| 44 | 20770 | 5538 | 10 | Yes |
| 45 | 21245 | 5539 | 21 | Yes |
| 46 | 21720 | 5540 | 14 | Yes |
| 47 | 22195 | 5541 | 10 | Yes |
| 48 | 22670 | 5542 | 14 | Yes |
| 49 | 23145 | 5543 | 13 | Yes |
| 50 | 23620 | 5544 | 15 | Yes |
| 51 | 24095 | 5545 | 16 | Yes |
| 52 | 24570 | 5546 | 13 | Yes |
| 53 | 25045 | 5547 | 15 | Yes |
| 54 | 25520 | 5548 | 19 | Yes |
| 55 | 25995 | 5549 | 16 | Yes |
| 56 | 26470 | 5550 | 17 | Yes |
| 57 | 26945 | 5551 | 14 | Yes |
| 58 | 27420 | 5552 | 17 | Yes |
| 59 | 27895 | 5553 | 20 | Yes |
| 60 | 28370 | 5554 | 15 | Yes |
| 61 | 28845 | 5555 | 18 | Yes |
| 62 | 29320 | 5556 | 19 | Yes |
| 63 | 29795 | 5557 | 12 | Yes |
| 64 | 30270 | 5558 | 12 | Yes |
| 65 | 30745 | 5559 | 15 | Yes |
| 66 | 31220 | 5560 | 17 | Yes |
| 67 | 31695 | 5561 | 14 | Yes |
| 68 | 32170 | 5562 | 18 | Yes |
| 69 | 32645 | 5563 | 21 | Yes |
| 70 | 33120 | 5564 | 17 | Yes |
| 71 | 33595 | 5565 | 20 | Yes |
| 72 | 34070 | 5566 | 21 | Yes |
| 73 | 34545 | 5567 | 14 | Yes |
| 74 | 35020 | 5568 | 23 | Yes |
| 75 | 35495 | 5569 | 17 | Yes |
| 76 | 35970 | 5570 | 25 | Yes |

6.5. BRIDGE MODE RESULTS

Per KDB 905462, Section 5.1 (footnote 1):

Networks Access Points with Bridge and/or MESH modes of operation are permitted to operate in the DFS bands but must employ a DFS function. The functionality of the Bridge mode as specified in §15.403(a) must be validated in the DFS test report. Devices operating as relays must also employ DFS function. The method used to validate the functionality must be documented and validation data must be documented. Bridge mode can be validated by performing a test statistical performance check (Section 7.8.4) on any one of the radar types. This is an abbreviated test to verify DFS functionality. MESH mode operational methodology must be submitted in the application for certification for evaluation by the FCC.

This device does not support Bridge Mode therefore this test was not performed.