



802.11a CH52



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1086.625000	---	28.64	54.00	25.36	500.0	100.0	V	108.0	-9.4
1280.000000	40.93	---	68.20	27.27	500.0	200.0	V	86.0	-8.1
1355.250000	---	29.40	54.00	24.60	500.0	100.0	V	53.0	-7.7
1827.750000	42.66	---	68.20	25.54	500.0	100.0	H	11.0	-5.2
2639.750000	44.74	---	68.20	23.46	500.0	200.0	V	244.0	-2.0
2799.875000	---	33.66	54.00	20.34	500.0	200.0	H	208.0	-1.4
3506.000000	48.52	---	68.20	19.68	500.0	100.0	V	191.0	1.3
3798.250000	---	37.51	54.00	16.49	500.0	100.0	H	271.0	2.1
4486.875000	49.60	---	68.20	18.60	500.0	200.0	V	79.0	4.3
4631.250000	---	38.27	54.00	15.73	500.0	200.0	H	67.0	4.3
7013.875000	57.04	---	68.20	11.16	500.0	100.0	V	24.0	6.5
7595.750000	---	41.02	54.00	12.98	500.0	100.0	H	50.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8430.000000	---	30.30	54.00	23.70	500.0	100.0	H	244.0	-1.9
8987.500000	43.38	---	68.20	24.82	500.0	200.0	V	47.0	-1.4
9462.500000	---	33.03	54.00	20.97	500.0	100.0	H	88.0	-0.3
9707.500000	44.92	---	68.20	23.28	500.0	200.0	V	134.0	-0.7
10508.750000	43.58	---	68.20	24.62	500.0	200.0	V	176.0	-0.9
11938.750000	---	33.05	54.00	20.95	500.0	200.0	H	345.0	0.3
13316.250000	---	35.11	54.00	18.89	500.0	200.0	H	199.0	3.3
13556.250000	46.85	---	68.20	21.35	500.0	200.0	V	0.0	3.7
15301.250000	48.76	---	68.20	19.44	500.0	100.0	H	54.0	5.9
15556.250000	---	38.02	54.00	15.98	500.0	200.0	H	107.0	6.6
17671.250000	51.08	---	68.20	17.12	500.0	200.0	H	51.0	10.2
17868.750000	---	40.15	54.00	13.85	500.0	100.0	H	19.0	10.2

802.11a CH60



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1144.375000	---	28.04	54.00	25.96	500.0	100.0	V	281.0	-9.0
1277.375000	40.95	---	68.20	27.26	500.0	200.0	V	359.0	-8.2
1509.250000	---	29.84	54.00	24.16	500.0	200.0	H	38.0	-6.8
1995.750000	42.94	---	68.20	25.26	500.0	200.0	H	113.0	-4.5
2652.875000	45.26	---	68.20	22.94	500.0	200.0	H	287.0	-1.9
2851.500000	---	33.10	54.00	20.90	500.0	100.0	V	230.0	-1.1
3093.000000	45.64	---	68.20	22.56	500.0	200.0	H	0.0	-0.2
3524.375000	48.43	---	68.20	19.77	500.0	200.0	H	187.0	1.3
4029.250000	---	37.07	54.00	16.93	500.0	200.0	V	173.0	2.8
4988.250000	---	36.78	54.00	17.22	500.0	200.0	V	243.0	4.9
7067.250000	56.35	---	68.20	11.85	500.0	100.0	V	21.0	6.6
7451.375000	---	40.50	54.00	13.50	500.0	200.0	V	328.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8287.500000	---	29.96	54.00	24.04	500.0	200.0	H	228.0	-1.9
8506.250000	43.95	---	68.20	24.25	500.0	100.0	H	233.0	-1.6
9471.250000	---	32.94	54.00	21.06	500.0	100.0	H	68.0	-0.2
10045.000000	44.95	---	68.20	23.25	500.0	200.0	V	83.0	-0.7
10577.500000	43.92	---	68.20	24.28	500.0	200.0	V	113.0	-0.8
11937.500000	---	32.77	54.00	21.23	500.0	200.0	H	266.0	0.3
13303.750000	---	35.00	54.00	19.00	500.0	100.0	H	2.0	3.3
13727.500000	46.70	---	68.20	21.50	500.0	100.0	V	248.0	3.8
15222.500000	48.26	---	68.20	19.94	500.0	100.0	V	274.0	5.7
15588.750000	---	38.08	54.00	15.92	500.0	100.0	H	125.0	6.7
16915.000000	51.47	---	68.20	16.73	500.0	100.0	V	201.0	8.7
17906.250000	---	40.49	54.00	13.51	500.0	200.0	H	203.0	10.2

802.11a CH64



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1117.250000	---	28.47	54.00	25.53	500.0	100.0	H	96.0	-9.2
1263.375000	39.29	---	68.20	28.91	500.0	100.0	H	33.0	-8.2
1376.250000	---	28.67	54.00	25.33	500.0	200.0	H	303.0	-7.6
1796.250000	41.38	---	68.20	26.82	500.0	100.0	H	19.0	-5.4
2246.875000	---	31.79	54.00	22.21	500.0	100.0	H	106.0	-3.5
2417.500000	42.48	---	68.20	25.72	500.0	100.0	H	72.0	-2.8
2591.625000	44.39	---	68.20	23.81	500.0	100.0	H	101.0	-2.2
2764.000000	---	33.27	54.00	20.73	500.0	100.0	V	204.0	-1.5
3821.000000	---	37.85	54.00	16.15	500.0	100.0	H	24.0	2.2
4442.250000	48.42	---	68.20	19.78	500.0	100.0	H	245.0	3.9
4836.875000	---	37.93	54.00	16.07	500.0	200.0	V	60.0	4.5
7094.375000	54.52	---	68.20	13.68	500.0	100.0	V	23.0	6.7



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8417.500000	---	30.92	54.00	23.08	500.0	200.0	H	0.0	-1.9
8986.250000	43.57	---	68.20	24.63	500.0	200.0	H	258.0	-1.4
9475.000000	---	32.91	54.00	21.09	500.0	200.0	V	296.0	-0.2
10312.500000	45.68	---	68.20	22.52	500.0	100.0	H	150.0	-0.9
10563.750000	43.75	---	68.20	24.45	500.0	100.0	V	155.0	-0.8
11963.750000	---	32.80	54.00	21.20	500.0	100.0	H	76.0	0.3
13382.500000	---	35.09	54.00	18.91	500.0	200.0	H	151.0	3.3
13503.750000	47.08	---	68.20	21.12	500.0	200.0	H	213.0	3.5
15180.000000	48.54	---	68.20	19.66	500.0	200.0	V	213.0	5.6
15570.000000	---	38.19	54.00	15.81	500.0	100.0	H	155.0	6.6
17676.250000	51.29	---	68.20	16.91	500.0	200.0	H	76.0	10.2
17906.250000	---	40.42	54.00	13.58	500.0	100.0	H	19.0	10.2

802.11a CH100



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1176.750000	---	28.09	54.00	25.91	500.0	100.0	V	81.0	-8.8
1264.250000	38.99	---	68.20	29.21	500.0	200.0	H	35.0	-8.2
1595.875000	---	28.25	54.00	25.75	500.0	100.0	H	135.0	-6.3
1834.750000	42.57	---	68.20	25.63	500.0	100.0	H	0.0	-5.1
2153.250000	42.55	---	68.20	25.65	500.0	100.0	V	91.0	-3.7
2258.250000	---	31.35	54.00	22.65	500.0	100.0	H	289.0	-3.4
2644.125000	43.65	---	68.20	24.55	500.0	100.0	V	0.0	-2.0
2807.750000	---	33.27	54.00	20.73	500.0	200.0	V	49.0	-1.4
3062.375000	44.96	---	68.20	23.24	500.0	100.0	V	27.0	-0.4
3453.500000	47.40	---	68.20	20.80	500.0	200.0	H	188.0	1.1
3968.875000	---	36.56	54.00	17.44	500.0	100.0	V	32.0	2.7
5027.625000	---	37.27	54.00	16.73	500.0	200.0	V	260.0	4.9



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8365.000000	---	30.98	54.00	23.02	500.0	200.0	H	17.0	-2.0
8581.250000	43.47	---	68.20	24.73	500.0	100.0	H	314.0	-1.7
9463.750000	---	33.09	54.00	20.91	500.0	200.0	V	280.0	-0.3
9672.500000	44.76	---	68.20	23.44	500.0	100.0	H	235.0	-0.8
10540.000000	43.78	---	68.20	24.42	500.0	200.0	V	109.0	-0.9
11211.250000	---	32.99	54.00	21.01	500.0	200.0	V	286.0	-0.4
13298.750000	---	35.33	54.00	18.67	500.0	200.0	H	51.0	3.3
13502.500000	47.33	---	68.20	20.87	500.0	200.0	H	213.0	3.5
15278.750000	48.67	---	68.20	19.53	500.0	100.0	H	182.0	5.9
15583.750000	---	38.26	54.00	15.74	500.0	100.0	V	0.0	6.7
17671.250000	51.31	---	68.20	16.89	500.0	100.0	H	235.0	10.2
17885.000000	---	40.27	54.00	13.73	500.0	200.0	V	211.0	10.2

802.11a CH116



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.625000	40.03	---	68.20	28.17	500.0	100.0	V	45.0	-8.2
1369.250000	---	29.73	54.00	24.27	500.0	200.0	V	73.0	-7.6
1699.125000	---	30.65	54.00	23.35	500.0	200.0	V	245.0	-5.9
1922.250000	43.22	---	68.20	24.98	500.0	100.0	V	147.0	-4.8
2616.125000	45.16	---	68.20	23.04	500.0	200.0	H	3.0	-2.1
2787.625000	---	33.92	54.00	20.08	500.0	100.0	H	113.0	-1.5
3452.625000	49.49	---	68.20	18.71	500.0	100.0	H	320.0	1.1
3989.000000	---	38.35	54.00	15.65	500.0	100.0	H	87.0	2.9
4445.750000	49.62	---	68.20	18.58	500.0	100.0	H	191.0	3.9
4517.500000	---	38.83	54.00	15.17	500.0	100.0	H	250.0	4.3
7537.125000	---	41.28	54.00	12.73	500.0	100.0	V	26.0	7.4
7949.250000	53.26	---	68.20	14.94	500.0	100.0	H	276.0	8.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8461.250000	---	30.92	54.00	23.08	500.0	200.0	V	271.0	-1.7
8927.500000	43.29	---	68.20	24.91	500.0	100.0	V	264.0	-1.4
9471.250000	---	33.09	54.00	20.91	500.0	100.0	V	172.0	-0.2
10247.500000	44.50	---	68.20	23.70	500.0	200.0	H	121.0	-0.9
10572.500000	43.85	---	68.20	24.35	500.0	200.0	H	49.0	-0.8
11962.500000	---	32.84	54.00	21.16	500.0	200.0	V	261.0	0.3
13301.250000	---	35.26	54.00	18.74	500.0	100.0	V	203.0	3.3
13580.000000	46.49	---	68.20	21.71	500.0	200.0	H	24.0	3.7
15262.500000	48.65	---	68.20	19.55	500.0	200.0	H	121.0	5.9
15597.500000	---	38.19	54.00	15.81	500.0	100.0	V	260.0	6.7
17685.000000	51.74	---	68.20	16.46	500.0	200.0	H	59.0	10.2
17902.500000	---	40.48	54.00	13.52	500.0	200.0	V	0.0	10.2

802.11a CH140



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.000000	45.50	---	68.20	22.70	500.0	100.0	V	274.0	3.0
1401.625000	---	34.39	54.00	19.61	500.0	200.0	V	322.0	3.9
1720.125000	---	35.44	54.00	18.56	500.0	100.0	V	0.0	5.3
1882.000000	47.82	---	68.20	20.38	500.0	100.0	H	235.0	6.0
2673.875000	50.22	---	68.20	17.98	500.0	200.0	V	64.0	8.7
2792.000000	---	38.19	54.00	15.81	500.0	100.0	V	71.0	9.1
3464.000000	52.17	---	68.20	16.03	500.0	200.0	V	142.0	11.4
3992.500000	---	41.53	54.00	12.47	500.0	100.0	V	134.0	12.5
5127.375000	---	42.79	54.00	11.21	500.0	200.0	V	190.0	13.7
5201.750000	54.22	---	68.20	13.98	500.0	200.0	H	65.0	14.1
7367.375000	---	45.02	54.00	8.98	500.0	200.0	H	81.0	17.7
7961.500000	57.62	---	68.20	10.58	500.0	100.0	V	27.0	19.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8893.750000	44.49	---	68.20	23.71	500.0	100.0	H	314.0	-1.4
9120.000000	---	36.12	54.00	17.88	500.0	100.0	V	273.0	-1.2
9456.250000	---	34.13	54.00	19.87	500.0	200.0	V	317.0	-0.2
9606.250000	45.86	---	68.20	22.34	500.0	200.0	V	24.0	-0.7
10565.000000	43.88	---	68.20	24.32	500.0	200.0	V	346.0	-0.9
11618.750000	---	33.42	54.00	20.58	500.0	200.0	V	317.0	-0.4
12997.500000	44.21	---	68.20	23.99	500.0	100.0	V	19.0	1.4
13390.000000	---	34.45	54.00	19.55	500.0	200.0	V	228.0	2.4
14030.000000	48.97	---	68.20	19.23	500.0	100.0	V	268.0	3.9
15637.500000	---	38.01	54.00	15.99	500.0	100.0	H	187.0	6.5
17600.000000	51.80	---	68.20	16.40	500.0	100.0	V	59.0	10.1
17986.250000	---	41.03	54.00	12.97	500.0	200.0	H	157.0	11.0

802.11a CH144



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1092.750000	---	28.16	54.00	25.84	500.0	100.0	V	193.0	-9.4
1240.625000	40.10	---	68.20	28.10	500.0	200.0	H	24.0	-8.3
1399.875000	---	29.71	54.00	24.29	500.0	100.0	V	134.0	-7.5
1709.625000	---	30.70	54.00	23.30	500.0	100.0	H	0.0	-5.9
1968.625000	43.27	---	68.20	24.93	500.0	100.0	H	291.0	-4.6
2577.625000	45.19	---	68.20	23.01	500.0	200.0	H	14.0	-2.2
2802.500000	---	34.83	54.00	19.17	500.0	200.0	H	99.0	-1.4
3478.875000	50.01	---	68.20	18.19	500.0	200.0	H	89.0	1.2
3996.000000	---	39.58	54.00	14.42	500.0	200.0	H	0.0	2.8
4419.500000	51.66	---	68.20	16.54	500.0	200.0	H	135.0	3.9
6896.625000	54.77	---	68.20	13.43	500.0	200.0	H	89.0	6.6
7692.000000	---	43.45	54.00	10.55	500.0	200.0	H	150.0	7.9



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8493.750000	---	31.02	54.00	22.98	500.0	100.0	V	0.0	-1.6
8993.750000	43.72	---	68.20	24.48	500.0	200.0	H	14.0	-1.4
9456.250000	---	32.92	54.00	21.08	500.0	100.0	H	320.0	-0.3
9703.750000	45.25	---	68.20	22.95	500.0	100.0	H	305.0	-0.7
10581.250000	43.85	---	68.20	24.35	500.0	100.0	V	46.0	-0.8
11440.000000	---	33.63	54.00	20.37	500.0	100.0	V	31.0	-0.3
13300.000000	---	35.09	54.00	18.91	500.0	100.0	H	0.0	3.3
13587.500000	47.73	---	68.20	20.47	500.0	100.0	H	345.0	3.7
15248.750000	48.67	---	68.20	19.53	500.0	100.0	V	183.0	5.8
15592.500000	---	38.06	54.00	15.94	500.0	200.0	H	14.0	6.7
17381.250000	52.96	---	68.20	15.24	500.0	200.0	V	237.0	9.5
17907.500000	---	40.50	54.00	13.50	500.0	100.0	V	0.0	10.2

802.11a CH149



Final_Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1282.625000	40.37	---	68.20	27.83	500.0	100.0	V	300.0	-8.1
1402.500000	---	29.69	54.00	24.31	500.0	100.0	V	339.0	-7.5
1693.000000	---	30.83	54.00	23.17	500.0	200.0	H	0.0	-5.9
1952.000000	43.42	---	68.20	24.78	500.0	100.0	V	27.0	-4.6
2681.750000	44.96	---	68.20	23.24	500.0	100.0	V	72.0	-1.9
2780.625000	---	34.17	54.00	19.83	500.0	100.0	V	350.0	-1.5
3541.875000	48.45	---	68.20	19.75	500.0	200.0	V	48.0	1.4
3989.000000	---	38.31	54.00	15.69	500.0	200.0	V	115.0	2.9
5122.125000	---	38.70	54.00	15.30	500.0	200.0	V	164.0	5.2
5218.375000	48.73	---	68.20	19.47	500.0	100.0	H	148.0	5.4
6747.875000	52.86	---	68.20	15.34	500.0	200.0	V	158.0	6.4
7528.375000	---	41.27	54.00	12.73	500.0	200.0	H	298.0	7.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8420.000000	---	30.92	54.00	23.08	500.0	100.0	H	69.0	-1.9
8778.750000	43.41	---	68.20	24.79	500.0	100.0	H	249.0	-1.7
9191.250000	---	37.87	54.00	16.13	500.0	100.0	V	267.0	-0.9
9635.000000	44.70	---	68.20	23.50	500.0	200.0	V	310.0	-0.8
10588.750000	43.83	---	68.20	24.37	500.0	100.0	H	84.0	-0.8
11490.000000	---	33.62	54.00	20.38	500.0	100.0	V	242.0	-0.2
13310.000000	---	35.10	54.00	18.90	500.0	100.0	H	39.0	3.3
13551.250000	47.28	---	68.20	20.93	500.0	100.0	V	0.0	3.6
15302.500000	48.83	---	68.20	19.37	500.0	200.0	H	114.0	5.9
15588.750000	---	38.31	54.00	15.69	500.0	100.0	V	342.0	6.7
17675.000000	51.72	---	68.20	16.48	500.0	100.0	H	120.0	10.2
17906.250000	---	40.23	54.00	13.77	500.0	200.0	H	230.0	10.2

802.11a CH157



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1128.625000	---	28.96	54.00	25.04	500.0	100.0	V	213.0	-9.1
1264.250000	40.34	---	68.20	27.86	500.0	100.0	V	80.0	-8.2
1594.125000	---	30.49	54.00	23.51	500.0	100.0	V	277.0	-6.3
1952.000000	43.03	---	68.20	25.17	500.0	100.0	V	237.0	-4.6
2435.875000	43.73	---	68.20	24.47	500.0	200.0	V	40.0	-2.7
2680.000000	46.28	---	68.20	21.92	500.0	100.0	H	13.0	-1.9
2788.500000	---	33.82	54.00	20.18	500.0	100.0	V	347.0	-1.5
3484.125000	48.17	---	68.20	20.03	500.0	200.0	V	79.0	1.2
3990.750000	---	38.20	54.00	15.80	500.0	100.0	V	282.0	2.9
5120.375000	---	38.61	54.00	15.39	500.0	200.0	H	272.0	5.1
6905.375000	52.80	---	68.20	15.40	500.0	200.0	V	99.0	6.6
7522.250000	---	41.11	54.00	12.89	500.0	200.0	V	79.0	7.3



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8462.500000	---	31.01	54.00	22.99	500.0	100.0	H	351.0	-1.7
8852.500000	43.75	---	68.20	24.45	500.0	100.0	V	342.0	-1.4
9473.750000	---	33.02	54.00	20.98	500.0	100.0	V	230.0	-0.2
9670.000000	44.52	---	68.20	23.68	500.0	100.0	V	332.0	-0.8
10533.750000	44.26	---	68.20	23.94	500.0	200.0	V	163.0	-0.9
11570.000000	---	34.87	54.00	19.13	500.0	100.0	V	225.0	-0.1
13360.000000	---	35.17	54.00	18.83	500.0	100.0	H	159.0	3.3
13500.000000	46.64	---	68.20	21.56	500.0	100.0	V	342.0	3.5
15167.500000	48.57	---	68.20	19.63	500.0	200.0	V	71.0	5.6
15613.750000	---	38.02	54.00	15.98	500.0	100.0	H	0.0	6.7
17667.500000	51.26	---	68.20	16.94	500.0	200.0	H	161.0	10.2
17906.250000	---	40.30	54.00	13.70	500.0	100.0	H	143.0	10.2