
Smart Strip Light

User Manual (VER:1.0)

Model NO.: S50123010-IP65RGBW S50123010-IP65RGB






Please read the manual thoroughly before using the product.

Product Instructions



Cleaning the installation surface



Sticking to the installation surface



Plugging into the socket.



Touch softly "↑" .Turn on the strip light, then touch softly again "n". Mode switch

Smart Control

This product can support button control, compatible with smart control platform, APP control, support Amazon Echo, Google Home and other smart voice control.


One-button control instructions:

- 1. When the light is powered on, press and hold the button and keeps it for about 5S until the light flashes in red then let go. After the red light flashes about 15S, power off then power on again to enter different
- $2. After \, entering \, the \, scene \, selecting \, mode, \, each \, time \, you \, press \, the \, button, \, change \, the \, mode. \, Each \, change \, the \, mode \, change \, the \, mode \, change \, change$ switch mode interval is about 2-3S, a total of 8 modes optional.

Quick Mode Configuration (common)

- 1. Make sure guick mode configuration is initiated: the smart LED Strip Lights blinks red rapidly. If it keep on red or other colors, press and hold the button on the Wi-Fi controller for 6 seconds until the smart led strip lights blinks red rapidly.
- 2. Tap the icon "+" on the top right corner of "Smart Life", choose your device type (Lighting devices)






3. Follow the in-app instructions to connect the smart LED Strip Lights to your Wi-Fi network. you can try press button twice per second to switch colors until connected successfully





3. Follow the in-app instructions to connect the smart LED Strip Lights to your Wi-Fi network. Please note: If smart LED Strip Lights blink rapidly but it still doesn't connect, you can try press button twice per second to switch colors until connected successfully



- 4.Once connected, the App will prompt the connection, and click Done".


 5.Now you can control the smart LED Strip Lights through Smart Life App.

 6.Once the configuration is completed successfully, the smart LED Strip Lights' Device will be added to

Please note: you can add the Smart led strip lights to Echo/Google Home following this instructions below.Or the one on the app(Open Smart Life App,go to "Profile" -> "Integration", tap " amazon echo " or " Google Home " and install).

How to connect Smart Decice to Amazon Alexa

- 1.Launch Smart Life App, sign in your account and make sure smart LED Strip Lights is in device list.
- 2.Modify device name so that Alexa can easily recognize, such as:Living room Light, Bedroom
- 3.Minimize Smart Life APP, then launch the Alexa App and sign in your Alexa account and make sure you have at least one Alexa voice-controlled device installed like Echo, Echo dot, etc.
- 4.In the upper left corner of Home page, click button to show App menu. Then click skills in the



Thanks for choosing this product. We use high-quality LED strip lights, the whole new interactive mode, combined with natural light mixing algorithm, with 16 million colors to decorate your home.

03

Simplified steps to install App on your smart device and pair with Amazon Alexa, Google Assistant using Smart Life App on Apple Store/Google Play Store Compatible with any smart phone or tablet including any Android and Apple devices

How to connect Smart Device to Wi-Fi network





Download or scan the QR code and install the Smart Life App for either IOS or Android. Once downloaded, the app will ask you to register your device. Enter your phone number or email which ever one makes you feel comfortable and select the country you live in. If phone number selected you will receive a text with a egistration code. If you choose email you will then create a password.

Attention: There's no Registration Code needed if email method chosen



Android




IOS

- 4. Once connected, the App will prompt the connection, and click Done"
- 5.Now you can control the smart LED Strip Lights through Smart Life App.
 6.Once the configuration is completed successfully, the LED Strip Lights' Device will be added to the "Device List".

- 1.Make sure AP mode configuration is initiated: the smart LED Strip Lights blinks red rapidly.lf it keep on red or other colors, press and hold the button on the Wi-Fi controller for 6 seconds until the smart led strip lights blinks
- 2. Tap the icon"+"on the top right corner of "Start your smart life"tab and then click"AP Mode" at the top right corner of "Add Device" tab to add device.




07



5. Type in "Smart Life" in the search and click the search button next to it.



Please note: there're two modes configurations(Quick Mode/AP Mode) available for you to choose before adding the device to app. Quick Mode is recommended.




9.In Smart Home page, you can group your devices for different categories. Your Smart Life APP has been skilled with Alexa. Now you can control your Smart led strip lights through Alexa.



How to connect Smart Decice to Google Home

- Launch the Google Home App and make sure Google Home speaker is installed, If not, please follow Google Home speaker installation instruction to complete the installation.
- 2.Once Google Home is installed, in the upper left corner of App Home page, click button to show APP menu. The clicks "Home Control" in the menu.



Factory Reset

When the strip light is powered on, press and hold the switch to maintain for 5S until the light flashes in red then let go. The factory reset successfully.

*When the strip light is connected with new Wi-Fi, you need to restore the factory settings, and then re-gain

Safety Precautions

- 1. Please confirm the working voltage before using this product, the use of inappropriate voltage may cause damage to the product and security risks.
- 2. LED module can't be replaced, pls don't dismantle the product by yourself.
- 3. The strip light will generate heat when working, please keep the air circulation for heat dissipation.

The harmful substances in the product

| Parts | Harmful Substances | | | | | | |
|-------------|--------------------|-----------------|-----------------|------------------------------------|--------------------------------------|---------------------------------------|--|
| Faits | lead (Pb) | mercury (Hg) | cadmium (Cd) | Hexavalent chromium (Cr(VI)) | Polybrominated biphenyls (PBB) | Polybrominated diphenyl ethers (PBDE) | |
| Strip Light | 0 | 0 | 0 | 0 | 0 | 0 | |
| Controller | 0 | 0 | 0 | 0 | 0 | 0 | |
| Adapter | Χ | 0 | 0 | 0 | 0 | 0 | |
| Wire | Χ | 0 | 0 | 0 | 0 | 0 | |
| Packing Box | 0 | 0 | 0 | 0 | 0 | 0 | |

This chart is made in accordance with the provisions of SJ / T 11364.

- O: The content of the hazardous material in all homogeneous materials of the part is within the limit requirement of GB / T26572.
- X: The content of the hazardous substance in at least one homogeneous material of the part exceeds the limit requirement of GB / T 267572.

14

Warranty Instructions

After-sales service of lights with products in strict accordance with the "People's Republic of China Consumer Protection Law", "People's Republic of China Product Quality Law," the implementation of three bags of service, the service as

- 1. Within 7-day receiving of the product, you are free to enjoy the return or replacement if it fails within the list of "Product Performance Fault List", after the service center tested and determined.
- $2. Within 8-15 days \ receiving \ of \ the \ product, \ you \ are \ free \ to \ enjoy \ the \ return \ or \ maintenance \ if \ it \ fails \ within \ the \ list \ of$ "Product Performance Fault List", after the service center tested and determined.
- 3. Within 12-day receiving of the product, you are free to enjoy the replacement or maintenance if it fails within the list of "Product Performance Fault List", after the service center tested and determined.

Warranty Revocation Rules

- 1. Unauthorized repairs, misuse, collision, negligence, liquid intrusion, accident, alteration, or tearing, alteration,
- labeling, security markings. 2. Exceeds warranty period.
- Damage caused by force major.
- 4. Failures which are not listed in "Product Performance Fault List".
- 5. Failures listed in "Product Performance Fault List" but caused by man-made. Such as the use of dimmers, the use of non-rated voltage, the use of non-standard adapters, use in the not specified environment, resulting in product


Product Performance Fault List

| Product Name | Performance Breakdown | |
|--------------|--|--|
| Strip Light | Light Failure | |
| | Lack of Light Color | |
| Controller | Unable to search for the Strip Light | |
| | Button unable to Function | |
| | Reset Failure | |
| Adapter | Unable to power the Strip Light normally | |
| | • | |


7. After successful account linking, ask Alexa to discover devices. After a 20-second device discovery, Alexa will show all the discovered devices.



8.Back to Menu by clicking button, and then click Smart Home button.




3.On "Add devices" page, scroll down to find "Smart Life" and then click it, Sign in Smart Life App with your Smart Life App account and password choose S the account linking. art Life App in the dropdown menu to complete



- 4. After successful account linking, in Google Home App you can see all the smart devices from your Smart Life App account. You can assign rooms for each device
- 5. Now you can use Google Home to control your smart devices, you can say like:

Ok Google,turn on /off wall light

Ok Google, set bedroom light to red



Product Information

| Model NO. | S50123010-XX | S50123010-XX | S50123010-XX | S50123010-XX |
|-------------|-----------------|----------------|-----------------|-----------------|
| Color | RGB | RGBW | RGB | RGBW |
| Strip Input | 12V2A⊖-€⊕ | 12V2A⊖←⊕ | 12V3A⊖-€⊕ | 12V4A⊖-€⊕ |
| Rated Power | 12W(LED Strip) | 16W(LED Strip) | 30W(LED Strip) | 40W(LED Strip) |

Lifespan : About 25000Hr Working Temperature: -20~+40°C Supported Platforms: Android&iOS Working Humidity:0%-85%RH Wireless Connect: Wi-FiIEEE 802.11b/g/n 2.4GHz Power Input:100-240V-50/60Hz 1.5A

Product Features



Color Adjustmen













One-key Operation



Scene Mode Switch

15

Warranty Card

| Customer Name | Contact Number (Mr./Ms.) |
|--------------------|--------------------------|
| Address | Serial Number |
| Product Model | Purchased Date |
| Purchase Shop Name | |
| Shop Address | Purchased |
| Invoice Number | Stamp |

FCC STATEMENT

- 1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.
- 2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body