

Table H-17
LTE Band 5 (Cell) Measured P_{Max} for Free, RCV Active, Hotspot Mode – 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.50	24.59	24.31	0	0
	1	7	24.28	24.62	24.39		0
	1	14	24.56	24.63	24.31		0
	8	0	23.58	23.63	23.43	0-1	1
	8	4	23.55	23.59	23.38		1
	8	7	23.52	23.60	23.43		1
	15	0	23.55	23.56	23.37		1
16QAM	1	0	23.72	23.58	23.58	0-1	1
	1	7	23.63	23.45	23.53		1
	1	14	23.63	23.46	23.56		1
	8	0	22.46	22.57	22.36	0-2	2
	8	4	22.51	22.53	22.38		2
	8	7	22.43	22.55	22.39		2
	15	0	22.55	22.55	22.37		2
64QAM	1	0	22.46	22.57	22.45	0-2	2
	1	7	22.54	22.55	22.31		2
	1	14	22.47	22.65	22.53		2
	8	0	21.56	21.56	21.43	0-3	3
	8	4	21.55	21.53	21.32		3
	8	7	21.54	21.57	21.37		3
	15	0	21.57	21.58	21.33		3
256QAM	1	0	19.55	19.75	19.55	0-5	5
	1	7	19.41	19.66	19.38		5
	1	14	19.48	19.68	19.44		5
	8	0	19.52	19.56	19.41		5
	8	4	19.52	19.47	19.43		5
	8	7	19.50	19.55	19.39		5
	15	0	19.53	19.61	19.40		5

Table H-18
LTE Band 5 (Cell) Measured P_{Max} for Free, RCV Active, Hotspot Mode – 3 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	24.49	24.57	24.47	0	0
	1	2	24.58	24.20	24.26		0
	1	5	24.47	24.56	24.48		0
	3	0	24.57	24.56	24.42		0
	3	2	24.49	24.48	24.32		0
	3	3	24.53	24.48	24.28		0
	6	0	23.53	23.61	23.43		1
16QAM	1	0	23.59	23.61	23.35	0-1	1
	1	2	23.65	23.62	23.48		1
	1	5	23.57	23.66	23.38		1
	3	0	23.63	23.44	23.40		1
	3	2	23.47	23.44	23.39		1
	3	3	23.39	23.47	23.37		1
	6	0	22.63	22.56	22.42		2
64QAM	1	0	22.64	22.57	22.63	0-2	2
	1	2	22.86	22.54	22.41		2
	1	5	22.48	22.50	22.53		2
	3	0	22.53	22.56	22.51		2
	3	2	22.50	22.50	22.43		2
	3	3	22.56	22.53	22.30		2
	6	0	21.54	21.58	21.32		3
256QAM	1	0	19.62	19.67	19.49	0-5	5
	1	2	19.51	19.71	19.56		5
	1	5	19.68	19.64	19.46		5
	3	0	19.59	19.55	19.37		5
	3	2	19.49	19.42	19.31		5
	3	3	19.49	19.49	19.24		5
	6	0	19.44	19.58	19.31		5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 8 of 156

H.1.7 LTE Band 66 Antenna B

Table H-19
LTE Band 66 (AWS) Measured P_{limit} for RCV Active – 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.36	23.36	22.99	0	0
	1	36	23.37	23.28	22.97		0
	1	74	23.41	23.33	23.05		0
	36	0	22.50	22.32	22.11	0-1	0.5
	36	18	22.52	22.30	22.11		0.5
	36	37	22.49	22.28	22.10		0.5
16QAM	75	0	22.50	22.32	22.10	0-1	0.5
	1	0	22.54	22.58	22.60		0.5
	1	36	22.48	22.49	22.47		0.5
	1	74	22.56	22.53	22.51	0-2	0.5
	36	0	21.59	21.35	21.11		1.5
	36	18	21.58	21.31	21.09		1.5
	36	37	21.55	21.28	21.06	0-2	1.5
	75	0	21.52	21.28	21.08		1.5
	1	0	21.73	21.61	21.17		0-2
1	36	21.62	21.53	21.01	1.5		
1	74	21.60	21.60	21.07	1.5		
64QAM	36	0	20.57	20.33	20.13	0-3	2.5
	36	18	20.55	20.30	20.10		2.5
	36	37	20.51	20.27	20.08		2.5
	75	0	20.45	20.24	20.03	0-3	2.5
	36	18	20.55	20.30	20.10		2.5
	36	37	20.51	20.27	20.08		2.5
256QAM	1	0	18.59	18.42	18.45	0-5	4.5
	1	36	18.44	18.29	18.33		4.5
	1	74	18.48	18.33	18.36		4.5
	36	0	18.38	18.16	18.02		4.5
	36	18	18.33	18.12	18.01		4.5
	36	37	18.33	18.11	17.99		4.5
	75	0	18.32	18.14	17.94		4.5

Table H-20
LTE Band 66 (AWS) Measured P_{limit} for RCV Active – 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.40	23.15	23.07	0	0
	1	25	23.40	23.18	23.04		0
	1	49	23.47	23.26	23.11		0
	25	0	22.54	22.33	22.17	0-1	0.5
	25	12	22.50	22.33	22.15		0.5
	25	25	22.51	22.31	22.16		0.5
16QAM	50	0	22.53	22.34	22.17	0.5	
	1	0	22.79	22.54	22.43	0-1	0.5
	1	25	22.70	22.41	22.46		0.5
	1	49	22.79	22.45	22.42		0.5
	25	0	21.59	21.43	21.19	0-2	1.5
	25	12	21.56	21.39	21.14		1.5
	25	25	21.56	21.36	21.16		1.5
	50	0	21.51	21.36	21.12		1.5
64QAM	1	0	21.48	21.48	21.35	0-2	1.5
	1	25	21.40	21.31	21.23		1.5
	1	49	21.51	21.30	21.21		1.5
	25	0	20.55	20.33	20.14	0-3	2.5
	25	12	20.52	20.28	20.12		2.5
	25	25	20.51	20.30	20.10		2.5
	50	0	20.51	20.30	20.13		2.5
256QAM	1	0	18.43	18.29	18.38	0-5	4.5
	1	25	18.32	18.16	18.27		4.5
	1	49	18.39	18.44	18.40		4.5
	25	0	18.41	18.27	18.09		4.5
	25	12	18.38	18.19	18.05		4.5
	25	25	18.35	18.20	18.05		4.5
	50	0	18.36	18.14	18.03		4.5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 9 of 156

Table H-23
LTE Band 66 (AWS) Measured P_{limit} for RCV Active – 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	23.54	23.25	23.16	0	0
	1	2	23.15	23.40	22.99		0
	1	5	23.59	23.30	23.25		0
	3	0	23.67	23.38	23.27		0
	3	2	23.53	23.34	23.17		0
	3	3	23.56	23.37	23.13		0
	6	0	22.57	22.34	22.18	0-1	0.5
16QAM	1	0	22.69	22.45	22.42	0-1	0.5
	1	2	22.63	22.64	22.52		0.5
	1	5	22.70	22.57	22.50		0.5
	3	0	22.65	22.53	22.29		0.5
	3	2	22.63	22.35	22.29		0.5
	3	3	22.70	22.32	22.28		0.5
	6	0	21.62	21.37	21.24	0-2	1.5
64QAM	1	0	21.84	21.52	21.44	0-2	1.5
	1	2	21.63	21.81	21.38		1.5
	1	5	21.75	21.58	21.50		1.5
	3	0	21.66	21.28	21.34		1.5
	3	2	21.54	21.28	21.18		1.5
	3	3	21.56	21.34	21.29		1.5
	6	0	20.58	20.35	20.24	0-3	2.5
256QAM	1	0	18.54	18.49	18.30	0-5	4.5
	1	2	18.59	18.50	18.42		4.5
	1	5	18.45	18.43	18.14		4.5
	3	0	18.49	18.30	18.09		4.5
	3	2	18.44	18.15	17.85		4.5
	3	3	18.37	18.16	17.94		4.5
	6	0	18.36	18.18	18.04	4.5	

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 11 of 156

Table H-26
LTE Band 66 (AWS) Measured P_{Limit} for Hotspot Mode– 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.46	18.23	18.05	0	0
	1	12	18.60	18.42	18.18		0
	1	24	18.54	18.32	18.10		0
	12	0	18.52	18.35	18.13	0-1	0
	12	6	18.56	18.33	18.14		0
	12	13	18.50	18.31	18.12		0
16QAM	25	0	18.53	18.32	18.10	0-1	0
	1	0	18.80	18.49	18.30		0
	1	12	18.63	18.26	18.05		0
	1	24	18.59	18.46	18.33	0-2	0
	12	0	18.57	18.33	18.16		0
	12	6	18.62	18.35	18.18		0
64QAM	12	13	18.62	18.37	18.10	0-2	0
	25	0	18.56	18.34	18.11		0
	1	0	18.62	18.49	18.25	0-2	0
	1	12	18.89	18.52	18.24		0
	1	24	18.61	18.52	18.31		0
	256QAM	12	0	18.58	18.36	18.15	0-3
12		6	18.62	18.36	18.15	0	
12		13	18.60	18.37	18.09	0	
25		0	18.54	18.31	18.08	0-5	0
1		0	18.22	18.01	17.79		0.5
1		12	18.29	18.22	17.80		0.5
1	24	18.23	18.07	17.65	0.5		
12	0	18.20	17.91	17.72	0.5		
12	6	18.13	17.95	17.68	0.5		
256QAM	12	13	18.16	17.90	17.72	0.5	
	25	0	18.16	17.93	17.72	0.5	

Table H-27
LTE Band 66 (AWS) Measured P_{Limit} for Hotspot Mode– 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.51	18.30	18.09	0	0
	1	7	18.56	18.37	18.17		0
	1	14	18.44	18.21	18.02		0
	8	0	18.55	18.31	18.10	0-1	0
	8	4	18.50	18.30	18.08		0
	8	7	18.59	18.33	18.09		0
16QAM	15	0	18.58	18.36	18.11	0-1	0
	1	0	18.85	18.50	18.09		0
	1	7	18.42	18.48	18.03		0
	1	14	18.72	18.48	18.31	0-2	0
	8	0	18.66	18.41	18.18		0
	8	4	18.59	18.39	18.14		0
64QAM	8	7	18.59	18.41	18.21	0-2	0
	15	0	18.62	18.33	18.12		0
	1	0	18.74	18.41	18.22		0-2
	1	7	18.83	18.60	18.35	0	
	1	14	18.65	18.48	18.21	0	
	256QAM	8	0	18.62	18.31	18.09	0-3
8		4	18.61	18.39	18.11	0	
8		7	18.61	18.37	18.11	0	
15		0	18.60	18.35	18.12	0-5	0
1		0	18.27	17.98	17.69		0.5
1		7	18.26	18.05	17.84		0.5
1	14	18.18	18.02	17.75	0.5		
8	0	18.21	17.95	17.71	0.5		
8	4	18.12	17.90	17.66	0.5		
256QAM	8	7	18.18	17.95	17.68	0.5	
	15	0	18.17	17.92	17.70	0.5	

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 13 of 156

Table H-38
LTE Band 66 (AWS) Measured P_{Limit} for RCV Active, Hotspot Mode –
1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.64	18.65	18.59	0	0
	1	2	18.77	18.75	18.61		0
	1	5	18.74	18.71	18.55		0
	3	0	18.68	18.67	18.56		0
	3	2	18.68	18.69	18.55		0
	3	3	18.67	18.68	18.54		0
	6	0	18.72	18.70	18.55		0-1
16QAM	1	0	18.72	18.83	18.76	0-1	0
	1	2	18.57	18.73	18.51		0
	1	5	18.80	18.91	18.79		0
	3	0	18.73	18.69	18.61		0
	3	2	18.70	18.71	18.60		0
	3	3	18.70	18.72	18.60		0
	6	0	18.71	18.69	18.62		0-2
64QAM	1	0	18.83	18.79	18.56	0-2	0
	1	2	18.70	18.73	18.56		0
	1	5	18.87	18.74	18.51		0
	3	0	18.57	18.67	18.54		0
	3	2	18.69	18.74	18.59		0
	3	3	18.66	18.66	18.55		0
	6	0	18.64	18.67	18.56		0-3
256QAM	1	0	17.75	17.72	17.70	0-5	1.3
	1	2	17.81	17.77	17.67		1.3
	1	5	17.80	17.75	17.62		1.3
	3	0	17.77	17.76	17.63		1.3
	3	2	17.71	17.71	17.58		1.3
	3	3	17.76	17.68	17.52		1.3
	6	0	17.65	17.63	17.42		1.3

Table H-39
LTE Band 66 (AWS) Measured P_{Limit} for Free Mode –
15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.02	20.10	19.90	0	0
	1	36	20.00	20.08	19.86		0
	1	74	20.14	20.17	19.96		0
	36	0	20.19	20.26	20.02	0-1	0
	36	18	20.17	20.23	20.01		0
	36	37	20.22	20.26	20.04		0
16QAM	75	0	20.15	20.24	20.00	0-1	0
	1	0	20.38	20.26	20.11		0
	1	36	20.10	20.25	19.98		0
	1	74	20.35	20.40	20.22	0-2	0
	36	0	20.18	20.21	20.05		0
	36	18	20.18	20.25	20.02		0
64QAM	36	37	20.23	20.26	20.06	0-2	0
	75	0	20.15	20.21	20.02		0
	1	0	20.21	20.32	20.18		0
	1	36	20.10	20.20	20.02	0-2	0
	1	74	20.32	20.41	20.14		0
	36	0	19.62	19.71	19.51		0.8
256QAM	36	18	19.62	19.72	19.52	0-3	0.8
	36	37	19.68	19.73	19.52		0.8
	75	0	19.63	19.68	19.50		0.8
	1	0	17.68	17.61	17.51	0-5	2.8
	1	36	17.63	17.67	17.40		2.8
	1	74	17.70	17.64	17.45		2.8
36	0	17.58	17.61	17.47	2.8		
36	18	17.59	17.69	17.47	2.8		
36	37	17.59	17.69	17.48	2.8		
256QAM	75	0	17.56	17.64	17.42		2.8

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 19 of 156

Table H-68
LTE Band 25 (PCS) Antenna F Measured P_{Limit} for Free –
1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.83	21.13	20.76	0	0
	1	2	21.12	21.12	20.76		0
	1	5	21.12	21.15	20.85		0
	3	0	20.94	21.23	20.82		0
	3	2	21.13	21.22	20.81		0
	3	3	21.16	21.20	20.87		0
	6	0	21.16	21.23	20.93		0
16QAM	1	0	20.93	21.44	20.93	0-1	0
	1	2	21.28	21.37	21.05		0
	1	5	21.34	21.42	20.99		0
	3	0	20.97	21.26	20.93		0
	3	2	21.22	21.21	20.98		0
	3	3	21.20	21.26	20.96		0
	6	0	20.98	20.99	20.86		0.8
64QAM	1	0	20.55	20.73	20.47	0-2	0.8
	1	2	20.70	20.79	20.45		0.8
	1	5	20.75	20.78	20.52		0.8
	3	0	20.65	20.72	20.26		0.8
	3	2	20.62	20.70	20.37		0.8
	3	3	20.62	20.61	20.30		0.8
	6	0	19.94	19.98	19.86		1.8
256QAM	1	0	17.71	17.64	17.33	0-5	3.8
	1	2	17.64	17.66	17.37		3.8
	1	5	17.56	17.59	17.32		3.8
	3	0	17.61	17.64	17.29		3.8
	3	2	17.50	17.69	17.30		3.8
	3	3	17.58	17.64	17.34		3.8
	6	0	17.55	17.63	17.27		3.8

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 34 of 156

H.1.11 LTE Band 30 Antenna B

Table H-69
LTE Band 30 Antenna B Measured P_{Limit} for Hotspot Mode–
5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	17.81	0	0
	1	12	18.02		0
	1	24	17.86		0
	12	0	17.92	0-1	0
	12	6	17.89		0
	12	13	17.89		0
	25	0	17.87		0
16QAM	1	0	18.02	0-1	0
	1	12	17.80		0
	1	24	18.03		0
	12	0	17.88	0-2	0
	12	6	17.90		0
	12	13	17.87		0
	25	0	17.88		0
64QAM	1	0	17.94	0-2	0
	1	12	18.09		0
	1	24	17.96		0
	12	0	17.93	0-3	0
	12	6	17.89		0
	12	13	17.92		0
	25	0	17.86		0
256QAM	1	0	16.56	0-5	1.5
	1	12	16.52		1.5
	1	24	16.41		1.5
	12	0	16.03		1.5
	12	6	15.98		1.5
	12	13	15.95		1.5
	25	0	15.96		1.5

Table H-70
LTE Band 30 Antenna B Measured P_{Limit} for RCV Active –
5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	21.86	0	0
	1	12	21.99		0
	1	24	21.95		0
	12	0	21.03	0-1	1
	12	6	20.99		1
	12	13	21.04		1
	25	0	21.05		1
16QAM	1	0	21.28	0-1	1
	1	12	21.16		1
	1	24	21.17		1
	12	0	20.09	0-2	2
	12	6	20.04		2
	12	13	20.03		2
	25	0	20.02		2
64QAM	1	0	20.14	0-2	2
	1	12	20.24		2
	1	24	20.09		2
	12	0	19.00	0-3	3
	12	6	18.99		3
	12	13	18.92		3
	25	0	18.91		3
256QAM	1	0	17.05	0-5	5
	1	12	16.92		5
	1	24	16.95		5
	12	0	16.79		5
	12	6	16.80		5
	12	13	16.80		5
	25	0	16.77		5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 35 of 156

Table H-87
LTE Band 7 Antenna F Measured P_{limit} for Free Mode - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.58	20.52	20.91	0	0
	1	25	20.40	20.36	20.78		0
	1	49	20.45	20.44	20.83		0
	25	0	20.66	20.61	21.01	0-1	0
	25	12	20.62	20.58	21.00		0
	25	25	20.57	20.56	20.97		0
	50	0	20.66	20.60	21.04		0
16QAM	1	0	20.74	20.76	21.14	0-1	0
	1	25	20.62	20.65	21.02		0
	1	49	20.78	20.74	21.05		0
	25	0	20.13	20.11	20.50	0-2	1
	25	12	20.08	20.07	20.48		1
	25	25	20.02	20.01	20.47		1
	50	0	20.06	20.07	20.48		1
64QAM	1	0	20.11	20.11	20.48	0-2	1
	1	25	19.91	20.05	20.48		1
	1	49	19.98	19.99	20.50		1
	25	0	19.04	19.02	19.40	0-3	2
	25	12	18.98	18.97	19.38		2
	25	25	18.93	18.93	19.40		2
	50	0	19.07	19.01	19.47		2
256QAM	1	0	17.12	17.01	17.43	0-5	4
	1	25	16.82	16.89	17.26		4
	1	49	16.93	16.95	17.37		4
	25	0	17.06	16.99	17.40		4
	25	12	16.95	16.94	17.34		4
	25	25	16.94	16.86	17.37		4
	50	0	17.00	16.95	17.37		4

Table H-88
LTE Band 7 Antenna F Measured P_{limit} for Free Mode - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	20.70	20.59	21.00	0	0
	1	12	20.57	20.42	20.83		0
	1	24	20.51	20.37	20.83		0
	12	0	20.57	20.48	20.92	0-1	0
	12	6	20.58	20.48	20.95		0
	12	13	20.57	20.43	20.95		0
	25	0	20.64	20.56	21.07		0
16QAM	1	0	20.66	20.70	21.17	0-1	0
	1	12	20.65	20.46	21.17		0
	1	24	20.69	20.69	21.09		0
	12	0	20.07	20.04	20.50	0-2	1
	12	6	20.08	20.01	20.46		1
	12	13	20.04	19.95	20.45		1
	25	0	20.11	20.06	20.51		1
64QAM	1	0	20.21	20.09	20.59	0-2	1
	1	12	20.27	20.14	20.71		1
	1	24	20.10	20.03	20.50		1
	12	0	19.04	18.97	19.43	0-3	2
	12	6	19.02	19.01	19.45		2
	12	13	19.01	18.93	19.40		2
	25	0	19.07	18.95	19.47		2
256QAM	1	0	17.05	16.86	17.43	0-5	4
	1	12	17.04	16.92	17.40		4
	1	24	16.93	16.80	17.29		4
	12	0	16.97	16.88	17.37		4
	12	6	16.90	16.87	17.39		4
	12	13	16.92	16.84	17.34		4
	25	0	16.98	16.93	17.39		4

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 44 of 156

H.2 NR Lower Bandwidth RF Conducted Powers

H.2.1 NR Band 71

Table H-110
NR Band n71 Measured P_{Max} for Free, RCV Active, Hotspot Mode - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.17	0	0.0
	1	40	24.07		0.0
	1	77	24.28		0.0
	36	0	23.17	0-1	1.0
	36	22	24.21	0	0.0
	36	43	23.25	0-1	1.0
	75	0	23.24		1.0
DFT-s-OFDM 16QAM	1	1	23.26	0-1	1.0
CP-OFDM QPSK	1	1	22.73	0-1.5	1.5

Table H-111
NR Band n71 Measured P_{Max} for Free, RCV Active, Hotspot Mode - 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.15	24.17	24.25	0	0.0
	1	26	24.46	24.29	24.35		0.0
	1	50	24.25	24.28	24.47		0.0
	25	0	23.53	23.22	23.36	0-1	1.0
	25	14	24.42	24.25	24.34	0	0.0
	25	27	23.35	23.25	23.31	0-1	1.0
	50	0	23.42	23.24	23.38		1.0
DFT-s-OFDM 16QAM	1	1	23.28	23.21	23.28	0-1	1.0
CP-OFDM QPSK	1	1	22.71	22.68	22.76	0-1.5	1.5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 56 of 156

Table H-112
NR Band n71 Measured P_{Max} for Free, RCV Active, Hotspot Mode - 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.63	24.19	24.33	0	0.0
	1	13	24.47	24.15	24.19		0.0
	1	23	24.50	24.24	24.25		0.0
	12	0	23.62	23.22	23.42	0-1	1.0
	12	7	24.61	24.24	24.37	0	0.0
	12	13	23.56	23.27	23.39	0-1	1.0
	25	0	23.60	23.27	23.41		1.0
DFT-s-OFDM 16QAM	1	1	23.76	23.15	23.46	0-1	1.0
CP-OFDM QPSK	1	1	22.62	22.73	22.96	0-1.5	1.5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 57 of 156

H.2.2 NR Band 5

Table H-113
NR Band n5 Measured P_{Max} for Free, RCV Active, Hotspot Mode - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.41	0	0.0
	1	40	24.36		0.0
	1	77	24.34		0.0
	36	0	23.48	0-1	1.0
	36	22	24.43	0	0.0
	36	43	23.42	0-1	1.0
	75	0	23.45		1.0
DFT-s-OFDM 16QAM	1	1	23.43	0-1	1.0
CP-OFDM QPSK	1	1	22.98	0-1.5	1.5

Table H-114
NR Band n5 Measured P_{Max} for Free, RCV Active, Hotspot Mode - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	24.47	0	0.0
	1	26	24.46		0.0
	1	50	24.37		0.0
	25	0	23.48	0-1	1.0
	25	14	24.45	0	0.0
	25	27	23.42	0-1	1.0
	50	0	23.46		1.0
DFT-s-OFDM 16QAM	1	1	23.54	0-1	1.0
CP-OFDM QPSK	1	1	22.98	0-1.5	1.5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 58 of 156

Table H-115
NR Band n5 Measured P_{Max} for Free, RCV Active, Hotspot Mode - 5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.35	24.43	24.33	0	0.0
	1	13	24.34	24.39	24.26		0.0
	1	23	24.42	24.47	24.36		0.0
	12	0	23.43	23.47	23.39	0-1	1.0
	12	7	24.45	24.45	24.36	0	0.0
	12	13	23.47	23.44	23.37	0-1	1.0
	25	0	23.44	23.47	23.37		1.0
DFT-s-OFDM 16QAM	1	1	23.41	23.55	23.37	0-1	1.0
CP-OFDM QPSK	1	1	22.95	22.99	22.91	0-1.5	1.5

H.2.3 NR Band 70

Table H-116
NR Band n70 Measured P_{Max} for RCV Active - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	340500 (1702.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	22.90	0	0.0
	1	26	22.93		0.0
	1	50	22.93		0.0
	25	0	22.02	0-1	1.0
	25	14	22.97	0	0.0
	25	27	22.00	0-1	1.0
	50	0	21.99		1.0
DFT-s-OFDM 16QAM	1	1	21.91	0-1	1.0
CP-OFDM QPSK	1	1	21.47	0-1.5	1.5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 59 of 156

Table H-121
NR Band n70 Measured P_{limit} for Hotspot Mode - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339504 (1697.52 MHz)	341496 (1707.48 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.03	19.10	0	0.0
	1	13	18.96	18.99		0.0
	1	23	19.07	19.10		0.0
	12	0	19.05	19.07	0-1	0.0
	12	7	19.06	19.08	0	0.0
	12	13	19.05	19.10	0-1	0.0
	25	0	19.06	19.11		0.0
DFT-s-OFDM 16QAM	1	1	19.05	19.18	0-1	0.0
CP-OFDM QPSK	1	1	19.11	19.14	0-1.5	0.0

H.2.4 NR Band 66 Antenna B

Table H-122
NR Band n66 Antenna B Measured P_{max} for RCV Active - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.41	0	0.0
	1	80	23.60		0.0
	1	158	23.49		0.0
	80	0	22.58	0-1	1.0
	80	40	23.58	0	0.0
	80	80	22.55	0-1	1.0
	160	0	22.48		1.0
DFT-s-OFDM 16QAM	1	1	22.53	0-1	1.0
CP-OFDM QPSK	1	1	21.92	0-1.5	1.5

Table H-123
NR Band n66 Antenna B Measured P_{max} for RCV Active - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.41	0	0.0
	1	67	23.42		0.0
	1	131	23.52		0.0
	64	0	22.52	0-1	1.0
	64	35	23.51	0	0.0
	64	69	22.57	0-1	1.0
	128	0	22.46		1.0
DFT-s-OFDM 16QAM	1	1	22.47	0-1	1.0
CP-OFDM QPSK	1	1	21.83	0-1.5	1.5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 63 of 156

Table H-126
NR Band n66 Antenna B Measured P_{max} for RCV Active - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.37	23.44	23.32	0	0.0
	1	26	23.57	23.45	23.51		0.0
	1	50	23.63	23.56	23.57		0.0
	25	0	22.54	22.52	22.46	0-1	1.0
	25	14	23.54	23.52	23.50	0	0.0
	25	27	22.57	22.62	22.56	0-1	1.0
	50	0	22.52	22.56	22.42		1.0
DFT-s-OFDM 16QAM	1	1	22.41	22.44	22.30	0-1	1.0
CP-OFDM QPSK	1	1	21.80	21.90	21.69	0-1.5	1.5

Table H-127
NR Band n66 Antenna B Measured P_{max} for RCV Active - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.37	23.42	23.38	0	0.0
	1	13	23.38	23.35	23.37		0.0
	1	23	23.50	23.51	23.51		0.0
	12	0	22.47	22.46	22.52	0-1	1.0
	12	7	23.45	23.44	23.51	0	0.0
	12	13	22.47	22.50	22.54	0-1	1.0
	25	0	22.48	22.48	22.53		1.0
DFT-s-OFDM 16QAM	1	1	22.35	22.43	22.43	0-1	1.0
CP-OFDM QPSK	1	1	21.83	21.94	21.95	0-1.5	1.5

Table H-128
NR Band n66 Antenna B Measured P_{Limit} for Hotspot Mode - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.95	0	0.0
	1	80	19.05		0.0
	1	158	18.82		0.0
	80	0	19.01	0-1	0.0
	80	40	18.99	0	0.0
	80	80	18.89	0-1	0.0
	160	0	18.94		0.0
DFT-s-OFDM 16QAM	1	1	18.93	0-1	0.0
CP-OFDM QPSK	1	1	18.99	0-1.5	0.0

Table H-129
NR Band n66 Antenna B Measured P_{Limit} for Hotspot Mode - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.93	0	0.0
	1	67	18.85		0.0
	1	131	18.81		0.0
	64	0	18.98	0-1	0.0
	64	35	18.90	0	0.0
	64	69	18.89	0-1	0.0
	128	0	18.97		0.0
DFT-s-OFDM 16QAM	1	1	18.81	0-1	0.0
CP-OFDM QPSK	1	1	18.98	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 66 of 156

Table H-130
NR Band n66 Antenna B Measured P_{Limit} for Hotspot Mode - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.04	18.97	18.64	0	0.0
	1	53	19.08	19.02	18.68		0.0
	1	104	19.00	18.90	18.62		0.0
	50	0	19.07	18.99	18.60	0-1	0.0
	50	28	19.05	18.94	18.64	0	0.0
	50	56	18.99	18.92	18.59	0-1	0.0
	100	0	19.06	18.97	18.60		0.0
DFT-s-OFDM 16QAM	1	1	19.11	19.05	18.68	0-1	0.0
CP-OFDM QPSK	1	1	19.11	19.02	18.67	0-1.5	0.0

Table H-131
NR Band n66 Antenna B Measured P_{Limit} for Hotspot Mode – 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.12	18.99	18.73	0	0.0
	1	40	19.05	18.91	18.62		0.0
	1	77	19.02	18.92	18.74		0.0
	36	0	19.12	19.02	18.71	0-1	0.0
	36	22	19.14	18.97	18.71	0	0.0
	36	43	19.03	18.94	18.76	0-1	0.0
	75	0	19.13	19.00	18.69		0.0
DFT-s-OFDM 16QAM	1	1	19.14	19.10	18.62	0-1	0.0
CP-OFDM QPSK	1	1	19.05	19.04	18.65	0-1.5	0.0

Table H-132
NR Band n66 Antenna B Measured P_{Limit} for Hotspot Mode - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.01	19.02	18.76	0	0.0
	1	26	19.12	19.00	18.89		0.0
	1	50	19.07	18.97	18.79		0.0
	25	0	19.11	18.98	18.78	0-1	0.0
	25	14	19.14	19.00	18.77	0	0.0
	25	27	19.11	18.97	18.80	0-1	0.0
	50	0	19.15	18.96	18.79		0.0
DFT-s-OFDM 16QAM	1	1	19.13	19.08	18.68	0-1	0.0
CP-OFDM QPSK	1	1	19.18	19.00	18.86	0-1.5	0.0

Table H-133
NR Band n66 Antenna B Measured P_{Limit} for Hotspot Mode - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.13	18.99	18.76	0	0.0
	1	13	19.03	18.88	18.70		0.0
	1	23	19.11	18.96	18.77		0.0
	12	0	19.08	18.94	18.75	0-1	0.0
	12	7	19.09	18.97	18.80	0	0.0
	12	13	19.10	18.91	18.76	0-1	0.0
	25	0	19.11	18.95	18.77		0.0
DFT-s-OFDM 16QAM	1	1	19.09	19.02	18.94	0-1	0.0
CP-OFDM QPSK	1	1	19.03	18.97	18.78	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 68 of 156

Table H-134

NR Band n66 Antenna B Measured P_{Limit} for Free - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	21.46	0	0.0
	1	80	21.52		0.0
	1	158	21.31		0.0
	80	0	21.55	0-1	0.0
	80	40	21.46	0	0.0
	80	80	21.37	0-1	0.0
	160	0	21.44		0.0
DFT-s-OFDM 16QAM	1	1	21.65	0-1	0.0
CP-OFDM QPSK	1	1	21.49	0-1.5	0.0

Table H-135

NR Band n66 Antenna B Measured P_{Limit} for Free - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	21.50	0	0.0
	1	67	21.38		0.0
	1	131	21.36		0.0
	64	0	21.54	0-1	0.0
	64	35	21.50	0	0.0
	64	69	21.39	0-1	0.0
	128	0	21.47		0.0
DFT-s-OFDM 16QAM	1	1	21.49	0-1	0.0
CP-OFDM QPSK	1	1	21.42	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 69 of 156

Table H-136
NR Band n66 Antenna B Measured P_{Limit} for Free - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.44	21.49	21.31	0	0.0
	1	53	21.59	21.52	21.46		0.0
	1	104	21.47	21.43	21.27		0.0
	50	0	21.61	21.55	21.29	0-1	0.0
	50	28	21.54	21.48	21.28	0	0.0
	50	56	21.55	21.49	21.30	0-1	0.0
	100	0	21.54	21.51	21.31		0.0
DFT-s-OFDM 16QAM	1	1	21.60	21.60	21.40	0-1	0.0
CP-OFDM QPSK	1	1	21.61	21.53	21.29	0-1.5	0.0

Table H-137
NR Band n66 Antenna B Measured P_{Limit} for Free - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.58	21.59	21.32	0	0.0
	1	40	21.55	21.55	21.22		0.0
	1	77	21.60	21.50	21.25		0.0
	36	0	21.61	21.53	21.25	0-1	0.0
	36	22	21.55	21.55	21.26	0	0.0
	36	43	21.45	21.40	21.30	0-1	0.0
	75	0	21.58	21.42	21.24		0.0
DFT-s-OFDM 16QAM	1	1	21.60	21.50	21.35	0-1	0.0
CP-OFDM QPSK	1	1	21.60	21.49	21.20	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 70 of 156

Table H-138
NR Band n66 Antenna B Measured P_{Limit} for Free - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.64	21.57	21.18	0	0.0
	1	26	21.56	21.45	21.11		0.0
	1	50	21.58	21.43	21.21		0.0
	25	0	21.68	21.51	21.25	0-1	0.0
	25	14	21.66	21.50	21.25	0	0.0
	25	27	21.62	21.49	21.28	0-1	0.0
	50	0	21.66	21.49	21.19		0.0
DFT-s-OFDM 16QAM	1	1	21.71	21.74	21.42	0-1	0.0
CP-OFDM QPSK	1	1	21.68	21.53	21.25	0-1.5	0.0

Table H-139
NR Band n66 Antenna B Measured P_{Limit} for Free - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.63	21.51	21.29	0	0.0
	1	13	21.50	21.39	21.22		0.0
	1	23	21.65	21.44	21.29		0.0
	12	0	21.61	21.49	21.29	0-1	0.0
	12	7	21.66	21.47	21.28	0	0.0
	12	13	21.63	21.46	21.28	0-1	0.0
	25	0	21.64	21.49	21.30		0.0
DFT-s-OFDM 16QAM	1	1	21.71	21.45	21.25	0-1	0.0
CP-OFDM QPSK	1	1	21.70	21.49	21.34	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 71 of 156

H.2.5 NR Band 66 Antenna F

Table H-140
NR Band n66 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.86	0	0.0
	1	80	19.02		0.0
	1	158	18.78		0.0
	80	0	18.96	0-1	0.0
	80	40	19.00	0	0.0
	80	80	18.99	0-1	0.0
	160	0	18.97		0.0
DFT-s-OFDM 16QAM	1	1	18.96	0-1	0.0
CP-OFDM QPSK	1	1	18.88	0-1.5	0.0

Table H-141
NR Band n66 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.82	0	0.0
	1	67	18.87		0.0
	1	131	18.92		0.0
	64	0	18.99	0-1	0.0
	64	35	18.98	0	0.0
	64	69	18.98	0-1	0.0
	128	0	18.98		0.0
DFT-s-OFDM 16QAM	1	1	19.05	0-1	0.0
CP-OFDM QPSK	1	1	18.91	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 72 of 156

Table H-142
NR Band n66 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.83	18.84	18.78	0	0.0
	1	53	19.00	18.98	18.79		0.0
	1	104	18.96	18.88	18.72		0.0
	50	0	18.99	18.95	18.81	0-1	0.0
	50	28	18.99	18.93	18.86	0	0.0
	50	56	19.00	18.94	18.83	0-1	0.0
	100	0	19.01	18.92	18.81		0.0
DFT-s-OFDM 16QAM	1	1	19.00	18.76	18.91	0-1	0.0
CP-OFDM QPSK	1	1	18.88	18.84	18.88	0-1.5	0.0

Table H-143
NR Band n66 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.86	18.98	18.73	0	0.0
	1	40	18.97	18.86	18.62		0.0
	1	77	19.00	18.94	18.77		0.0
	36	0	18.97	19.00	18.83	0-1	0.0
	36	22	19.01	18.99	18.82	0	0.0
	36	43	19.03	19.02	18.85	0-1	0.0
	75	0	19.03	18.97	18.86		0.0
DFT-s-OFDM 16QAM	1	1	18.99	19.07	18.79	0-1	0.0
CP-OFDM QPSK	1	1	18.89	19.08	18.80	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 73 of 156

Table H-144
NR Band n66 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.88	18.94	18.85	0	0.0
	1	26	19.08	18.96	18.91		0.0
	1	50	19.01	18.94	18.90		0.0
	25	0	19.04	19.00	18.92	0-1	0.0
	25	14	19.01	18.96	18.91	0	0.0
	25	27	19.03	19.00	18.94	0-1	0.0
	50	0	19.01	18.96	18.95		0.0
DFT-s-OFDM 16QAM	1	1	18.97	19.13	19.01	0-1	0.0
CP-OFDM QPSK	1	1	18.92	19.04	18.94	0-1.5	0.0

Table H-145
NR Band n66 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.82	18.98	18.81	0	0.0
	1	13	18.83	18.86	18.82		0.0
	1	23	18.94	18.95	18.91		0.0
	12	0	18.93	18.94	18.90	0-1	0.0
	12	7	18.94	18.96	18.89	0	0.0
	12	13	18.90	19.00	18.89	0-1	0.0
	25	0	18.96	18.96	18.93		0.0
DFT-s-OFDM 16QAM	1	1	18.92	19.00	18.96	0-1	0.0
CP-OFDM QPSK	1	1	18.90	19.03	18.88	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 74 of 156

Table H-146
NR Band n66 Antenna F Measured P_{Limit} for Free–
30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.10	0	0.0
	1	80	20.26		0.0
	1	158	20.10		0.0
	80	0	20.21	0-1	0.0
	80	40	20.28	0	0.0
	80	80	20.25	0-1	0.0
	160	0	20.23		0.0
DFT-s-OFDM 16QAM	1	1	20.18	0-1	0.0
CP-OFDM QPSK	1	1	20.06	0-1.5	0.0

Table H-147
NR Band n66 Antenna F Measured P_{Limit} for Free–
25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.02	0	0.0
	1	67	20.16		0.0
	1	131	20.16		0.0
	64	0	20.18	0-1	0.0
	64	35	20.21	0	0.0
	64	69	20.26	0-1	0.0
	128	0	20.23		0.0
DFT-s-OFDM 16QAM	1	1	20.14	0-1	0.0
CP-OFDM QPSK	1	1	20.18	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 75 of 156

Table H-148
NR Band n66 Antenna F Measured P_{Limit} for Free–
20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.99	20.05	20.09	0	0.0
	1	53	20.16	20.20	20.14		0.0
	1	104	20.11	20.18	20.00		0.0
	50	0	20.13	20.23	20.11	0-1	0.0
	50	28	20.19	20.27	20.14	0	0.0
	50	56	20.22	20.23	20.15	0-1	0.0
	100	0	20.22	20.24	20.11		0.0
DFT-s-OFDM 16QAM	1	1	20.02	20.17	20.21	0-1	0.0
CP-OFDM QPSK	1	1	20.02	20.15	20.09	0-1.5	0.0

Table H-149
NR Band n66 Antenna F Measured P_{Limit} for Free–
15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.03	20.17	20.00	0	0.0
	1	40	20.12	20.12	19.91		0.0
	1	77	20.19	20.19	20.01		0.0
	36	0	20.16	20.22	20.09	0-1	0.0
	36	22	20.20	20.23	20.09	0	0.0
	36	43	20.20	20.27	20.10	0-1	0.0
	75	0	20.17	20.23	20.09		0.0
DFT-s-OFDM 16QAM	1	1	20.13	20.16	19.90	0-1	0.0
CP-OFDM QPSK	1	1	20.03	20.22	19.99	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 76 of 156

Table H-150
NR Band n66 Antenna F Measured P_{Limit} for Free–
10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.00	20.19	20.12	0	0.0
	1	26	20.26	20.26	20.14		0.0
	1	50	20.22	20.20	20.14		0.0
	25	0	20.23	20.25	20.18	0-1	0.0
	25	14	20.21	20.23	20.17	0	0.0
	25	27	20.23	20.28	20.20	0-1	0.0
	50	0	20.24	20.28	20.20		0.0
DFT-s-OFDM 16QAM	1	1	20.17	20.21	20.14	0-1	0.0
CP-OFDM QPSK	1	1	20.07	20.25	20.13	0-1.5	0.0

Table H-151
NR Band n66 Antenna F Measured P_{Limit} for Free–
5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	20.12	20.21	20.03	0	0.0
	1	13	20.07	20.12	20.03		0.0
	1	23	20.18	20.23	20.17		0.0
	12	0	20.20	20.23	20.17	0-1	0.0
	12	7	20.20	20.21	20.18	0	0.0
	12	13	20.16	20.31	20.17	0-1	0.0
	25	0	20.20	20.27	20.20		0.0
DFT-s-OFDM 16QAM	1	1	20.41	20.26	20.10	0-1	0.0
CP-OFDM QPSK	1	1	20.02	20.27	20.11	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 77 of 156

H.2.6 NR Band 25 Antenna B

Table H-152
NR Band n25 Antenna B Measured P_{Max} for RCV Active - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.46	0	0.0
	1	80	23.50		0.0
	1	158	23.26		0.0
	80	0	22.51	0-1	1.0
	80	40	23.47	0	0.0
	80	80	22.47	0-1	1.0
	160	0	22.48		1.0
DFT-s-OFDM 16QAM	1	1	22.63	0-1	1.0
CP-OFDM QPSK	1	1	22.01	0-1.5	1.5

Table H-153
NR Band n25 Antenna B Measured P_{Max} for RCV Active - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	23.46	0	0.0
	1	67	23.35		0.0
	1	131	23.29		0.0
	64	0	22.47	0-1	1.0
	64	35	23.47	0	0.0
	64	69	22.41	0-1	1.0
	128	0	22.45		1.0
DFT-s-OFDM 16QAM	1	1	22.54	0-1	1.0
CP-OFDM QPSK	1	1	22.08	0-1.5	1.5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 78 of 156

Table H-154
NR Band n25 Antenna B Measured P_{Max} for RCV Active - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.45	23.42	23.35	0	0.0
	1	53	23.68	23.51	23.39		0.0
	1	104	23.60	23.42	23.29		0.0
	50	0	22.66	22.49	22.41	0-1	1.0
	50	28	23.68	23.46	23.35	0	0.0
	50	56	22.71	22.45	22.37	0-1	1.0
	100	0	22.69	22.43	22.36		1.0
DFT-s-OFDM 16QAM	1	1	22.55	22.50	22.37	0-1	1.0
CP-OFDM QPSK	1	1	22.02	21.96	21.87	0-1.5	1.5

Table H-155
NR Band n25 Antenna B Measured P_{Max} for RCV Active - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.49	23.40	23.26	0	0.0
	1	40	23.53	23.38	23.19		0.0
	1	77	23.65	23.38	23.33		0.0
	36	0	22.66	22.44	22.38	0-1	1.0
	36	22	23.67	23.42	23.34	0	0.0
	36	43	22.70	22.47	22.36	0-1	1.0
	75	0	22.66	22.45	22.39		1.0
DFT-s-OFDM 16QAM	1	1	22.61	22.43	22.40	0-1	1.0
CP-OFDM QPSK	1	1	22.00	21.95	21.80	0-1.5	1.5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 79 of 156

Table H-156
NR Band n25 Antenna B Measured P_{Max} for RCV Active - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.52	23.38	23.25	0	0.0
	1	26	23.67	23.45	23.37		0.0
	1	50	23.69	23.44	23.32		0.0
	25	0	22.63	22.47	22.38	0-1	1.0
	25	14	23.63	23.49	23.32	0	0.0
	25	27	22.65	22.47	22.36	0-1	1.0
	50	0	22.65	22.43	22.37		1.0
DFT-s-OFDM 16QAM	1	1	22.60	22.47	22.62	0-1	1.0
CP-OFDM QPSK	1	1	22.00	21.94	21.83	0-1.5	1.5

Table H-157
NR Band n25 Antenna B Measured P_{Max} for RCV Active - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.52	23.39	23.26	0	0.0
	1	13	23.51	23.34	23.19		0.0
	1	23	23.56	23.39	23.34		0.0
	12	0	22.57	22.43	22.34	0-1	1.0
	12	7	23.55	23.43	23.31	0	0.0
	12	13	22.58	22.48	22.30	0-1	1.0
	25	0	22.58	22.44	22.35		1.0
DFT-s-OFDM 16QAM	1	1	22.49	22.47	22.27	0-1	1.0
CP-OFDM QPSK	1	1	22.02	21.96	21.70	0-1.5	1.5

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 80 of 156

Table H-158
NR Band n25 Antenna B Measured P_{limit} for Hotspot Mode - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.58	0	0.0
	1	80	18.58		0.0
	1	158	18.40		0.0
	80	0	18.60	0-1	0.0
	80	40	18.60	0	0.0
	80	80	18.58	0-1	0.0
	160	0	18.57		0.0
DFT-s-OFDM 16QAM	1	1	18.76	0-1	0.0
CP-OFDM QPSK	1	1	18.62	0-1.5	0.0

Table H-159
NR Band n25 Antenna B Measured P_{limit} for Hotspot Mode - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.57	0	0.0
	1	67	18.46		0.0
	1	131	18.42		0.0
	64	0	18.59	0-1	0.0
	64	35	18.57	0	0.0
	64	69	18.56	0-1	0.0
	128	0	18.56		0.0
DFT-s-OFDM 16QAM	1	1	18.55	0-1	0.0
CP-OFDM QPSK	1	1	18.61	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 81 of 156

Table H-160
NR Band n25 Antenna B Measured P_{limit} for Hotspot Mode - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.60	18.61	18.52	0	0.0
	1	53	18.80	18.63	18.53		0.0
	1	104	18.74	18.50	18.44		0.0
	50	0	18.71	18.59	18.51	0-1	0.0
	50	28	18.78	18.55	18.50	0	0.0
	50	56	18.80	18.55	18.49	0-1	0.0
	100	0	18.79	18.58	18.50		0.0
DFT-s-OFDM 16QAM	1	1	18.69	18.63	18.67	0-1	0.0
CP-OFDM QPSK	1	1	18.72	18.61	18.48	0-1.5	0.0

Table H-161
NR Band n25 Antenna B Measured P_{limit} for Hotspot Mode - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.64	18.57	18.40	0	0.0
	1	40	18.62	18.46	18.35		0.0
	1	77	18.79	18.55	18.40		0.0
	36	0	18.72	18.56	18.45	0-1	0.0
	36	22	18.76	18.58	18.44	0	0.0
	36	43	18.78	18.58	18.44	0-1	0.0
	75	0	18.75	18.57	18.45		0.0
DFT-s-OFDM 16QAM	1	1	18.69	18.55	18.56	0-1	0.0
CP-OFDM QPSK	1	1	18.68	18.56	18.40	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 82 of 156

Table H-162
NR Band n25 Antenna B Measured P_{limit} for Hotspot Mode - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.54	18.53	18.37	0	0.0
	1	26	18.73	18.60	18.43		0.0
	1	50	18.71	18.51	18.38		0.0
	25	0	18.68	18.56	18.43	0-1	0.0
	25	14	18.69	18.54	18.39	0	0.0
	25	27	18.75	18.56	18.42	0-1	0.0
	50	0	18.73	18.54	18.45		0.0
DFT-s-OFDM 16QAM	1	1	18.82	18.68	18.40	0-1	0.0
CP-OFDM QPSK	1	1	18.71	18.59	18.34	0-1.5	0.0

Table H-163
NR Band n25 Antenna B Measured P_{limit} for Hotspot Mode - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.65	18.49	18.35	0	0.0
	1	13	18.57	18.46	18.26		0.0
	1	23	18.68	18.54	18.40		0.0
	12	0	18.65	18.53	18.36	0-1	0.0
	12	7	18.65	18.54	18.37	0	0.0
	12	13	18.68	18.56	18.38	0-1	0.0
	25	0	18.65	18.53	18.39		0.0
DFT-s-OFDM 16QAM	1	1	18.66	18.58	18.46	0-1	0.0
CP-OFDM QPSK	1	1	18.62	18.48	18.44	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 83 of 156

Table H-164
NR Band n25 Antenna B Measured P_{Limit} for Free - 30 MHz Bandwidth
NR Band n25
30 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	21.31	0	0.0
	1	80	21.37		0.0
	1	158	21.09		0.0
	80	0	21.32	0-1	0.0
	80	40	21.31	0	0.0
	80	80	21.30	0-1	0.0
	160	0	21.27		0.0
DFT-s-OFDM 16QAM	1	1	21.37	0-1	0.0
CP-OFDM QPSK	1	1	21.33	0-1.5	0.0

Table H-165
NR Band n25 Antenna B Measured P_{Limit} for Free - 25 MHz Bandwidth
NR Band n25
25 MHz Bandwidth

Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	21.37	0	0.0
	1	67	21.19		0.0
	1	131	21.15		0.0
	64	0	21.28	0-1	0.0
	64	35	21.32	0	0.0
	64	69	21.29	0-1	0.0
	128	0	21.28		0.0
DFT-s-OFDM 16QAM	1	1	21.33	0-1	0.0
CP-OFDM QPSK	1	1	21.31	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 84 of 156

Table H-166
NR Band n25 Antenna B Measured P_{Limit} for Free - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.38	21.30	21.17	0	0.0
	1	53	21.56	21.34	21.24		0.0
	1	104	21.42	21.23	21.14		0.0
	50	0	21.45	21.29	21.21	0-1	0.0
	50	28	21.50	21.31	21.19	0	0.0
	50	56	21.53	21.28	21.16	0-1	0.0
	100	0	21.52	21.26	21.19		0.0
DFT-s-OFDM 16QAM	1	1	21.21	21.29	21.33	0-1	0.0
CP-OFDM QPSK	1	1	21.39	21.31	21.19	0-1.5	0.0

Table H-167
NR Band n25 Antenna B Measured P_{Limit} for Free - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.36	21.30	21.12	0	0.0
	1	40	21.40	21.23	21.06		0.0
	1	77	21.56	21.25	21.09		0.0
	36	0	21.49	21.31	21.14	0-1	0.0
	36	22	21.51	21.26	21.12	0	0.0
	36	43	21.58	21.30	21.15	0-1	0.0
	75	0	21.54	21.27	21.12		0.0
DFT-s-OFDM 16QAM	1	1	21.51	21.28	21.11	0-1	0.0
CP-OFDM QPSK	1	1	21.45	21.33	21.10	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 85 of 156

Table H-168
NR Band n25 Antenna B Measured P_{Limit} for Free - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.42	21.30	21.11	0	0.0
	1	26	21.53	21.30	21.21		0.0
	1	50	21.52	21.29	21.13		0.0
	25	0	21.49	21.28	21.18	0-1	0.0
	25	14	21.45	21.27	21.16	0	0.0
	25	27	21.48	21.27	21.14	0-1	0.0
	50	0	21.45	21.26	21.18		0.0
DFT-s-OFDM 16QAM	1	1	21.54	21.16	21.20	0-1	0.0
CP-OFDM QPSK	1	1	21.41	21.29	21.13	0-1.5	0.0

Table H-169
NR Band n25 Antenna B Measured P_{Limit} for Free - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.40	21.28	21.07	0	0.0
	1	13	21.33	21.20	21.04		0.0
	1	23	21.45	21.28	21.13		0.0
	12	0	21.40	21.30	21.13	0-1	0.0
	12	7	21.38	21.27	21.11	0	0.0
	12	13	21.42	21.28	21.10	0-1	0.0
	25	0	21.43	21.26	21.13		0.0
DFT-s-OFDM 16QAM	1	1	21.31	21.24	21.22	0-1	0.0
CP-OFDM QPSK	1	1	21.36	21.23	21.11	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 86 of 156

H.2.7 NR Band 25 Antenna F

Table H-170
NR Band n25 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.58	0	0.0
	1	80	18.58		0.0
	1	158	18.40		0.0
	80	0	18.60	0-1	0.0
	80	40	18.60	0	0.0
	80	80	18.58	0-1	0.0
	160	0	18.57		0.0
DFT-s-OFDM 16QAM	1	1	18.76	0-1	0.0
CP-OFDM QPSK	1	1	18.62	0-1.5	0.0

Table H-171
NR Band n25 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.57	0	0.0
	1	67	18.46		0.0
	1	131	18.42		0.0
	64	0	18.59	0-1	0.0
	64	35	18.57	0	0.0
	64	69	18.56	0-1	0.0
	128	0	18.56		0.0
DFT-s-OFDM 16QAM	1	1	18.55	0-1	0.0
CP-OFDM QPSK	1	1	18.61	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 87 of 156

Table H-172
NR Band n25 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.60	18.61	18.52	0	0.0
	1	53	18.80	18.63	18.53		0.0
	1	104	18.74	18.50	18.44		0.0
	50	0	18.71	18.59	18.51	0-1	0.0
	50	28	18.78	18.55	18.50	0	0.0
	50	56	18.80	18.55	18.49	0-1	0.0
	100	0	18.79	18.58	18.50		0.0
DFT-s-OFDM 16QAM	1	1	18.69	18.63	18.67	0-1	0.0
CP-OFDM QPSK	1	1	18.72	18.61	18.48	0-1.5	0.0

Table H-173
NR Band n25 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.64	18.57	18.40	0	0.0
	1	40	18.62	18.46	18.35		0.0
	1	77	18.79	18.55	18.40		0.0
	36	0	18.72	18.56	18.45	0-1	0.0
	36	22	18.76	18.58	18.44	0	0.0
	36	43	18.78	18.58	18.44	0-1	0.0
	75	0	18.75	18.57	18.45		0.0
DFT-s-OFDM 16QAM	1	1	18.69	18.55	18.56	0-1	0.0
CP-OFDM QPSK	1	1	18.68	18.56	18.40	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 88 of 156

Table H-174
NR Band n25 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.54	18.53	18.37	0	0.0
	1	26	18.73	18.60	18.43		0.0
	1	50	18.71	18.51	18.38		0.0
	25	0	18.68	18.56	18.43	0-1	0.0
	25	14	18.69	18.54	18.39	0	0.0
	25	27	18.75	18.56	18.42	0-1	0.0
	50	0	18.73	18.54	18.45		0.0
DFT-s-OFDM 16QAM	1	1	18.82	18.68	18.40	0-1	0.0
CP-OFDM QPSK	1	1	18.71	18.59	18.34	0-1.5	0.0

Table H-175
NR Band n25 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.65	18.49	18.35	0	0.0
	1	13	18.57	18.46	18.26		0.0
	1	23	18.68	18.54	18.40		0.0
	12	0	18.65	18.53	18.36	0-1	0.0
	12	7	18.65	18.54	18.37	0	0.0
	12	13	18.68	18.56	18.38	0-1	0.0
	25	0	18.65	18.53	18.39		0.0
DFT-s-OFDM 16QAM	1	1	18.66	18.58	18.46	0-1	0.0
CP-OFDM QPSK	1	1	18.62	18.48	18.44	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 89 of 156

Table H-176
NR Band n25 Antenna F Measured P_{Limit} for Free–
30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	21.03	0	0.0
	1	80	21.21		0.0
	1	158	20.99		0.0
	80	0	21.16	0-1	0.0
	80	40	21.25	0	0.0
	80	80	21.16	0-1	0.0
	160	0	21.25		0.0
DFT-s-OFDM 16QAM	1	1	21.15	0-1	0.0
CP-OFDM QPSK	1	1	21.10	0-1.5	0.3

Table H-177
NR Band n25 Antenna F Measured P_{Limit} for Free–
25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	21.03	0	0.0
	1	67	21.05		0.0
	1	131	21.12		0.0
	64	0	21.24	0-1	0.0
	64	35	21.25	0	0.0
	64	69	21.17	0-1	0.0
	128	0	21.19		0.0
DFT-s-OFDM 16QAM	1	1	21.12	0-1	0.0
CP-OFDM QPSK	1	1	21.13	0-1.5	0.3

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 90 of 156

Table H-178
NR Band n25 Antenna F Measured P_{Limit} for Free–
20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.15	21.04	21.01	0	0.0
	1	53	21.17	21.15	21.16		0.0
	1	104	21.13	21.18	21.23		0.0
	50	0	21.25	21.25	21.21	0-1	0.0
	50	28	21.20	21.23	21.24	0	0.0
	50	56	21.23	21.15	21.08	0-1	0.0
	100	0	21.20	21.20	21.17		0.0
DFT-s-OFDM 16QAM	1	1	21.23	21.29	21.23	0-1	0.0
CP-OFDM QPSK	1	1	21.27	21.18	21.08	0-1.5	0.3

Table H-179
NR Band n25 Antenna F Measured P_{Limit} for Free–
15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.18	21.11	21.17	0	0.0
	1	40	21.14	21.08	21.08		0.0
	1	77	21.20	21.04	21.24		0.0
	36	0	21.22	21.22	21.12	0-1	0.0
	36	22	21.24	21.23	21.11	0	0.0
	36	43	21.25	21.19	21.13	0-1	0.0
	75	0	21.27	21.23	21.15		0.0
DFT-s-OFDM 16QAM	1	1	21.26	21.26	21.31	0-1	0.0
CP-OFDM QPSK	1	1	21.27	21.19	21.31	0-1.5	0.3

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 91 of 156

Table H-180
NR Band n25 Antenna F Measured P_{Limit} for Free–
10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.18	21.15	21.07	0	0.0
	1	26	21.26	21.15	20.95		0.0
	1	50	21.15	21.18	21.19		0.0
	25	0	21.24	21.18	21.11	0-1	0.0
	25	14	21.21	21.18	20.98	0	0.0
	25	27	21.28	21.24	21.18	0-1	0.0
	50	0	21.27	21.21	21.03		0.0
DFT-s-OFDM 16QAM	1	1	21.13	21.12	21.26	0-1	0.0
CP-OFDM QPSK	1	1	21.30	21.38	21.20	0-1.5	0.3

Table H-181
NR Band n25 Antenna F Measured P_{Limit} for Free–
5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.13	21.05	20.82	0	0.0
	1	13	21.06	20.97	21.02		0.0
	1	23	21.04	21.09	21.14		0.0
	12	0	21.15	21.14	21.00	0-1	0.0
	12	7	21.12	21.07	21.11	0	0.0
	12	13	21.08	21.12	21.12	0-1	0.0
	25	0	21.10	21.10	21.13		0.0
DFT-s-OFDM 16QAM	1	1	21.16	21.27	20.97	0-1	0.0
CP-OFDM QPSK	1	1	21.10	21.20	20.91	0-1.5	0.3

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 92 of 156

H.2.8 NR Band 30 Antenna B

Table H-182
NR Band n30 Antenna B Measured P_{Max} for RCV Active - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	22.51	0	0.0
	1	13	22.41		0.0
	1	23	22.48		0.0
	12	0	21.51	0-1	1.0
	12	7	22.48	0	0.0
	12	13	21.49	0-1	1.0
	25	0	21.48		1.0
DFT-s-OFDM 16QAM	1	1	21.50	0-1	1.0
CP-OFDM QPSK	1	1	20.96	0-1.5	1.5

Table H-183
NR Band n30 Antenna B Measured P_{limit} for Hotspot Mode - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.15	0	0.0
	1	13	18.07		0.0
	1	23	18.15		0.0
	12	0	18.18	0-1	0.0
	12	7	18.18	0	0.0
	12	13	18.19	0-1	0.0
	25	0	18.20		0.0
DFT-s-OFDM 16QAM	1	1	18.26	0-1	0.0
CP-OFDM QPSK	1	1	18.19	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 93 of 156

Table H-184
NR Band n30 Antenna B Measured P_{Limit} for Free - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.26	0	0.0
	1	13	20.17		0.0
	1	23	20.27		0.0
	12	0	20.30	0-1	0.0
	12	7	20.31	0	0.0
	12	13	20.32	0-1	0.0
	25	0	20.32		0.0
DFT-s-OFDM 16QAM	1	1	20.34	0-1	0.0
CP-OFDM QPSK	1	1	20.37	0-1.5	0.0

H.2.9 NR Band 30 Antenna F

Table H-185
NR Band n30 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode – 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.41	0	0.0
	1	13	18.37		0.0
	1	23	18.48		0.0
	12	0	18.43	0-1	0.0
	12	7	18.47	0	0.0
	12	13	18.50	0-1	0.0
	25	0	18.48		0.0
DFT-s-OFDM 16QAM	1	1	18.53	0-1	0.0
CP-OFDM QPSK	1	1	18.43	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 94 of 156

Table H-186
NR Band n30 Antenna F Measured P_{Limit} for Free–
5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	19.50	0	0.0
	1	13	19.49		0.0
	1	23	19.55		0.0
	12	0	19.53	0-1	0.0
	12	7	19.56	0	0.0
	12	13	19.58	0-1	0.0
	25	0	19.56		0.0
DFT-s-OFDM 16QAM	1	1	19.53	0-1	0.0
CP-OFDM QPSK	1	1	19.52	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 95 of 156

H.2.10 NR Band 41 Antenna B

Table H-187
NR Band n41 Antenna B Measured P_{Limit} for RCV Active –
90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.90	24.62	0	0.0
	1	123	23.84	24.30		0.0
	1	243	24.35	23.99		0.0
	120	0	23.88	24.32	0-1	0.0
	120	63	23.82	24.26	0	0.0
	120	125	24.20	24.25	0-1	0.0
	243	0	23.95	24.43		0.0
DFT-s-OFDM 16QAM	1	1	23.87	24.70	0-1	0.0
CP-OFDM QPSK	1	1	23.94	24.58	0-1.5	0.0

Table H-188
NR Band n41 Antenna B Measured P_{Limit} for RCV Active –
80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.88	24.39	0	0.0
	1	109	23.95	24.40		0.0
	1	215	24.25	23.91		0.0
	108	0	23.91	24.28	0-1	0.0
	108	55	24.00	24.45	0	0.0
	108	109	24.10	24.31	0-1	0.0
	216	0	23.84	24.49		0.0
DFT-s-OFDM 16QAM	1	1	24.03	24.38	0-1	0.0
CP-OFDM QPSK	1	1	23.98	24.36	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 96 of 156

Table H-189
NR Band n41 Antenna B Measured P_{Limit} for RCV Active –
70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.88	24.16	0	0.0
	1	95	23.79	24.29		0.0
	1	187	24.13	23.85		0.0
	90	0	23.84	24.35	0-1	0.0
	90	50	23.91	24.41	0	0.0
	90	99	24.00	24.16	0-1	0.0
	180	0	23.92	24.32		0.0
DFT-s-OFDM 16QAM	1	1	24.00	24.20	0-1	0.0
CP-OFDM QPSK	1	1	23.99	24.14	0-1.5	0.0

Table H-190
NR Band n41 Antenna B Measured P_{Limit} for RCV Active –
60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.90	24.23	24.20	0	0.0
	1	81	23.85	24.49	24.26		0.0
	1	160	24.02	24.27	23.99		0.0
	81	0	23.95	24.32	24.34	0-1	0.0
	81	41	23.95	24.52	24.37	0	0.0
	81	81	23.97	24.55	24.23	0-1	0.0
	162	0	23.90	24.47	24.37		0.0
DFT-s-OFDM 16QAM	1	1	23.98	24.20	24.35	0-1	0.0
CP-OFDM OPSK	1	1	23.98	24.12	24.34	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 97 of 156

Table H-191
NR Band n41 Antenna B Measured P_{Limit} for RCV Active –
50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	24.20	24.22	24.17	0	0.0
	1	67	23.98	24.50	24.26		0.0
	1	131	24.02	24.37	23.99		0.0
	64	0	23.93	24.34	24.35	0-1	0.0
	64	35	24.20	24.52	24.34	0	0.0
	64	69	24.30	24.49	24.22	0-1	0.0
	128	0	24.05	24.46	24.37		0.0
DFT-s-OFDM 16QAM	1	1	24.09	24.25	24.40	0-1	0.0
CP-OFDM QPSK	1	1	24.11	24.25	24.28	0-1.5	0.0

Table H-192
NR Band n41 Antenna B Measured P_{Limit} for RCV Active –
40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	23.92	24.10	24.32	24.62	0	0.0
	1	53	23.91	24.25	24.35	24.39		0.0
	1	104	24.02	24.40	24.27	24.11		0.0
	50	0	24.07	24.16	24.45	24.57	0-1	0.0
	50	28	24.15	24.45	24.55	24.32	0	0.0
	50	56	24.00	24.50	24.36	24.14	0-1	0.0
	100	0	24.05	24.37	24.55	24.40		0.0
DFT-s-OFDM 16QAM	1	1	24.15	23.98	24.70	24.39	0-1	0.0
CP-OFDM QPSK	1	1	24.08	23.97	24.72	24.46	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 98 of 156

Table H-193
NR Band n41 Antenna B Measured P_{Limit} for RCV Active –
30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	23.87	23.90	24.21	24.62	24.26	0	0.0
	1	39	24.00	24.01	24.60	24.40	24.20		0.0
	1	76	24.09	24.29	24.51	24.35	23.88		0.0
	36	0	24.13	24.02	24.44	24.47	24.41	0-1	0.0
	36	21	24.10	24.10	24.55	24.32	24.34	0	0.0
	36	42	24.15	24.31	24.62	24.35	24.12	0-1	0.0
	75	0	24.02	24.17	24.54	24.48	24.33		0.0
DFT-s-OFDM 16QAM	1	1	24.22	24.03	24.23	24.58	24.50	0-1	0.0
CP-OFDM QPSK	1	1	24.16	24.01	24.25	24.47	24.49	0-1.5	0.0

Table H-194
NR Band n41 Antenna B Measured P_{Limit} for RCV Active –
20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	24.11	24.29	24.26	24.13	24.12	0	0.0
	1	26	24.08	24.32	24.43	24.39	24.30		0.0
	1	49	24.11	24.38	24.46	24.19	24.16		0.0
	25	0	24.19	24.25	24.52	24.45	24.33	0-1	0.0
	25	13	24.23	24.31	24.55	24.42	24.35	0	0.0
	25	26	24.20	24.38	24.62	24.32	24.29	0-1	0.0
	50	0	24.18	24.32	24.61	24.43	24.34		0.0
DFT-s-OFDM 16QAM	1	1	24.24	24.25	24.26	24.49	24.44	0-1	0.0
CP-OFDM QPSK	1	1	24.11	24.18	24.24	24.41	24.38	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 99 of 156

Table H-195
NR Band n41 Antenna B Measured P_{Limit} for RCV Active –
15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	23.60	24.00	24.28	24.08	24.31	0	0.0
	1	19	23.94	23.92	24.34	23.87	24.22		0.0
	1	36	23.96	24.04	24.41	23.89	23.62		0.0
	18	0	23.92	23.91	24.38	24.10	24.17	0-1	0.0
	18	10	23.84	24.03	24.33	24.19	24.26	0	0.0
	18	20	23.83	24.08	24.21	24.12	24.02	0-1	0.0
	36	0	23.82	24.05	24.38	24.13	24.11		0.0
DFT-s-OFDM 16QAM	1	1	23.71	23.93	24.23	24.29	24.28	0-1	0.0
CP-OFDM QPSK	1	1	23.76	23.97	24.39	24.28	24.31	0-1.5	0.0

Table H-196
NR Band n41 Antenna B Measured P_{Limit} for RCV Active –
10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	23.90	23.89	24.21	24.66	24.26	0	0.0
	1	12	23.81	23.82	24.23	24.40	24.29		0.0
	1	22	24.09	24.13	24.33	24.38	23.85		0.0
	12	0	23.92	23.85	24.36	24.41	24.45	0-1	0.0
	12	6	23.90	24.01	24.44	24.34	24.31	0	0.0
	12	12	23.91	24.08	24.40	24.32	24.16	0-1	0.0
	24	0	23.97	23.92	24.43	24.43	24.30		0.0
DFT-s-OFDM 16QAM	1	1	23.90	24.05	24.25	24.50	24.54	0-1	0.0
CP-OFDM QPSK	1	1	23.91	23.98	24.43	24.49	24.42	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 100 of 156

Table H-197
NR Band n41 Antenna B Measured P_{Limit} for Hotspot Mode –
90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.90	17.14	0	0.0
	1	123	16.72	17.15		0.0
	1	243	17.25	16.74		0.0
	120	0	16.68	16.98	0-1	0.0
	120	63	16.71	17.08	0	0.0
	120	125	16.94	17.01	0-1	0.0
	243	0	16.80	17.12		0.0
DFT-s-OFDM 16QAM	1	1	16.84	17.17	0-1	0.0
CP-OFDM QPSK	1	1	16.82	17.16	0-1.5	0.0

Table H-198
NR Band n41 Antenna B Measured P_{Limit} for Hotspot Mode –
80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.90	17.31	0	0.0
	1	109	16.75	17.32		0.0
	1	215	17.08	16.84		0.0
	108	0	16.70	17.19	0-1	0.0
	108	55	16.73	17.28	0	0.0
	108	109	16.89	17.10	0-1	0.0
	216	0	16.73	17.26		0.0
DFT-s-OFDM 16QAM	1	1	16.85	17.13	0-1	0.0
CP-OFDM QPSK	1	1	16.78	17.15	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 101 of 156

Table H-199
NR Band n41 Antenna B Measured P_{Limit} for Hotspot Mode –
70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.81	17.06	0	0.0
	1	95	16.74	17.22		0.0
	1	187	17.02	16.78		0.0
	90	0	16.72	17.18	0-1	0.0
	90	50	16.75	17.21	0	0.0
	90	99	16.83	16.97	0-1	0.0
	180	0	16.71	17.15		0.0
DFT-s-OFDM 16QAM	1	1	16.85	17.08	0-1	0.0
CP-OFDM QPSK	1	1	16.84	17.00	0-1.5	0.0

Table H-200
NR Band n41 Antenna B Measured P_{Limit} for Hotspot Mode –
60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.77	16.94	17.10	0	0.0
	1	81	16.71	17.33	17.17		0.0
	1	160	16.84	17.15	16.80		0.0
	81	0	16.71	17.15	17.16	0-1	0.0
	81	41	16.72	17.33	17.21	0	0.0
	81	81	16.75	17.27	17.04	0-1	0.0
	162	0	16.62	17.25	17.16		0.0
DFT-s-OFDM 16QAM	1	1	16.74	16.98	17.07	0-1	0.0
CP-OFDM QPSK	1	1	16.72	16.93	17.04	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 102 of 156

Table H-201
NR Band n41 Antenna B Measured P_{Limit} for Hotspot Mode –
50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.75	17.12	17.12	0	0.0
	1	67	16.71	17.37	17.13		0.0
	1	131	16.75	17.16	16.78		0.0
	64	0	16.74	17.23	17.14	0-1	0.0
	64	35	16.73	17.35	17.09	0	0.0
	64	69	16.69	17.31	16.93	0-1	0.0
	128	0	16.70	17.30	17.05		0.0
DFT-s-OFDM 16QAM	1	1	16.82	17.18	17.09	0-1	0.0
CP-OFDM QPSK	1	1	16.78	17.07	17.05	0-1.5	0.0

Table H-202
NR Band n41 Antenna B Measured P_{Limit} for Hotspot Mode –
40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.77	16.99	17.23	17.12	0	0.0
	1	53	16.72	17.12	17.16	17.01		0.0
	1	104	16.91	17.33	17.06	16.91		0.0
	50	0	16.77	17.00	17.28	17.21	0-1	0.0
	50	28	16.70	17.12	17.21	17.12	0	0.0
	50	56	16.70	17.25	17.15	16.94	0-1	0.0
	100	0	16.73	17.09	17.22	17.10		0.0
DFT-s-OFDM 16QAM	1	1	16.85	16.82	17.31	17.20	0-1	0.0
CP-OFDM QPSK	1	1	16.83	16.83	17.30	17.19	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 103 of 156

Table H-203
NR Band n41 Antenna B Measured P_{Limit} for Hotspot Mode –
30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.81	16.70	17.11	17.22	17.24	0	0.0
	1	39	16.72	16.82	17.26	17.23	17.07		0.0
	1	76	16.90	16.98	17.25	17.32	16.95		0.0
	36	0	16.78	16.76	17.21	17.23	17.26	0-1	0.0
	36	21	16.74	16.85	17.27	17.29	17.17	0	0.0
	36	42	16.74	16.94	17.21	17.28	17.04	0-1	0.0
	75	0	16.79	16.84	17.22	17.27	17.18		0.0
DFT-s-OFDM 16QAM	1	1	16.89	16.76	17.20	17.29	17.34	0-1	0.0
CP-OFDM QPSK	1	1	16.88	16.72	17.16	17.23	17.30	0-1.5	0.0

Table H-204
NR Band n41 Antenna B Measured P_{Limit} for Hotspot Mode –
20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.13	16.92	17.28	17.40	17.13	0	0.0
	1	26	16.97	16.98	17.50	17.33	16.97		0.0
	1	49	16.95	17.12	17.37	17.36	16.98		0.0
	25	0	17.01	16.98	17.33	17.28	17.12	0-1	0.0
	25	13	16.97	17.00	17.40	17.32	17.07	0	0.0
	25	26	16.95	17.05	17.43	17.27	16.98	0-1	0.0
	50	0	16.99	16.99	17.41	17.28	17.05		0.0
DFT-s-OFDM 16QAM	1	1	17.07	16.94	17.27	17.27	17.16	0-1	0.0
CP-OFDM QPSK	1	1	17.05	16.90	17.26	17.24	17.09	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 104 of 156

Table H-205
NR Band n41 Antenna B Measured P_{Limit} for Hotspot Mode –
15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.85	16.73	17.02	16.95	16.92	0	0.0
	1	19	16.70	16.74	17.11	16.94	16.80		0.0
	1	36	16.81	16.84	17.20	17.03	16.81		0.0
	18	0	16.70	16.72	17.12	17.00	16.86	0-1	0.0
	18	10	16.71	16.77	17.13	16.97	16.83	0	0.0
	18	20	16.62	16.79	17.19	16.97	16.81	0-1	0.0
	36	0	16.66	16.78	17.12	16.94	16.84		0.0
DFT-s-OFDM 16QAM	1	1	16.79	16.69	17.16	16.99	16.92	0-1	0.0
CP-OFDM QPSK	1	1	16.79	16.64	17.15	17.03	16.86	0-1.5	0.0

Table H-206
NR Band n41 Antenna B Measured P_{Limit} for Hotspot Mode –
10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.89	16.78	17.34	17.22	17.19	0	0.0
	1	12	16.72	16.77	17.30	17.20	17.16		0.0
	1	22	16.83	16.89	17.33	17.31	16.89		0.0
	12	0	16.70	16.70	17.27	17.26	17.14	0-1	0.0
	12	6	16.72	16.79	17.29	17.23	17.24	0	0.0
	12	12	16.65	16.77	17.29	17.27	17.00	0-1	0.0
	24	0	16.69	16.73	17.25	17.27	17.18		0.0
DFT-s-OFDM 16QAM	1	1	16.72	16.89	17.05	17.24	17.03	0-1	0.0
CP-OFDM QPSK	1	1	16.73	16.78	16.97	17.29	17.00	0-1.5	0.0

Table H-207
NR Band n41 Antenna B Measured P_{Limit} for Free –
90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.04	20.16	0	0.0
	1	123	19.83	20.22		0.0
	1	243	20.37	19.77		0.0
	120	0	19.72	20.10	0-1	0.0
	120	63	19.75	20.22	0	0.0
	120	125	20.00	20.13	0-1	0.0
	243	0	19.72	20.25		0.0
DFT-s-OFDM 16QAM	1	1	19.92	20.25	0-1	0.0
CP-OFDM QPSK	1	1	19.85	20.21	0-1.5	0.0

Table H-208
NR Band n41 Antenna B Measured P_{Limit} for Free –
80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.85	20.27	0	0.0
	1	109	19.81	20.36		0.0
	1	215	20.17	19.84		0.0
	108	0	19.95	20.17	0-1	0.0
	108	55	19.83	20.35	0	0.0
	108	109	19.97	20.14	0-1	0.0
	216	0	19.79	20.32		0.0
DFT-s-OFDM 16QAM	1	1	19.82	20.25	0-1	0.0
CP-OFDM QPSK	1	1	19.85	20.21	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 106 of 156

Table H-209
NR Band n41 Antenna B Measured P_{Limit} for Free –
70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	20.00	20.08	0	0.0
	1	95	19.85	20.21		0.0
	1	187	19.92	19.77		0.0
	90	0	19.82	20.20	0-1	0.0
	90	50	19.79	20.21	0	0.0
	90	99	19.90	20.01	0-1	0.0
	180	0	19.78	20.22		0.0
DFT-s-OFDM 16QAM	1	1	19.96	20.15	0-1	0.0
CP-OFDM QPSK	1	1	19.89	20.11	0-1.5	0.0

Table H-210
NR Band n41 Antenna B Measured P_{Limit} for Free –
60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.92	19.97	20.18	0	0.0
	1	81	19.77	20.30	20.19		0.0
	1	160	19.96	20.13	19.77		0.0
	81	0	19.74	20.16	20.19	0-1	0.0
	81	41	19.73	20.35	20.37	0	0.0
	81	81	19.78	20.35	20.11	0-1	0.0
	162	0	19.71	20.30	20.23		0.0
DFT-s-OFDM 16QAM	1	1	19.86	19.98	20.17	0-1	0.0
CP-OFDM OPSK	1	1	19.82	19.97	20.15	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 107 of 156

Table H-211
NR Band n41 Antenna B Measured P_{Limit} for Free –
50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.89	20.10	20.30	0	0.0
	1	67	19.75	20.39	20.21		0.0
	1	131	19.92	20.21	20.00		0.0
	64	0	19.76	20.26	20.30	0-1	0.0
	64	35	19.78	20.40	20.24	0	0.0
	64	69	19.77	20.38	20.12	0-1	0.0
	128	0	19.76	20.37	20.24		0.0
DFT-s-OFDM 16QAM	1	1	19.92	20.09	20.32	0-1	0.0
CP-OFDM QPSK	1	1	19.82	20.14	20.22	0-1.5	0.0

Table H-212
NR Band n41 Antenna B Measured P_{Limit} for Free –
40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.00	19.81	20.45	20.23	0	0.0
	1	53	19.80	20.13	20.28	20.15		0.0
	1	104	19.97	20.33	20.22	19.93		0.0
	50	0	19.84	20.10	20.40	20.26	0-1	0.0
	50	28	19.85	20.39	20.31	20.16	0	0.0
	50	56	19.79	20.43	20.27	20.02	0-1	0.0
	100	0	19.79	20.29	20.36	20.15		0.0
DFT-s-OFDM 16QAM	1	1	19.99	20.00	20.48	20.28	0-1	0.0
CP-OFDM QPSK	1	1	19.97	19.92	20.39	20.25	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 108 of 156

Table H-213
NR Band n41 Antenna B Measured P_{Limit} for Free –
30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.85	19.75	20.12	20.22	20.43	0	0.0
	1	39	19.90	19.91	20.37	20.29	20.19		0.0
	1	76	19.90	20.10	20.41	20.42	20.06		0.0
	36	0	19.83	19.83	20.33	20.30	20.28	0-1	0.0
	36	21	19.88	19.93	20.40	20.35	20.17	0	0.0
	36	42	19.89	20.04	20.46	20.36	20.09	0-1	0.0
	75	0	19.92	19.92	20.39	20.34	20.19		0.0
DFT-s-OFDM 16QAM	1	1	19.97	19.81	20.07	20.33	20.40	0-1	0.0
CP-OFDM QPSK	1	1	19.95	19.81	20.05	20.34	20.35	0-1.5	0.0

Table H-214
NR Band n41 Antenna B Measured P_{Limit} for Free –
20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	20.03	19.96	20.05	20.17	20.29	0	0.0
	1	26	19.93	20.09	20.49	20.28	20.06		0.0
	1	49	19.92	20.22	20.46	20.35	19.99		0.0
	25	0	20.00	20.07	20.51	20.24	20.14	0-1	0.0
	25	13	20.03	20.12	20.56	20.36	20.04	0	0.0
	25	26	19.97	20.19	20.60	20.34	20.00	0-1	0.0
	50	0	19.99	20.11	20.57	20.38	20.08		0.0
DFT-s-OFDM 16QAM	1	1	20.09	20.01	20.12	20.34	20.23	0-1	0.0
CP-OFDM QPSK	1	1	20.08	20.00	20.23	20.29	20.20	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 109 of 156

Table H-215
NR Band n41 Antenna B Measured P_{Limit} for Free –
15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.86	19.74	20.05	19.98	19.98	0	0.0
	1	19	19.81	19.78	20.14	19.89	19.84		0.0
	1	36	19.88	19.90	20.22	19.92	19.86		0.0
	18	0	19.85	19.82	20.15	19.94	19.88	0-1	0.0
	18	10	19.79	19.91	20.13	19.93	19.93	0	0.0
	18	20	19.71	19.95	20.21	19.95	19.89	0-1	0.0
	36	0	19.82	19.79	20.18	19.93	19.92		0.0
DFT-s-OFDM 16QAM	1	1	19.83	19.79	20.06	20.03	19.98	0-1	0.0
CP-OFDM QPSK	1	1	19.87	19.72	20.09	19.93	19.94	0-1.5	0.0

Table H-216
NR Band n41 Antenna B Measured P_{Limit} for Free –
10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.84	19.92	20.07	20.48	20.27	0	0.0
	1	12	19.88	20.03	20.22	20.29	20.08		0.0
	1	22	19.90	20.28	20.32	20.22	19.95		0.0
	12	0	19.82	20.04	20.26	20.44	20.14	0-1	0.0
	12	6	19.71	20.19	20.40	20.33	20.06	0	0.0
	12	12	19.75	20.13	20.41	20.27	20.04	0-1	0.0
	24	0	19.89	20.15	20.30	20.36	20.08		0.0
DFT-s-OFDM 16QAM	1	1	19.89	20.09	19.98	20.48	20.24	0-1	0.0
CP-OFDM QPSK	1	1	19.82	20.05	19.92	20.39	20.29	0-1.5	0.0

H.2.11 NR Band 41 Antenna F

Table H-217
NR Band n41 Antenna F Measured P_{Limit} for Free –
90 MHz Bandwidth
NR Band n41 FCC
90 MHz Bandwidth

NR Band n41 FCC 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.16	19.21	0	0.0
	1	123	18.86	18.95		0.0
	1	243	19.04	18.68		0.0
	120	0	19.08	18.91	0-1	0.0
	120	63	18.90	18.95	0	0.0
	120	125	18.91	18.86	0-1	0.0
	243	0	18.85	18.98		0.0
DFT-s-OFDM 16QAM	1	1	19.11	19.17	0-1	0.0
CP-OFDM QPSK	1	1	19.13	19.10	0-1.5	0.0

Table H-218
NR Band n41 Antenna F Measured P_{Limit} for Free –
80 MHz Bandwidth

NR Band n41 FCC 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.17	19.05	0	0.0
	1	109	19.04	19.00		0.0
	1	215	19.04	18.98		0.0
	108	0	19.00	18.95	0-1	0.0
	108	55	18.83	19.11	0	0.0
	108	109	18.83	18.98	0-1	0.0
	216	0	18.81	19.00		0.0
DFT-s-OFDM 16QAM	1	1	19.19	18.98	0-1	0.0
CP-OFDM QPSK	1	1	19.12	19.00	0-1.5	0.0

Table H-219
NR Band n41 Antenna F Measured P_{Limit} for Free –
70 MHz Bandwidth

NR Band n41 FCC 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.10	18.95	0	0.0
	1	95	18.94	19.24		0.0
	1	187	18.86	19.07		0.0
	90	0	19.02	19.06	0-1	0.0
	90	50	18.83	19.29	0	0.0
	90	99	18.83	19.19	0-1	0.0
	180	0	18.87	19.32		0.0
DFT-s-OFDM 16QAM	1	1	19.12	18.99	0-1	0.0
CP-OFDM OPSK	1	1	19.09	19.01	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 112 of 156

Table H-220
NR Band n41 Antenna F Measured P_{Limit} for Free –
60 MHz Bandwidth
NR Band n41 FCC
60 MHz Bandwidth

NR Band n41 FCC 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.11	18.79	18.96	0	0.0
	1	81	18.86	19.15	19.24		0.0
	1	160	18.67	19.00	19.11		0.0
	81	0	19.09	18.92	19.11	0-1	0.0
	81	41	18.90	19.13	19.23	0	0.0
	81	81	18.79	19.17	19.19	0-1	0.0
	162	0	18.92	19.08	19.28		0.0
DFT-s-OFDM 16QAM	1	1	19.07	18.81	18.93	0-1	0.0
CP-OFDM QPSK	1	1	18.91	18.73	18.89	0-1.5	0.0

Table H-221
NR Band n41 Antenna F Measured P_{Limit} for Free –
50 MHz Bandwidth
NR Band n41 FCC
50 MHz Bandwidth

NR Band n41 FCC 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.26	18.79	18.90	0	0.0
	1	67	18.99	19.09	19.06		0.0
	1	131	18.80	19.09	18.99		0.0
	64	0	19.15	18.98	18.97	0-1	0.0
	64	35	18.97	19.14	19.10	0	0.0
	64	69	18.83	19.19	19.06	0-1	0.0
	128	0	18.94	19.08	19.17		0.0
DFT-s-OFDM 16QAM	1	1	19.07	18.88	19.02	0-1	0.0
CP-OFDM OPSK	1	1	19.11	18.80	18.95	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 113 of 156

Table H-222
NR Band n41 Antenna F Measured P_{Limit} for Free –
40 MHz Bandwidth

NR Band n41 FCC 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.12	18.60	19.11	19.14	0	0.0
	1	53	18.96	18.82	18.99	19.14		0.0
	1	104	18.77	19.04	18.98	19.10		0.0
	50	0	19.08	18.71	19.11	19.21	0-1	0.0
	50	28	18.98	18.85	19.04	19.10	0	0.0
	50	56	18.86	19.01	19.00	19.15	0-1	0.0
	100	0	18.95	18.87	19.00	19.21		0.0
DFT-s-OFDM 16QAM	1	1	19.11	18.69	19.13	19.12	0-1	0.0
CP-OFDM QPSK	1	1	19.13	18.63	19.10	19.15	0-1.5	0.0

Table H-223
NR Band n41 Antenna F Measured P_{Limit} for Free –
30 MHz Bandwidth

NR Band n41 FCC 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.17	18.60	18.98	19.04	19.26	0	0.0
	1	39	19.01	18.63	19.11	19.02	19.20		0.0
	1	76	18.88	18.84	19.20	19.14	19.17		0.0
	36	0	19.12	18.67	19.05	19.02	19.21	0-1	0.0
	36	21	19.11	18.68	19.13	19.03	19.18	0	0.0
	36	42	18.96	18.76	19.22	19.09	19.15	0-1	0.0
	75	0	19.05	18.69	19.16	18.99	19.18		0.0
DFT-s-OFDM 16QAM	1	1	19.14	18.70	18.96	19.05	19.25	0-1	0.0
CP-OFDM QPSK	1	1	19.16	18.77	18.97	19.04	19.24	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 114 of 156

Table H-224
NR Band n41 Antenna F Measured P_{Limit} for Free –
20 MHz Bandwidth

NR Band n41 FCC 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.26	18.75	19.03	19.05	19.26	0	0.0
	1	26	19.11	18.75	19.19	19.00	19.30		0.0
	1	49	19.02	18.79	19.29	19.08	19.18		0.0
	25	0	19.22	18.71	19.15	19.04	19.30	0-1	0.0
	25	13	19.14	18.76	19.20	19.03	19.32	0	0.0
	25	26	19.08	18.72	19.25	19.11	19.22	0-1	0.0
	50	0	19.11	18.73	19.18	19.06	19.22		0.0
DFT-s-OFDM 16QAM	1	1	19.22	18.78	19.01	19.06	19.18	0-1	0.0
CP-OFDM QPSK	1	1	19.30	18.73	19.00	19.06	19.17	0-1.5	0.0

Table H-225
NR Band n41 Antenna F Measured P_{Limit} for Free –
15 MHz Bandwidth

NR Band n41 FCC 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.12	18.83	19.00	19.09	19.08	0	0.0
	1	19	19.07	18.79	19.04	19.10	19.04		0.0
	1	36	19.03	18.78	19.11	19.25	19.05		0.0
	18	0	19.07	18.64	18.98	19.09	19.04	0-1	0.0
	18	10	19.04	18.75	19.04	19.21	19.08	0	0.0
	18	20	19.02	18.76	19.05	19.21	19.06	0-1	0.0
	36	0	19.12	18.75	19.03	19.17	19.06		0.0
DFT-s-OFDM 16QAM	1	1	19.17	18.83	18.97	19.11	19.15	0-1	0.0
CP-OFDM QPSK	1	1	19.12	18.84	18.93	19.09	19.08	0-1.5	0.0

Table H-226
NR Band n41 Antenna F Measured P_{Limit} for Free –
10 MHz Bandwidth

NR Band n41 FCC 10 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	Deviation 500202 [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	19.38	18.91	18.95	18.95	19.31	0	0.0	0.38
	1	12	19.27	18.82	19.08	19.03	19.28		0.0	0.27
	1	22	19.29	18.87	19.17	19.12	19.14		0.0	0.29
	12	0	19.34	18.82	19.05	19.02	19.24	0-1	0.0	0.34
	12	6	19.32	18.84	19.17	19.12	19.25	0	0.0	0.32
	12	12	19.23	18.82	19.12	19.09	19.21	0-1	0.0	0.23
	24	0	19.22	18.80	19.09	19.12	19.25		0.0	0.22
DFT-s-OFDM 16QAM	1	1	19.39	18.84	18.99	19.02	19.30	0-1	0.0	0.39
CP-OFDM QPSK	1	1	19.31	18.81	19.02	18.99	19.21	0-1.5	0.0	0.31

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 116 of 156

Table H-227
NR Band n41 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
90 MHz Bandwidth

NR Band n41 FCC 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.18	18.06	0	0.0
	1	123	17.88	17.88		0.0
	1	243	18.05	17.63		0.0
	120	0	17.93	17.87	0-1	0.0
	120	63	17.82	17.92	0	0.0
	120	125	17.87	17.82	0-1	0.0
	243	0	17.78	17.94		0.0
DFT-s-OFDM 16QAM	1	1	18.21	18.11	0-1	0.0
CP-OFDM QPSK	1	1	18.11	18.14	0-1.5	0.0

Table H-228
NR Band n41 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
80 MHz Bandwidth

NR Band n41 FCC 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.12	17.92	0	0.0
	1	109	17.84	17.98		0.0
	1	215	17.97	18.02		0.0
	108	0	17.95	17.95	0-1	0.0
	108	55	17.84	18.15	0	0.0
	108	109	17.82	18.18	0-1	0.0
	216	0	17.78	18.11		0.0
DFT-s-OFDM 16QAM	1	1	18.09	18.09	0-1	0.0
CP-OFDM QPSK	1	1	18.08	18.02	0-1.5	0.0

Table H-229
NR Band n41 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
70 MHz Bandwidth

NR Band n41 FCC 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.86	18.03	0	0.0
	1	95	17.74	18.24		0.0
	1	187	17.71	18.06		0.0
	90	0	17.88	18.03	0-1	0.0
	90	50	17.74	18.25	0	0.0
	90	99	17.70	18.19	0-1	0.0
	180	0	17.70	18.28		0.0
DFT-s-OFDM 16QAM	1	1	18.13	18.00	0-1	0.0
CP-OFDM QPSK	1	1	18.15	17.98	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 118 of 156

Table H-230
NR Band n41 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
60 MHz Bandwidth
NR Band n41 FCC
60 MHz Bandwidth

NR Band n41 FCC 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.04	17.85	17.95	0	0.0
	1	81	17.83	17.98	18.21		0.0
	1	160	17.66	17.95	18.05		0.0
	81	0	18.03	17.92	18.11	0-1	0.0
	81	41	17.79	18.05	18.26	0	0.0
	81	81	17.73	18.15	18.13	0-1	0.0
	162	0	17.98	18.05	18.17		0.0
DFT-s-OFDM 16QAM	1	1	18.13	17.92	17.89	0-1	0.0
CP-OFDM QPSK	1	1	18.06	17.76	17.94	0-1.5	0.0

Table H-231
NR Band n41 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
50 MHz Bandwidth
NR Band n41 FCC
50 MHz Bandwidth

NR Band n41 FCC 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.21	17.77	18.00	0	0.0
	1	67	18.02	18.20	18.18		0.0
	1	131	17.80	18.07	18.06		0.0
	64	0	18.06	17.95	18.30	0-1	0.0
	64	35	18.04	18.18	18.36	0	0.0
	64	69	17.83	18.16	18.24	0-1	0.0
	128	0	18.04	18.09	18.28		0.0
DFT-s-OFDM 16QAM	1	1	18.27	17.87	18.05	0-1	0.0
CP-OFDM OPSK	1	1	18.10	17.82	18.01	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 119 of 156

Table H-232
NR Band n41 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
40 MHz Bandwidth

NR Band n41 FCC 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.19	17.66	18.10	18.15	0	0.0
	1	53	17.92	17.83	18.02	18.12		0.0
	1	104	17.81	18.08	18.03	18.05		0.0
	50	0	18.04	17.72	18.16	18.17	0-1	0.0
	50	28	17.97	17.89	18.09	18.17	0	0.0
	50	56	17.82	17.99	18.02	18.15	0-1	0.0
	100	0	17.97	17.87	18.02	18.19		0.0
DFT-s-OFDM 16QAM	1	1	18.43	17.67	18.13	18.17	0-1	0.0
CP-OFDM QPSK	1	1	18.37	17.62	18.12	18.11	0-1.5	0.0

Table H-233
NR Band n41 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
30 MHz Bandwidth

NR Band n41 FCC 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.21	17.68	17.91	17.98	18.22	0	0.0
	1	39	18.04	17.64	18.11	17.94	18.20		0.0
	1	76	17.91	17.77	18.22	18.08	18.09		0.0
	36	0	18.11	17.62	18.02	17.99	18.23	0-1	0.0
	36	21	18.07	17.62	18.16	18.01	18.15	0	0.0
	36	42	17.95	17.73	18.25	18.04	18.16	0-1	0.0
	75	0	18.04	17.70	18.12	18.01	18.20		0.0
DFT-s-OFDM 16QAM	1	1	18.21	17.79	17.91	18.00	18.19	0-1	0.0
CP-OFDM QPSK	1	1	18.16	17.67	17.91	17.96	18.21	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 120 of 156

Table H-234
NR Band n41 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
20 MHz Bandwidth

NR Band n41 FCC 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.27	17.73	17.98	18.00	18.19	0	0.0
	1	26	18.12	17.68	18.18	17.99	18.16		0.0
	1	49	18.01	17.80	18.28	18.09	18.12		0.0
	25	0	18.08	17.69	18.12	18.02	18.24	0-1	0.0
	25	13	18.16	17.71	18.21	18.04	18.25	0	0.0
	25	26	18.10	17.70	18.24	18.09	18.23	0-1	0.0
	50	0	18.10	17.70	18.22	18.03	18.24		0.0
DFT-s-OFDM 16QAM	1	1	18.22	17.70	18.00	18.04	18.19	0-1	0.0
CP-OFDM QPSK	1	1	18.17	17.67	17.96	18.00	18.20	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 121 of 156

Table H-235
NR Band n41 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
15 MHz Bandwidth

NR Band n41 FCC 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.23	17.89	18.00	18.14	18.19	0	0.0
	1	19	18.04	17.79	18.06	18.10	18.17		0.0
	1	36	18.05	17.79	18.11	18.17	17.79		0.0
	18	0	18.08	17.76	18.04	18.14	18.28	0-1	0.0
	18	10	17.94	17.79	18.08	18.15	18.21	0	0.0
	18	20	17.96	17.75	18.04	18.21	18.25	0-1	0.0
	36	0	17.99	17.74	18.04	18.10	18.21		0.0
DFT-s-OFDM 16QAM	1	1	18.16	17.83	18.00	18.08	18.14	0-1	0.0
CP-OFDM QPSK	1	1	18.15	17.82	18.17	18.12	18.12	0-1.5	0.0

Table H-236
NR Band n41 Antenna F Measured P_{Limit} for RCV Active, or Hotspot Mode –
10 MHz Bandwidth

NR Band n41 FCC 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.34	17.96	17.97	18.04	18.24	0	0.0
	1	12	18.20	17.80	18.03	18.13	18.12		0.0
	1	22	18.21	17.95	18.05	18.13	18.04		0.0
	12	0	18.21	17.84	18.01	18.08	18.12	0-1	0.0
	12	6	18.19	17.86	18.03	18.11	18.16	0	0.0
	12	12	18.17	17.88	18.04	18.11	18.19	0-1	0.0
	24	0	18.18	17.90	17.99	18.05	18.21		0.0
DFT-s-OFDM 16QAM	1	1	18.35	17.84	17.95	18.06	18.24	0-1	0.0
CP-OFDM QPSK	1	1	18.31	17.81	17.98	18.00	18.31	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 122 of 156

H.2.12 NR Band 48 Antenna G

Table H-237
NR Band n48 Antenna G Measured P_{Limit} for Free, RCV Active, or Hotspot Mode –
30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.36	16.43	16.84	16.88	0	0.0
	1	39	16.51	16.49	16.71	16.97		0.0
	1	76	16.86	16.67	16.69	17.13		0.0
	36	0	16.84	16.49	16.78	16.89	0-1	0.0
	36	21	16.90	16.56	16.79	17.00	0	0.0
	36	42	16.86	16.61	16.75	17.11	0-1	0.0
	75	0	16.83	16.55	16.75	17.00		0.0
DFT-s-OFDM 16QAM	1	1	16.77	16.55	16.77	16.89	0-1	0.0
CP-OFDM QPSK	1	1	16.77	16.56	16.76	16.89	0-1.5	0.0

Table H-238
NR Band n48 Antenna G Measured P_{Limit} for Free, RCV Active, or Hotspot Mode –
20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.80	16.60	17.01	17.05	0	0.0
	1	26	16.90	16.61	16.74	17.14		0.0
	1	49	16.95	16.66	16.75	17.30		0.0
	25	0	16.80	16.60	16.85	17.06	0-1	0.0
	25	13	16.84	16.64	16.84	17.17	0	0.0
	25	26	16.87	16.64	16.82	17.20	0-1	0.0
	50	0	16.82	16.62	16.85	17.05		0.0
DFT-s-OFDM 16QAM	1	1	16.75	16.65	16.94	17.00	0-1	0.0
CP-OFDM QPSK	1	1	16.71	16.64	16.86	17.00	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 123 of 156

Table H-239
NR Band n48 Antenna G Measured P_{Limit} for Free, RCV Active, or Hotspot Mode –
15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	16.75	16.54	16.90	17.22	0	0.0
	1	19	16.74	16.54	16.74	17.23		0.0
	1	36	16.81	16.59	16.78	17.30		0.0
	18	0	16.71	16.55	16.84	17.19	0-1	0.0
	18	10	16.74	16.55	16.79	17.24	0	0.0
	18	20	16.76	16.58	16.76	17.25	0-1	0.0
	36	0	16.73	16.56	16.81	17.22		0.0
DFT-s-OFDM 16QAM	1	1	16.70	16.55	16.91	17.29	0-1	0.0
CP-OFDM QPSK	1	1	16.66	16.56	16.86	17.16	0-1.5	0.0

Table H-240
NR Band n48 Antenna G Measured P_{Limit} for Free, RCV Active, or Hotspot Mode –
10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	16.79	16.58	17.00	17.17	0	0.0
	1	12	16.77	16.53	16.81	17.19		0.0
	1	22	16.85	16.57	16.86	17.24		0.0
	12	0	16.77	16.64	16.89	17.14	0-1	0.0
	12	6	16.81	16.61	16.87	17.14	0	0.0
	12	12	16.83	16.60	16.85	17.25	0-1	0.0
	24	0	16.80	16.61	16.84	17.16		0.0
DFT-s-OFDM 16QAM	1	1	16.78	16.61	16.94	17.12	0-1	0.0
CP-OFDM QPSK	1	1	16.75	16.57	16.90	17.10	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 124 of 156

H.2.13 NR Band 48 Antenna B, K, L

Table H-241

NR Band n48 Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth				
Channel				
Antenna	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)
	Conducted Power [dBm]			
SRS #2 Ant B	12.70	12.78	13.18	13.14
SRS #3 Ant K	14.28	14.25	14.24	14.07
SRS #4 Ant L	11.34	11.53	11.69	12.08

Table H-242

NR Band n48 Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth				
Channel				
Antenna	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)
	Conducted Power [dBm]			
SRS #2 Ant B	12.93	12.97	13.38	13.43
SRS #3 Ant K	14.15	14.30	14.31	14.14
SRS #4 Ant L	11.42	11.63	11.81	12.29

Table H-243

NR Band n48 Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth				
Channel				
Antenna	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)
	Conducted Power [dBm]			
SRS #2 Ant B	12.93	12.92	13.34	13.48
SRS #3 Ant K	14.12	14.38	14.30	14.15
SRS #4 Ant L	11.42	11.60	11.80	12.20

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 125 of 156

Table H-244

NR Band n48 Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth				
Channel				
Antenna	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)
	Conducted Power [dBm]			
SRS #2 Ant B	12.98	13.01	13.39	13.46
SRS #3 Ant K	14.01	14.22	14.24	14.15
SRS #4 Ant L	11.30	11.63	11.76	12.44

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 126 of 156

H.2.14 NR Band 77 DoD Antenna G

Table H-245
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –
90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.98	0	0.0
	1	123	16.96		0.0
	1	243	16.78		0.0
	120	0	16.98	0-1	0.0
	120	63	16.95	0	0.0
	120	125	16.92	0-1	0.0
	243	0	16.87		0.0
DFT-s-OFDM 16QAM	1	1	17.00	0-1	0.0
CP-OFDM QPSK	1	1	16.98	0-1.5	0.0

Table H-246
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –
80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.00	0	0.0
	1	109	17.04		0.0
	1	215	16.93		0.0
	108	0	16.99	0-1	0.0
	108	55	16.99	0	0.0
	108	109	16.88	0-1	0.0
	216	0	16.96		0.0
DFT-s-OFDM 16QAM	1	1	17.15	0-1	0.0
CP-OFDM QPSK	1	1	17.06	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 127 of 156

Table H-247
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –
70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.92	0	0.0
	1	95	17.07		0.0
	1	187	16.93		0.0
	90	0	17.10	0-1	0.0
	90	50	17.04	0	0.0
	90	99	16.93	0-1	0.0
	180	0	17.00		0.0
DFT-s-OFDM 16QAM	1	1	17.01	0-1	0.0
CP-OFDM QPSK	1	1	16.99	0-1.5	0.0

Table H-248
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –
60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.16	0	0.0
	1	81	17.03		0.0
	1	160	16.96		0.0
	81	0	17.03	0-1	0.0
	81	41	17.00	0	0.0
	81	81	16.92	0-1	0.0
	162	0	16.87		0.0
DFT-s-OFDM 16QAM	1	1	16.93	0-1	0.0
CP-OFDM QPSK	1	1	16.92	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 128 of 156

Table H-249
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –
50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.00	0	0.0
	1	67	16.97		0.0
	1	131	16.97		0.0
	64	0	17.06	0-1	0.0
	64	35	17.00	0	0.0
	64	69	16.91	0-1	0.0
	128	0	16.91		0.0
DFT-s-OFDM 16QAM	1	1	16.94	0-1	0.0
CP-OFDM QPSK	1	1	16.91	0-1.5	0.0

Table H-250
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –
40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.96	0	0.0
	1	53	16.90		0.0
	1	104	16.84		0.0
	50	0	16.94	0-1	0.0
	50	28	16.90	0	0.0
	50	56	16.87	0-1	0.0
	100	0	16.89		0.0
DFT-s-OFDM 16QAM	1	1	16.95	0-1	0.0
CP-OFDM QPSK	1	1	16.94	0-1.5	0.0

Table H-251
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –
30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.07	0	0.0
	1	39	16.94		0.0
	1	76	16.91		0.0
	36	0	16.98	0-1	0.0
	36	21	16.95	0	0.0
	36	42	16.92	0-1	0.0
	75	0	16.96		0.0
DFT-s-OFDM 16QAM	1	1	17.01	0-1	0.0
CP-OFDM QPSK	1	1	17.00	0-1.5	0.0

Table H-252
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –
25 MHz Bandwidth

NR Band n77 DoD 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.19	0	0.0
	1	33	17.27		0.0
	1	63	16.86		0.0
	32	0	17.29	0-1	0.0
	32	17	17.27	0	0.0
	32	33	17.15	0-1	0.0
	64	0	17.15		0.0
DFT-s-OFDM 16QAM	1	1	17.07	0-1	0.0
CP-OFDM QPSK	1	1	17.19	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 130 of 156

Table H-253
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –
20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.87	0	0.0
	1	26	16.88		0.0
	1	49	16.81		0.0
	25	0	16.85	0-1	0.0
	25	13	16.83	0	0.0
	25	26	16.91	0-1	0.0
	50	0	16.89		0.0
DFT-s-OFDM 16QAM	1	1	16.97	0-1	0.0
CP-OFDM QPSK	1	1	16.90	0-1.5	0.0

Table H-254
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –
15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.98	0	0.0
	1	19	16.90		0.0
	1	36	16.89		0.0
	18	0	16.93	0-1	0.0
	18	10	16.92	0	0.0
	18	20	16.90	0-1	0.0
	36	0	16.92		0.0
DFT-s-OFDM 16QAM	1	1	16.99	0-1	0.0
CP-OFDM QPSK	1	1	16.95	0-1.5	0.0

Table H-255
NR Band n77 DoD Antenna G Measured P_{Limit} for Free, or Hotspot Mode –

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 131 of 156

10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.95	0	0.0
	1	12	16.88		0.0
	1	22	16.88		0.0
	12	0	16.89	0-1	0.0
	12	6	16.91	0	0.0
	12	12	16.90	0-1	0.0
	24	0	16.88		0.0
DFT-s-OFDM 16QAM	1	1	16.95	0-1	0.0
CP-OFDM QPSK	1	1	16.90	0-1.5	0.0

Table H-256

NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active – 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.85	0	0.0
	1	123	15.79		0.0
	1	243	15.72		0.0
	120	0	15.94	0-1	0.0
	120	63	15.90	0	0.0
	120	125	15.82	0-1	0.0
	243	0	15.83		0.0
DFT-s-OFDM 16QAM	1	1	15.94	0-1	0.0
CP-OFDM QPSK	1	1	15.78	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 132 of 156

Table H-257
NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active –
80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.94	0	0.0
	1	109	15.84		0.0
	1	215	15.75		0.0
	108	0	15.79	0-1	0.0
	108	55	15.80	0	0.0
	108	109	15.70	0-1	0.0
	216	0	15.78		0.0
DFT-s-OFDM 16QAM	1	1	15.88	0-1	0.0
CP-OFDM QPSK	1	1	15.85	0-1.5	0.0

Table H-258
NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active –
70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.91	0	0.0
	1	95	15.86		0.0
	1	187	15.70		0.0
	90	0	15.79	0-1	0.0
	90	50	15.79	0	0.0
	90	99	15.69	0-1	0.0
	180	0	15.80		0.0
DFT-s-OFDM 16QAM	1	1	15.85	0-1	0.0
CP-OFDM QPSK	1	1	15.80	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 133 of 156

Table H-259
NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active –
60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.86	0	0.0
	1	81	15.80		0.0
	1	160	15.75		0.0
	81	0	15.85	0-1	0.0
	81	41	15.83	0	0.0
	81	81	15.74	0-1	0.0
	162	0	15.81		0.0
DFT-s-OFDM 16QAM	1	1	15.84	0-1	0.0
CP-OFDM QPSK	1	1	15.82	0-1.5	0.0

Table H-260
NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active –
50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.85	0	0.0
	1	67	15.81		0.0
	1	131	15.76		0.0
	64	0	15.82	0-1	0.0
	64	35	15.72	0	0.0
	64	69	15.68	0-1	0.0
	128	0	15.75		0.0
DFT-s-OFDM 16QAM	1	1	15.81	0-1	0.0
CP-OFDM QPSK	1	1	15.80	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 134 of 156

Table H-261
NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active –
40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.94	0	0.0
	1	53	15.88		0.0
	1	104	15.77		0.0
	50	0	15.95	0-1	0.0
	50	28	15.95	0	0.0
	50	56	15.88	0-1	0.0
	100	0	15.90		0.0
DFT-s-OFDM 16QAM	1	1	15.98	0-1	0.0
CP-OFDM QPSK	1	1	15.91	0-1.5	0.0

Table H-262
NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active –
30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.10	0	0.0
	1	39	15.97		0.0
	1	76	15.89		0.0
	36	0	16.00	0-1	0.0
	36	21	15.93	0	0.0
	36	42	15.90	0-1	0.0
	75	0	15.92		0.0
DFT-s-OFDM 16QAM	1	1	16.00	0-1	0.0
CP-OFDM QPSK	1	1	15.96	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 135 of 156

Table H-263
NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active –
25 MHz Bandwidth

NR Band n77 DoD 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.05	0	0.0
	1	33	16.06		0.0
	1	63	15.80		0.0
	32	0	16.02	0-1	0.0
	32	17	16.05	0	0.0
	32	33	15.98	0-1	0.0
	64	0	15.81		0.0
DFT-s-OFDM 16QAM	1	1	15.96	0-1	0.0
CP-OFDM QPSK	1	1	15.92	0-1.5	0.0

Table H-264
NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active –
20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.87	0	0.0
	1	26	16.88		0.0
	1	49	16.81		0.0
	25	0	16.85	0-1	0.0
	25	13	16.83	0	0.0
	25	26	16.91	0-1	0.0
	50	0	16.89		0.0
DFT-s-OFDM 16QAM	1	1	16.97	0-1	0.0
CP-OFDM QPSK	1	1	16.90	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 136 of 156

Table H-265
NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active –
15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.97	0	0.0
	1	19	15.96		0.0
	1	36	15.99		0.0
	18	0	15.97	0-1	0.0
	18	10	15.95	0	0.0
	18	20	15.95	0-1	0.0
	36	0	15.96		0.0
DFT-s-OFDM 16QAM	1	1	16.01	0-1	0.0
CP-OFDM QPSK	1	1	15.96	0-1.5	0.0

Table H-266
NR Band n77 DoD Antenna G Measured P_{Limit} for RCV Active –
10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.04	0	0.0
	1	12	15.91		0.0
	1	22	15.93		0.0
	12	0	15.91	0-1	0.0
	12	6	15.92	0	0.0
	12	12	15.90	0-1	0.0
	24	0	15.91		0.0
DFT-s-OFDM 16QAM	1	1	15.97	0-1	0.0
CP-OFDM QPSK	1	1	15.88	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 137 of 156

H.2.15 NR Band 77 DoD Antenna B, K, L

Table H-267

NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode– 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	12.11
SRS #3 Ant K	14.02
SRS #4 Ant L	12.52

Table H-268

NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	12.16
SRS #3 Ant K	14.09
SRS #4 Ant L	12.56

Table H-269

NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode– 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	12.14
SRS #3 Ant K	14.09
SRS #4 Ant L	12.68

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 138 of 156

Table H-270
NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	12.12
SRS #3 Ant K	14.08
SRS #4 Ant L	12.53

Table H-271
NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	12.30
SRS #3 Ant K	14.05
SRS #4 Ant L	12.60

Table H-272
NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	12.12
SRS #3 Ant K	14.00
SRS #4 Ant L	12.70

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 139 of 156

Table H-273
NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	12.18
SRS #3 Ant K	14.04
SRS #4 Ant L	12.67

Table H-274
NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 25 MHz Bandwidth

NR Band n77 DoD 25 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	11.72
SRS #3 Ant K	14.26
SRS #4 Ant L	12.60

Table H-275
NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	12.20
SRS #3 Ant K	14.00
SRS #4 Ant L	12.66

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 140 of 156

Table H-276
NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	12.06
SRS #3 Ant K	14.00
SRS #4 Ant L	12.59

Table H-277
NR Band n77 DoD Antenna B, K, L Measured P_{Limit} for Free, RCV Active, Hotspot Mode – 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth	
Channel	
Antenna	633334 (3500.01 MHz)
	Conducted Power [dBm]
SRS #2 Ant B	12.16
SRS #3 Ant K	13.98
SRS #4 Ant L	12.63

H.2.16 NR Band 77 C-Band Antenna G

Table H-278
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.58	17.63	0	0.0
	1	123	17.74	17.52		0.0
	1	243	17.51	16.89		0.0
	120	0	17.56	17.56	0-1	0.0
	120	63	17.65	17.40	0	0.0
	120	125	17.63	17.12	0-1	0.0
	243	0	17.57	17.34		0.0
DFT-s-OFDM 16QAM	1	1	17.44	17.51	0-1	0.0
CP-OFDM QPSK	1	1	17.40	17.44	0-1.5	0.0

Table H-279
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.35	17.49	0	0.0
	1	109	17.62	17.46		0.0
	1	215	17.41	16.85		0.0
	108	0	17.49	17.55	0-1	0.0
	108	55	17.56	17.45	0	0.0
	108	109	17.55	17.15	0-1	0.0
	216	0	17.52	17.35		0.0
DFT-s-OFDM 16QAM	1	1	17.39	17.47	0-1	0.0
CP-OFDM QPSK	1	1	17.39	17.48	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 142 of 156

Table H-280
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.30	17.35	0	0.0
	1	95	17.52	17.35		0.0
	1	187	17.35	16.82		0.0
	90	0	17.43	17.44	0-1	0.0
	90	50	17.50	17.34	0	0.0
	90	99	17.48	17.06	0-1	0.0
	180	0	17.41	17.29		0.0
DFT-s-OFDM 16QAM	1	1	17.34	17.36	0-1	0.0
CP-OFDM QPSK	1	1	17.29	17.41	0-1.5	0.0

Table H-281
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.53	17.24	0	0.0
	1	81	17.58	17.28		0.0
	1	160	17.50	16.84		0.0
	81	0	17.51	17.35	0-1	0.0
	81	41	17.57	17.26	0	0.0
	81	81	17.55	17.07	0-1	0.0
	162	0	17.50	17.20		0.0
DFT-s-OFDM 16QAM	1	1	17.41	17.35	0-1	0.0
CP-OFDM QPSK	1	1	17.39	17.33	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 143 of 156

Table H-282
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.56	17.37	0	0.0
	1	67	17.58	17.31		0.0
	1	131	17.54	16.96		0.0
	64	0	17.62	17.38	0-1	0.0
	64	35	17.62	17.24	0	0.0
	64	69	17.61	17.12	0-1	0.0
	128	0	17.57	17.27		0.0
DFT-s-OFDM 16QAM	1	1	17.48	17.38	0-1	0.0
CP-OFDM QPSK	1	1	17.47	17.40	0-1.5	0.0

Table H-283
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.61	17.30	0	0.0
	1	53	17.60	17.22		0.0
	1	104	17.57	17.01		0.0
	50	0	17.57	17.37	0-1	0.0
	50	28	17.59	17.31	0	0.0
	50	56	17.62	17.19	0-1	0.0
	100	0	17.59	17.31		0.0
DFT-s-OFDM 16QAM	1	1	17.57	17.43	0-1	0.0
CP-OFDM QPSK	1	1	17.61	17.40	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 144 of 156

Table H-284
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.57	17.41	0	0.0
	1	39	17.50	17.29		0.0
	1	76	17.58	17.15		0.0
	36	0	17.56	17.39	0-1	0.0
	36	21	17.55	17.34	0	0.0
	36	42	17.60	17.25	0-1	0.0
	75	0	17.52	17.35		0.0
DFT-s-OFDM 16QAM	1	1	17.55	17.41	0-1	0.0
CP-OFDM QPSK	1	1	17.55	17.39	0-1.5	0.0

Table H-285
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
25 MHz Bandwidth

NR Band n77 25 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.69	17.35	0	0.0
	1	33	17.60	17.31		0.0
	1	63	17.52	16.82		0.0
	32	0	17.59	17.44	0-1	0.0
	32	17	17.54	17.31	0	0.0
	32	33	17.65	17.07	0-1	0.0
	64	0	17.59	17.22		0.0
DFT-s-OFDM 16QAM	1	1	17.58	17.42	0-1	0.0
CP-OFDM QPSK	1	1	17.64	17.36	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 145 of 156

Table H-286
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.62	17.35	0	0.0
	1	26	17.58	17.31		0.0
	1	49	17.59	17.15		0.0
	25	0	17.59	17.47	0-1	0.0
	25	13	17.57	17.41	0	0.0
	25	26	17.56	17.34	0-1	0.0
	50	0	17.56	17.38		0.0
DFT-s-OFDM 16QAM	1	1	17.60	17.44	0-1	0.0
CP-OFDM QPSK	1	1	17.59	17.40	0-1.5	0.0

Table H-287
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.62	17.43	0	0.0
	1	19	17.51	17.31		0.0
	1	36	17.60	17.14		0.0
	18	0	17.55	17.42	0-1	0.0
	18	10	17.60	17.39	0	0.0
	18	20	17.61	17.36	0-1	0.0
	36	0	17.61	17.40		0.0
DFT-s-OFDM 16QAM	1	1	17.66	17.44	0-1	0.0
CP-OFDM QPSK	1	1	17.59	17.51	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 146 of 156

Table H-288
NR Band n77 C-Band Antenna G Measured P_{Limit} for Free, or Hotspot Mode–
10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.71	17.40	0	0.0
	1	12	17.55	17.37		0.0
	1	22	17.60	17.09		0.0
	12	0	17.61	17.45	0-1	0.0
	12	6	17.60	17.43	0	0.0
	12	12	17.61	17.43	0-1	0.0
	24	0	17.57	17.43		0.0
DFT-s-OFDM 16QAM	1	1	17.63	17.40	0-1	0.0
CP-OFDM QPSK	1	1	17.56	17.39	0-1.5	0.0

Table H-289
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.35	16.50	0	0.0
	1	123	16.53	16.44		0.0
	1	243	16.37	15.78		0.0
	120	0	16.43	16.45	0-1	0.0
	120	63	16.52	16.34	0	0.0
	120	125	16.50	16.01	0-1	0.0
	243	0	16.46	16.24		0.0
DFT-s-OFDM 16QAM	1	1	16.36	16.45	0-1	0.0
CP-OFDM QPSK	1	1	16.30	16.44	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 147 of 156

Table H-290
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.39	16.51	0	0.0
	1	109	16.50	16.42		0.0
	1	215	16.42	15.84		0.0
	108	0	16.49	16.51	0-1	0.0
	108	55	16.54	16.37	0	0.0
	108	109	16.55	16.12	0-1	0.0
	216	0	16.49	16.31		0.0
DFT-s-OFDM 16QAM	1	1	16.38	16.43	0-1	0.0
CP-OFDM QPSK	1	1	16.34	16.42	0-1.5	0.0

Table H-291
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.30	16.29	0	0.0
	1	95	16.64	16.20		0.0
	1	187	16.53	15.75		0.0
	90	0	16.58	16.35	0-1	0.0
	90	50	16.58	16.26	0	0.0
	90	99	16.58	16.00	0-1	0.0
	180	0	16.54	16.22		0.0
DFT-s-OFDM 16QAM	1	1	16.37	16.35	0-1	0.0
CP-OFDM QPSK	1	1	16.36	16.33	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 148 of 156

Table H-292
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.41	16.41	0	0.0
	1	81	16.52	16.17		0.0
	1	160	16.46	15.76		0.0
	81	0	16.50	16.26	0-1	0.0
	81	41	16.51	16.20	0	0.0
	81	81	16.52	16.02	0-1	0.0
	162	0	16.45	16.15		0.0
DFT-s-OFDM 16QAM	1	1	16.38	16.30	0-1	0.0
CP-OFDM QPSK	1	1	16.38	16.26	0-1.5	0.0

Table H-293
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.56	16.42	0	0.0
	1	67	16.62	16.28		0.0
	1	131	16.54	15.97		0.0
	64	0	16.58	16.39	0-1	0.0
	64	35	16.55	16.30	0	0.0
	64	69	16.58	16.12	0-1	0.0
	128	0	16.56	16.38		0.0
DFT-s-OFDM 16QAM	1	1	16.48	16.44	0-1	0.0
CP-OFDM QPSK	1	1	16.49	16.42	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 149 of 156

Table H-294
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.52	16.54	0	0.0
	1	53	16.58	16.33		0.0
	1	104	16.40	15.94		0.0
	50	0	16.58	16.43	0-1	0.0
	50	28	16.57	16.37	0	0.0
	50	56	16.61	16.16	0-1	0.0
	100	0	16.54	16.39		0.0
DFT-s-OFDM 16QAM	1	1	16.50	16.50	0-1	0.0
CP-OFDM QPSK	1	1	16.51	16.46	0-1.5	0.0

Table H-295
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.58	16.42	0	0.0
	1	39	16.50	16.24		0.0
	1	76	16.42	16.02		0.0
	36	0	16.60	16.36	0-1	0.0
	36	21	16.56	16.32	0	0.0
	36	42	16.59	16.23	0-1	0.0
	75	0	16.53	16.33		0.0
DFT-s-OFDM 16QAM	1	1	16.63	16.43	0-1	0.0
CP-OFDM QPSK	1	1	16.53	16.40	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 150 of 156

Table H-296
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
25 MHz Bandwidth

NR Band n77 25 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.46	16.41	0	0.0
	1	33	16.51	16.39		0.0
	1	63	16.46	16.05		0.0
	32	0	16.50	16.49	0-1	0.0
	32	17	16.57	16.34	0	0.0
	32	33	16.57	16.05	0-1	0.0
	64	0	16.49	16.35		0.0
DFT-s-OFDM 16QAM	1	1	16.33	16.41	0-1	0.0
CP-OFDM QPSK	1	1	16.39	16.39	0-1.5	0.0

Table H-297
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.64	16.28	0	0.0
	1	26	16.53	16.28		0.0
	1	49	16.55	15.98		0.0
	25	0	16.56	16.31	0-1	0.0
	25	13	16.52	16.32	0	0.0
	25	26	16.55	16.08	0-1	0.0
	50	0	16.51	16.30		0.0
DFT-s-OFDM 16QAM	1	1	16.57	16.40	0-1	0.0
CP-OFDM QPSK	1	1	16.60	16.34	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 151 of 156

Table H-298
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.61	16.46	0	0.0
	1	19	16.49	16.37		0.0
	1	36	16.52	16.03		0.0
	18	0	16.53	16.40	0-1	0.0
	18	10	16.54	16.39	0	0.0
	18	20	16.52	16.04	0-1	0.0
	36	0	16.55	16.37		0.0
DFT-s-OFDM 16QAM	1	1	16.61	16.42	0-1	0.0
CP-OFDM QPSK	1	1	16.53	16.30	0-1.5	0.0

Table H-299
NR Band n77 C-Band Antenna G Measured P_{Limit} for RCV Active –
10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.65	16.45	0	0.0
	1	12	16.54	16.37		0.0
	1	22	16.48	16.04		0.0
	12	0	16.38	16.43	0-1	0.0
	12	6	16.46	16.43	0	0.0
	12	12	16.47	16.09	0-1	0.0
	24	0	16.46	16.38		0.0
DFT-s-OFDM 16QAM	1	1	16.56	16.45	0-1	0.0
CP-OFDM QPSK	1	1	16.50	16.42	0-1.5	0.0

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 152 of 156

H.2.17 NR Band 77 C-Band Antenna B, K, L

Table H-300

NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.15	11.82
SRS #3 Ant K	14.84	14.98
SRS #4 Ant L	13.64	13.00

Table H-301

NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.13	11.84
SRS #3 Ant K	14.76	14.89
SRS #4 Ant L	13.42	12.91

Table H-302

NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.19	11.89
SRS #3 Ant K	14.86	14.90
SRS #4 Ant L	13.47	12.94

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 153 of 156

Table H-303
NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.12	11.87
SRS #3 Ant K	14.81	14.94
SRS #4 Ant L	13.47	12.94

Table H-304
NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.13	11.93
SRS #3 Ant K	14.93	14.96
SRS #4 Ant L	13.54	12.94

Table H-305
NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.17	11.90
SRS #3 Ant K	14.83	14.98
SRS #4 Ant L	13.50	12.95

FCC ID: A3LSMA356U	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX H: Page 154 of 156

Table H-306
NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.19	11.88
SRS #3 Ant K	14.90	14.92
SRS #4 Ant L	13.53	12.92

Table H-307
NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
25 MHz Bandwidth

NR Band n77 25 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.11	11.85
SRS #3 Ant K	14.88	14.92
SRS #4 Ant L	13.58	12.99

Table H-308
NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.16	11.95
SRS #3 Ant K	14.90	15.02
SRS #4 Ant L	13.52	12.98

Table H-309
NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.16	11.88
SRS #3 Ant K	14.86	14.95
SRS #4 Ant L	13.46	12.94

Table H-310
NR Band n77 C-Band Antenna B, K, L Measured P_{Limit} for Free, RCV Active, or Hotspot Mode–
10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth		
Channel		
Antenna	650000 (3750 MHz)	662000 (3930 MHz)
	Conducted Power [dBm]	
SRS #2 Ant B	13.17	11.87
SRS #3 Ant K	14.73	15.00
SRS #4 Ant L	13.53	12.95