




802.11ac (VHT80) CH58 Peak + Average




802.11ac (VHT80) CH106 Peak + Average




802.11ac (VHT80) CH122 Peak



802.11ac (VHT80) CH138 Peak



802.11ac (VHT80) CH155




Result of RE

Test result

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier, the Emissions in the frequency band 9kHz-30MHz re more than 20dB below the limit are not reported.

A symbol (dB μ V/m) in the test plot below means (dB μ V/m)




Radiates Emission from 30MHz to 1GHz

Frequency (MHz)	Quasi-Peak (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
32.863750	19.90	40.00	20.10	1000.0	100.0	V	218.0
39.497500	32.76	40.00	7.24	1000.0	100.0	V	0.0
47.822500	28.66	40.00	11.34	1000.0	122.0	V	54.0
56.268750	21.85	40.00	18.15	1000.0	100.0	V	234.0
191.990000	23.55	43.50	19.95	1000.0	185.0	H	288.0
383.928750	28.36	46.00	17.64	1000.0	184.0	V	216.0


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit – Quasi-Peak




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1084.875000	---	28.24	54.00	25.76	500.0	200.0	H	138.0	-10.2
1290.500000	41.22	---	68.20	26.98	500.0	100.0	H	213.0	-8.3
1387.625000	---	30.56	54.00	23.44	500.0	100.0	V	89.0	-7.7
1680.750000	---	31.70	54.00	22.30	500.0	200.0	H	84.0	-6.0
1968.625000	44.38	---	68.20	23.82	500.0	100.0	H	300.0	-4.7
2641.500000	48.01	---	68.20	20.19	500.0	200.0	H	44.0	-2.0
2827.875000	---	36.72	54.00	17.28	500.0	200.0	H	111.0	-1.1
3417.625000	50.65	---	68.20	17.55	500.0	200.0	H	235.0	1.4
3988.125000	---	40.37	54.00	13.63	500.0	200.0	H	62.0	3.2
4418.625000	52.03	---	68.20	16.17	500.0	200.0	H	125.0	3.6
6574.625000	55.60	---	68.20	12.60	500.0	200.0	H	35.0	6.6
7342.000000	---	43.55	54.00	10.45	500.0	200.0	H	80.0	7.0




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8287.500000	---	35.41	54.00	18.59	500.0	200.0	H	302.0	-2.4
8567.500000	44.10	---	68.20	24.10	500.0	200.0	H	101.0	-1.8
9467.500000	---	34.05	54.00	19.95	500.0	100.0	V	175.0	-0.1
9700.000000	45.23	---	68.20	22.97	500.0	200.0	V	6.0	-0.7
10367.500000	45.85	---	68.20	22.35	500.0	200.0	H	65.0	-1.0
10646.250000	---	33.47	54.00	20.53	500.0	100.0	V	265.0	-0.8
13348.750000	---	34.80	54.00	19.20	500.0	100.0	H	241.0	2.4
13541.250000	46.30	---	68.20	21.90	500.0	100.0	H	53.0	2.9
15005.000000	47.73	---	68.20	20.47	500.0	100.0	H	268.0	5.2
15542.500000	---	53.87	54.00	0.13	500.0	200.0	H	324.0	6.2
17677.500000	52.59	---	68.20	15.61	500.0	100.0	V	109.0	10.3
18000.000000	---	41.97	54.00	12.03	500.0	100.0	V	100.0	11.2




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1269.500000	40.99	---	68.20	27.21	500.0	200.0	V	326.0	-8.4
1411.250000	---	30.53	54.00	23.47	500.0	200.0	V	107.0	-7.5
1681.625000	---	32.08	54.00	21.92	500.0	200.0	H	57.0	-6.0
1930.125000	45.19	---	68.20	23.01	500.0	100.0	H	250.0	-4.8
2645.875000	47.26	---	68.20	20.94	500.0	100.0	H	301.0	-2.0
2795.500000	---	36.76	54.00	17.24	500.0	100.0	H	288.0	-1.3
3597.875000	50.98	---	68.20	17.22	500.0	100.0	H	327.0	1.8
3634.625000	---	39.52	54.00	14.48	500.0	100.0	H	259.0	2.0
4461.500000	51.19	---	68.20	17.01	500.0	100.0	H	332.0	3.6
4913.000000	---	40.69	54.00	13.31	500.0	200.0	H	31.0	4.7
6973.625000	55.73	---	68.20	12.47	500.0	100.0	H	336.0	7.1
7335.000000	---	43.67	54.00	10.33	500.0	100.0	H	246.0	7.0




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8318.750000	---	32.87	54.00	21.13	500.0	200.0	H	308.0	-2.4
8985.000000	44.52	---	68.20	23.68	500.0	200.0	H	196.0	-1.3
9467.500000	---	33.92	54.00	20.08	500.0	200.0	V	153.0	-0.1
9700.000000	45.15	---	68.20	23.05	500.0	200.0	V	83.0	-0.7
10401.250000	45.57	---	68.20	22.63	500.0	200.0	H	66.0	-1.0
10636.250000	---	33.42	54.00	20.58	500.0	100.0	H	175.0	-0.8
13345.000000	---	34.88	54.00	19.12	500.0	100.0	V	357.0	2.3
13545.000000	46.73	---	68.20	21.47	500.0	100.0	V	149.0	2.9
14856.250000	48.12	---	68.20	20.08	500.0	100.0	V	153.0	4.9
15597.500000	---	50.68	54.00	3.32	500.0	200.0	V	0.0	6.5
17462.500000	52.59	---	68.20	15.61	500.0	200.0	V	31.0	9.8
17997.500000	---	41.97	54.00	12.03	500.0	200.0	H	322.0	11.1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1084.875000	---	28.24	54.00	25.76	500.0	200.0	H	138.0	-10.2
1290.500000	41.22	---	68.20	26.98	500.0	100.0	H	213.0	-8.3
1387.625000	---	30.56	54.00	23.44	500.0	100.0	V	89.0	-7.7
1680.750000	---	31.70	54.00	22.30	500.0	200.0	H	84.0	-6.0
1968.625000	44.38	---	68.20	23.82	500.0	100.0	H	300.0	-4.7
2641.500000	48.01	---	68.20	20.19	500.0	200.0	H	44.0	-2.0
2827.875000	---	36.72	54.00	17.28	500.0	200.0	H	111.0	-1.1
3417.625000	50.65	---	68.20	17.55	500.0	200.0	H	235.0	1.4
3988.125000	---	40.37	54.00	13.63	500.0	200.0	H	62.0	3.2
4418.625000	52.03	---	68.20	16.17	500.0	200.0	H	125.0	3.6
6574.625000	55.60	---	68.20	12.60	500.0	200.0	H	35.0	6.6
7342.000000	---	43.55	54.00	10.45	500.0	200.0	H	80.0	7.0




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8951.250000	44.60	---	68.20	23.60	500.0	100.0	V	84.0	-1.3
9023.750000	---	32.24	54.00	21.76	500.0	200.0	H	192.0	-1.3
9481.250000	---	34.14	54.00	19.86	500.0	100.0	H	95.0	0.0
10476.250000	46.07	---	68.20	22.13	500.0	200.0	H	62.0	-1.0
10483.750000	45.42	---	68.20	22.78	500.0	200.0	H	71.0	-1.0
11147.500000	---	33.32	54.00	20.68	500.0	100.0	H	0.0	-0.5
13363.750000	---	34.74	54.00	19.26	500.0	100.0	V	282.0	2.4
13723.750000	47.02	---	68.20	21.18	500.0	200.0	V	287.0	3.3
15286.250000	48.61	---	68.20	19.59	500.0	100.0	V	192.0	5.6
15718.750000	---	53.43	54.00	0.57	500.0	200.0	H	324.0	6.7
17621.250000	52.61	---	68.20	15.59	500.0	100.0	H	284.0	10.2
17795.000000	---	41.56	54.00	12.44	500.0	100.0	H	132.0	10.2




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1275.625000	41.28	---	68.20	26.92	500.0	100.0	V	21.0	-8.4
1404.250000	---	30.46	54.00	23.54	500.0	200.0	V	146.0	-7.6
1689.500000	---	31.74	54.00	22.26	500.0	200.0	V	348.0	-6.0
1996.625000	44.36	---	68.20	23.84	500.0	200.0	H	159.0	-4.6
2652.000000	47.51	---	68.20	20.69	500.0	200.0	H	8.0	-2.0
2799.875000	---	36.57	54.00	17.43	500.0	200.0	H	131.0	-1.3
3541.000000	50.40	---	68.20	17.80	500.0	100.0	H	131.0	1.7
3995.125000	---	40.42	54.00	13.58	500.0	200.0	H	39.0	3.2
4466.750000	51.41	---	68.20	16.79	500.0	200.0	H	131.0	3.7
4939.250000	---	40.93	54.00	13.07	500.0	200.0	H	25.0	4.6
6880.875000	56.11	---	68.20	12.09	500.0	200.0	H	104.0	6.7
7272.875000	---	43.93	54.00	10.07	500.0	200.0	H	17.0	7.1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8245.456250	---	30.69	54.00	23.31	500.0	100.0	H	17.0	-2.4
8977.468750	43.86	---	68.20	24.34	500.0	100.0	H	85.0	-1.3
9023.867500	---	32.62	54.00	21.38	500.0	200.0	V	0.0	-1.3
9483.292500	---	34.02	54.00	19.98	500.0	200.0	V	84.0	0.0
10038.575000	44.92	---	68.20	23.28	500.0	200.0	H	0.0	-0.7
10517.895000	47.72	---	68.20	20.48	500.0	200.0	H	67.0	-1.0
11207.592500	---	32.92	54.00	21.08	500.0	100.0	H	286.0	-0.6
13321.193750	---	34.87	54.00	19.13	500.0	200.0	H	193.0	2.3
13528.167500	46.40	---	68.20	21.80	500.0	100.0	H	123.0	2.8
15302.888750	48.74	---	68.20	19.46	500.0	100.0	V	356.0	5.6
15781.613750	---	52.40	54.00	1.60	500.0	200.0	V	9.0	6.8
15784.071250	65.44	---	74.00	8.56	500.0	200.0	V	9.0	6.8




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1274.750000	41.47	---	68.20	26.73	500.0	100.0	V	182.0	-8.4
1413.000000	---	30.45	54.00	23.55	500.0	200.0	V	258.0	-7.5
1708.750000	---	31.88	54.00	22.12	500.0	100.0	H	358.0	-5.9
1816.375000	44.71	---	68.20	23.49	500.0	100.0	H	105.0	-5.4
2683.500000	47.25	---	68.20	20.95	500.0	200.0	H	5.0	-1.8
2792.875000	---	36.67	54.00	17.33	500.0	200.0	H	104.0	-1.3
3456.125000	51.33	---	68.20	16.87	500.0	200.0	H	145.0	1.6
3996.875000	---	39.59	54.00	14.41	500.0	100.0	V	50.0	3.2
4479.875000	51.23	---	68.20	16.97	500.0	200.0	H	77.0	3.8
4934.875000	---	40.46	54.00	13.54	500.0	200.0	H	118.0	4.6
6853.750000	55.73	---	68.20	12.47	500.0	200.0	H	258.0	6.8
7307.875000	---	43.48	54.00	10.52	500.0	200.0	H	59.0	7.0




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8980.000000	43.82	---	68.20	24.38	500.0	200.0	V	133.0	-1.3
9050.000000	---	32.59	54.00	21.41	500.0	100.0	V	316.0	-1.3
9478.750000	---	34.16	54.00	19.84	500.0	200.0	H	94.0	0.0
9817.500000	45.67	---	68.20	22.53	500.0	100.0	H	42.0	-0.4
10595.000000	45.51	---	68.20	22.69	500.0	200.0	H	61.0	-0.9
10601.250000	---	36.45	54.00	17.55	500.0	200.0	H	65.0	-0.8
13375.000000	---	34.84	54.00	19.16	500.0	100.0	V	288.0	2.4
13721.250000	46.62	---	68.20	21.58	500.0	200.0	H	352.0	3.3
15297.500000	48.65	---	68.20	19.55	500.0	100.0	V	354.0	5.6
15571.250000	---	38.51	54.00	15.49	500.0	100.0	H	62.0	6.4
15900.000000	---	53.56	54.00	0.44	500.0	200.0	V	347.0	6.6
15906.250000	65.95	---	74.00	8.05	500.0	200.0	V	347.0	6.6




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1243.250000	41.35	---	68.20	26.85	500.0	200.0	V	307.0	-8.6
1399.000000	---	30.43	54.00	23.57	500.0	100.0	V	112.0	-7.6
1660.625000	---	31.78	54.00	22.22	500.0	200.0	V	37.0	-6.1
1872.375000	45.06	---	68.20	23.14	500.0	200.0	H	109.0	-5.1
2530.375000	47.19	---	68.20	21.01	500.0	100.0	V	214.0	-2.2
2792.875000	---	36.59	54.00	17.41	500.0	200.0	H	194.0	-1.3
3304.750000	50.36	---	68.20	17.84	500.0	200.0	H	119.0	0.9
3997.750000	---	40.28	54.00	13.72	500.0	200.0	H	9.0	3.2
4480.750000	51.82	---	68.20	16.38	500.0	200.0	H	33.0	3.8
4934.875000	---	40.72	54.00	13.28	500.0	200.0	H	14.0	4.6
7097.875000	55.87	---	68.20	12.33	500.0	200.0	H	46.0	7.0
7675.375000	---	43.62	54.00	10.38	500.0	200.0	H	291.0	7.4




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8987.500000	44.63	---	68.20	23.57	500.0	200.0	H	346.0	-1.3
9023.750000	---	32.43	54.00	21.57	500.0	200.0	V	147.0	-1.3
9477.500000	---	33.97	54.00	20.03	500.0	100.0	H	202.0	0.0
9675.000000	45.44	---	68.20	22.76	500.0	100.0	H	43.0	-0.7
10566.250000	44.51	---	68.20	23.69	500.0	200.0	H	342.0	-0.9
10643.750000	---	35.89	54.00	18.11	500.0	200.0	H	337.0	-0.8
13336.250000	---	34.96	54.00	19.04	500.0	200.0	V	70.0	2.3
13717.500000	47.04	---	68.20	21.16	500.0	200.0	V	0.0	3.3
15287.500000	49.09	---	68.20	19.11	500.0	200.0	V	84.0	5.6
15552.500000	---	38.50	54.00	15.50	500.0	100.0	V	136.0	6.3
15960.000000	---	50.91	54.00	3.09	500.0	200.0	V	4.0	6.8
15962.500000	63.13	---	74.00	10.87	500.0	200.0	V	0.0	6.8




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.375000	41.01	---	68.20	27.19	500.0	100.0	V	178.0	-8.2
1399.000000	---	30.41	54.00	23.59	500.0	200.0	V	260.0	-7.6
1661.500000	---	32.08	54.00	21.92	500.0	100.0	V	133.0	-6.1
1892.500000	44.44	---	68.20	23.76	500.0	200.0	H	25.0	-5.0
2523.375000	47.66	---	68.20	20.54	500.0	200.0	H	152.0	-2.2
2810.375000	---	36.95	54.00	17.05	500.0	200.0	H	20.0	-1.2
3448.250000	50.38	---	68.20	17.82	500.0	200.0	H	152.0	1.6
3961.875000	---	40.10	54.00	13.90	500.0	200.0	H	0.0	2.9
5214.875000	52.70	---	68.20	15.50	500.0	200.0	H	52.0	5.3
5382.000000	---	41.74	54.00	12.26	500.0	200.0	H	43.0	5.1
6585.125000	55.42	---	68.20	12.78	500.0	200.0	H	125.0	6.6
7392.750000	---	43.67	54.00	10.33	500.0	200.0	H	52.0	7.3




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8976.250000	44.33	---	68.20	23.87	500.0	100.0	H	198.0	-1.3
9031.250000	---	32.36	54.00	21.64	500.0	200.0	V	207.0	-1.3
9481.250000	---	34.20	54.00	19.80	500.0	200.0	H	117.0	0.0
9681.250000	45.67	---	68.20	22.53	500.0	100.0	H	68.0	-0.7
10546.250000	44.21	---	68.20	23.99	500.0	200.0	H	107.0	-0.9
10998.750000	---	37.36	54.00	16.64	500.0	200.0	V	14.0	-0.8
13348.750000	---	34.87	54.00	19.13	500.0	100.0	H	359.0	2.4
13558.750000	46.51	---	68.20	21.69	500.0	100.0	V	73.0	2.9
15295.000000	48.70	---	68.20	19.50	500.0	100.0	V	228.0	5.6
15570.000000	---	38.36	54.00	15.64	500.0	200.0	H	51.0	6.4
16503.750000	56.40	---	68.20	11.80	500.0	100.0	V	326.0	8.1
18000.000000	---	42.01	54.00	11.99	500.0	100.0	H	184.0	11.2




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1282.625000	40.73	---	68.20	27.47	500.0	200.0	V	274.0	-8.3
1300.125000	---	30.27	54.00	23.73	500.0	100.0	V	292.0	-8.2
1719.250000	---	31.75	54.00	22.25	500.0	200.0	H	154.0	-5.9
1952.000000	44.62	---	68.20	23.58	500.0	100.0	V	141.0	-4.7
2655.500000	47.26	---	68.20	20.94	500.0	100.0	V	28.0	-1.9
2774.500000	---	35.96	54.00	18.04	500.0	100.0	V	15.0	-1.4
3479.750000	50.48	---	68.20	17.72	500.0	100.0	H	265.0	1.7
3954.875000	---	39.52	54.00	14.48	500.0	100.0	V	37.0	2.9
5228.875000	51.46	---	68.20	16.74	500.0	200.0	H	262.0	5.3
5418.750000	---	40.46	54.00	13.54	500.0	200.0	H	352.0	5.1
7520.500000	---	41.32	54.00	12.68	500.0	100.0	V	6.0	7.0
7979.000000	53.78	---	68.20	14.42	500.0	200.0	H	21.0	7.5




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8710.000000	43.91	---	68.20	24.29	500.0	100.0	H	0.0	-1.6
9047.500000	---	32.20	54.00	21.80	500.0	100.0	V	180.0	-1.3
9468.750000	---	34.06	54.00	19.94	500.0	100.0	H	247.0	-0.1
9666.250000	45.62	---	68.20	22.58	500.0	200.0	H	264.0	-0.6
10360.000000	44.30	---	68.20	23.90	500.0	100.0	H	103.0	-1.0
11160.000000	---	41.13	54.00	12.87	500.0	200.0	H	330.0	-0.5
13335.000000	---	34.80	54.00	19.20	500.0	100.0	V	133.0	2.3
13715.000000	46.97	---	68.20	21.23	500.0	100.0	H	61.0	3.3
15315.000000	49.10	---	68.20	19.10	500.0	200.0	H	335.0	5.6
15587.500000	---	38.31	54.00	15.69	500.0	100.0	H	19.0	6.5
16731.250000	53.56	---	68.20	14.64	500.0	100.0	V	318.0	8.5
18000.000000	---	42.10	54.00	11.90	500.0	100.0	V	208.0	11.2




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1257.250000	41.98	---	68.20	26.22	500.0	100.0	V	229.0	-8.6
1329.000000	---	30.46	54.00	23.54	500.0	100.0	V	143.0	-8.0
1720.125000	---	31.88	54.00	22.12	500.0	200.0	V	55.0	-5.9
1815.500000	43.55	---	68.20	24.65	500.0	100.0	V	65.0	-5.4
2534.750000	46.59	---	68.20	21.61	500.0	100.0	V	291.0	-2.2
2759.625000	---	35.96	54.00	18.04	500.0	200.0	V	353.0	-1.5
3538.375000	50.45	---	68.20	17.75	500.0	100.0	H	0.0	1.7
3967.125000	---	39.48	54.00	14.52	500.0	200.0	V	140.0	3.0
5143.125000	---	39.76	54.00	14.24	500.0	200.0	H	101.0	5.0
5237.625000	51.55	---	68.20	16.65	500.0	200.0	H	0.0	5.3
6794.250000	53.18	---	68.20	15.02	500.0	100.0	V	175.0	6.8
7374.375000	---	41.08	54.00	12.92	500.0	100.0	H	183.0	7.2




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8960.000000	43.67	---	68.20	24.53	500.0	100.0	V	312.0	-1.3
9077.500000	---	32.49	54.00	21.51	500.0	100.0	H	219.0	-1.2
9482.500000	---	33.93	54.00	20.07	500.0	200.0	V	165.0	0.0
9716.250000	45.69	---	68.20	22.51	500.0	200.0	V	0.0	-0.7
10405.000000	42.72	---	68.20	25.48	500.0	100.0	V	85.0	-1.0
11400.000000	---	43.35	54.00	10.65	500.0	200.0	H	341.0	-0.5
13326.250000	---	34.69	54.00	19.31	500.0	200.0	V	3.0	2.3
13560.000000	46.31	---	68.20	21.89	500.0	200.0	H	137.0	2.9
15312.500000	48.91	---	68.20	19.29	500.0	100.0	H	88.0	5.6
15590.000000	---	38.47	54.00	15.53	500.0	200.0	V	36.0	6.5
17106.250000	59.08	---	68.20	9.12	500.0	200.0	H	346.0	8.9
17997.500000	---	42.13	54.00	11.87	500.0	200.0	V	118.0	11.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1288.750000	40.87	---	68.20	27.33	500.0	200.0	V	265.0	-8.3
1352.625000	---	30.50	54.00	23.50	500.0	100.0	V	237.0	-7.9
1702.625000	---	31.62	54.00	22.38	500.0	200.0	V	85.0	-6.0
1964.250000	44.51	---	68.20	23.69	500.0	200.0	H	24.0	-4.7
2677.375000	46.75	---	68.20	21.45	500.0	100.0	V	11.0	-1.8
2776.250000	---	36.09	54.00	17.91	500.0	200.0	H	308.0	-1.4
3430.750000	50.69	---	68.20	17.51	500.0	100.0	H	313.0	1.5
3986.375000	---	39.66	54.00	14.34	500.0	100.0	V	269.0	3.2
5123.000000	---	40.21	54.00	13.79	500.0	100.0	V	358.0	5.1
5295.375000	51.57	---	68.20	16.63	500.0	200.0	H	340.0	5.4
6673.500000	53.21	---	68.20	14.99	500.0	200.0	V	25.0	6.6
7395.375000	---	41.15	54.00	12.85	500.0	100.0	V	260.0	7.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8980.000000	43.70	---	68.20	24.50	500.0	100.0	H	156.0	-1.3
9022.500000	---	32.54	54.00	21.46	500.0	200.0	V	292.0	-1.3
9468.750000	---	33.93	54.00	20.07	500.0	100.0	H	194.0	-0.1
9996.250000	45.74	---	68.20	22.46	500.0	100.0	H	1.0	-1.0
10496.250000	44.20	---	68.20	24.00	500.0	200.0	V	40.0	-1.0
11440.000000	---	44.34	54.00	9.66	500.0	200.0	H	337.0	-0.6
13308.750000	---	34.90	54.00	19.10	500.0	100.0	V	246.0	2.3
13656.250000	46.90	---	68.20	21.30	500.0	200.0	H	262.0	3.1
15313.750000	49.75	---	68.20	18.45	500.0	100.0	H	39.0	5.6
15587.500000	---	38.32	54.00	15.68	500.0	100.0	H	146.0	6.5
17161.250000	63.54	---	68.20	4.66	500.0	100.0	V	350.0	9.0
17997.500000	---	41.96	54.00	12.04	500.0	200.0	H	238.0	11.1

802.11a CH149




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Poi	Azimuth (deg)	Corr. (dB/m)
1269.500000	40.93	---	68.20	27.27	500.0	200.0	V	53.0	-8.4
1404.250000	---	30.47	54.00	23.53	500.0	100.0	V	265.0	-7.6
1709.625000	---	31.96	54.00	22.04	500.0	200.0	V	4.0	-5.9
1842.625000	44.33	---	68.20	23.87	500.0	100.0	V	169.0	-5.2
2441.125000	46.87	---	68.20	21.33	500.0	100.0	V	201.0	-2.4
2810.375000	---	35.99	54.00	18.01	500.0	100.0	H	38.0	-1.2
3435.125000	50.50	---	68.20	17.70	500.0	100.0	H	7.0	1.5
3984.625000	---	39.52	54.00	14.48	500.0	100.0	V	201.0	3.2
5137.875000	---	40.06	54.00	13.94	500.0	100.0	H	206.0	5.0
5162.375000	52.44	---	68.20	15.76	500.0	200.0	H	314.0	5.1
6978.875000	53.24	---	68.20	14.96	500.0	200.0	H	342.0	7.1
7328.000000	---	41.08	54.00	12.92	500.0	200.0	H	314.0	7.0




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8045.000000	---	32.88	54.00	21.12	500.0	200.0	H	42.0	-2.5
8945.000000	44.09	---	68.20	24.11	500.0	200.0	V	347.0	-1.3
9486.250000	---	33.90	54.00	20.10	500.0	100.0	V	213.0	0.0
9515.000000	45.43	---	68.20	22.77	500.0	200.0	H	172.0	-0.1
10476.250000	43.48	---	68.20	24.72	500.0	100.0	H	189.0	-1.0
11492.500000	---	44.34	54.00	9.66	500.0	200.0	H	336.0	-0.5
13318.750000	---	34.81	54.00	19.19	500.0	100.0	H	90.0	2.3
13541.250000	47.07	---	68.20	21.13	500.0	100.0	H	33.0	2.9
15261.250000	48.68	---	68.20	19.52	500.0	200.0	V	150.0	5.6
15597.500000	---	38.32	54.00	15.68	500.0	200.0	H	318.0	6.5
17240.000000	66.51	---	68.20	1.69	500.0	200.0	H	350.0	9.2
17998.750000	---	42.18	54.00	11.82	500.0	100.0	V	254.0	11.1




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1279.125000	41.22	---	68.20	26.98	500.0	200.0	V	0.0	-8.4
1357.875000	---	30.21	54.00	23.79	500.0	200.0	V	15.0	-7.8
1679.000000	---	31.88	54.00	22.12	500.0	200.0	V	73.0	-6.0
1937.125000	45.06	---	68.20	23.14	500.0	100.0	V	351.0	-4.8
2667.750000	46.75	---	68.20	21.45	500.0	100.0	V	51.0	-1.9
2787.625000	---	36.10	54.00	17.90	500.0	100.0	V	257.0	-1.3
3446.500000	53.69	---	68.20	14.51	500.0	100.0	H	252.0	1.5
3985.500000	---	39.40	54.00	14.60	500.0	200.0	V	219.0	3.2
5398.625000	---	39.24	54.00	14.76	500.0	100.0	H	50.0	5.1
5569.250000	51.66	---	68.20	16.54	500.0	100.0	V	274.0	5.5
6506.375000	53.57	---	68.20	14.63	500.0	200.0	V	160.0	6.3
7390.125000	---	41.16	54.00	12.84	500.0	100.0	V	180.0	7.3




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8983.750000	43.73	---	68.20	24.47	500.0	100.0	V	254.0	-1.3
9076.250000	---	32.28	54.00	21.72	500.0	100.0	H	27.0	-1.2
9476.250000	---	34.10	54.00	19.90	500.0	100.0	V	173.0	0.0
9761.250000	45.54	---	68.20	22.66	500.0	200.0	H	225.0	-0.5
10446.250000	43.71	---	68.20	24.49	500.0	100.0	H	179.0	-1.0
11568.750000	---	45.48	54.00	8.52	500.0	200.0	H	336.0	-0.5
13350.000000	---	34.91	54.00	19.09	500.0	100.0	H	0.0	2.4
13697.500000	46.27	---	68.20	21.93	500.0	200.0	H	186.0	3.2
15148.750000	49.05	---	68.20	19.15	500.0	200.0	V	113.0	5.2
15582.500000	---	38.43	54.00	15.57	500.0	100.0	V	126.0	6.4
17356.250000	65.81	---	68.20	2.39	500.0	200.0	H	0.0	9.6
17998.750000	---	42.18	54.00	11.82	500.0	200.0	V	33.0	11.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.625000	41.36	---	68.20	26.84	500.0	100.0	V	92.0	-8.5
1413.000000	---	30.44	54.00	23.56	500.0	200.0	V	189.0	-7.5
1702.625000	---	31.60	54.00	22.40	500.0	200.0	V	113.0	-6.0
1990.500000	44.61	---	68.20	23.59	500.0	100.0	H	9.0	-4.6
2632.750000	47.07	---	68.20	21.13	500.0	200.0	V	46.0	-2.0
2773.625000	---	36.03	54.00	17.97	500.0	200.0	H	350.0	-1.4
3996.000000	---	39.69	54.00	14.31	500.0	200.0	V	158.0	3.2
5065.250000	---	39.48	54.00	14.52	500.0	100.0	H	174.0	5.0
5569.250000	52.09	---	68.20	16.11	500.0	200.0	H	217.0	5.5
6608.750000	53.49	---	68.20	14.71	500.0	200.0	V	0.0	6.6
7388.375000	---	41.14	54.00	12.86	500.0	100.0	V	218.0	7.2



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8520.000000	43.92	---	68.20	24.28	500.0	100.0	V	0.0	-1.8
9043.750000	---	32.38	54.00	21.62	500.0	100.0	V	295.0	-1.3
9485.000000	---	34.02	54.00	19.98	500.0	200.0	V	92.0	0.0
9560.000000	45.51	---	68.20	22.69	500.0	100.0	H	30.0	-0.4
10501.250000	43.41	---	68.20	24.79	500.0	200.0	H	0.0	-1.0
11651.250000	---	44.81	54.00	9.19	500.0	200.0	H	341.0	-0.3
13331.250000	---	34.55	54.00	19.45	500.0	200.0	V	106.0	2.3
13500.000000	47.03	---	68.20	21.17	500.0	200.0	H	350.0	2.7
15321.250000	48.96	---	68.20	19.24	500.0	100.0	V	257.0	5.7
15586.250000	---	38.62	54.00	15.38	500.0	100.0	V	124.0	6.5
17482.500000	66.74	---	68.20	1.46	500.0	200.0	H	0.0	9.8
17786.250000	---	41.99	54.00	12.01	500.0	100.0	V	314.0	10.2

802.11n (HT20) CH36



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.000000	41.28	---	68.20	26.92	500.0	200.0	H	309.0	-8.2
1411.250000	---	30.52	54.00	23.48	500.0	200.0	V	37.0	-7.5
1693.000000	---	31.98	54.00	22.02	500.0	200.0	H	317.0	-6.0
1986.125000	45.32	---	68.20	22.88	500.0	200.0	H	354.0	-4.6
2607.375000	46.91	---	68.20	21.29	500.0	100.0	V	99.0	-2.0
2792.000000	---	36.44	54.00	17.56	500.0	200.0	H	349.0	-1.3
3459.625000	51.18	---	68.20	17.02	500.0	200.0	H	327.0	1.6
3959.250000	---	40.05	54.00	13.95	500.0	200.0	H	327.0	2.9
4474.625000	51.53	---	68.20	16.67	500.0	200.0	H	322.0	3.7
4908.625000	---	40.90	54.00	13.10	500.0	200.0	H	354.0	4.6
6960.500000	55.33	---	68.20	12.87	500.0	200.0	H	295.0	7.1
7300.000000	---	43.49	54.00	10.51	500.0	200.0	H	335.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8287.500000	---	35.50	54.00	18.50	500.0	100.0	V	259.0	-2.4
8525.000000	43.79	---	68.20	24.41	500.0	100.0	H	0.0	-1.8
9477.500000	---	34.37	54.00	19.63	500.0	200.0	V	278.0	0.0
9706.250000	45.75	---	68.20	22.45	500.0	200.0	V	0.0	-0.7
10363.750000	45.48	---	68.20	22.72	500.0	200.0	V	53.0	-1.0
10668.750000	---	33.44	54.00	20.56	500.0	100.0	H	153.0	-0.8
12897.500000	45.00	---	68.20	23.20	500.0	200.0	V	166.0	0.9
13361.250000	---	34.67	54.00	19.33	500.0	100.0	H	50.0	2.4
13733.750000	46.64	---	68.20	21.56	500.0	100.0	H	224.0	3.3
15538.750000	---	48.93	54.00	5.07	500.0	200.0	H	358.0	6.2
17697.500000	52.58	---	68.20	15.62	500.0	200.0	V	213.0	10.3
17981.250000	---	41.82	54.00	12.18	500.0	200.0	H	22.0	10.9

802.11n (HT20) CH40



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.625000	41.08	---	68.20	27.12	500.0	200.0	V	214.0	-8.5
1407.750000	---	30.76	54.00	23.24	500.0	100.0	V	195.0	-7.5
1700.875000	---	31.79	54.00	22.21	500.0	100.0	V	276.0	-6.0
1998.375000	44.64	---	68.20	23.56	500.0	200.0	H	342.0	-4.6
2612.625000	47.30	---	68.20	20.90	500.0	100.0	H	173.0	-2.0
2736.000000	---	36.09	54.00	17.91	500.0	100.0	H	159.0	-1.5
3450.875000	50.57	---	68.20	17.63	500.0	100.0	H	0.0	1.6
3994.250000	---	39.60	54.00	14.40	500.0	200.0	V	205.0	3.2
4476.375000	51.28	---	68.20	16.92	500.0	100.0	H	17.0	3.7
4945.375000	---	39.19	54.00	14.81	500.0	100.0	H	113.0	4.6
6595.625000	53.58	---	68.20	14.62	500.0	100.0	V	327.0	6.6
7328.875000	---	41.03	54.00	12.97	500.0	200.0	H	247.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8320.000000	---	33.84	54.00	20.16	500.0	200.0	H	21.0	-2.4
8928.750000	43.71	---	68.20	24.49	500.0	100.0	H	75.0	-1.3
9473.750000	---	34.04	54.00	19.96	500.0	200.0	V	0.0	0.0
9771.250000	45.32	---	68.20	22.88	500.0	200.0	V	269.0	-0.5
10512.500000	44.84	---	68.20	23.36	500.0	100.0	V	115.0	-1.0
10668.750000	---	33.34	54.00	20.66	500.0	100.0	V	192.0	-0.8
13350.000000	---	34.81	54.00	19.19	500.0	100.0	H	61.0	2.4
13580.000000	46.92	---	68.20	21.28	500.0	200.0	H	357.0	2.9
14941.250000	46.87	---	68.20	21.33	500.0	200.0	V	142.0	5.1
15601.250000	---	49.96	54.00	4.04	500.0	100.0	V	82.0	6.5
17626.250000	53.38	---	68.20	14.82	500.0	200.0	V	171.0	10.2
18000.000000	---	41.81	54.00	12.19	500.0	100.0	H	0.0	11.2

802.11n (HT20) CH48



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.875000	41.89	---	68.20	26.31	500.0	100.0	V	0.0	-8.2
1407.750000	---	30.56	54.00	23.44	500.0	100.0	V	96.0	-7.5
1709.625000	---	31.70	54.00	22.30	500.0	100.0	V	358.0	-5.9
1992.250000	44.73	---	68.20	23.47	500.0	100.0	V	349.0	-4.6
2544.375000	47.49	---	68.20	20.71	500.0	200.0	H	356.0	-2.1
2805.125000	---	36.49	54.00	17.51	500.0	200.0	H	346.0	-1.2
3454.375000	50.80	---	68.20	17.40	500.0	200.0	H	316.0	1.6
3954.000000	---	40.53	54.00	13.47	500.0	200.0	H	296.0	2.8
4492.125000	51.44	---	68.20	16.76	500.0	200.0	H	306.0	3.9
4958.500000	---	40.49	54.00	13.51	500.0	200.0	H	356.0	4.6
6978.000000	55.55	---	68.20	12.65	500.0	200.0	H	337.0	7.1
7309.625000	---	43.51	54.00	10.49	500.0	200.0	H	320.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8383.750000	---	32.79	54.00	21.21	500.0	200.0	H	132.0	-2.2
8978.750000	44.04	---	68.20	24.16	500.0	100.0	V	336.0	-1.3
9466.250000	---	34.21	54.00	19.79	500.0	200.0	H	123.0	-0.1
10026.250000	45.47	---	68.20	22.73	500.0	100.0	H	192.0	-0.8
10570.000000	44.38	---	68.20	23.82	500.0	100.0	H	82.0	-0.9
10626.250000	---	33.36	54.00	20.64	500.0	200.0	V	204.0	-0.8
12303.750000	---	32.61	54.00	21.39	500.0	100.0	H	173.0	0.2
13330.000000	---	34.75	54.00	19.25	500.0	200.0	V	72.0	2.3
13516.250000	46.28	---	68.20	21.92	500.0	100.0	V	308.0	2.8
14283.750000	47.69	---	68.20	20.51	500.0	100.0	H	253.0	4.2
15725.000000	---	47.77	54.00	6.23	500.0	100.0	V	83.0	6.7
16927.500000	51.18	---	68.20	17.02	500.0	200.0	V	54.0	8.8

802.11n (HT20) CH52



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.250000	41.01	---	68.20	27.19	500.0	200.0	V	0.0	-8.5
1378.000000	---	30.52	54.00	23.48	500.0	100.0	V	269.0	-7.7
1671.125000	---	31.96	54.00	22.04	500.0	200.0	V	89.0	-6.1
1999.250000	44.81	---	68.20	23.39	500.0	200.0	H	299.0	-4.5
2418.375000	46.34	---	68.20	21.86	500.0	100.0	V	190.0	-2.5
2813.000000	---	36.69	54.00	17.31	500.0	200.0	H	351.0	-1.2
3422.875000	50.60	---	68.20	17.60	500.0	200.0	H	304.0	1.4
3998.625000	---	40.64	54.00	13.36	500.0	200.0	H	313.0	3.2
4489.500000	51.85	---	68.20	16.35	500.0	200.0	H	327.0	3.8
4934.875000	---	40.64	54.00	13.36	500.0	200.0	H	356.0	4.6
7009.500000	55.46	---	68.20	12.74	500.0	200.0	H	351.0	7.0
7331.500000	---	43.57	54.00	10.43	500.0	200.0	H	351.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8415.000000	---	32.91	54.00	21.09	500.0	200.0	H	131.0	-2.2
8987.500000	43.39	---	68.20	24.81	500.0	100.0	H	220.0	-1.3
9478.750000	---	34.12	54.00	19.88	500.0	100.0	H	139.0	0.0
9522.500000	45.24	---	68.20	22.96	500.0	200.0	H	284.0	-0.1
10513.750000	45.82	---	68.20	22.38	500.0	200.0	H	136.0	-1.0
10655.000000	---	33.37	54.00	20.63	500.0	100.0	H	258.0	-0.8
12228.750000	---	32.16	54.00	21.84	500.0	100.0	H	92.0	0.3
12998.750000	45.06	---	68.20	23.14	500.0	100.0	V	38.0	1.4
13348.750000	---	34.86	54.00	19.14	500.0	100.0	V	354.0	2.4
13713.750000	46.27	---	68.20	21.93	500.0	200.0	H	337.0	3.3
15186.250000	49.13	---	68.20	19.07	500.0	200.0	V	63.0	5.3
15782.500000	---	49.09	54.00	4.91	500.0	200.0	V	81.0	6.8

802.11n (HT20) CH64



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.125000	41.51	---	68.20	26.69	500.0	100.0	V	61.0	-8.4
1409.500000	---	30.36	54.00	23.64	500.0	200.0	V	124.0	-7.5
1704.375000	---	31.76	54.00	22.24	500.0	100.0	H	33.0	-6.0
1921.375000	44.43	---	68.20	23.77	500.0	100.0	H	139.0	-4.9
2613.500000	47.08	---	68.20	21.12	500.0	100.0	V	66.0	-2.0
2771.000000	---	36.24	54.00	17.76	500.0	200.0	V	39.0	-1.4
3432.500000	50.84	---	68.20	17.36	500.0	200.0	H	353.0	1.5
3963.625000	---	40.39	54.00	13.61	500.0	200.0	H	330.0	3.0
4472.000000	50.87	---	68.20	17.33	500.0	200.0	H	294.0	3.7
4934.000000	---	40.95	54.00	13.05	500.0	200.0	H	334.0	4.6
7069.000000	55.74	---	68.20	12.46	500.0	200.0	H	303.0	7.0
7600.125000	---	43.48	54.00	10.52	500.0	200.0	H	334.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	PoI	Azimuth (deg)	Corr. (dB/m)
8480.000000	---	32.39	54.00	21.61	500.0	200.0	H	5.0	-1.9
8555.000000	44.39	---	68.20	23.81	500.0	200.0	H	285.0	-1.8
9463.750000	---	33.87	54.00	20.13	500.0	200.0	H	317.0	-0.2
9663.750000	45.84	---	68.20	22.36	500.0	100.0	V	193.0	-0.6
10600.000000	---	34.72	54.00	19.28	500.0	200.0	H	149.0	-0.8
10600.000000	45.77	---	68.20	22.43	500.0	200.0	V	21.0	-0.8
13342.500000	---	34.69	54.00	19.31	500.0	100.0	V	19.0	2.3
13517.500000	46.75	---	68.20	21.45	500.0	200.0	H	163.0	2.8
14298.750000	47.69	---	68.20	20.51	500.0	100.0	H	19.0	4.3
15317.500000	48.94	---	68.20	19.26	500.0	100.0	H	274.0	5.6
15588.750000	---	38.22	54.00	15.78	500.0	100.0	H	0.0	6.5
15900.000000	---	49.06	54.00	4.94	500.0	200.0	V	140.0	6.6

802.11n (HT20) CH100



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.500000	41.10	---	68.20	27.10	500.0	200.0	V	71.0	-8.6
1413.000000	---	30.61	54.00	23.39	500.0	200.0	V	57.0	-7.5
1721.000000	---	31.70	54.00	22.30	500.0	100.0	V	331.0	-5.9
1980.875000	44.12	---	68.20	24.08	500.0	200.0	H	290.0	-4.7
2581.125000	46.72	---	68.20	21.48	500.0	100.0	V	277.0	-2.0
2804.250000	---	36.41	54.00	17.59	500.0	200.0	H	315.0	-1.2
3074.625000	51.08	---	68.20	17.12	500.0	100.0	H	14.0	-0.3
3976.750000	---	40.68	54.00	13.32	500.0	200.0	H	285.0	3.1
4471.125000	51.59	---	68.20	16.61	500.0	200.0	H	338.0	3.7
4938.375000	---	40.76	54.00	13.24	500.0	200.0	H	324.0	4.6
6895.750000	55.39	---	68.20	12.81	500.0	200.0	H	267.0	6.7
7285.125000	---	43.49	54.00	10.51	500.0	200.0	H	338.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8516.250000	43.42	---	68.20	24.78	500.0	200.0	V	191.0	-1.8
9016.250000	---	32.32	54.00	21.68	500.0	200.0	V	0.0	-1.3
9481.250000	---	33.88	54.00	20.12	500.0	100.0	H	201.0	0.0
9520.000000	45.22	---	68.20	22.98	500.0	200.0	V	136.0	-0.1
10573.750000	44.21	---	68.20	23.99	500.0	200.0	V	122.0	-0.9
10637.500000	---	35.16	54.00	18.84	500.0	200.0	H	143.0	-0.8
12901.250000	45.76	---	68.20	22.44	500.0	100.0	H	68.0	0.9
13341.250000	---	34.77	54.00	19.23	500.0	200.0	V	0.0	2.3
13735.000000	47.36	---	68.20	20.84	500.0	100.0	V	343.0	3.4
15328.750000	48.82	---	68.20	19.38	500.0	200.0	V	0.0	5.7
15610.000000	---	38.24	54.00	15.76	500.0	200.0	V	214.0	6.5
15961.250000	---	49.33	54.00	4.67	500.0	200.0	V	85.0	6.8

802.11n (HT20) CH116



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1282.625000	41.01	---	68.20	27.19	500.0	100.0	V	261.0	-8.3
1385.875000	---	30.26	54.00	23.74	500.0	200.0	V	146.0	-7.7
1703.500000	---	31.70	54.00	22.30	500.0	200.0	V	184.0	-6.0
1941.500000	44.34	---	68.20	23.86	500.0	200.0	V	171.0	-4.7
2668.625000	46.64	---	68.20	21.56	500.0	100.0	H	1.0	-1.9
2788.500000	---	36.36	54.00	17.64	500.0	100.0	H	39.0	-1.3
3078.125000	49.16	---	68.20	19.04	500.0	100.0	V	142.0	-0.3
3974.125000	---	39.81	54.00	14.19	500.0	100.0	V	329.0	3.1
5066.125000	---	39.86	54.00	14.14	500.0	100.0	V	206.0	5.0
5229.750000	51.80	---	68.20	16.40	500.0	100.0	H	19.0	5.3
6840.625000	53.91	---	68.20	14.29	500.0	100.0	V	124.0	6.8
7384.875000	---	41.30	54.00	12.70	500.0	200.0	V	64.0	7.2



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8697.500000	44.69	---	68.20	23.51	500.0	200.0	V	53.0	-1.5
9017.500000	---	32.44	54.00	21.56	500.0	100.0	V	67.0	-1.3
9483.750000	---	34.24	54.00	19.76	500.0	200.0	V	197.0	0.0
9626.250000	45.27	---	68.20	22.93	500.0	100.0	V	272.0	-0.6
10567.500000	45.70	---	68.20	22.50	500.0	200.0	H	264.0	-0.9
10996.250000	---	35.57	54.00	18.44	500.0	200.0	H	53.0	-0.8
13343.750000	---	34.70	54.00	19.30	500.0	100.0	H	188.0	2.3
13697.500000	46.26	---	68.20	21.94	500.0	200.0	H	249.0	3.2
14583.750000	48.68	---	68.20	19.52	500.0	100.0	V	291.0	4.7
15545.000000	---	38.15	54.00	15.85	500.0	200.0	V	6.0	6.2
16493.750000	52.84	---	68.20	15.36	500.0	200.0	H	230.0	8.1
17983.750000	---	41.74	54.00	12.26	500.0	100.0	H	41.0	11.0

802.11n (HT20) CH140



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.375000	40.80	---	68.20	27.40	500.0	100.0	V	155.0	-8.2
1406.875000	---	30.41	54.00	23.59	500.0	100.0	V	110.0	-7.5
1700.000000	---	31.76	54.00	22.24	500.0	100.0	H	97.0	-6.0
2062.250000	44.90	---	68.20	23.30	500.0	100.0	V	249.0	-4.1
2502.375000	46.94	---	68.20	21.26	500.0	200.0	V	156.0	-2.1
2730.750000	---	36.29	54.00	17.71	500.0	200.0	H	350.0	-1.5
3552.375000	51.60	---	68.20	16.60	500.0	200.0	H	291.0	1.7
3993.375000	---	40.38	54.00	13.62	500.0	200.0	H	346.0	3.2
5277.000000	53.35	---	68.20	14.85	500.0	200.0	H	332.0	5.3
5412.625000	---	41.69	54.00	12.31	500.0	200.0	H	346.0	5.1
6966.625000	55.52	---	68.20	12.68	500.0	200.0	H	346.0	7.1
7321.875000	---	43.86	54.00	10.14	500.0	200.0	H	300.0	7.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8863.750000	43.90	---	68.20	24.30	500.0	200.0	H	352.0	-1.4
9026.250000	---	32.32	54.00	21.68	500.0	200.0	V	173.0	-1.3
9482.500000	---	34.13	54.00	19.87	500.0	200.0	V	293.0	0.0
9597.500000	45.49	---	68.20	22.71	500.0	200.0	H	296.0	-0.7
10226.250000	44.05	---	68.20	24.15	500.0	200.0	H	338.0	-1.1
11160.000000	---	39.18	54.00	14.82	500.0	200.0	V	103.0	-0.5
13355.000000	---	34.75	54.00	19.25	500.0	200.0	H	230.0	2.4
13530.000000	47.06	---	68.20	21.14	500.0	200.0	H	263.0	2.8
15300.000000	49.13	---	68.20	19.07	500.0	100.0	H	55.0	5.6
15596.250000	---	38.31	54.00	15.69	500.0	100.0	H	64.0	6.5
17551.250000	52.44	---	68.20	15.76	500.0	100.0	H	18.0	10.0
17980.000000	---	41.84	54.00	12.16	500.0	200.0	V	79.0	10.9

802.11n (HT20) CH144



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1012.250000	---	30.99	54.00	23.01	500.0	100.0	H	195.0	-10.6
1264.250000	40.48	---	68.20	27.72	500.0	200.0	V	94.0	-8.5
1720.125000	---	31.94	54.00	22.06	500.0	100.0	V	357.0	-5.9
1978.250000	45.16	---	68.20	23.04	500.0	200.0	V	63.0	-4.7
2523.375000	47.61	---	68.20	20.59	500.0	100.0	V	231.0	-2.2
2767.500000	---	36.22	54.00	17.78	500.0	100.0	V	307.0	-1.4
3984.625000	---	39.73	54.00	14.27	500.0	100.0	V	236.0	3.2
4406.375000	51.28	---	68.20	16.92	500.0	100.0	H	106.0	3.6
5143.125000	---	39.98	54.00	14.02	500.0	200.0	V	13.0	5.0
5264.750000	51.07	---	68.20	17.13	500.0	200.0	H	88.0	5.3
6953.500000	53.90	---	68.20	14.30	500.0	100.0	H	231.0	7.1
7340.250000	---	41.30	54.00	12.70	500.0	100.0	H	255.0	7.0



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8951.250000	44.44	---	68.20	23.76	500.0	100.0	H	58.0	-1.3
9122.500000	---	32.21	54.00	21.79	500.0	200.0	H	315.0	-1.2
9461.250000	---	34.01	54.00	19.99	500.0	100.0	V	289.0	-0.2
9660.000000	44.63	---	68.20	23.57	500.0	200.0	H	99.0	-0.6
10258.750000	45.27	---	68.20	22.93	500.0	100.0	V	269.0	-1.1
11397.500000	---	43.39	54.00	10.61	500.0	200.0	H	52.0	-0.5
13335.000000	---	34.98	54.00	19.02	500.0	100.0	H	138.0	2.3
13728.750000	46.68	---	68.20	21.52	500.0	100.0	V	355.0	3.3
15262.500000	49.11	---	68.20	19.09	500.0	100.0	V	327.0	5.6
15565.000000	---	38.43	54.00	15.57	500.0	200.0	V	82.0	6.4
17101.250000	59.37	---	68.20	8.83	500.0	200.0	H	57.0	8.9
17980.000000	---	41.82	54.00	12.18	500.0	100.0	H	301.0	10.9