

A.2 6dB and 99% Bandwidth


Test Result 6dB Bandwidth

Test Mode	Antenna	Frequency[MHz]	DTS BW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	8.080	2408.440	2416.520	0.5	PASS
11B	Ant1	2437	8.080	2432.960	2441.040	0.5	PASS
11B	Ant1	2462	8.080	2457.960	2466.040	0.5	PASS
11G	Ant1	2412	15.080	2404.480	2419.560	0.5	PASS
11G	Ant1	2437	15.040	2430.120	2445.160	0.5	PASS
11G	Ant1	2462	15.760	2454.120	2469.880	0.5	PASS
11N20SISO	Ant1	2412	14.080	2405.680	2419.760	0.5	PASS
11N20SISO	Ant1	2437	14.720	2430.760	2445.480	0.5	PASS
11N20SISO	Ant1	2462	17.280	2453.240	2470.520	0.5	PASS
11N40SISO	Ant1	2422	35.600	2404.560	2440.160	0.5	PASS
11N40SISO	Ant1	2437	34.480	2420.680	2455.160	0.5	PASS
11N40SISO	Ant1	2452	35.040	2434.480	2469.520	0.5	PASS

Test Result 99% Bandwidth

Test Mode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	13.358	2405.5574	2418.9154	---	---
11B	Ant1	2437	13.731	2430.3954	2444.1264	---	---
11B	Ant1	2462	13.884	2455.0107	2468.8947	---	---
11G	Ant1	2412	16.596	2403.8153	2420.4113	---	---
11G	Ant1	2437	16.666	2428.7741	2445.4401	---	---
11G	Ant1	2462	16.749	2453.5857	2470.3347	---	---
11N20SISO	Ant1	2412	17.696	2403.2093	2420.9053	---	---
11N20SISO	Ant1	2437	17.848	2428.1744	2446.0224	---	---
11N20SISO	Ant1	2462	17.900	2453.0754	2470.9754	---	---
11N40SISO	Ant1	2422	36.295	2404.0437	2440.3387	---	---
11N40SISO	Ant1	2437	36.220	2419.0458	2455.2658	---	---
11N40SISO	Ant1	2452	36.104	2434.0570	2470.1610	---	---

Test Graphs_6dB Bandwidth





11N20SISO-Ant1-2462-PASS

11N40SISO-Ant1-2422-PASS











11N40SISO-Ant1-2437-PASS

11N40SISO-Ant1-2452-PASS



Test Graphs_99% Bandwidth

11B-Ant1-2412  Center Frequency: 2.412000000 GHz Span: 40.000 MHz CF Step: 4.000000 MHz FVideo BW: 3.000 MHz Sweep: 1.00 ms (1001 pts) Occupied Bandwidth: 13.358 MHz Total Power: 19.4 dBm Transmit Freq Error: 256.43 kHz % of OBW Power: 99.00 %	11B-Ant1-2437  Center Frequency: 2.437000000 GHz Span: 40.000 MHz CF Step: 4.000000 MHz FVideo BW: 3.000 MHz Sweep: 1.00 ms (1001 pts) Occupied Bandwidth: 13.731 MHz Total Power: 18.9 dBm Transmit Freq Error: 260.92 kHz % of OBW Power: 99.00 %
11B-Ant1-2462  Center Frequency: 2.462000000 GHz Span: 40.000 MHz CF Step: 4.000000 MHz FVideo BW: 3.000 MHz Sweep: 1.00 ms (1001 pts) Occupied Bandwidth: 13.884 MHz Total Power: 18.7 dBm Transmit Freq Error: -47.237 kHz % of OBW Power: 99.00 %	11G-Ant1-2412  Center Frequency: 2.412000000 GHz Span: 40.000 MHz CF Step: 4.000000 MHz FVideo BW: 3.000 MHz Sweep: 1.00 ms (1001 pts) Occupied Bandwidth: 15.596 MHz Total Power: 19.7 dBm Transmit Freq Error: 113.31 kHz % of OBW Power: 99.00 %
11G-Ant1-2437  Center Frequency: 2.437000000 GHz Span: 40.000 MHz CF Step: 4.000000 MHz FVideo BW: 3.000 MHz Sweep: 1.00 ms (1001 pts) Occupied Bandwidth: 16.666 MHz Total Power: 19.7 dBm Transmit Freq Error: 107.06 kHz % of OBW Power: 99.00 %	11G-Ant1-2462  Center Frequency: 2.462000000 GHz Span: 40.000 MHz CF Step: 4.000000 MHz FVideo BW: 3.000 MHz Sweep: 1.00 ms (1001 pts) Occupied Bandwidth: 16.749 MHz Total Power: 19.5 dBm Transmit Freq Error: -39.825 kHz % of OBW Power: 99.00 %
11N20SISO-Ant1-2412	11N20SISO-Ant1-2437





A.3 Power Spectral Density

Test Result

Test Mode	Antenna	Frequency[MHz]	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-14.19	≤8.00	PASS
11B	Ant1	2437	-15.53	≤8.00	PASS
11B	Ant1	2462	-15.64	≤8.00	PASS
11G	Ant1	2412	-17.63	≤8.00	PASS
11G	Ant1	2437	-18.41	≤8.00	PASS
11G	Ant1	2462	-18.30	≤8.00	PASS
11N20SISO	Ant1	2412	-19.13	≤8.00	PASS
11N20SISO	Ant1	2437	-19.73	≤8.00	PASS
11N20SISO	Ant1	2462	-19.92	≤8.00	PASS
11N40SISO	Ant1	2422	-22.39	≤8.00	PASS
11N40SISO	Ant1	2437	-22.12	≤8.00	PASS
11N40SISO	Ant1	2452	-21.34	≤8.00	PASS

Test Graphs





A.4 Conducted Band Edges and Spurious Emission

Test Result

Band Edges

Test Mode	Antenna	Ch Name	Frequency [MHz]	Ref Level[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	7.37	-44.12	≤-22.63	PASS
11B	Ant1	High	2462	6.56	-55.39	≤-23.44	PASS
11G	Ant1	Low	2412	7.15	-26.48	≤-22.85	PASS
11G	Ant1	High	2462	5.11	-51.93	≤-24.89	PASS
11N20SISO	Ant1	Low	2412	5.31	-27.44	≤-24.69	PASS
11N20SISO	Ant1	High	2462	4.35	-49.23	≤-25.65	PASS
11N40SISO	Ant1	Low	2422	2.05	-37.3	≤-27.95	PASS
11N40SISO	Ant1	High	2452	2.42	-44.33	≤-27.58	PASS


Spurious Emission


Test Mode	Antenna	Frequency[MHz]	Freq Range[MHz]	Ref Level[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	2412	30~1000	7.37	-69.24	≤-22.63	PASS
11B	Ant1	2412	1000~26500	7.37	-55.24	≤-22.63	PASS
11B	Ant1	2437	30~1000	8.27	-58.36	≤-21.73	PASS
11B	Ant1	2437	1000~26500	8.27	-56.29	≤-21.73	PASS
11B	Ant1	2462	30~1000	6.56	-69.57	≤-23.44	PASS
11B	Ant1	2462	1000~26500	6.56	-56.05	≤-23.44	PASS
11G	Ant1	2412	30~1000	7.15	-68.88	≤-22.85	PASS
11G	Ant1	2412	1000~26500	7.15	-54.53	≤-22.85	PASS
11G	Ant1	2437	30~1000	6.20	-68.88	≤-23.8	PASS
11G	Ant1	2437	1000~26500	6.20	-55.26	≤-23.8	PASS
11G	Ant1	2462	30~1000	5.11	-68.87	≤-24.89	PASS
11G	Ant1	2462	1000~26500	5.11	-55.28	≤-24.89	PASS
11N20SISO	Ant1	2412	30~1000	5.31	-57.51	≤-24.69	PASS
11N20SISO	Ant1	2412	1000~26500	5.31	-55.41	≤-24.69	PASS
11N20SISO	Ant1	2437	30~1000	5.55	-69.07	≤-24.45	PASS
11N20SISO	Ant1	2437	1000~26500	5.55	-54.56	≤-24.45	PASS
11N20SISO	Ant1	2462	30~1000	4.35	-69.15	≤-25.65	PASS
11N20SISO	Ant1	2462	1000~26500	4.35	-55.65	≤-25.65	PASS
11N40SISO	Ant1	2422	30~1000	2.05	-68.8	≤-27.95	PASS
11N40SISO	Ant1	2422	1000~26500	2.05	-55.11	≤-27.95	PASS
11N40SISO	Ant1	2437	30~1000	2.39	-68.8	≤-27.61	PASS
11N40SISO	Ant1	2437	1000~26500	2.39	-55.33	≤-27.61	PASS
11N40SISO	Ant1	2452	30~1000	2.42	-68.69	≤-27.58	PASS

11N40SISO	Ant1	2452	1000~26500	2.42	-55.07	≤-27.58	PASS
-----------	------	------	------------	------	--------	---------	------


Test Graphs



Band Edges





Spurious Emission





11G-Ant1-2412-30~1000-PASS

11G-Ant1-2412-1000~26500-PASS




11G-Ant1-2437-30~1000-PASS

11G-Ant1-2437-1000~26500-PASS




11G-Ant1-2462-30~1000-PASS

11G-Ant1-2462-1000~26500-PASS



11N20SISO-Ant1-2412-30~1000-PASS


11N20SISO-Ant1-2412-1000~26500-PASS



11N20SISO-Ant1-2437-30~1000-PASS




11N20SISO-Ant1-2437-1000~26500-PASS



11N20SISO-Ant1-2462-30~1000-PASS



11N20SISO-Ant1-2462-1000~26500-PASS



11N40SISO-Ant1-2422-30~1000-PASS



11N40SISO-Ant1-2422-1000~26500-PASS



11N40SISO-Ant1-2437-30~1000-PASS



11N40SISO-Ant1-2437-1000~26500-PASS



11N40SISO-Ant1-2452-1000~26500-PASS




A.5 Duty Cycle

Test Result

Test Mode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B	Ant1	2412	12.44	12.62	98.57	0.06
11B	Ant1	2437	12.44	12.60	98.73	0.06
11B	Ant1	2462	12.43	12.58	98.81	0.05
11G	Ant1	2412	2.06	2.10	98.10	0.08
11G	Ant1	2437	2.07	2.10	98.57	0.06
11G	Ant1	2462	2.06	2.10	98.10	0.08
11N20SISO	Ant1	2412	1.93	1.96	98.47	0.07
11N20SISO	Ant1	2437	1.92	1.96	97.96	0.09
11N20SISO	Ant1	2462	1.92	1.96	97.96	0.09
11N40SISO	Ant1	2422	0.94	1.00	94.00	0.27
11N40SISO	Ant1	2437	0.94	1.00	94.00	0.27
11N40SISO	Ant1	2452	0.95	1.00	95.00	0.22

Test Graphs






NTNV-11N20SISO-Ant1-2412



NTNV-11N20SISO-Ant1-2437




NTNV-11N20SISO-Ant1-2462





NTNV-11N40SISO-Ant1-2422



NTNV-11N40SISO-Ant1-2437



NTNV-11N40SISO-Ant1-2452



ANNEX B: Test Results of Radiated Test


B.1 Radiated Band Edges and Spurious Emission


Test Result_Band Edges

Note: Both vertical and horizontal polarities have been evaluated, and the test data only shows the worst-case.
Level=Reading+Factor; Margin=Limit-Level; V=Vertical, H=Horizontal.

Data List								
Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11B_20M_2412	2389	45.83	57.87	12.04	74.00	16.13	V	PK
	2389	34.81	46.85	12.04	54.00	7.15	V	AV
11B_20M_2462	2484.2	47.74	60.46	12.72	74.00	13.54	V	PK
	2484.4125	35.79	48.53	12.74	54.00	5.47	V	AV
11G_20M_2412	2388.715	47.44	59.48	12.04	74.00	14.52	V	PK
	2389.2675	35.54	47.57	12.03	54.00	6.43	V	AV
11G_20M_2462	2484.0875	52.14	64.85	12.71	74.00	9.15	V	PK
	2484.025	39.19	51.90	12.71	54.00	2.10	V	AV
11N20_20M_2412	2389.0725	48.08	60.11	12.03	74.00	13.89	V	PK
	2388.26	35.32	47.38	12.06	54.00	6.62	V	AV
11N20_20M_2462	2483.825	50.75	63.44	12.69	74.00	10.56	V	PK
	2484.075	38.98	51.69	12.71	54.00	2.31	V	AV
11N40_40M_2422	2388.26	47.40	59.46	12.06	74.00	14.54	H	PK
	2388.65	35.75	47.79	12.04	54.00	6.21	V	AV
11N40_40M_2452	2484.225	48.65	61.37	12.72	74.00	12.63	V	PK
	2488.6375	53.10	65.89	12.79	74.00	8.11	V	PK
	2484.2125	36.97	49.69	12.72	54.00	4.31	V	AV
	2488.575	36.01	48.80	12.79	54.00	5.20	V	AV

Test Graphs_Band Edges





Test Result_Spurious Emission

Note1: Test result Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier the Emissions in the frequency band 9kHz-30MHz and 18GHz-26.5GHz are more than 20dB below the limit are not reported.

Note2: Both vertical and horizontal polarities have been evaluated, and the test data only shows the worst-case. Level=Reading+Factor; Margin=Limit-Level; V=Vertical , H=Horizontal.

Data List								
Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11B_20M_2412	4824	46.68	53.93	7.25	74.00	20.07	V	PK
	7236	43.30	57.43	14.13	74.00	16.57	V	PK
	9648	33.67	48.32	14.65	74.00	25.68	V	PK
	12060	33.40	49.43	16.03	74.00	24.57	H	PK
	14472	32.64	50.91	18.27	74.00	23.09	H	PK
	16884	30.84	54.75	23.91	74.00	19.25	V	PK
	4824	37.74	44.99	7.25	54.00	9.01	V	AV
	7236	33.38	47.51	14.13	54.00	6.49	V	AV
	9648	23.12	37.77	14.65	54.00	16.23	V	AV
	12060	22.55	38.58	16.03	54.00	15.42	V	AV
	14472	21.77	40.04	18.27	54.00	13.96	H	AV
	16884	19.87	43.78	23.91	54.00	10.22	H	AV
11B_20M_2437	4874	44.27	51.60	7.33	74.00	22.40	H	PK
	7311	42.69	56.38	13.69	74.00	17.62	V	PK
	9748	33.54	48.46	14.92	74.00	25.54	V	PK
	12185	34.28	49.90	15.62	74.00	24.10	V	PK
	14622	32.21	50.62	18.41	74.00	23.38	V	PK
	17059	29.93	54.51	24.58	74.00	19.49	H	PK
	4874	33.73	41.06	7.33	54.00	12.94	V	AV
	7311	32.54	46.23	13.69	54.00	7.77	V	AV
	9748	22.97	37.89	14.92	54.00	16.11	V	AV
	12185	22.77	38.39	15.62	54.00	15.61	H	AV
	14622	21.53	39.94	18.41	54.00	14.06	H	AV

	17059	18.69	43.27	24.58	54.00	10.73	H	AV
11B_20M_2462	4924	44.76	52.68	7.92	74.00	21.32	V	PK
	7386	42.30	56.26	13.96	74.00	17.74	V	PK
	9848	33.69	48.82	15.13	74.00	25.18	V	PK
	12310	33.61	49.69	16.08	74.00	24.31	V	PK
	14772	31.93	50.39	18.46	74.00	23.61	V	PK
	17234	30.25	54.26	24.01	74.00	19.74	H	PK
	4924	34.94	42.86	7.92	54.00	11.14	V	AV
	7386	31.62	45.58	13.96	54.00	8.42	V	AV
	9848	23.00	38.13	15.13	54.00	15.87	V	AV
	12310	22.43	38.51	16.08	54.00	15.49	V	AV
	14772	21.55	40.01	18.46	54.00	13.99	H	AV
	17234	19.68	43.69	24.01	54.00	10.31	V	AV
11G_20M_2412	4824	45.44	52.69	7.25	74.00	21.31	V	PK
	7236	42.58	56.71	14.13	74.00	17.29	V	PK
	9648	33.97	48.62	14.65	74.00	25.38	V	PK
	12060	33.65	49.68	16.03	74.00	24.32	V	PK
	14472	31.74	50.01	18.27	74.00	23.99	H	PK
	16884	30.20	54.11	23.91	74.00	19.89	H	PK
	4824	33.65	40.90	7.25	54.00	13.10	V	AV
	7236	31.68	45.81	14.13	54.00	8.19	V	AV
	9648	23.20	37.85	14.65	54.00	16.15	V	AV
	12060	22.29	38.32	16.03	54.00	15.68	H	AV
	14472	20.80	39.07	18.27	54.00	14.93	H	AV
	16884	19.81	43.72	23.91	54.00	10.28	V	AV
11G_20M_2437	4874	44.42	51.75	7.33	74.00	22.25	V	PK
	7311	42.23	55.92	13.69	74.00	18.08	H	PK
	9748	33.78	48.70	14.92	74.00	25.30	V	PK
	12185	34.45	50.07	15.62	74.00	23.93	H	PK

	14622	32.03	50.44	18.41	74.00	23.56	V	PK
	17059	29.07	53.65	24.58	74.00	20.35	V	PK
	4874	33.27	40.60	7.33	54.00	13.40	H	AV
	7311	31.32	45.01	13.69	54.00	8.99	V	AV
	9748	22.65	37.57	14.92	54.00	16.43	V	AV
	12185	22.56	38.18	15.62	54.00	15.82	H	AV
	14622	21.34	39.75	18.41	54.00	14.25	V	AV
	17059	18.25	42.83	24.58	54.00	11.17	V	AV
11G_20M_2462	4924	43.46	51.38	7.92	74.00	22.62	H	PK
	7386	41.84	55.80	13.96	74.00	18.20	H	PK
	9848	33.88	49.01	15.13	74.00	24.99	V	PK
	12310	33.61	49.69	16.08	74.00	24.31	H	PK
	14772	32.20	50.66	18.46	74.00	23.34	V	PK
	17234	28.70	52.71	24.01	74.00	21.29	H	PK
	4924	33.31	41.23	7.92	54.00	12.77	V	AV
	7386	30.75	44.71	13.96	54.00	9.29	V	AV
	9848	22.57	37.70	15.13	54.00	16.30	V	AV
	12310	22.42	38.50	16.08	54.00	15.50	H	AV
	14772	21.27	39.73	18.46	54.00	14.27	H	AV
	17234	18.43	42.44	24.01	54.00	11.56	H	AV
11N20_20M_2412	4824	44.16	51.41	7.25	74.00	22.59	V	PK
	7236	42.04	56.17	14.13	74.00	17.83	V	PK
	9648	33.79	48.44	14.65	74.00	25.56	V	PK
	12060	33.21	49.24	16.03	74.00	24.76	H	PK
	14472	31.75	50.02	18.27	74.00	23.98	H	PK
	16884	30.71	54.62	23.91	74.00	19.38	H	PK
	4824	33.49	40.74	7.25	54.00	13.26	V	AV
	7236	31.52	45.65	14.13	54.00	8.35	V	AV
	9648	22.84	37.49	14.65	54.00	16.51	V	AV


	12060	22.28	38.31	16.03	54.00	15.69	V	AV
	14472	21.34	39.61	18.27	54.00	14.39	V	AV
	16884	20.01	43.92	23.91	54.00	10.08	H	AV
11N20_20M_2437	4874	45.51	52.84	7.33	74.00	21.16	V	PK
	7311	42.31	56.00	13.69	74.00	18.00	V	PK
	9748	33.92	48.84	14.92	74.00	25.16	V	PK
	12185	33.93	49.55	15.62	74.00	24.45	V	PK
	14622	32.58	50.99	18.41	74.00	23.01	H	PK
	17059	30.50	55.08	24.58	74.00	18.92	V	PK
	4874	33.30	40.63	7.33	54.00	13.37	V	AV
	7311	31.42	45.11	13.69	54.00	8.89	H	AV
	9748	23.08	38.00	14.92	54.00	16.00	V	AV
	12185	22.82	38.44	15.62	54.00	15.56	H	AV
	14622	21.50	39.91	18.41	54.00	14.09	H	AV
	17059	18.95	43.53	24.58	54.00	10.47	V	AV
11N20_20M_2462	4924	44.49	52.41	7.92	74.00	21.59	H	PK
	7386	42.09	56.05	13.96	74.00	17.95	V	PK
	9848	34.00	49.13	15.13	74.00	24.87	H	PK
	12310	33.06	49.14	16.08	74.00	24.86	H	PK
	14772	31.95	50.41	18.46	74.00	23.59	V	PK
	17234	29.30	53.31	24.01	74.00	20.69	H	PK
	4924	33.05	40.97	7.92	54.00	13.03	V	AV
	7386	30.83	44.79	13.96	54.00	9.21	V	AV
	9848	22.91	38.04	15.13	54.00	15.96	V	AV
	12310	22.88	38.96	16.08	54.00	15.04	H	AV
	14772	21.48	39.94	18.46	54.00	14.06	V	AV
	17234	18.88	42.89	24.01	54.00	11.11	V	AV
11N40_40M_2422	4844	44.75	52.44	7.69	74.00	21.56	V	PK
	7266	42.37	56.75	14.38	74.00	17.25	V	PK


	9688	33.91	48.50	14.59	74.00	25.50	V	PK
	12110	33.28	49.39	16.11	74.00	24.61	V	PK
	14532	32.70	50.99	18.29	74.00	23.01	H	PK
	16954	30.00	54.44	24.44	74.00	19.56	H	PK
	4844	33.71	41.40	7.69	54.00	12.60	V	AV
	7266	31.44	45.82	14.38	54.00	8.18	H	AV
	9688	22.98	37.57	14.59	54.00	16.43	V	AV
	12110	22.69	38.80	16.11	54.00	15.20	H	AV
	14532	21.72	40.01	18.29	54.00	13.99	H	AV
	16954	18.93	43.37	24.44	54.00	10.63	V	AV
11N40_40M_2437	4874	44.00	51.33	7.33	74.00	22.67	H	PK
	7311	42.86	56.55	13.69	74.00	17.45	H	PK
	9748	34.85	49.77	14.92	74.00	24.23	V	PK
	12185	33.85	49.47	15.62	74.00	24.53	V	PK
	14622	32.03	50.44	18.41	74.00	23.56	V	PK
	17059	29.74	54.32	24.58	74.00	19.68	V	PK
	4874	33.56	40.89	7.33	54.00	13.11	H	AV
	7311	31.71	45.40	13.69	54.00	8.60	H	AV
	9748	23.19	38.11	14.92	54.00	15.89	V	AV
	12185	22.94	38.56	15.62	54.00	15.44	H	AV
	14622	21.81	40.22	18.41	54.00	13.78	H	AV
	17059	19.01	43.59	24.58	54.00	10.41	V	AV
11N40_40M_2452	4904	43.54	51.43	7.89	74.00	22.57	H	PK
	7356	42.65	56.92	14.27	74.00	17.08	V	PK
	9808	34.56	49.80	15.24	74.00	24.20	V	PK
	12260	33.03	48.85	15.82	74.00	25.15	V	PK
	14712	32.11	50.64	18.53	74.00	23.36	V	PK
	17164	30.47	54.47	24.00	74.00	19.53	H	PK
	4904	33.69	41.58	7.89	54.00	12.42	V	AV

	7356	31.35	45.62	14.27	54.00	8.38	V	AV
	9808	23.45	38.69	15.24	54.00	15.31	V	AV
	12260	22.66	38.48	15.82	54.00	15.52	V	AV
	14712	21.40	39.93	18.53	54.00	14.07	H	AV
	17164	19.45	43.45	24.00	54.00	10.55	H	AV


Data List								
Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11B_20M_2412	50.008259	36.92	21.85	-15.07	40.00	18.15	V	QP
	62.340833	38.45	21.52	-16.93	40.00	18.48	V	QP
	201.689746	26.11	10.15	-15.96	43.50	33.35	H	QP
	473.944384	24.67	13.99	-10.68	46.00	32.01	H	QP
	724.611268	24.88	18.06	-6.82	46.00	27.94	V	QP
	983.552935	23.67	21.33	-2.34	54.00	32.67	V	QP

Test Graphs_Spurious Emission







11G_20M_2437




11G_20M_2462




11N20_20M_2412




11N20_20M_2437




11N20_20M_2462




11N40_40M_2422




11N40_40M_2437



11N40_40M_2452



11B_20M_2412



/

/

ANNEX C: The EUT Appearance

The EUT Appearance (internal and external photographs) are submitted separately.

ANNEX D: Test Setup Photograph

The Test Setup Photographs are submitted separately.