







11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5755



11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11:49:59 09.09.2024

11AC40MIMO_Ant2_5795




11:51:33 09.09.2024

11AC80MIMO_Ant1_5610




12:09:57 09.09.2024

11AC80MIMO_Ant2_5610




12:11:30 09.09.2024

11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775



8.2 MAXIMUM CONDUCTED OUTPUT POWER

8.2.1 Applicable Standard

According to FCC Part 15.407(a)(1) for UNII Band I
According to FCC Part 15.407(a)(2) for UNII Band II-A and UNII Band II-C
According to FCC Part 15.407(a)(3) for UNII Band III
According to 789033 D02 Section II(E)

8.2.2 Conformance Limit

■ For the band 5.15-5.25 GHz,

(a) (1) (i) For an outdoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. The maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).

(a) (1) (ii) For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(a) (1) (iii) For fixed point-to-point access points operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. Fixed point-to-point U-NII devices may employ antennas with directional gain up to 23 dBi without any corresponding reduction in the maximum conducted output power or maximum power spectral density. For fixed point-to-point transmitters that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and maximum power spectral density is required for each 1 dB of antenna gain in excess of 23 dBi. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations.

(a) (1) (iv) For mobile and portable client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the 5.25-5.35 GHz and 5.47-5.725 GHz bands

(a) (2) the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the band 5.725-5.85 GHz

(a) (3) For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

8.2.3 Test Configuration

Test according to clause 6.1 radio frequency test setup 1.

8.2.4 Test Procedure

The maximum average conducted output power can be measured using Method PM-G (Measurement using a gated RF average power meter):

Measurements may be performed using a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Since the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.

- The Transmitter output (antenna port) was connected to the power meter.
- Turn on the EUT and power meter and then record the power value.
- Repeat above procedures on all channels needed to be tested.

8.2.5 Test Results

Temperature : 25°C
Humidity : 60 %

ATM Pressure:: 1011 mbar
Test Engineer: GJ

Output Power

RG-ANT20S-90 antenna:

For 802.11a, the limit as below.

Frequency [MHz]	Conducted Limit [dBm]	EIRP Limit [dBm]
5150~5250MHz Band	30	N/A
5250~5350MHz Band	23.98	N/A
5470~5725MHz Band	23.98	N/A
5725~5850MHz Band	30	N/A

For others, the limit as below.

Frequency [MHz]	Conducted Limit [dBm]	EIRP Limit [dBm]
5150~5250MHz Band	15.44	N/A
5250~5350MHz Band	9.17	N/A
5470~5725MHz Band	8.46	N/A
5725~5850MHz Band	14.34	N/A

Test Mode	Antenna	Frequency [MHz]	TPC	Channel Power [dBm]	Duty Cycle [%]	Set Power	Result [dBm]	Gain [dBi]	EIRP [dBm]	Verdict
11A	Ant1	5180	NA	9.7	86.88	9.5	10.31	17.78	28.09	PASS
11A	Ant2	5180	NA	9.09	80.46	9.5	10.03	17.31	27.34	PASS
11A	Ant1	5200	NA	9.65	86.88	9.5	10.26	17.78	28.04	PASS
11A	Ant2	5200	NA	9.77	80	9.5	10.74	17.31	28.05	PASS
11A	Ant1	5240	NA	8.98	86.88	9.5	9.59	17.78	27.37	PASS
11A	Ant2	5240	NA	9.54	80.92	9.5	10.46	17.31	27.77	PASS
11A	Ant1	5260	TPC_L	0.42	86.88	3.5	1.03	18.02	19.05	PASS
11A	Ant1	5260	TPC_H	3.42	86.88	3.5	4.03	18.02	22.05	PASS

11A	Ant2	5260	TPC_L	0.25	80.92	3.5	1.17	17.57	18.74	PASS
11A	Ant2	5260	TPC_H	3.73	80.92	3.5	4.65	17.57	22.22	PASS
11A	Ant1	5280	TPC_L	0.31	86.88	3.5	0.92	18.02	18.94	PASS
11A	Ant1	5280	TPC_H	3.32	86.88	3.5	3.93	18.02	21.95	PASS
11A	Ant2	5280	TPC_L	-0.57	80.46	3.5	0.37	17.57	17.94	PASS
11A	Ant2	5280	TPC_H	2.99	80.46	3.5	3.93	17.57	21.5	PASS
11A	Ant1	5320	TPC_L	0.87	86.88	3.5	1.48	18.02	19.5	PASS
11A	Ant1	5320	TPC_H	3.89	86.88	3.5	4.5	18.02	22.52	PASS
11A	Ant2	5320	TPC_L	-0.39	79.89	3.5	0.59	17.57	18.16	PASS
11A	Ant2	5320	TPC_H	3	79.89	3.5	3.98	17.57	21.55	PASS
11A	Ant1	5500	TPC_L	-1.76	86.88	5.5	-1.15	18.77	17.62	PASS
11A	Ant1	5500	TPC_H	2.01	86.88	5.5	2.62	18.77	21.39	PASS
11A	Ant2	5500	TPC_L	-1.7	80.46	5.5	-0.76	18.25	17.49	PASS
11A	Ant2	5500	TPC_H	1.72	80.46	5.5	2.66	18.25	20.91	PASS
11A	Ant1	5580	TPC_L	-2.98	86.88	5.5	-2.37	18.77	16.4	PASS
11A	Ant1	5580	TPC_H	0.53	86.88	5.5	1.14	18.77	19.91	PASS
11A	Ant2	5580	TPC_L	-2.89	80.46	5.5	-1.95	18.25	16.3	PASS
11A	Ant2	5580	TPC_H	0.61	80.46	5.5	1.55	18.25	19.8	PASS
11A	Ant1	5700	TPC_L	-1.44	86.88	5.5	-0.83	18.77	17.94	PASS
11A	Ant1	5700	TPC_H	2.07	86.88	5.5	2.68	18.77	21.45	PASS
11A	Ant2	5700	TPC_L	-2.47	80.46	5.5	-1.53	18.25	16.72	PASS
11A	Ant2	5700	TPC_H	1.03	80.46	5.5	1.97	18.25	20.22	PASS
11A	Ant1	5745	NA	12.04	86.88	9.5	7.74	18.98	26.72	PASS
11A	Ant2	5745	NA	11.51	80.46	9.5	7.73	18.31	26.04	PASS
11A	Ant1	5785	NA	12.43	86.88	9.5	7.98	18.98	26.96	PASS
11A	Ant2	5785	NA	11.66	80.92	9.5	8	18.31	26.31	PASS
11A	Ant1	5825	NA	11.97	86.88	9.5	7.09	18.98	26.07	PASS
11A	Ant2	5825	NA	11.23	80.46	9.5	7.12	18.31	25.43	PASS
11N20MIMO	Ant1	5180	NA	6.18	86.09	6.5	6.83	17.78	24.61	PASS
11N20MIMO	Ant2	5180	NA	7.32	86.75	6.5	7.94	17.31	25.25	PASS
11N20MIMO	total	5180	NA	---	---	6.5	10.43	17.78	28.21	PASS
11N20MIMO	Ant1	5200	NA	5.22	86.75	6.5	5.84	17.78	23.62	PASS
11N20MIMO	Ant2	5200	NA	7.38	86.75	6.5	8	17.31	25.31	PASS
11N20MIMO	total	5200	NA	---	---	6.5	10.06	17.78	27.84	PASS
11N20MIMO	Ant1	5240	NA	5.53	86.75	6.5	6.15	17.78	23.93	PASS
11N20MIMO	Ant2	5240	NA	7.05	86.75	6.5	7.67	17.31	24.98	PASS
11N20MIMO	total	5240	NA	---	---	6.5	9.99	17.78	27.77	PASS
11N20MIMO	Ant1	5260	TPC_L	-3.25	86.09	0.5	-2.6	18.02	15.42	PASS
11N20MIMO	Ant1	5260	TPC_H	0.22	86.09	0.5	0.87	18.02	18.89	PASS
11N20MIMO	Ant2	5260	TPC_L	-3.33	86.75	0.5	-2.71	17.57	14.86	PASS

11N20MIMO	Ant2	5260	TPC_H	0.16	86.75	0.5	0.78	17.57	18.35	PASS
11N20MIMO	total	5260	TPC_L	---	---	0.5	0.36	18.02	18.38	PASS
11N20MIMO	total	5260	TPC_H	---	---	0.5	3.84	18.02	21.86	PASS
11N20MIMO	Ant1	5280	TPC_L	-3.36	86.75	0.5	-2.74	18.02	15.28	PASS
11N20MIMO	Ant1	5280	TPC_H	0.14	86.75	0.5	0.76	18.02	18.78	PASS
11N20MIMO	Ant2	5280	TPC_L	-3.17	86.75	0.5	-2.55	17.57	15.02	PASS
11N20MIMO	Ant2	5280	TPC_H	-0.18	86.75	0.5	0.44	17.57	18.01	PASS
11N20MIMO	total	5280	TPC_L	---	---	0.5	0.37	18.02	18.39	PASS
11N20MIMO	total	5280	TPC_H	---	---	0.5	3.61	18.02	21.63	PASS
11N20MIMO	Ant1	5320	TPC_L	-3.27	86.09	0.5	-2.62	18.02	15.4	PASS
11N20MIMO	Ant1	5320	TPC_H	0.22	86.09	0.5	0.87	18.02	18.89	PASS
11N20MIMO	Ant2	5320	TPC_L	-3.53	86.09	0.5	-2.88	17.57	14.69	PASS
11N20MIMO	Ant2	5320	TPC_H	0.45	86.09	0.5	1.1	17.57	18.67	PASS
11N20MIMO	total	5320	TPC_L	---	---	0.5	0.26	18.02	18.28	PASS
11N20MIMO	total	5320	TPC_H	---	---	0.5	4	18.02	22.02	PASS
11N20MIMO	Ant1	5500	TPC_L	-5.18	86.75	2.5	-4.56	18.77	14.21	PASS
11N20MIMO	Ant1	5500	TPC_H	-1.67	86.75	2.5	-1.05	18.77	17.72	PASS
11N20MIMO	Ant2	5500	TPC_L	-3.74	86.09	2.5	-3.09	18.25	15.16	PASS
11N20MIMO	Ant2	5500	TPC_H	0.16	86.09	2.5	0.81	18.25	19.06	PASS
11N20MIMO	total	5500	TPC_L	---	---	2.5	-0.75	18.25	17.5	PASS
11N20MIMO	total	5500	TPC_H	---	---	2.5	2.99	18.25	21.24	PASS
11N20MIMO	Ant1	5580	TPC_L	-6.57	86.09	2.5	-5.92	18.77	12.85	PASS
11N20MIMO	Ant1	5580	TPC_H	-3.07	86.09	2.5	-2.42	18.77	16.35	PASS
11N20MIMO	Ant2	5580	TPC_L	-5.17	86.75	2.5	-4.55	18.25	13.7	PASS
11N20MIMO	Ant2	5580	TPC_H	-1.67	86.75	2.5	-1.05	18.25	17.2	PASS
11N20MIMO	total	5580	TPC_L	---	---	2.5	-2.17	18.25	16.08	PASS
11N20MIMO	total	5580	TPC_H	---	---	2.5	1.33	18.25	19.58	PASS
11N20MIMO	Ant1	5700	TPC_L	-5.07	86.09	2.5	-4.42	18.77	14.35	PASS
11N20MIMO	Ant1	5700	TPC_H	-1.54	86.09	2.5	-0.89	18.77	17.88	PASS
11N20MIMO	Ant2	5700	TPC_L	-4.26	86.09	2.5	-3.61	18.25	14.64	PASS
11N20MIMO	Ant2	5700	TPC_H	-0.4	86.09	2.5	0.25	18.25	18.5	PASS
11N20MIMO	total	5700	TPC_L	---	---	2.5	-0.99	18.25	17.26	PASS
11N20MIMO	total	5700	TPC_H	---	---	2.5	2.73	18.25	20.98	PASS
11N20MIMO	Ant1	5745	NA	8.88	86.09	6.5	4.92	18.98	23.9	PASS
11N20MIMO	Ant2	5745	NA	8.82	86.09	6.5	4.29	18.31	22.6	PASS
11N20MIMO	total	5745	NA	---	---	6.5	7.63	18.98	26.61	PASS
11N20MIMO	Ant1	5785	NA	9.28	86.09	6.5	4.56	18.98	23.54	PASS
11N20MIMO	Ant2	5785	NA	8.94	86.75	6.5	4.47	18.31	22.78	PASS
11N20MIMO	total	5785	NA	---	---	6.5	7.53	18.98	26.51	PASS
11N20MIMO	Ant1	5825	NA	8.84	86.09	6.5	3.92	18.98	22.9	PASS

11N20MIMO	Ant2	5825	NA	8.02	86.75	6.5	4.61	18.31	22.92	PASS
11N20MIMO	total	5825	NA	---	---	6.5	7.29	18.98	26.27	PASS
11N40MIMO	Ant1	5190	NA	4.88	75.29	6.5	6.11	17.78	23.89	PASS
11N40MIMO	Ant2	5190	NA	6.67	75.29	6.5	7.9	17.31	25.21	PASS
11N40MIMO	total	5190	NA	---	---	6.5	10.11	17.78	27.89	PASS
11N40MIMO	Ant1	5230	NA	4.47	75.29	6.5	5.7	17.78	23.48	PASS
11N40MIMO	Ant2	5230	NA	6.5	75.29	6.5	7.73	17.31	25.04	PASS
11N40MIMO	total	5230	NA	---	---	6.5	9.84	17.78	27.62	PASS
11N40MIMO	Ant1	5270	TPC_L	-3.83	75.29	0.5	-2.6	18.02	15.42	PASS
11N40MIMO	Ant1	5270	TPC_H	-0.34	75.29	0.5	0.89	18.02	18.91	PASS
11N40MIMO	Ant2	5270	TPC_L	-3.93	75.29	0.5	-2.7	17.57	14.87	PASS
11N40MIMO	Ant2	5270	TPC_H	-0.47	75.29	0.5	0.76	17.57	18.33	PASS
11N40MIMO	total	5270	TPC_L	---	---	0.5	0.36	18.02	18.38	PASS
11N40MIMO	total	5270	TPC_H	---	---	0.5	3.84	18.02	21.86	PASS
11N40MIMO	Ant1	5310	TPC_L	-3.71	75.29	0.5	-2.48	18.02	15.54	PASS
11N40MIMO	Ant1	5310	TPC_H	-0.21	75.29	0.5	1.02	18.02	19.04	PASS
11N40MIMO	Ant2	5310	TPC_L	-3.81	75.29	0.5	-2.58	17.57	14.99	PASS
11N40MIMO	Ant2	5310	TPC_H	-0.32	75.29	0.5	0.91	17.57	18.48	PASS
11N40MIMO	total	5310	TPC_L	---	---	0.5	0.48	18.02	18.5	PASS
11N40MIMO	total	5310	TPC_H	---	---	0.5	3.98	18.02	22	PASS
11N40MIMO	Ant1	5510	TPC_L	-5.74	75.29	2.5	-4.51	18.77	14.26	PASS
11N40MIMO	Ant1	5510	TPC_H	-2.21	75.29	2.5	-0.98	18.77	17.79	PASS
11N40MIMO	Ant2	5510	TPC_L	-4.42	75.29	2.5	-3.19	18.25	15.06	PASS
11N40MIMO	Ant2	5510	TPC_H	-0.87	75.29	2.5	0.36	18.25	18.61	PASS
11N40MIMO	total	5510	TPC_L	---	---	2.5	-0.79	18.25	17.46	PASS
11N40MIMO	total	5510	TPC_H	---	---	2.5	2.75	18.25	21	PASS
11N40MIMO	Ant1	5550	TPC_L	-6.66	75.29	2.5	-5.43	18.77	13.34	PASS
11N40MIMO	Ant1	5550	TPC_H	-3.16	75.29	2.5	-1.93	18.77	16.84	PASS
11N40MIMO	Ant2	5550	TPC_L	-5.64	75.29	2.5	-4.41	18.25	13.84	PASS
11N40MIMO	Ant2	5550	TPC_H	-2.17	75.29	2.5	-0.94	18.25	17.31	PASS
11N40MIMO	total	5550	TPC_L	---	---	2.5	-1.88	18.25	16.37	PASS
11N40MIMO	total	5550	TPC_H	---	---	2.5	1.6	18.25	19.85	PASS
11N40MIMO	Ant1	5670	TPC_L	-6.05	75.29	2.5	-4.82	18.77	13.95	PASS
11N40MIMO	Ant1	5670	TPC_H	-2.54	75.29	2.5	-1.31	18.77	17.46	PASS
11N40MIMO	Ant2	5670	TPC_L	-5.71	75.29	2.5	-4.48	18.25	13.77	PASS
11N40MIMO	Ant2	5670	TPC_H	-2.2	75.29	2.5	-0.97	18.25	17.28	PASS
11N40MIMO	total	5670	TPC_L	---	---	2.5	-1.64	18.25	16.61	PASS
11N40MIMO	total	5670	TPC_H	---	---	2.5	1.87	18.25	20.12	PASS
11N40MIMO	Ant1	5755	NA	8.26	75.29	6.5	4.74	18.98	23.72	PASS
11N40MIMO	Ant2	5755	NA	8.2	75.29	6.5	4.26	18.31	22.57	PASS

11N40MIMO	total	5755	NA	---	---	6.5	7.52	18.98	26.5	PASS
11N40MIMO	Ant1	5795	NA	8.28	75.29	6.5	4.44	18.98	23.42	PASS
11N40MIMO	Ant2	5795	NA	7.88	75.29	6.5	4.56	18.31	22.87	PASS
11N40MIMO	total	5795	NA	---	---	6.5	7.51	18.98	26.49	PASS
11AC20MIMO	Ant1	5180	NA	5.96	76.4	6.5	7.13	17.78	24.91	PASS
11AC20MIMO	Ant2	5180	NA	6.9	76.4	6.5	8.07	17.31	25.38	PASS
11AC20MIMO	total	5180	NA	---	---	6.5	10.64	17.78	28.42	PASS
11AC20MIMO	Ant1	5200	NA	5.66	76.4	6.5	6.83	17.78	24.61	PASS
11AC20MIMO	Ant2	5200	NA	7.02	76.4	6.5	8.19	17.31	25.5	PASS
11AC20MIMO	total	5200	NA	---	---	6.5	10.57	17.78	28.35	PASS
11AC20MIMO	Ant1	5240	NA	5.55	76.4	6.5	6.72	17.78	24.5	PASS
11AC20MIMO	Ant2	5240	NA	6.7	76.4	6.5	7.87	17.31	25.18	PASS
11AC20MIMO	total	5240	NA	---	---	6.5	10.34	17.78	28.12	PASS
11AC20MIMO	Ant1	5260	TPC_L	-3.55	77.27	0.5	-2.43	18.02	15.59	PASS
11AC20MIMO	Ant1	5260	TPC_H	-0.02	77.27	0.5	1.1	18.02	19.12	PASS
11AC20MIMO	Ant2	5260	TPC_L	-3.51	76.4	0.5	-2.34	17.57	15.23	PASS
11AC20MIMO	Ant2	5260	TPC_H	0	76.4	0.5	1.17	17.57	18.74	PASS
11AC20MIMO	total	5260	TPC_L	---	---	0.5	0.63	18.02	18.65	PASS
11AC20MIMO	total	5260	TPC_H	---	---	0.5	4.15	18.02	22.17	PASS
11AC20MIMO	Ant1	5280	TPC_L	-3.69	76.4	0.5	-2.52	18.02	15.5	PASS
11AC20MIMO	Ant1	5280	TPC_H	-0.16	76.4	0.5	1.01	18.02	19.03	PASS
11AC20MIMO	Ant2	5280	TPC_L	-3.9	76.4	0.5	-2.73	17.57	14.84	PASS
11AC20MIMO	Ant2	5280	TPC_H	-0.39	76.4	0.5	0.78	17.57	18.35	PASS
11AC20MIMO	total	5280	TPC_L	---	---	0.5	0.39	18.02	18.41	PASS
11AC20MIMO	total	5280	TPC_H	---	---	0.5	3.91	18.02	21.93	PASS
11AC20MIMO	Ant1	5320	TPC_L	-3.61	76.4	0.5	-2.44	18.02	15.58	PASS
11AC20MIMO	Ant1	5320	TPC_H	-0.12	76.4	0.5	1.05	18.02	19.07	PASS
11AC20MIMO	Ant2	5320	TPC_L	-3.77	76.4	0.5	-2.6	17.57	14.97	PASS
11AC20MIMO	Ant2	5320	TPC_H	-0.29	76.4	0.5	0.88	17.57	18.45	PASS
11AC20MIMO	total	5320	TPC_L	---	---	0.5	0.49	18.02	18.51	PASS
11AC20MIMO	total	5320	TPC_H	---	---	0.5	3.98	18.02	22	PASS
11AC20MIMO	Ant1	5500	TPC_L	-5.23	76.4	2.5	-4.06	18.77	14.71	PASS
11AC20MIMO	Ant1	5500	TPC_H	-1.69	76.4	2.5	-0.52	18.77	18.25	PASS
11AC20MIMO	Ant2	5500	TPC_L	-4.05	76.4	2.5	-2.88	18.25	15.37	PASS
11AC20MIMO	Ant2	5500	TPC_H	-0.57	76.4	2.5	0.6	18.25	18.85	PASS
11AC20MIMO	total	5500	TPC_L	---	---	2.5	-0.42	18.25	17.83	PASS
11AC20MIMO	total	5500	TPC_H	---	---	2.5	3.09	18.25	21.34	PASS
11AC20MIMO	Ant1	5580	TPC_L	-6.72	76.4	2.5	-5.55	18.77	13.22	PASS
11AC20MIMO	Ant1	5580	TPC_H	-3.18	76.4	2.5	-2.01	18.77	16.76	PASS
11AC20MIMO	Ant2	5580	TPC_L	-5.44	76.4	2.5	-4.27	18.25	13.98	PASS

11AC20MIMO	Ant2	5580	TPC_H	-1.93	76.4	2.5	-0.76	18.25	17.49	PASS
11AC20MIMO	total	5580	TPC_L	---	---	2.5	-1.85	18.25	16.4	PASS
11AC20MIMO	total	5580	TPC_H	---	---	2.5	1.67	18.25	19.92	PASS
11AC20MIMO	Ant1	5700	TPC_L	-5.41	77.27	2.5	-4.29	18.77	14.48	PASS
11AC20MIMO	Ant1	5700	TPC_H	-1.88	77.27	2.5	-0.76	18.77	18.01	PASS
11AC20MIMO	Ant2	5700	TPC_L	-4.49	76.4	2.5	-3.32	18.25	14.93	PASS
11AC20MIMO	Ant2	5700	TPC_H	-0.98	76.4	2.5	0.19	18.25	18.44	PASS
11AC20MIMO	total	5700	TPC_L	---	---	2.5	-0.77	18.25	17.48	PASS
11AC20MIMO	total	5700	TPC_H	---	---	2.5	2.75	18.25	21	PASS
11AC20MIMO	Ant1	5745	NA	7.89	76.4	6.5	4.57	18.98	23.55	PASS
11AC20MIMO	Ant2	5745	NA	8.09	76.4	6.5	3.92	18.31	22.23	PASS
11AC20MIMO	total	5745	NA	---	---	6.5	7.27	18.98	26.25	PASS
11AC20MIMO	Ant1	5785	NA	8.22	76.4	6.5	4.74	18.98	23.72	PASS
11AC20MIMO	Ant2	5785	NA	8.18	76.4	6.5	4.65	18.31	22.96	PASS
11AC20MIMO	total	5785	NA	---	---	6.5	7.71	18.98	26.69	PASS
11AC20MIMO	Ant1	5825	NA	7.89	77.27	6.5	3.76	18.98	22.74	PASS
11AC20MIMO	Ant2	5825	NA	7.23	76.4	6.5	4.39	18.31	22.7	PASS
11AC20MIMO	total	5825	NA	---	---	6.5	7.1	18.98	26.08	PASS
11AC40MIMO	Ant1	5190	NA	4.73	62.5	6.5	6.77	17.78	24.55	PASS
11AC40MIMO	Ant2	5190	NA	6.05	62.5	6.5	8.09	17.31	25.4	PASS
11AC40MIMO	total	5190	NA	---	---	6.5	10.49	17.78	28.27	PASS
11AC40MIMO	Ant1	5230	NA	4.74	62.5	6.5	6.78	17.78	24.56	PASS
11AC40MIMO	Ant2	5230	NA	5.92	62.5	6.5	7.96	17.31	25.27	PASS
11AC40MIMO	total	5230	NA	---	---	6.5	10.42	17.78	28.2	PASS
11AC40MIMO	Ant1	5270	TPC_L	-4.46	62.5	0.5	-2.42	18.02	15.6	PASS
11AC40MIMO	Ant1	5270	TPC_H	-1.01	62.5	0.5	1.03	18.02	19.05	PASS
11AC40MIMO	Ant2	5270	TPC_L	-4.44	62.5	0.5	-2.4	17.57	15.17	PASS
11AC40MIMO	Ant2	5270	TPC_H	-0.97	62.5	0.5	1.07	17.57	18.64	PASS
11AC40MIMO	total	5270	TPC_L	---	---	0.5	0.6	18.02	18.62	PASS
11AC40MIMO	total	5270	TPC_H	---	---	0.5	4.06	18.02	22.08	PASS
11AC40MIMO	Ant1	5310	TPC_L	-4.37	62.5	0.5	-2.33	18.02	15.69	PASS
11AC40MIMO	Ant1	5310	TPC_H	-0.89	62.5	0.5	1.15	18.02	19.17	PASS
11AC40MIMO	Ant2	5310	TPC_L	-4.34	62.5	0.5	-2.3	17.57	15.27	PASS
11AC40MIMO	Ant2	5310	TPC_H	-0.87	62.5	0.5	1.17	17.57	18.74	PASS
11AC40MIMO	total	5310	TPC_L	---	---	0.5	0.7	18.02	18.72	PASS
11AC40MIMO	total	5310	TPC_H	---	---	0.5	4.17	18.02	22.19	PASS
11AC40MIMO	Ant1	5510	TPC_L	-6.22	62.5	2.5	-4.18	18.77	14.59	PASS
11AC40MIMO	Ant1	5510	TPC_H	-2.72	62.5	2.5	-0.68	18.77	18.09	PASS
11AC40MIMO	Ant2	5510	TPC_L	-4.94	62.5	2.5	-2.9	18.25	15.35	PASS
11AC40MIMO	Ant2	5510	TPC_H	-1.47	62.5	2.5	0.57	18.25	18.82	PASS

11AC40MIMO	total	5510	TPC_L	---	---	2.5	-0.48	18.25	17.77	PASS
11AC40MIMO	total	5510	TPC_H	---	---	2.5	3	18.25	21.25	PASS
11AC40MIMO	Ant1	5550	TPC_L	-7.02	62.5	2.5	-4.98	18.77	13.79	PASS
11AC40MIMO	Ant1	5550	TPC_H	-3.51	62.5	2.5	-1.47	18.77	17.3	PASS
11AC40MIMO	Ant2	5550	TPC_L	-6.18	62.5	2.5	-4.14	18.25	14.11	PASS
11AC40MIMO	Ant2	5550	TPC_H	-2.69	62.5	2.5	-0.65	18.25	17.6	PASS
11AC40MIMO	total	5550	TPC_L	---	---	2.5	-1.53	18.25	16.72	PASS
11AC40MIMO	total	5550	TPC_H	---	---	2.5	1.97	18.25	20.22	PASS
11AC40MIMO	Ant1	5670	TPC_L	-6.56	62.5	2.5	-4.52	18.77	14.25	PASS
11AC40MIMO	Ant1	5670	TPC_H	-3.06	62.5	2.5	-1.02	18.77	17.75	PASS
11AC40MIMO	Ant2	5670	TPC_L	-6.17	62.5	2.5	-4.13	18.25	14.12	PASS
11AC40MIMO	Ant2	5670	TPC_H	-2.68	62.5	2.5	-0.64	18.25	17.61	PASS
11AC40MIMO	total	5670	TPC_L	---	---	2.5	-1.31	18.25	16.94	PASS
11AC40MIMO	total	5670	TPC_H	---	---	2.5	2.18	18.25	20.43	PASS
11AC40MIMO	Ant1	5755	NA	7.25	62.5	6.5	4.58	18.98	23.56	PASS
11AC40MIMO	Ant2	5755	NA	7.49	62.5	6.5	4.12	18.31	22.43	PASS
11AC40MIMO	total	5755	NA	---	---	6.5	7.37	18.98	26.35	PASS
11AC40MIMO	Ant1	5795	NA	7.38	62.5	6.5	4.4	18.98	23.38	PASS
11AC40MIMO	Ant2	5795	NA	7.24	62.5	6.5	4.55	18.31	22.86	PASS
11AC40MIMO	total	5795	NA	---	---	6.5	7.49	18.98	26.47	PASS
11AC80MIMO	Ant1	5210	NA	4.08	46.15	6.5	7.44	17.78	25.22	PASS
11AC80MIMO	Ant2	5210	NA	5.38	46.15	6.5	8.74	17.31	26.05	PASS
11AC80MIMO	total	5210	NA	---	---	6.5	11.15	17.78	28.93	PASS
11AC80MIMO	Ant1	5290	TPC_L	-5.31	46.15	0.5	-1.95	18.02	16.07	PASS
11AC80MIMO	Ant1	5290	TPC_H	-1.81	46.15	0.5	1.55	18.02	19.57	PASS
11AC80MIMO	Ant2	5290	TPC_L	-5.53	46.15	0.5	-2.17	17.57	15.4	PASS
11AC80MIMO	Ant2	5290	TPC_H	-2.05	46.15	0.5	1.31	17.57	18.88	PASS
11AC80MIMO	total	5290	TPC_L	---	---	0.5	0.95	18.02	18.97	PASS
11AC80MIMO	total	5290	TPC_H	---	---	0.5	4.44	18.02	22.46	PASS
11AC80MIMO	Ant1	5530	TPC_L	-7.31	46.15	2.5	-3.95	18.77	14.82	PASS
11AC80MIMO	Ant1	5530	TPC_H	-3.81	46.15	2.5	-0.45	18.77	18.32	PASS
11AC80MIMO	Ant2	5530	TPC_L	-6.01	46.15	2.5	-2.65	18.25	15.6	PASS
11AC80MIMO	Ant2	5530	TPC_H	-2.51	46.15	2.5	0.85	18.25	19.1	PASS
11AC80MIMO	total	5530	TPC_L	---	---	2.5	-0.24	18.25	18.01	PASS
11AC80MIMO	total	5530	TPC_H	---	---	2.5	3.26	18.25	21.51	PASS
11AC80MIMO	Ant1	5610	TPC_L	-8.33	46.15	2.5	-4.97	18.77	13.8	PASS
11AC80MIMO	Ant1	5610	TPC_H	-4.83	46.15	2.5	-1.47	18.77	17.3	PASS
11AC80MIMO	Ant2	5610	TPC_L	-7.08	46.15	2.5	-3.72	18.25	14.53	PASS
11AC80MIMO	Ant2	5610	TPC_H	-3.59	46.15	2.5	-0.23	18.25	18.02	PASS
11AC80MIMO	total	5610	TPC_L	---	---	2.5	-1.29	18.25	16.96	PASS

11AC80MIMO	total	5610	TPC_H	---	---	2.5	2.2	18.25	20.45	PASS
11AC80MIMO	Ant1	5775	NA	6.63	46.15	6.5	5.16	18.98	24.14	PASS
11AC80MIMO	Ant2	5775	NA	6.7	46.15	6.5	5	18.31	23.31	PASS
11AC80MIMO	total	5775	NA	---	---	6.5	8.09	18.98	27.07	PASS

RG-ANT13-360 antenna:

For 802.11a, the limit as below.

Frequency [MHz]	Conducted Limit [dBm]	EIRP Limit [dBm]
5150~5250MHz Band	30	N/A
5250~5350MHz Band	23.98	N/A
5470~5725MHz Band	23.98	N/A
5725~5850MHz Band	30	N/A

For others, the limit as below.

Frequency [MHz]	Conducted Limit [dBm]	EIRP Limit [dBm]
5150~5250MHz Band	21.76	N/A
5250~5350MHz Band	15.75	N/A
5470~5725MHz Band	15.52	N/A
5725~5850MHz Band	21.41	N/A

Test Mode	Antenna	Frequency [MHz]	TPC	Channel Power [dBm]	Duty Cycle [%]	Set Power	Result [dBm]	Gain [dBi]	EIRP [dBm]	Verdict
11A	Ant1	5180	NA	16.79	86.88	16.5	17.4	11.96	29.36	PASS
11A	Ant2	5180	NA	16.86	80.35	16.5	17.81	10.44	28.25	PASS
11A	Ant1	5200	NA	16.5	86.88	16.5	17.11	11.96	29.07	PASS
11A	Ant2	5200	NA	16.37	79.89	16.5	17.35	10.44	27.79	PASS
11A	Ant1	5240	NA	16.46	86.88	16.5	17.07	11.96	29.03	PASS
11A	Ant2	5240	NA	15.91	80.46	16.5	16.85	10.44	27.29	PASS
11A	Ant1	5260	TPC_L	7.36	86.88	10.5	7.97	11.96	19.93	PASS
11A	Ant1	5260	TPC_H	10.87	86.88	10.5	11.48	10.42	21.9	PASS
11A	Ant2	5260	TPC_L	7.02	75.27	10.5	8.25	11.96	20.21	PASS
11A	Ant2	5260	TPC_H	10.16	75.27	10.5	11.39	10.42	21.81	PASS
11A	Ant1	5280	TPC_L	7.66	86.88	10.5	8.27	11.96	20.23	PASS
11A	Ant1	5280	TPC_H	11.18	86.88	10.5	11.79	10.42	22.21	PASS
11A	Ant2	5280	TPC_L	7.12	74.33	10.5	8.41	11.96	20.37	PASS
11A	Ant2	5280	TPC_H	10.25	74.33	10.5	11.54	10.42	21.96	PASS
11A	Ant1	5320	TPC_L	6.72	86.88	10.5	7.33	11.96	19.29	PASS
11A	Ant1	5320	TPC_H	10.22	86.88	10.5	10.83	10.42	21.25	PASS
11A	Ant2	5320	TPC_L	6.42	80.92	10.5	7.34	11.96	19.3	PASS

11A	Ant2	5320	TPC_H	9.98	80.92	10.5	10.9	10.42	21.32	PASS
11A	Ant1	5500	TPC_L	4.79	86.88	12.5	5.4	12.07	17.47	PASS
11A	Ant1	5500	TPC_H	8.39	86.88	12.5	9	10.79	19.79	PASS
11A	Ant2	5500	TPC_L	4.69	80.35	12.5	5.64	12.07	17.71	PASS
11A	Ant2	5500	TPC_H	8.48	80.35	12.5	9.43	10.79	20.22	PASS
11A	Ant1	5580	TPC_L	3.3	86.88	12.5	3.91	12.07	15.98	PASS
11A	Ant1	5580	TPC_H	6.9	86.88	12.5	7.51	10.79	18.3	PASS
11A	Ant2	5580	TPC_L	3.51	80.35	12.5	4.46	12.07	16.53	PASS
11A	Ant2	5580	TPC_H	7.08	80.35	12.5	8.03	10.79	18.82	PASS
11A	Ant1	5700	TPC_L	5.67	86.88	12.5	6.28	12.07	18.35	PASS
11A	Ant1	5700	TPC_H	9.27	86.88	12.5	9.88	10.79	20.67	PASS
11A	Ant2	5700	TPC_L	4.67	80.35	12.5	5.62	12.07	17.69	PASS
11A	Ant2	5700	TPC_H	8.29	80.35	12.5	9.24	10.79	20.03	PASS
11A	Ant1	5745	NA	18.97	86.88	16.5	15.38	12.22	27.6	PASS
11A	Ant2	5745	NA	19.44	80.92	16.5	15.28	10.89	26.17	PASS
11A	Ant1	5785	NA	19.74	86.88	16.5	15.95	12.22	28.17	PASS
11A	Ant2	5785	NA	19.56	80.35	16.5	15.98	10.89	26.87	PASS
11A	Ant1	5825	NA	19.56	86.88	16.5	15.4	12.22	27.62	PASS
11A	Ant2	5825	NA	18.36	80.46	16.5	15.48	10.89	26.37	PASS
11N20MIMO	Ant1	5180	NA	13.48	86.09	13.5	14.13	11.96	26.09	PASS
11N20MIMO	Ant2	5180	NA	13.78	86.18	13.5	14.43	10.44	24.87	PASS
11N20MIMO	total	5180	NA	---	---	13.5	17.29	11.96	29.25	PASS
11N20MIMO	Ant1	5200	NA	13.28	86.18	13.5	13.93	11.96	25.89	PASS
11N20MIMO	Ant2	5200	NA	14.24	86.09	13.5	14.89	10.44	25.33	PASS
11N20MIMO	total	5200	NA	---	---	13.5	17.45	11.96	29.41	PASS
11N20MIMO	Ant1	5240	NA	13.39	86.09	13.5	14.04	11.96	26	PASS
11N20MIMO	Ant2	5240	NA	13.78	86.09	13.5	14.43	10.44	24.87	PASS
11N20MIMO	total	5240	NA	---	---	13.5	17.25	11.96	29.21	PASS
11N20MIMO	Ant1	5260	TPC_L	4.34	86.09	7.5	4.99	11.96	16.95	PASS
11N20MIMO	Ant1	5260	TPC_H	7.73	86.09	7.5	8.38	11.96	20.34	PASS
11N20MIMO	Ant2	5260	TPC_L	4.48	86.18	7.5	5.13	10.42	15.55	PASS
11N20MIMO	Ant2	5260	TPC_H	7.82	86.18	7.5	8.47	10.42	18.89	PASS
11N20MIMO	total	5260	TPC_L	---	---	7.5	8.07	11.96	20.03	PASS
11N20MIMO	total	5260	TPC_H	---	---	7.5	11.44	11.96	23.4	PASS
11N20MIMO	Ant1	5280	TPC_L	4.73	86.18	7.5	5.38	11.96	17.34	PASS
11N20MIMO	Ant1	5280	TPC_H	7.96	86.18	7.5	8.61	11.96	20.57	PASS
11N20MIMO	Ant2	5280	TPC_L	4.58	86.18	7.5	5.23	10.42	15.65	PASS
11N20MIMO	Ant2	5280	TPC_H	7.85	86.18	7.5	8.5	10.42	18.92	PASS
11N20MIMO	total	5280	TPC_L	---	---	7.5	8.32	11.96	20.28	PASS
11N20MIMO	total	5280	TPC_H	---	---	7.5	11.57	11.96	23.53	PASS

11N20MIMO	Ant1	5320	TPC_L	3.77	86.18	7.5	4.42	11.96	16.38	PASS
11N20MIMO	Ant1	5320	TPC_H	7	86.18	7.5	7.65	11.96	19.61	PASS
11N20MIMO	Ant2	5320	TPC_L	4.75	86.18	7.5	5.4	10.42	15.82	PASS
11N20MIMO	Ant2	5320	TPC_H	8.04	86.18	7.5	8.69	10.42	19.11	PASS
11N20MIMO	total	5320	TPC_L	---	---	7.5	7.95	11.96	19.91	PASS
11N20MIMO	total	5320	TPC_H	---	---	7.5	11.21	11.96	23.17	PASS
11N20MIMO	Ant1	5500	TPC_L	-0.68	86.18	9.5	-0.03	12.07	12.04	PASS
11N20MIMO	Ant1	5500	TPC_H	3.25	86.18	9.5	3.9	12.07	15.97	PASS
11N20MIMO	Ant2	5500	TPC_L	1.94	86.18	9.5	2.59	10.79	13.38	PASS
11N20MIMO	Ant2	5500	TPC_H	5.75	86.18	9.5	6.4	10.79	17.19	PASS
11N20MIMO	total	5500	TPC_L	---	---	9.5	4.48	12.07	16.55	PASS
11N20MIMO	total	5500	TPC_H	---	---	9.5	8.34	12.07	20.41	PASS
11N20MIMO	Ant1	5580	TPC_L	-2.16	86.09	9.5	-1.51	12.07	10.56	PASS
11N20MIMO	Ant1	5580	TPC_H	1.56	86.09	9.5	2.21	12.07	14.28	PASS
11N20MIMO	Ant2	5580	TPC_L	0.42	86.09	9.5	1.07	10.79	11.86	PASS
11N20MIMO	Ant2	5580	TPC_H	3.99	86.09	9.5	4.64	10.79	15.43	PASS
11N20MIMO	total	5580	TPC_L	---	---	9.5	2.98	12.07	15.05	PASS
11N20MIMO	total	5580	TPC_H	---	---	9.5	6.6	12.07	18.67	PASS
11N20MIMO	Ant1	5700	TPC_L	0.18	86.09	9.5	0.83	12.07	12.9	PASS
11N20MIMO	Ant1	5700	TPC_H	3.73	86.09	9.5	4.38	12.07	16.45	PASS
11N20MIMO	Ant2	5700	TPC_L	1.51	86.09	9.5	2.16	10.79	12.95	PASS
11N20MIMO	Ant2	5700	TPC_H	5.03	86.09	9.5	5.68	10.79	16.47	PASS
11N20MIMO	total	5700	TPC_L	---	---	9.5	4.56	12.07	16.63	PASS
11N20MIMO	total	5700	TPC_H	---	---	9.5	8.09	12.07	20.16	PASS
11N20MIMO	Ant1	5745	NA	15.87	86.09	13.5	12.35	12.22	24.57	PASS
11N20MIMO	Ant2	5745	NA	16.45	86.09	13.5	12.83	10.89	23.72	PASS
11N20MIMO	total	5745	NA	---	---	13.5	15.61	12.22	27.83	PASS
11N20MIMO	Ant1	5785	NA	16.59	86.18	13.5	12.62	12.22	24.84	PASS
11N20MIMO	Ant2	5785	NA	16.57	86.09	13.5	12.79	10.89	23.68	PASS
11N20MIMO	total	5785	NA	---	---	13.5	15.72	12.22	27.94	PASS
11N20MIMO	Ant1	5825	NA	15.86	86.18	13.5	11.95	12.22	24.17	PASS
11N20MIMO	Ant2	5825	NA	15.36	86.09	13.5	12	10.89	22.89	PASS
11N20MIMO	total	5825	NA	---	---	13.5	14.99	12.22	27.21	PASS
11N40MIMO	Ant1	5190	NA	13.01	75.29	13.5	14.24	11.96	26.2	PASS
11N40MIMO	Ant2	5190	NA	13.59	75.29	13.5	14.82	10.44	25.26	PASS
11N40MIMO	total	5190	NA	---	---	13.5	17.55	11.96	29.51	PASS
11N40MIMO	Ant1	5230	NA	12.92	75.29	13.5	14.15	11.96	26.11	PASS
11N40MIMO	Ant2	5230	NA	13.3	75.29	13.5	14.53	10.44	24.97	PASS
11N40MIMO	total	5230	NA	---	---	13.5	17.35	11.96	29.31	PASS
11N40MIMO	Ant1	5270	TPC_L	3.54	75.29	7.5	4.77	11.96	16.73	PASS

11N40MIMO	Ant1	5270	TPC_H	7.44	75.29	7.5	8.67	11.96	20.63	PASS
11N40MIMO	Ant2	5270	TPC_L	3.5	75.29	7.5	4.73	10.42	15.15	PASS
11N40MIMO	Ant2	5270	TPC_H	7.36	75.29	7.5	8.59	10.42	19.01	PASS
11N40MIMO	total	5270	TPC_L	---	---	7.5	7.76	11.96	19.72	PASS
11N40MIMO	total	5270	TPC_H	---	---	7.5	11.64	11.96	23.6	PASS
11N40MIMO	Ant1	5310	TPC_L	2.53	75.29	7.5	3.76	11.96	15.72	PASS
11N40MIMO	Ant1	5310	TPC_H	6.44	75.29	7.5	7.67	11.96	19.63	PASS
11N40MIMO	Ant2	5310	TPC_L	3.59	75.29	7.5	4.82	10.42	15.24	PASS
11N40MIMO	Ant2	5310	TPC_H	7.47	75.29	7.5	8.7	10.42	19.12	PASS
11N40MIMO	total	5310	TPC_L	---	---	7.5	7.33	11.96	19.29	PASS
11N40MIMO	total	5310	TPC_H	---	---	7.5	11.23	11.96	23.19	PASS
11N40MIMO	Ant1	5510	TPC_L	0.67	75.29	9.5	1.9	12.07	13.97	PASS
11N40MIMO	Ant1	5510	TPC_H	4.19	75.29	9.5	5.42	12.07	17.49	PASS
11N40MIMO	Ant2	5510	TPC_L	3.2	75.29	9.5	4.43	10.79	15.22	PASS
11N40MIMO	Ant2	5510	TPC_H	7.15	75.29	9.5	8.38	10.79	19.17	PASS
11N40MIMO	total	5510	TPC_L	---	---	9.5	6.36	12.07	18.43	PASS
11N40MIMO	total	5510	TPC_H	---	---	9.5	10.16	12.07	22.23	PASS
11N40MIMO	Ant1	5550	TPC_L	-0.16	75.29	9.5	1.07	12.07	13.14	PASS
11N40MIMO	Ant1	5550	TPC_H	3.82	75.29	9.5	5.05	12.07	17.12	PASS
11N40MIMO	Ant2	5550	TPC_L	2.6	75.29	9.5	3.83	10.79	14.62	PASS
11N40MIMO	Ant2	5550	TPC_H	6.56	75.29	9.5	7.79	10.79	18.58	PASS
11N40MIMO	total	5550	TPC_L	---	---	9.5	5.68	12.07	17.75	PASS
11N40MIMO	total	5550	TPC_H	---	---	9.5	9.64	12.07	21.71	PASS
11N40MIMO	Ant1	5670	TPC_L	0.8	75.29	9.5	2.03	12.07	14.1	PASS
11N40MIMO	Ant1	5670	TPC_H	4.28	75.29	9.5	5.51	12.07	17.58	PASS
11N40MIMO	Ant2	5670	TPC_L	1.86	75.29	9.5	3.09	10.79	13.88	PASS
11N40MIMO	Ant2	5670	TPC_H	5.37	75.29	9.5	6.6	10.79	17.39	PASS
11N40MIMO	total	5670	TPC_L	---	---	9.5	5.6	12.07	17.67	PASS
11N40MIMO	total	5670	TPC_H	---	---	9.5	9.1	12.07	21.17	PASS
11N40MIMO	Ant1	5755	NA	15.27	75.29	13.5	12.39	12.22	24.61	PASS
11N40MIMO	Ant2	5755	NA	16.11	75.29	13.5	12.87	10.89	23.76	PASS
11N40MIMO	total	5755	NA	---	---	13.5	15.65	12.22	27.87	PASS
11N40MIMO	Ant1	5795	NA	15.88	75.29	13.5	12.45	12.22	24.67	PASS
11N40MIMO	Ant2	5795	NA	15.78	75.29	13.5	12.5	10.89	23.39	PASS
11N40MIMO	total	5795	NA	---	---	13.5	15.49	12.22	27.71	PASS
11AC20MIMO	Ant1	5180	NA	13.16	76.4	13.5	14.33	11.96	26.29	PASS
11AC20MIMO	Ant2	5180	NA	13.52	76.4	13.5	14.69	10.44	25.13	PASS
11AC20MIMO	total	5180	NA	---	---	13.5	17.52	11.96	29.48	PASS
11AC20MIMO	Ant1	5200	NA	12.99	76.4	13.5	14.16	11.96	26.12	PASS
11AC20MIMO	Ant2	5200	NA	13.72	76.4	13.5	14.89	10.44	25.33	PASS


11AC20MIMO	total	5200	NA	---	---	13.5	17.55	11.96	29.51	PASS
11AC20MIMO	Ant1	5240	NA	12.98	76.4	13.5	14.15	11.96	26.11	PASS
11AC20MIMO	Ant2	5240	NA	13.39	76.4	13.5	14.56	10.44	25	PASS
11AC20MIMO	total	5240	NA	---	---	13.5	17.37	11.96	29.33	PASS
11AC20MIMO	Ant1	5260	TPC_L	4.01	76.4	7.5	5.18	11.96	17.14	PASS
11AC20MIMO	Ant1	5260	TPC_H	7.34	76.4	7.5	8.51	11.96	20.47	PASS
11AC20MIMO	Ant2	5260	TPC_L	4.03	77.27	7.5	5.15	10.42	15.57	PASS
11AC20MIMO	Ant2	5260	TPC_H	7.32	77.27	7.5	8.44	10.42	18.86	PASS
11AC20MIMO	total	5260	TPC_L	---	---	7.5	8.18	11.96	20.14	PASS
11AC20MIMO	total	5260	TPC_H	---	---	7.5	11.49	11.96	23.45	PASS
11AC20MIMO	Ant1	5280	TPC_L	4.3	76.4	7.5	5.47	11.96	17.43	PASS
11AC20MIMO	Ant1	5280	TPC_H	7.62	76.4	7.5	8.79	11.96	20.75	PASS
11AC20MIMO	Ant2	5280	TPC_L	4.14	76.4	7.5	5.31	10.42	15.73	PASS
11AC20MIMO	Ant2	5280	TPC_H	7.41	76.4	7.5	8.58	10.42	19	PASS
11AC20MIMO	total	5280	TPC_L	---	---	7.5	8.4	11.96	20.36	PASS
11AC20MIMO	total	5280	TPC_H	---	---	7.5	11.7	11.96	23.66	PASS
11AC20MIMO	Ant1	5320	TPC_L	3.36	76.4	7.5	4.53	11.96	16.49	PASS
11AC20MIMO	Ant1	5320	TPC_H	6.72	76.4	7.5	7.89	11.96	19.85	PASS
11AC20MIMO	Ant2	5320	TPC_L	4.34	76.4	7.5	5.51	10.42	15.93	PASS
11AC20MIMO	Ant2	5320	TPC_H	7.67	76.4	7.5	8.84	10.42	19.26	PASS
11AC20MIMO	total	5320	TPC_L	---	---	7.5	8.06	11.96	20.02	PASS
11AC20MIMO	total	5320	TPC_H	---	---	7.5	11.4	11.96	23.36	PASS
11AC20MIMO	Ant1	5500	TPC_L	2.04	77.27	9.5	3.16	12.07	15.23	PASS
11AC20MIMO	Ant1	5500	TPC_H	5.49	77.27	9.5	6.61	12.07	18.68	PASS
11AC20MIMO	Ant2	5500	TPC_L	4.44	76.4	9.5	5.61	10.79	16.4	PASS
11AC20MIMO	Ant2	5500	TPC_H	7.89	76.4	9.5	9.06	10.79	19.85	PASS
11AC20MIMO	total	5500	TPC_L	---	---	9.5	7.57	12.07	19.64	PASS
11AC20MIMO	total	5500	TPC_H	---	---	9.5	11.02	12.07	23.09	PASS
11AC20MIMO	Ant1	5580	TPC_L	-0.11	76.4	9.5	1.06	12.07	13.13	PASS
11AC20MIMO	Ant1	5580	TPC_H	3.44	76.4	9.5	4.61	12.07	16.68	PASS
11AC20MIMO	Ant2	5580	TPC_L	2.5	76.4	9.5	3.67	10.79	14.46	PASS
11AC20MIMO	Ant2	5580	TPC_H	6.07	76.4	9.5	7.24	10.79	18.03	PASS
11AC20MIMO	total	5580	TPC_L	---	---	9.5	5.57	12.07	17.64	PASS
11AC20MIMO	total	5580	TPC_H	---	---	9.5	9.13	12.07	21.2	PASS
11AC20MIMO	Ant1	5700	TPC_L	2.19	76.4	9.5	3.36	12.07	15.43	PASS
11AC20MIMO	Ant1	5700	TPC_H	5.77	76.4	9.5	6.94	12.07	19.01	PASS
11AC20MIMO	Ant2	5700	TPC_L	3.57	76.4	9.5	4.74	10.79	15.53	PASS
11AC20MIMO	Ant2	5700	TPC_H	7.11	76.4	9.5	8.28	10.79	19.07	PASS
11AC20MIMO	total	5700	TPC_L	---	---	9.5	7.11	12.07	19.18	PASS
11AC20MIMO	total	5700	TPC_H	---	---	9.5	10.67	12.07	22.74	PASS


11AC20MIMO	Ant1	5745	NA	15.41	76.4	13.5	12.17	12.22	24.39	PASS
11AC20MIMO	Ant2	5745	NA	16.18	76.4	13.5	12.61	10.89	23.5	PASS
11AC20MIMO	total	5745	NA	---	---	13.5	15.41	12.22	27.63	PASS
11AC20MIMO	Ant1	5785	NA	16.24	76.4	13.5	12.72	12.22	24.94	PASS
11AC20MIMO	Ant2	5785	NA	16.41	76.4	13.5	12.85	10.89	23.74	PASS
11AC20MIMO	total	5785	NA	---	---	13.5	15.8	12.22	28.02	PASS
11AC20MIMO	Ant1	5825	NA	16.09	76.4	13.5	12.14	12.22	24.36	PASS
11AC20MIMO	Ant2	5825	NA	15.24	76.4	13.5	11.83	10.89	22.72	PASS
11AC20MIMO	total	5825	NA	---	---	13.5	15	12.22	27.22	PASS
11AC40MIMO	Ant1	5190	NA	12.49	62.5	13.5	14.53	11.96	26.49	PASS
11AC40MIMO	Ant2	5190	NA	13.03	62.5	13.5	15.07	10.44	25.51	PASS
11AC40MIMO	total	5190	NA	---	---	13.5	17.82	11.96	29.78	PASS
11AC40MIMO	Ant1	5230	NA	12.43	62.5	13.5	14.47	11.96	26.43	PASS
11AC40MIMO	Ant2	5230	NA	12.84	62.5	13.5	14.88	10.44	25.32	PASS
11AC40MIMO	total	5230	NA	---	---	13.5	17.69	11.96	29.65	PASS
11AC40MIMO	Ant1	5270	TPC_L	3.06	62.5	7.5	5.1	11.96	17.06	PASS
11AC40MIMO	Ant1	5270	TPC_H	6.7	62.5	7.5	8.74	11.96	20.7	PASS
11AC40MIMO	Ant2	5270	TPC_L	3.07	62.5	7.5	5.11	10.42	15.53	PASS
11AC40MIMO	Ant2	5270	TPC_H	7.11	62.5	7.5	9.15	10.42	19.57	PASS
11AC40MIMO	total	5270	TPC_L	---	---	7.5	8.12	11.96	20.08	PASS
11AC40MIMO	total	5270	TPC_H	---	---	7.5	11.96	11.96	23.92	PASS
11AC40MIMO	Ant1	5310	TPC_L	2.04	62.5	7.5	4.08	11.96	16.04	PASS
11AC40MIMO	Ant1	5310	TPC_H	5.54	62.5	7.5	7.58	11.96	19.54	PASS
11AC40MIMO	Ant2	5310	TPC_L	3.17	62.5	7.5	5.21	10.42	15.63	PASS
11AC40MIMO	Ant2	5310	TPC_H	6.61	62.5	7.5	8.65	10.42	19.07	PASS
11AC40MIMO	total	5310	TPC_L	---	---	7.5	7.69	11.96	19.65	PASS
11AC40MIMO	total	5310	TPC_H	---	---	7.5	11.16	11.96	23.12	PASS
11AC40MIMO	Ant1	5510	TPC_L	0.69	62.5	9.5	2.73	12.07	14.8	PASS
11AC40MIMO	Ant1	5510	TPC_H	4.22	62.5	9.5	6.26	12.07	18.33	PASS
11AC40MIMO	Ant2	5510	TPC_L	1.7	62.5	9.5	3.74	10.79	14.53	PASS
11AC40MIMO	Ant2	5510	TPC_H	5.14	62.5	9.5	7.18	10.79	17.97	PASS
11AC40MIMO	total	5510	TPC_L	---	---	9.5	6.27	12.07	18.34	PASS
11AC40MIMO	total	5510	TPC_H	---	---	9.5	9.75	12.07	21.82	PASS
11AC40MIMO	Ant1	5550	TPC_L	-0.14	62.5	9.5	1.9	12.07	13.97	PASS
11AC40MIMO	Ant1	5550	TPC_H	3.88	62.5	9.5	5.92	12.07	17.99	PASS
11AC40MIMO	Ant2	5550	TPC_L	0.95	62.5	9.5	2.99	10.79	13.78	PASS
11AC40MIMO	Ant2	5550	TPC_H	4.91	62.5	9.5	6.95	10.79	17.74	PASS
11AC40MIMO	total	5550	TPC_L	---	---	9.5	5.49	12.07	17.56	PASS
11AC40MIMO	total	5550	TPC_H	---	---	9.5	9.48	12.07	21.55	PASS
11AC40MIMO	Ant1	5670	TPC_L	0.66	62.5	9.5	2.7	12.07	14.77	PASS


11AC40MIMO	Ant1	5670	TPC_H	4.2	62.5	9.5	6.24	12.07	18.31	PASS
11AC40MIMO	Ant2	5670	TPC_L	0.18	62.5	9.5	2.22	10.79	13.01	PASS
11AC40MIMO	Ant2	5670	TPC_H	3.7	62.5	9.5	5.74	10.79	16.53	PASS
11AC40MIMO	total	5670	TPC_L	---	---	9.5	5.48	12.07	17.55	PASS
11AC40MIMO	total	5670	TPC_H	---	---	9.5	9.01	12.07	21.08	PASS
11AC40MIMO	Ant1	5755	NA	14.43	62.5	13.5	12.22	12.22	24.44	PASS
11AC40MIMO	Ant2	5755	NA	14.88	62.5	13.5	12.72	10.89	23.61	PASS
11AC40MIMO	total	5755	NA	---	---	13.5	15.49	12.22	27.71	PASS
11AC40MIMO	Ant1	5795	NA	14.62	62.5	13.5	12.36	12.22	24.58	PASS
11AC40MIMO	Ant2	5795	NA	15.07	62.5	13.5	12.43	10.89	23.32	PASS
11AC40MIMO	total	5795	NA	---	---	13.5	15.41	12.22	27.63	PASS
11AC80MIMO	Ant1	5210	NA	12.24	46.15	11.5	13.3	11.96	25.26	PASS
11AC80MIMO	Ant2	5210	NA	12.14	46.15	11.5	13.09	10.44	23.53	PASS
11AC80MIMO	total	5210	NA	---	---	11.5	16.21	11.96	28.17	PASS
11AC80MIMO	Ant1	5290	TPC_L	2.72	46.15	7.5	6.08	11.96	18.04	PASS
11AC80MIMO	Ant1	5290	TPC_H	6.17	46.15	7.5	9.53	11.96	21.49	PASS
11AC80MIMO	Ant2	5290	TPC_L	2.08	46.15	7.5	5.44	10.42	15.86	PASS
11AC80MIMO	Ant2	5290	TPC_H	5.5	46.15	7.5	8.86	10.42	19.28	PASS
11AC80MIMO	total	5290	TPC_L	---	---	7.5	8.78	11.96	20.74	PASS
11AC80MIMO	total	5290	TPC_H	---	---	7.5	12.22	11.96	24.18	PASS
11AC80MIMO	Ant1	5530	TPC_L	-0.12	46.15	9.5	3.24	11.96	15.2	PASS
11AC80MIMO	Ant1	5530	TPC_H	3.32	46.15	9.5	6.68	11.96	18.64	PASS
11AC80MIMO	Ant2	5530	TPC_L	2.2	46.15	9.5	5.56	10.42	15.98	PASS
11AC80MIMO	Ant2	5530	TPC_H	5.6	46.15	9.5	8.96	10.42	19.38	PASS
11AC80MIMO	total	5530	TPC_L	---	---	9.5	7.56	11.96	19.52	PASS
11AC80MIMO	total	5530	TPC_H	---	---	9.5	10.98	11.96	22.94	PASS
11AC80MIMO	Ant1	5610	TPC_L	-1.21	46.15	9.5	2.15	12.07	14.22	PASS
11AC80MIMO	Ant1	5610	TPC_H	2.29	46.15	9.5	5.65	12.07	17.72	PASS
11AC80MIMO	Ant2	5610	TPC_L	0.74	46.15	9.5	4.1	10.79	14.89	PASS
11AC80MIMO	Ant2	5610	TPC_H	4.2	46.15	9.5	7.56	10.79	18.35	PASS
11AC80MIMO	total	5610	TPC_L	---	---	9.5	6.24	12.07	18.31	PASS
11AC80MIMO	total	5610	TPC_H	---	---	9.5	9.72	12.07	21.79	PASS
11AC80MIMO	Ant1	5775	NA	13.71	46.15	13.5	12.97	12.22	25.19	PASS
11AC80MIMO	Ant2	5775	NA	14.71	46.15	13.5	13.31	10.89	24.2	PASS
11AC80MIMO	total	5775	NA	---	---	13.5	16.15	12.22	28.37	PASS


Output Power Test Graphs


RG-ANT20S-90 antenna:









































11A_Ant1_5700




11A_Ant2_5700



11A_Ant2_5700




11A_Ant1_5745





11A_Ant2_5745




11A_Ant1_5785








11N20MIMO_Ant2_5180




11N20MIMO_Ant1_5200




02:13:58 11.09.2024

11N20MIMO_Ant2_5200




02:15:20 11.09.2024

11N20MIMO_Ant1_5240




02:17:29 11.09.2024

11N20MIMO_Ant2_5240



02:18:50 11.09.2024

11N20MIMO_Ant1_5260



11N20MIMO_Ant1_5260

MultiView

Spectrum

Ref Level 30.00 dBm

Offset 24.35 dB

RBW 1 MHz

Att 20 dB

SWT 8.01 ms


VBW 3 MHz

Mode Auto Sweep

Count 300/300

1 ACIR

16m View



CF 5.259 98 GHz

8001 pts

4.0 MHz/

Span 40.0 MHz

2 Result Summary

None


Channel	Bandwidth	Offset	Power
Tx1 (Ref)	20.200 MHz		0.87 dBm
Tx Total			0.87 dBm

Measuring...


07:24:42

09.09.2024


11N20MIMO_Ant2_5260




11N20MIMO_Ant2_5260




11N20MIMO_Ant1_5280







11N20MIMO_Ant2_5280




11N20MIMO_Ant1_5320



11N20MIMO_Ant1_5320




11N20MIMO_Ant2_5320




07:37:14 09.09.2024

11N20MIMO_Ant2_5320




07:36:47 09.09.2024

11N20MIMO_Ant1_5500




07:40:02 09.09.2024


11N20MIMO_Ant1_5500



07:39:31 09.09.2024


11N20MIMO_Ant2_5500






07:45:22 09.09.2024


11N20MIMO_Ant1_5580



07:44:54 09.09.2024


11N20MIMO_Ant2_5580






07:49:48 09.09.2024


11N20MIMO_Ant1_5700





07:49:21 09.09.2024


11N20MIMO_Ant2_5700













02:21:06 11.09.2024

11N40MIMO_Ant2_5190




02:22:25 11.09.2024


11N40MIMO_Ant1_5230




11N40MIMO_Ant2_5230




11N40MIMO_Ant1_5270



11N40MIMO_Ant1_5270




11N40MIMO_Ant2_5270




08:13:38 09.09.2024


11N40MIMO_Ant2_5270




08:13:05 09.09.2024

11N40MIMO_Ant1_5310








11N40MIMO_Ant2_5310



11N40MIMO_Ant1_5510









08:35:05 09.09.2024

11N40MIMO_Ant1_5550




08:34:36 09.09.2024


11N40MIMO_Ant2_5550




11N40MIMO_Ant2_5550




11N40MIMO_Ant1_5670




11N40MIMO_Ant1_5670




11N40MIMO_Ant2_5670




11N40MIMO_Ant2_5670



11N40MIMO_Ant1_5755









02:43:51 11.09.2024

11AC20MIMO_Ant2_5180




02:45:12 11.09.2024

11AC20MIMO_Ant1_5200




02:46:58 11.09.2024

11AC20MIMO_Ant2_5200




02:48:20 11.09.2024

11AC20MIMO_Ant1_5240




02:50:01 11.09.2024

11AC20MIMO_Ant2_5240




02:51:23 11.09.2024


11AC20MIMO_Ant1_5260




11AC20MIMO_Ant1_5260




11AC20MIMO_Ant2_5260



11AC20MIMO_Ant2_5260




11AC20MIMO_Ant1_5280




10:47:54 09.09.2024

11AC20MIMO_Ant1_5280




10:45:35 09.09.2024

11AC20MIMO_Ant2_5280




10:48:11 09.09.2024


11AC20MIMO_Ant2_5280





10:46:58 09.09.2024

11AC20MIMO_Ant1_5320












11AC20MIMO_Ant2_5500




11AC20MIMO_Ant1_5580







11AC20MIMO_Ant2_5580




11AC20MIMO_Ant1_5700



11AC20MIMO_Ant1_5700




11AC20MIMO_Ant2_5700




11:06:17 09.09.2024


11AC20MIMO_Ant2_5700





11:05:15 09.09.2024

11AC20MIMO_Ant1_5745












11AC40MIMO_Ant2_5190




11AC40MIMO_Ant1_5230




11AC40MIMO_Ant2_5230




11AC40MIMO_Ant1_5270




11AC40MIMO_Ant1_5270




11AC40MIMO_Ant2_5270







11AC40MIMO_Ant1_5310




11AC40MIMO_Ant2_5310





11AC40MIMO_Ant1_5510



11AC40MIMO_Ant2_5510