Antenna describe

1. Antenna describe:

| Antenna plate | PCB antenna |
|-----------------|----------------|
| Antenna gain | 1.0dBi |
| Frequency range | 2.40GHZ-2.5GHZ |
| Connector type | direct |

Manufacturer: Shenzhen FLYSKY Technology Co.,Ltd.

Address: 16F, Huafeng Building, No. 6006 Shennan Road, Futian District, Shenzhen, Guangdong, China


Antenna model: PCB Antenna

2. Antenna Radiation Pattern

Radiation pattern@2.400GHZ

Antenna Max. Peak Gain: 0.7dbi


| Freq. [MHZ] | 2400 |
|------------------------------|----------|
| Eff. [%] | 38. 46 |
| Antenna Max. Peak Gain | 0.7dbi |
| Minimum Peak Gain of Antenna | -1.46dbi |



Radiation pattern@2.450GHZ

Antenna Max. Peak Gain: 1.0dbi

| Freq. [MHZ] | 2450 |
|------------------------------|----------|
| Eff. [%] | 43. 35 |
| Antenna Max. Peak Gain | 1.0dbi |
| Minimum Peak Gain of Antenna | -0.65dbi |



$Radiation\ pattern @2.500 GHZ$

Antenna Max. Peak Gain: 0.9dbi

| Freq. [MHZ] | 2500 |
|------------------------------|-----------------|
| Eff. [%] | 38. 77 |
| Antenna Max. Peak Gain | 0. 9 dbi |
| Minimum Peak Gain of Antenna | -1.07dbi |

