



PART NO.	REV	ECN	DESCRIPTION	ARTWORK NO.	REV	ECN
MAT-02190-001	Α	ECN-00XXX	LABELS - R902M-2-O	ART-02190-001	Α	ECN-00XXX
	•			•		





1. MATERIAL: 3M 7816 THERMAL-PRINTABLE POLYESTER FILM FILM THICKNESS: 2 mil FACE STOCK (0.051mm/.002) COLOUR: N/A 2. ADHESIVE: PERMANENT PRESSURE-SENSITIVE ACRYLIC RELEASE LINER: SILICONE TREATED PAPER 3. PRINTING PROCESS: SILK SCREEN 4. ARTWORK: OBTAIN FROM RIM TECHNICAL PUBLICATIONS DEPT. REFERENCE RIM PART NO. ART-02190-001, LATEST REVISION 5. A) PART TO BE DIE CUT WITH RELEASE LINER AND SUPPLIED IN ROLL FORM. 6. PÁCKAGING: ROLL FORM: ROLLS TO BE INDIVIDUALLY WRAPPED IN PROTECTIVE PACKAGING ROLLS TO DISPLAY RIM PART NUMBER AND NUMBER OF LABELS/ROLL ROLL: CORE SIZE: 76.2mm (3) ROLL SIZE: 203.2mm (8) MAX. LABELS TO BE OUTSIDE WOUND, HEAD FIRST 7. PART TOOLING (DIE) TO BE MANUFACTURED USING GEOMETRY FROM Pro/ENGINEER

**▽DENOTE CRITICAL INSPECTION DIMENSIONS** 

FILE SUPPLIED BY RIM MECHANICAL ENGINEERING DEPT.

NOTES:

8. DIMENSIONS WITH

ECN- 00XXX INITIAL RELEASE PS 02-05-99 REV DFTS DATE ECN RESEARCH IN MOTION DIMENSIONS ARE IN: mm В PH-(519) 888-7465 FAX-(519) 888-6906 UNLESS OTHERWISE SPECIFIED TOLERANCES ARE: LINEAR: ± DATE ANGLII AR: + COPYRIGHT 1999 SURFACE FINISH PROJECT: TADPOLE NAME: LABELS - R902M-2-O INTERPRET DIMENSIONS AND TOLERANCES AS PER SCALE 2:1 A MAT-02190-000 ANSI Y14.5M-1994

22

R902M-2-0

ESN: 00/00/123456



MAN: 12345678



This product contains a transmitter approved under the FCC and CAN rules.

FCC ID: L6AR902M-2-O CANADA: XXXXXXXXXXX

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received including interference that may cause undesired operation.

MADE IN CANADA FABRIQUE AU CANADA

## Notes:

- RIM logo is Pantone Spot Color 307U
- positional tolerance of  $\frac{1}{64}$  ( $\frac{1}{64}$  ( $\frac{1}{64}$  ( $\frac{1}{64}$  )
- color quality must be 100% for RIM logo
- RIM logo must be centered horizontally

Α	ECN-0XXX	INITIAL RELEASE				HD	02/0	9/99	
REV	ECN	CHANGES				DFTS	DA	TE	
	e: CorelDraw 7.0 : Pantone Spot Colo	RESEARCH IN MOTION WATERLOO, ONTARIO, CANADA PH:(519) 888-7465 FAX:(519) 888-6906							
	APPROV. NAME	THE CONTENT OF THIS DOCUMENT IS RIM INTELLECTUAL PROPERTY. IT IS CONFIDENTIAL AND IS NOT TO BE DISCLOSED. REPRODUCED OR USED							
DRAWN BY	NAME DATE CONFIDENTIAL AND IS NOT TO BE DISCLOSED, Heather Dw. er 02/09/99 EXCEPT WITH THE WRITTEN PERMISSION OF R					KODUCED	OR USE	J	
CHK'D BY	neattlet Dw et	02/09/99	COPYRIGHT 1999 RESEARCH IN MOTION				MOTION L	IMITED.	
ENG			PROJECT:	TADE	OL E				
MFG	FG		PROJECT	TADPOLE					
MKTG			NAME:	IVDI	LABELS - OEM				
LEGAL			NAIVIE:	LADI	LO - OEI				
SUPERSEDES			SCALE 2.5:	1	^ D.T	00400	~~	4	REV
SUPSD BY			SHEET 1 OF 1 ART-02190-			_( )( ) ′	1	Δ	
FILEPATH:	ILINK OEM				/ \  \ \	02 100	$\mathbf{U}$		$\neg$