

Test Information:

Sample No.:	2V9E-1	Test Date:	2024/12/17
Test Site:	RF	Test Mode:	Transmitting
Tester:	Lingling Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	26.3	Relative Humidity: (%)	50	ATM Pressure: (kPa)	102.1
-----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU26	100147	2024/04/01	2025/03/31
Agilent	USB Average Power Sensor	U2001H	MY50000380	2024/04/01	2025/03/31
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Emission Bandwidth**26dB Emission Bandwidth****5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	40.265
		5200	43.709
		5240	42.289
802.11n20	Chain 0	5180	44.724
		5200	47.105
		5240	45.056
802.11n40	Chain 0	5190	83.392
		5230	88.953
802.11ac80	Chain 0	5210	192.343
802.11ax20_RU_Full	Chain 0	5180	44.213
		5200	46.980
		5240	47.083
802.11ax40_RU_Full	Chain 0	5190	75.197
		5230	79.124
802.11ax80_RU_Full	Chain 0	5210	160.454


6dB Emission Bandwidth**5725-5850MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	16.400	0.5	Pass
		5785	16.400	0.5	Pass
		5825	16.440	0.5	Pass
802.11n20	Chain 0	5745	17.680	0.5	Pass
		5785	17.680	0.5	Pass
		5825	17.680	0.5	Pass
802.11n40	Chain 0	5755	36.480	0.5	Pass
		5795	36.480	0.5	Pass
802.11ac80	Chain 0	5775	76.320	0.5	Pass
802.11ax20_RU_Full	Chain 0	5745	19	0.5	Pass
		5785	19.080	0.5	Pass

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11ax20_RU_Full	Chain 0	5825	19.040	0.5	Pass
802.11ax40_RU_Full	Chain 0	5755	38.240	0.5	Pass
		5795	38.080	0.5	Pass
802.11ax80_RU_Full	Chain 0	5775	78.400	0.5	Pass


5150-5250MHz

802.11a_5180MHz 40.265MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:42:25

802.11a_5200MHz 43.709MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:13:09

802.11a_5240MHz 42.289MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:11:37

802.11n20_5180MHz 44.724MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:25:02

802.11n20_5200MHz 47.105MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:27:19

802.11n20_5240MHz 45.056MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:03:52

802.11n40_5190MHz 83.392MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:39:42

802.11n40_5230MHz 88.953MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:42:31

802.11ac80_5210MHz 192.343MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:45:35

802.11ax20_5180MHz_RU_Full 44.213MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:09:50

802.11ax20_5200MHz_RU_Full 46.980MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:12:06

802.11ax20_5240MHz_RU_Full 47.083MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:16:21

802.11ax40_5190MHz_RU_Full 75.197MHz



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:20:13


802.11ax40_5230MHz_RU_Full 79.124MHz



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:23:50


5725-5850MHz

802.11ax80_5210MHz_RU_Full 160.454MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:59:30

802.11a_5745MHz 16.400MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:58:48

802.11a_5785MHz 16.400MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:00:34

802.11a_5825MHz 16.440MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:02:24

802.11n20_5745MHz 17.680MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:04:33

802.11n20_5785MHz 17.680MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:06:33

802.11n20_5825MHz 17.680MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:09:15

802.11n40_5755MHz 36.480MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:11:05

802.11n40_5795MHz 36.480MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:13:30

802.11ac80_5775MHz 76.320MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:43:24

802.11ax20_5745MHz_RU_Full 19MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:46:10

802.11ax20_5785MHz_RU_Full 19.080MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:49:38

802.11ax20_5825MHz_RU_Full 19.040MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:51:21

802.11ax40_5755MHz_RU_Full 38.240MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:53:48

802.11ax40_5795MHz_RU_Full 38.080MHz



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:55:46

802.11ax80_5775MHz_RU_Full 78.400MHz



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:58:19

99% Occupied Bandwidth**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5180	18.360
		5200	19.080
		5240	17.720
802.11n20	Chain 0	5180	19.480
		5200	19.960
		5240	18.880
802.11n40	Chain 0	5190	37.600
		5230	37.680
802.11ac80	Chain 0	5210	77.440
802.11ax20_RU_Full	Chain 0	5180	19.560
		5200	19.680
		5240	19.880
802.11ax40_RU_Full	Chain 0	5190	38.320
		5230	38.480
802.11ax80_RU_Full	Chain 0	5210	78.240

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5745	17.560
		5785	17.400
		5825	17.280
802.11n20	Chain 0	5745	18.920
		5785	18.800
		5825	18.560
802.11n40	Chain 0	5755	38.480
		5795	38.080
802.11ac80	Chain 0	5775	77.920
802.11ax20_RU_Full	Chain 0	5745	19.520
		5785	19.440


Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11ax20_RU_Full	Chain 0	5825	19.440
802.11ax40_RU_Full	Chain 0	5755	38.880
		5795	38.720
802.11ax80_RU_Full	Chain 0	5775	79.360

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz 18.360MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:42:50

802.11a_5200MHz 19.080MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:20:13

802.11a_5240MHz 17.720MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:08:55

802.11n20_5180MHz 19.480MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:25:28

802.11n20_5200MHz 19.960MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:27:43

802.11n20_5240MHz 18.880MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:04:19

802.11n40_5190MHz 37.600MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:40:16

802.11n40_5230MHz 37.680MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:43:05

802.11ac80_5210MHz 77.440MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:46:15

802.11ax20_5180MHz_RU_Full 19.560MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:10:15

802.11ax20_5200MHz_RU_Full 19.680MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:12:31

802.11ax20_5240MHz_RU_Full 19.880MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:16:47

802.11ax40_5190MHz_RU_Full 38.320MHz



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:20:52


802.11ax40_5230MHz_RU_Full 38.480MHz



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:24:26


5725-5850MHz

802.11ax80_5210MHz_RU_Full 78.240MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 12:00:05

802.11a_5745MHz 17.560MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:59:13

802.11a_5785MHz 17.400MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:00:59

802.11a_5825MHz 17.280MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:02:49

802.11n20_5745MHz 18.920MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:04:59

802.11n20_5785MHz 18.800MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:06:58

802.11n20_5825MHz 18.560MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:09:40

802.11n40_5755MHz 38.480MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:11:41

802.11n40_5795MHz 38.080MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:14:05

802.11ac80_5775MHz 77.920MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:44:02

802.11ax20_5745MHz_RU_Full 19.520MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:46:35

802.11ax20_5785MHz_RU_Full 19.440MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:50:05

802.11ax20_5825MHz_RU_Full 19.440MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:51:46

802.11ax40_5755MHz_RU_Full 38.880MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:54:22

802.11ax40_5795MHz_RU_Full 38.720MHz



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:56:22

802.11ax80_5775MHz_RU_Full 79.360MHz



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:58:56

Maximum Conducted Output Power**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5180	18.76	24	Pass
		5200	19.03	24	Pass
		5240	18.42	24	Pass
802.11n20	Chain 0	5180	18.78	24	Pass
		5200	19.02	24	Pass
		5240	18.57	24	Pass
802.11n40	Chain 0	5190	17.02	24	Pass
		5230	17.46	24	Pass
802.11ac80	Chain 0	5210	16.17	24	Pass
802.11ax20_RU_Full	Chain 0	5180	18.57	24	Pass
		5200	18.89	24	Pass
		5240	19.13	24	Pass
802.11ax40_RU_Full	Chain 0	5190	16.83	24	Pass
		5230	17.38	24	Pass
802.11ax80_RU_Full	Chain 0	5210	16.12	24	Pass

5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5745	16.86	30	Pass
		5785	15.53	30	Pass
		5825	16.2	30	Pass
802.11n20	Chain 0	5745	17.12	30	Pass
		5785	16.33	30	Pass
		5825	15.69	30	Pass
802.11n40	Chain 0	5755	16.67	30	Pass
		5795	16.01	30	Pass
802.11ac80	Chain 0	5775	16.33	30	Pass
802.11ax20_RU_Full	Chain 0	5745	17.22	30	Pass
		5785	16.5	30	Pass
		5825	15.57	30	Pass
802.11ax40_RU_Full	Chain 0	5755	16.77	30	Pass

Mode	Antenna	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11ax40_RU_Full	Chain 0	5795	16.11	30	Pass
802.11ax80_RU_Full	Chain 0	5775	16.59	30	Pass

Power Spectral Density**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	Chain 0	5180	0.07	9.51	9.58	11	Pass
		5200	0.53	9.51	10.04	11	Pass
		5240	-0.40	9.51	9.11	11	Pass
802.11n20	Chain 0	5180	3.10	4.74	7.84	11	Pass
		5200	3.56	4.74	8.30	11	Pass
		5240	3.09	4.74	7.83	11	Pass
802.11n40	Chain 0	5190	-1.43	4.85	3.42	11	Pass
		5230	-1.21	4.85	3.64	11	Pass
802.11ac80	Chain 0	5210	-5.52	5.09	-0.43	11	Pass
802.11ax20_RU_Full	Chain 0	5180	2.25	5.56	7.81	11	Pass
		5200	2.93	5.56	8.49	11	Pass
		5240	2.54	5.56	8.10	11	Pass
802.11ax40_RU_Full	Chain 0	5190	-2.75	5.56	2.81	11	Pass
		5230	-1.56	5.56	4.00	11	Pass
802.11ax80_RU_Full	Chain 0	5210	-5.44	5.71	0.27	11	Pass

5725-5850MHz


Mode	Antenna	Test Frequency (MHz)	Reading(dBm /500kHz)	Duty Cycle Factor(dB)	Result(dBm /500kHz)	Limit(dBm /500kHz)	Verdict
802.11a	Chain 0	5745	-4.11	9.51	5.40	30	Pass
		5785	-6.76	9.51	2.75	30	Pass
		5825	-5.58	9.51	3.93	30	Pass
802.11n20	Chain 0	5745	-2.64	4.74	2.10	30	Pass
		5785	-3.29	4.74	1.45	30	Pass
		5825	-4.20	4.74	0.54	30	Pass
802.11n40	Chain 0	5755	-6.05	4.85	-1.20	30	Pass
		5795	-6.66	4.85	-1.81	30	Pass
802.11ac80	Chain 0	5775	-9.96	5.09	-4.87	30	Pass
802.11ax20_RU_Full	Chain 0	5745	-3.51	5.56	2.05	30	Pass
		5785	-4.65	5.56	0.91	30	Pass

Mode	Antenna	Test Frequency (MHz)	Reading(dBm /500kHz)	Duty Cycle Factor(dB)	Result(dBm /500kHz)	Limit(dBm /500kHz)	Verdict
802.11ax20_RU_Full	Chain 0	5825	-3.90	5.56	1.66	30	Pass
802.11ax40_RU_Full	Chain 0	5755	-6.62	5.56	-1.06	30	Pass
		5795	-7.05	5.56	-1.49	30	Pass
802.11ax80_RU_Full	Chain 0	5775	-9.53	5.71	-3.82	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:34:33

802.11a_5200MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:14:40

802.11a_5240MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:09:13

802.11n20_5180MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:26:03

802.11n20_5200MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:28:20

802.11n20_5240MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:05:46

802.11n40_5190MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:40:55

802.11n40_5230MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:43:53

802.11ac80_5210MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 11:47:14

802.11ax20_5180MHz_RU_Full




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:10:51

802.11ax20_5200MHz_RU_Full




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:13:23

802.11ax20_5240MHz_RU_Full




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:17:19

802.11ax40_5190MHz_RU_Full



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:21:48


802.11ax40_5230MHz_RU_Full



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 13:25:08


5725-5850MHz

802.11ax80_5210MHz_RU_Full




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 12:00:48

802.11a_5745MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:59:50

802.11a_5785MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:01:36

802.11a_5825MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:03:26

802.11n20_5745MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:05:36

802.11n20_5785MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:07:35

802.11n20_5825MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:10:19

802.11n40_5755MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:12:25

802.11n40_5795MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 15:14:44

802.11ac80_5775MHz




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:44:47

802.11ax20_5745MHz_RU_Full




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:47:11

802.11ax20_5785MHz_RU_Full




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:50:43

802.11ax20_5825MHz_RU_Full




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:52:29

802.11ax40_5755MHz_RU_Full




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:54:59

802.11ax40_5795MHz_RU_Full



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:57:00

802.11ax80_5775MHz_RU_Full




Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.DEC.2024 14:59:41

Duty Cycle**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	Chain 0	5200	1.284	11.468	11.20	9.51	779	1
802.11n20	Chain 0	5200	5.083	15.135	33.58	4.74	197	0.200
802.11n40	Chain 0	5190	4.884	14.930	32.71	4.85	205	0.300
802.11ac80	Chain 0	5210	4.516	14.568	31.00	5.09	221	0.300
802.11ax20_RU_Full	Chain 0	5200	3.861	13.905	27.77	5.56	259	0.300
802.11ax40_RU_Full	Chain 0	5190	3.873	13.944	27.78	5.56	258	0.300
802.11ax80_RU_Full	Chain 0	5210	3.690	13.742	26.85	5.71	271	0.300

Duty Cycle = Ton/(Ton+Toff)*100%

802.11ax80_5210MHz_RU_Full
3.690ms,13.742ms



Comment: ProjectNo.:2403Z107562E-RF Tester:Lingling Li
Date: 17.08.2024 11:57:55