



Appendix D

RF Test Data for B1-B3WIFI(Conducted Measurement)

Product Name: Carplay/Carplay dash camera

Trade Mark:N/A

Test Model: RC06

Environmental Conditions

Temperature:	25.5° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen



Contents

	Page
COVER PAGE	
1 Duty Cycle.....	3
1.1 Test Result.....	3
1.2 Test Graphs.....	4
2 Maximum Conducted Output Power	9
2.1 Test Result.....	9
3 -26dB Bandwidth	10
3.1 Test Result.....	10
3.2 Test Graphs.....	11
4 Occupied Channel Bandwidth.....	15
4.1 Test Result.....	15
4.2 Test Graphs.....	16
5 Maximum Power Spectral Density Level.....	21
5.1 Test Result.....	21
5.2 Test Graphs.....	22
6 Frequency Stability.....	27
6.1 Test Result.....	27
7 Conducted RF Spurious Emission	30
7.1 Test Result.....	30
7.2 Test Graphs.....	31
8 Restrict Band.....	36
8.1 Test Result.....	36
8.2 Test Graphs.....	37




1 Duty Cycle

1.1 Test Result


Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
a	5180	Ant1	86.88	0.61	4.76
a	5200	Ant1	86.81	0.61	4.76
a	5240	Ant1	86.87	0.61	4.76
n20	5180	Ant1	87.6	0.57	4.17
n20	5200	Ant1	87.59	0.58	4.35
n20	5240	Ant1	87.57	0.58	4.35
ac20	5180	Ant1	87.16	0.6	4.55
ac20	5200	Ant1	87.36	0.59	4.35
ac20	5240	Ant1	87.19	0.6	4.35




1.2 Test Graphs




Duty Cyclea 5240MHz Ant1




Duty Cycle n20 5180MHz Ant1




Duty Cycle n20 5200MHz Ant1




Duty Cycle n20 5240MHz Ant1




Duty Cycle ac20 5180MHz Ant1



Duty Cycle ac20 5200MHz Ant1







2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5180	Ant1	11.36	24	Pass
a	5200	Ant1	11.26	24	Pass
a	5240	Ant1	11.34	24	Pass
n20	5180	Ant1	10.64	24	Pass
n20	5200	Ant1	10.54	24	Pass
n20	5240	Ant1	10.67	24	Pass
ac20	5180	Ant1	10.56	24	Pass
ac20	5200	Ant1	10.66	24	Pass
ac20	5240	Ant1	10.56	24	Pass




3 -26dB Bandwidth


3.1 Test Result

Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
a	5180	Ant1	21.51	0.5	Pass
a	5200	Ant1	22.788	0.5	Pass
a	5240	Ant1	21.222	0.5	Pass
n20	5180	Ant1	22.86	0.5	Pass
n20	5200	Ant1	23.151	0.5	Pass
n20	5240	Ant1	22.479	0.5	Pass
ac20	5180	Ant1	23.763	0.5	Pass
ac20	5200	Ant1	23.178	0.5	Pass
ac20	5240	Ant1	22.368	0.5	Pass


3.2 Test Graphs




-26dB Bandwidtha 5240MHz Ant1




-26dB Bandwidth n20 5180MHz Ant1




-26dB Bandwidth n20 5200MHz Ant1




-26dB Bandwidth n20 5240MHz Ant1



-26dB Bandwidth ac20 5240MHz Ant1



-26dB Bandwidthac40 5190MHz Ant1






4 Occupied Channel Bandwidth


4.1 Test Result

Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
a	5180	Ant1	16.525
a	5200	Ant1	16.42
a	5240	Ant1	16.447
n20	5180	Ant1	17.575
n20	5200	Ant1	17.575
n20	5240	Ant1	17.617
ac20	5180	Ant1	17.608
ac20	5200	Ant1	17.524
ac20	5240	Ant1	17.617


4.2 Test Graphs




OBWa 5240MHz Ant1




OBW n20 5180MHz Ant1




OBW n20 5200MHz Ant1




OBW n20 5240MHz Ant1




OBW ac20 5180MHz Ant1



OBW ac20 5200MHz Ant1







5 Maximum Power Spectral Density Level

5.1 Test Result


Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
a	5180	Ant1	-2.92	0.61	-2.31	11	Pass
a	5200	Ant1	-3.09	0.61	-2.48	11	Pass
a	5240	Ant1	-3.04	0.61	-2.43	11	Pass
n20	5180	Ant1	-3.91	0.57	-3.34	11	Pass
n20	5200	Ant1	-3.7	0.58	-3.12	11	Pass
n20	5240	Ant1	-3.53	0.58	-2.95	11	Pass
ac20	5180	Ant1	-4.06	0.6	-3.46	11	Pass
ac20	5200	Ant1	-3.65	0.59	-3.06	11	Pass
ac20	5240	Ant1	-3.54	0.6	-2.94	11	Pass

5.2 Test Graphs







PSD n20 5200MHz Ant1




PSD n20 5240MHz Ant1




PSD ac20 5180MHz Ant1



PSD ac20 5200MHz Ant1







6 Frequency Stability

6.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 120V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 138V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-20C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-10C 120V	a	5180	Ant1	5179.96	-40000	-7.72	25	Pass
0C 120V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
10C 120V	a	5180	Ant1	5180	0	0	25	Pass
30C 120V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
40C 120V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
50C 120V	a	5180	Ant1	5179.94	-60000	-11.58	25	Pass
20C 102V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 120V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 138V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
-20C 120V	a	5200	Ant1	5199.94	-60000	-11.54	25	Pass
-10C 120V	a	5200	Ant1	5199.94	-60000	-11.54	25	Pass
0C 120V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
10C 120V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
30C 120V	a	5200	Ant1	5199.94	-60000	-11.54	25	Pass
40C 120V	a	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C 102V	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 102V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 120V	a	5240	Ant1	5239.92	-80000	-15.27	25	Pass
20C 138V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-20C 120V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-10C 120V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
0C 120V	a	5240	Ant1	5239.94	-60000	-11.45	25	Pass
10C 120V	a	5240	Ant1	5239.96	-40000	-7.63	25	Pass
30C 120V	a	5240	Ant1	5239.92	-80000	-15.27	25	Pass
40C 120V	a	5240	Ant1	5239.92	-80000	-15.27	25	Pass
50C 120V	a	5240	Ant1	5239.92	-80000	-15.27	25	Pass
20C 102V	n20	5180	Ant1	5179.92	-80000	-15.44	25	Pass
20C 120V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 138V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-20C 120V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
-10C 120V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass



0C 120V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
10C 120V	n20	5180	Ant1	5179.92	-80000	-15.44	25	Pass
30C 120V	n20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
40C 120V	n20	5180	Ant1	5179.92	-80000	-15.44	25	Pass
50C 120V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 102V	n20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 120V	n20	5200	Ant1	5199.92	-80000	-15.38	25	Pass
20C 138V	n20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
-20C 120V	n20	5200	Ant1	5199.92	-80000	-15.38	25	Pass
-10C 120V	n20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
0C 120V	n20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
10C 120V	n20	5200	Ant1	5199.92	-80000	-15.38	25	Pass
30C 120V	n20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
40C 120V	n20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
50C 120V	n20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C 102V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 120V	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 138V	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
-20C 120V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-10C 120V	n20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
0C 120V	n20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
10C 120V	n20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
30C 120V	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
40C 120V	n20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
50C 120V	n20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 102V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 120V	ac20	5180	Ant1	5179.92	-80000	-15.44	25	Pass
20C 138V	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-20C 120V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
-10C 120V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
0C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
10C 120V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
30C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
40C 120V	ac20	5180	Ant1	5179.94	-60000	-11.58	25	Pass
50C 120V	ac20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 102V	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
20C 120V	ac20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 138V	ac20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
-20C 120V	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
-10C 120V	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
0C 120V	ac20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
10C 120V	ac20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
30C 120V	ac20	5200	Ant1	5199.96	-40000	-7.69	25	Pass



40C 120V	ac20	5200	Ant1	5199.92	-80000	-15.38	25	Pass
50C 120V	ac20	5200	Ant1	5199.94	-60000	-11.54	25	Pass
20C 102V	ac20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
20C 120V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
20C 138V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-20C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
-10C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
0C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
10C 120V	ac20	5240	Ant1	5239.92	-80000	-15.27	25	Pass
30C 120V	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
40C 120V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass
50C 120V	ac20	5240	Ant1	5239.94	-60000	-11.45	25	Pass




7 Conducted RF Spurious Emission

7.1 Test Result


Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
a	5180	Ant1	-34.63	-27	Pass
a	5200	Ant1	-35.56	-27	Pass
a	5240	Ant1	-35.18	-27	Pass
n20	5180	Ant1	-35.14	-27	Pass
n20	5200	Ant1	-34.54	-27	Pass
n20	5240	Ant1	-34.28	-27	Pass
ac20	5180	Ant1	-34.5	-27	Pass
ac20	5200	Ant1	-34.57	-27	Pass
ac20	5240	Ant1	-34.66	-27	Pass

7.2 Test Graphs







Tx. Spurious 5240MHz Ant1




Tx. Spurious n20 5180MHz Ant1




Tx. Spurious n20 5200MHz Ant1




Tx. Spurious n20 5240MHz Ant1




Tx. Spurious ac20 5180MHz Ant1



Tx. Spurious ac20 5200MHz Ant1








8 Restrict Band


8.1 Test Result

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
a	5180	Ant1	4500	-43.99	0.96	53.27	Peak	68.2	Pass
a	5180	Ant1	4500	-52.76	0.96	44.5	Average	54	Pass
a	5180	Ant1	5111.1	-40.6	0.96	56.66	Peak	68.2	Pass
a	5180	Ant1	4965.5	-49.34	0.96	47.92	Average	54	Pass
a	5180	Ant1	5150	-39.13	0.96	58.13	Peak	68.2	Pass
a	5180	Ant1	5150	-51.61	0.96	45.65	Average	54	Pass
a	5240	Ant1	5350	-45.15	0.96	52.11	Peak	68.2	Pass
a	5240	Ant1	5350	-51.96	0.96	45.3	Average	54	Pass
a	5240	Ant1	5447.28	-40.04	0.96	57.22	Peak	68.2	Pass
a	5240	Ant1	5447.28	-49.45	0.96	47.81	Average	54	Pass
a	5240	Ant1	5460	-42.55	0.96	54.71	Peak	68.2	Pass
a	5240	Ant1	5460	-51.57	0.96	45.69	Average	54	Pass
n20	5180	Ant1	4500	-44.44	0.96	52.82	Peak	68.2	Pass
n20	5180	Ant1	4500	-52.94	0.96	44.32	Average	54	Pass
n20	5180	Ant1	5071.2	-40.22	0.96	57.04	Peak	68.2	Pass
n20	5180	Ant1	4964.8	-49.16	0.96	48.1	Average	54	Pass
n20	5180	Ant1	5150	-42.47	0.96	54.79	Peak	68.2	Pass
n20	5180	Ant1	5150	-52.06	0.96	45.2	Average	54	Pass
n20	5240	Ant1	5350	-44.75	0.96	52.51	Peak	68.2	Pass
n20	5240	Ant1	5350	-51.62	0.96	45.64	Average	54	Pass
n20	5240	Ant1	5452.8	-39.32	0.96	57.94	Peak	68.2	Pass
n20	5240	Ant1	5447.28	-49.02	0.96	48.24	Average	54	Pass
n20	5240	Ant1	5460	-43.25	0.96	54.01	Peak	68.2	Pass
n20	5240	Ant1	5460	-51.52	0.96	45.74	Average	54	Pass
ac20	5180	Ant1	4500	-42.7	0.96	54.56	Peak	68.2	Pass
ac20	5180	Ant1	4500	-52.88	0.96	44.38	Average	54	Pass
ac20	5180	Ant1	4740.1	-40.85	0.96	56.41	Peak	68.2	Pass
ac20	5180	Ant1	4964.1	-49.29	0.96	47.97	Average	54	Pass
ac20	5180	Ant1	5150	-43.25	0.96	54.01	Peak	68.2	Pass
ac20	5180	Ant1	5150	-51.88	0.96	45.38	Average	54	Pass
ac20	5240	Ant1	5350	-44.52	0.96	52.74	Peak	68.2	Pass
ac20	5240	Ant1	5350	-52.32	0.96	44.94	Average	54	Pass
ac20	5240	Ant1	5362.32	-40.29	0.96	56.97	Peak	68.2	Pass
ac20	5240	Ant1	5449.44	-49.79	0.96	47.47	Average	54	Pass
ac20	5240	Ant1	5460	-44.52	0.96	52.74	Peak	68.2	Pass
ac20	5240	Ant1	5460	-51.6	0.96	45.66	Average	54	Pass


8.2 Test Graphs




Restrict Banda 5240MHz Ant1 Peak




Restrict Band a 5240MHz Ant1 Average




Restrict Bandn20 5180MHz Ant1 Peak




Restrict Band n20 5180MHz Ant1 Average




Restrict Bandn20 5240MHz Ant1 Peak




Restrict Band n20 5240MHz Ant1 Average






Restrict Bandac20 5240MHz Ant1 Peak



Restrict Band ac20 5240MHz Ant1 Average



-----End-----