

**ELECTROMAGNETIC EMISSIONS
COMPLIANCE REPORT**

Applicant: Quanta Computer Inc.
No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City
33377, Taiwan

Manufacturer: Quanta Computer Inc.
No. 188, Wenhua 2nd Road, Guishan District, Taoyuan City
33377, Taiwan

Product Name: Clover Compact

Brand Name: Clover

Model No.: C801

Report Number: TERF2403000755E2

FCC ID HFS-C801

Date of EUT Received: Mar. 21, 2024

Date of Test: Mar. 26, 2024 ~ Apr. 25, 2024

Issue Date: Apr. 26, 2024

Approved By

Arno Hsieh

Arno Hsieh

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26-2015 and the energy emitted by the sample EUT comply with FCC rule part 2 , 22H & 24E & 27 C.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Revision History

Report Number	Revision	Description	Issue Date	Revised By	Remark
TERF2403000755E2	00	Original	Apr. 22, 2024	Yami Kuo	
TERF2403000755E2	01	Added RSE Data	Apr. 26, 2024	Yami Kuo	*

Note:

- 1、The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contents

1	GENERAL PRODUCT INFORMATION.....	4
2	SYSTEM TEST CONFIGURATION	8
3	SUMMARY OF TEST RESULTS	10
4	DESCRIPTION OF TEST MODES	11
5	MEASUREMENT UNCERTAINTY	12
6	MEASUREMENT EQUIPMENT USED.....	13
7	STANDARD APPLICABLE	14
8	TEST SETUP.....	16
9	TEST PROCEDURE.....	17
10	MEASUREMENT RESULTS	18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1 GENERAL PRODUCT INFORMATION

1.1 Product Description

Product Name:	Clover Compact
Brand Name:	Clover
Model No.:	C801
Hardware Version:	N/A
Firmware Version:	N/A
EUT Series No.:	C081UG40850161
Power Supply:	12Vdc
Test Software (Name/Version)	default(Link Call Box)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.2 Operation Frequency Range

LTE Band 2			
BW (MHz)	Operation Frequency (MHz)		
1.4	1850.7	-	1909.3
3	1851.5	-	1908.5
5	1852.5	-	1907.5
10	1855.0	-	1905.0
15	1857.5	-	1902.5
20	1860.0	-	1900.0
LTE Band 4			
BW (MHz)	Operation Frequency (MHz)		
1.4	1710.7	-	1754.3
3	1711.5	-	1753.5
5	1712.5	-	1752.5
10	1715.0	-	1750.0
15	1717.5	-	1747.5
20	1720.0	-	1745.0
LTE Band 5			
BW (MHz)	Operation Frequency (MHz)		
1.4	824.7	-	848.3
3	825.5	-	847.5
5	826.5	-	846.5
10	829.0	-	844.0

LTE Band 12			
BW (MHz)	Operation Frequency (MHz)		
1.4	699.7	-	715.3
3	700.5	-	714.5
5	701.5	-	713.5
10	704.0	-	711.0
LTE Band 13			
BW (MHz)	Operation Frequency (MHz)		
5	779.5	-	784.5
10	782.0	-	
LTE Band 17			
BW (MHz)	Operation Frequency (MHz)		
5	706.5	-	713.5
10	709.0	-	711.0
LTE Band 66			
BW (MHz)	Operation Frequency (MHz)		
1.4	1710.7	-	1779.3
3	1711.5	-	1778.5
5	1712.5	-	1777.5
10	1715.0	-	1775.0
15	1717.5	-	1772.5
20	1720.0	-	1770.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.3 Antenna Designation

Antenna Type	Part No.	Antenna No.
PIFA	ALF00-000024	Ant0
Note: Transmission frequencies in this test report are only available by the above antenna(s).		

Modulation	Frequency (MHz)	Peak Antenna Gain (dBi)
		Ant0
LTE-Band 2	1850 ~ 1910	0.44
LTE-Band 4	1710 ~ 1755	1.82
LTE-Band 5	824 ~ 849	-1.13
LTE-Band 12	699 ~ 716	-1.35
LTE-Band 13	777 ~ 787	-1.32
LTE-Band 17	704 ~ 716	-1.35
LTE-Band 66	1710 ~ 1780	0.44

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.4 Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22H, 24E, 27C.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03r01

KDB412172 D01 Determining ERP and EIRP v01r01

1.5 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan.	SAC 1	TW0027	TW3702
		SAC 2		
		SAC 3		
		Conduction 1		
		Conducted 1		
		Conducted 2		
		Conducted 3		
		Conducted 4		
		Conducted 5		
		Conducted 6		
	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conduction C	TW0028	
		SAC C		
		SAC D		
		SAC G		
		Conducted A		
		Conducted B		
		Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
Conducted G				
Note: Test site name is remarked on the equipment list in each section of this report as an indica- tion where measurements occurred in specific test site and address.				

1.6 Special Accessories

No special accessories were used during testing.

1.7 Equipment Modifications

There was no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3 Test Procedure

2.3.1 Conducted Measurement at Antenna Port

The EUT is placed on a table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

The EUT is placed on a turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.


Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.5 Test Configuration



Note: Radio Communication Analyzer is placed in remote side for radiated test.

2.6 Control Unit(s)

Radiated Emission Test Site: SAC D					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Adapter	clover	S024CEU1200200	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3 SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(g) §27.53(h) §27.53(m)(4)	Field Strength of Spurious Radiation	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

4 DESCRIPTION OF TEST MODES

4.1 The Worst Test Modes and Channel Details

1. The EUT has been tested under operating condition.
2. Pre-Scan has been conducted to determine the worst-case scenario from all possible combinations among available modulations, data rates and antenna ports, the worst case configurations listed below for the final test.
3. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

4.2 Measurement Configuration

Test Items				Max. Output Power										
Band	Test Channel			Bandwidth (MHz)						Modulation		RB #		
	L	M	H	1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full
2	V	V	V	V	V	V	V	V	V	V	V	V	V	V
4	V	V	V	V	V	V	V	V	V	V	V	V	V	V
5	V	V	V	V	V	V	V	-	-	V	V	V	V	V
12	V	V	V	V	V	V	V	-	-	V	V	V	V	V
13	V	V	V	-	-	V	V	-	-	V	V	V	V	V
17	V	V	V	-	-	V	V	-	-	V	V	V	V	V
66	V	V	V	V	V	V	V	V	V	V	V	V	V	V

E-UTRA Band	Test Channel	Channel Bandwidth (MHz)	Modulation	Resource Block Allocation	
				RBs allocated	RB Offset
4	20050	20	QPSK	1	0
12	23130	10	QPSK	1	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5 MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
Power Density	+/- 0.61 dB
RF Power Output	+/- 0.97 dB
ERP/ EIRP measurement	+/- 2.15 dB
	+/- 2.15 dB
Emission Bandwidth	+/- 1.38 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.77 dB
Peak to Average Ratio	+/- 0.97 dB
Frequency Stability vs. Temperature	+/- 1.48 Hz
Frequency Stability vs. Voltage	+/- 1.48 Hz
Temperature	+/- 0.6 °C
Humidity	+/- 3 %
DC / AC Power Source	+/- 1 %

Radiated Spurious Emission Measurement Uncertainty			
Polarization: Vertical	+/-	1.89 dB	9kHz~30MHz
	+/-	4.15 dB	30MHz - 1000MHz
	+/-	3.43 dB	1GHz - 18GHz
	+/-	3.86 dB	18GHz - 40GHz
Polarization: Horizontal	+/-	1.89 dB	9kHz~30MHz
	+/-	4.02 dB	30MHz - 1000MHz
	+/-	3.43 dB	1GHz - 18GHz
	+/-	3.86 dB	18GHz - 40GHz
Radiated Spurious Emission	+/-	2 dB	33GHz-50GHz
	+/-	1.59 dB	50GHz-60GHz
	+/-	1.7 dB	60GHz-90GHz
	+/-	1.64 dB	90GHz-140GHz
	+/-	3.83 dB	140GHz-220GHz

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 MEASUREMENT EQUIPMENT USED

6.1 Conducted Measurement

Conducted Emission Test Site: Conducted E					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
DC Power Supply	Gwinstek	SPD-3606	GEV923152	05/10/2023	05/09/2024
Radio Communication Analyzer	Anritsu	MT8820C	6201107337	07/14/2023	07/13/2024

6.2 Radiated Measurement

Radiated Emission Test Site: SAC D					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-300	11/02/2023	11/01/2024
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-617	12/14/2023	12/13/2024
Horn Antenna	Schwarzbeck	BBHA9170	184	12/28/2023	12/27/2024
Horn Antenna	Schwarzbeck	BBHA9170	185	08/21/2023	08/20/2024
Horn Antenna	Schwarzbeck	BBHA9120D	1187	01/24/2024	01/23/2025
Horn Antenna	Schwarzbeck	BBHA9120D	1341	05/26/2023	05/25/2024
3m Site NSA	SGS	966 chamber D	N/A	04/30/2023	04/29/2024
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120200	04/03/2024	04/02/2025
Radio Communication Analyzer	Anritsu	MT8821C	6262044732	11/16/2023	11/15/2024
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R
Pre-Amplifier	EMC Instruments	EMC330	980096	11/15/2023	11/14/2024
Pre-Amplifier	EMC Instruments	EMC118A45SE	980789	11/15/2023	11/14/2024
Pre-Amplifier	EMC Instruments	EMC18405SEE	980881	11/15/2023	11/14/2024
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	11/15/2023	11/14/2024
Coaxial Cable	Huber+Suhner	EMC106-SM-SM-7200	150703	11/15/2023	11/14/2024
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	MY17413/4	11/15/2023	11/14/2024

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7 STANDARD APPLICABLE

7.1 Maximum Output Power

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

7.1.1 ERP/EIRP LIMIT

According to FCC §2.1046

FCC 22.913(a)

(5) mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

FCC 24.232(c)

Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50 (b)

(9) Control stations and mobile stations transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 30 watts ERP.

(10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

FCC 27.50(c)

(9) Control and mobile stations in the 698-746 MHz band are limited to 30 watts ERP.

(10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)

(4) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz, 1695-1710 MHz and 1755-1780 MHz bands are limited to 1W EIRP.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7.2 Field Strength Of Spurious Radiation Measurement

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h)

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

FCC §27.53(g)

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

- (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB;
- (3) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $76 + 10 \log(P)$ dB in a 6.25 kHz band segment, for base and fixed stations;
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

FCC §27.53(h)(1)

(h) *AWS emission limits*—(1) *General protection levels*. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group


8 TEST SETUP

8.1 Maximum Output Power




Note: Measurement setup for testing on Antenna connector

8.2 Field Strength of Spurious Radiation Measurement



Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9 TEST PROCEDURE

9.1 Maximum Output Power

9.1.1 Output Power Measurement Applicable Guidance

The transmitter output was connected to a communication tester. Transmitter output was read off the communication tester in dBm. The power output at the transmitter antenna port was determined by the communication tester reading.

KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results.

All LTE bands conducted average power is obtained from the simulator telecommunication test set.

9.1.2 Determining ERP and/or EIRP from conducted RF output power measurements

According to KDB 412172 D01 Power Approach,

$$EIRP = P_T + G_T - L_C,$$

$$ERP = EIRP - 2.15,$$

Where:

ERP or EIRP = effective radiated power or equivalent isotropically radiated power (expressed in the same units as P_T , typically dBW, dBm, or power spectral density (PSD)²), relative to either a dipole antenna (ERP) or an isotropic antenna (EIRP);

P_T = transmitter output power, expressed in dBW, dBm, or PSD;

G_T = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

L_C = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

9.2 Field Strength of Spurious Radiation Measurement

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

$$ERP \text{ (dBm)} = \text{SG Level (dBm)} + \text{Antenna Gain (dBd)} + \text{Cable Loss (dB)}$$

$$EIRP \text{ (dBm)} = \text{SG Level (dBm)} + \text{Antenna Gain (dBi)} + \text{Cable Loss (dB)}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

10 MEASUREMENT RESULTS

10.1 Maximum Output Power

Antenna gain (dBi)		0.44							
LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	18607	1850.7	QPSK	1	0	22.06	22.50	33	-10.5
				1	5	22.16	22.60	33	-10.4
				3	2	22.02	22.46	33	-10.54
				6	0	21.07	21.51	33	-11.49
	18900	1880	QPSK	1	0	22.09	22.53	33	-10.47
				1	5	22.13	22.57	33	-10.43
				3	2	22.05	22.49	33	-10.51
				6	0	21.15	21.59	33	-11.41
	19193	1909.3	QPSK	1	0	22.13	22.57	33	-10.43
				1	5	22.13	22.57	33	-10.43
				3	2	22.17	22.61	33	-10.39
				6	0	21.06	21.50	33	-11.5
1.4	18607	1850.7	16QAM	1	0	21.13	21.57	33	-11.43
				1	5	21.16	21.60	33	-11.4
				3	2	20.99	21.43	33	-11.57
				6	0	20.15	20.59	33	-12.41
	18900	1880	16QAM	1	0	21.12	21.56	33	-11.44
				1	5	21.00	21.44	33	-11.56
				3	2	21.12	21.56	33	-11.44
				6	0	20.16	20.60	33	-12.4
	19193	1909.3	16QAM	1	0	21.07	21.51	33	-11.49
				1	5	21.17	21.61	33	-11.39
				3	2	21.09	21.53	33	-11.47
				6	0	20.09	20.53	33	-12.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi)		0.44							
LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3	18615	1851.5	QPSK	1	0	22.19	22.63	33	-10.37
				1	14	22.17	22.61	33	-10.39
				8	4	21.08	21.52	33	-11.48
				15	0	21.09	21.53	33	-11.47
	18900	1880	QPSK	1	0	22.15	22.59	33	-10.41
				1	14	22.10	22.54	33	-10.46
				8	4	21.05	21.49	33	-11.51
				15	0	21.08	21.52	33	-11.48
	19185	1908.5	QPSK	1	0	22.00	22.44	33	-10.56
				1	14	22.07	22.51	33	-10.49
				8	4	21.08	21.52	33	-11.48
				15	0	21.04	21.48	33	-11.52
3	18615	1851.5	16QAM	1	0	21.05	21.49	33	-11.51
				1	14	21.15	21.59	33	-11.41
				8	4	20.12	20.56	33	-12.44
				15	0	20.13	20.57	33	-12.43
	18900	1880	16QAM	1	0	21.13	21.57	33	-11.43
				1	14	21.08	21.52	33	-11.48
				8	4	20.16	20.60	33	-12.4
				15	0	20.13	20.57	33	-12.43
	19185	1908.5	16QAM	1	0	21.11	21.55	33	-11.45
				1	14	21.01	21.45	33	-11.55
				8	4	20.11	20.55	33	-12.45
				15	0	20.08	20.52	33	-12.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.44							
LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5	18625	1852.5	QPSK	1	0	22.12	22.56	33	-10.44
				1	24	21.99	22.43	33	-10.57
				12	6	21.02	21.46	33	-11.54
				25	0	21.14	21.58	33	-11.42
	18900	1880	QPSK	1	0	22.12	22.56	33	-10.44
				1	24	22.05	22.49	33	-10.51
				12	6	21.11	21.55	33	-11.45
				25	0	21.05	21.49	33	-11.51
	19175	1907.5	QPSK	1	0	22.06	22.50	33	-10.5
				1	24	22.03	22.47	33	-10.53
				12	6	21.19	21.63	33	-11.37
				25	0	21.06	21.50	33	-11.5
5	18625	1852.5	16QAM	1	0	21.02	21.46	33	-11.54
				1	24	21.13	21.57	33	-11.43
				12	6	20.12	20.56	33	-12.44
				25	0	20.14	20.58	33	-12.42
	18900	1880	16QAM	1	0	21.04	21.48	33	-11.52
				1	24	20.99	21.43	33	-11.57
				12	6	20.13	20.57	33	-12.43
				25	0	20.12	20.56	33	-12.44
	19175	1907.5	16QAM	1	0	21.00	21.44	33	-11.56
				1	24	21.14	21.58	33	-11.42
				12	6	20.12	20.56	33	-12.44
				25	0	20.00	20.44	33	-12.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.44							
LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	18650	1855	QPSK	1	0	22.03	22.47	33	-10.53
				1	49	22.17	22.61	33	-10.39
				25	12	21.07	21.51	33	-11.49
				50	0	21.10	21.54	33	-11.46
	18900	1880	QPSK	1	0	22.13	22.57	33	-10.43
				1	49	22.13	22.57	33	-10.43
				25	12	21.11	21.55	33	-11.45
				50	0	20.99	21.43	33	-11.57
	19150	1905	QPSK	1	0	22.10	22.54	33	-10.46
				1	49	22.10	22.54	33	-10.46
				25	12	21.05	21.49	33	-11.51
				50	0	21.13	21.57	33	-11.43
10	18650	1855	16QAM	1	0	21.18	21.62	33	-11.38
				1	49	21.15	21.59	33	-11.41
				25	12	20.12	20.56	33	-12.44
				50	0	20.13	20.57	33	-12.43
	18900	1880	16QAM	1	0	21.04	21.48	33	-11.52
				1	49	21.00	21.44	33	-11.56
				25	12	20.16	20.60	33	-12.4
				50	0	20.13	20.57	33	-12.43
	19150	1905	16QAM	1	0	21.12	21.56	33	-11.44
				1	49	21.07	21.51	33	-11.49
				25	12	20.02	20.46	33	-12.54
				50	0	20.00	20.44	33	-12.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.44							
LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15	18675	1857.5	QPSK	1	0	22.17	22.61	33	-10.39
				1	74	22.12	22.56	33	-10.44
				36	18	21.08	21.52	33	-11.48
				75	0	21.06	21.50	33	-11.5
	18900	1880	QPSK	1	0	22.16	22.60	33	-10.4
				1	74	22.19	22.63	33	-10.37
				36	18	21.14	21.58	33	-11.42
				75	0	21.02	21.46	33	-11.54
	19125	1902.5	QPSK	1	0	22.03	22.47	33	-10.53
				1	74	22.14	22.58	33	-10.42
				36	18	21.02	21.46	33	-11.54
				75	0	21.18	21.62	33	-11.38
15	18675	1857.5	16QAM	1	0	21.13	21.57	33	-11.43
				1	74	21.12	21.56	33	-11.44
				36	18	20.18	20.62	33	-12.38
				75	0	20.18	20.62	33	-12.38
	18900	1880	16QAM	1	0	21.10	21.54	33	-11.46
				1	74	21.09	21.53	33	-11.47
				36	18	20.02	20.46	33	-12.54
				75	0	20.14	20.58	33	-12.42
	19125	1902.5	16QAM	1	0	21.04	21.48	33	-11.52
				1	74	21.15	21.59	33	-11.41
				36	18	20.16	20.60	33	-12.4
				75	0	20.12	20.56	33	-12.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.44							
LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20	18700	1860	QPSK	1	0	22.40	22.84	33	-10.16
				1	99	22.08	22.52	33	-10.48
				50	25	21.04	21.48	33	-11.52
				100	0	21.36	21.80	33	-11.2
	18900	1880	QPSK	1	0	22.09	22.53	33	-10.47
				1	99	22.02	22.46	33	-10.54
				50	25	21.08	21.52	33	-11.48
				100	0	21.02	21.46	33	-11.54
	19100	1900	QPSK	1	0	22.04	22.48	33	-10.52
				1	99	22.05	22.49	33	-10.51
				50	25	21.17	21.61	33	-11.39
				100	0	21.12	21.56	33	-11.44
20	18700	1860	16QAM	1	0	21.15	21.59	33	-11.41
				1	99	21.10	21.54	33	-11.46
				50	25	20.04	20.48	33	-12.52
				100	0	20.17	20.61	33	-12.39
	18900	1880	16QAM	1	0	21.14	21.58	33	-11.42
				1	99	21.12	21.56	33	-11.44
				50	25	20.03	20.47	33	-12.53
				100	0	20.01	20.45	33	-12.55
	19100	1900	16QAM	1	0	21.11	21.55	33	-11.45
				1	99	21.09	21.53	33	-11.47
				50	25	20.08	20.52	33	-12.48
				100	0	20.08	20.52	33	-12.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		1.82							
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	19957	1710.7	QPSK	1	0	21.36	23.18	30	-6.82
				1	5	21.26	23.08	30	-6.92
				3	2	21.33	23.15	30	-6.85
				6	0	20.37	22.19	30	-7.81
	20175	1732.5	QPSK	1	0	21.35	23.17	30	-6.83
				1	5	21.22	23.04	30	-6.96
				3	2	21.38	23.20	30	-6.8
				6	0	20.33	22.15	30	-7.85
	20393	1754.3	QPSK	1	0	21.33	23.15	30	-6.85
				1	5	21.25	23.07	30	-6.93
				3	2	21.29	23.11	30	-6.89
				6	0	20.24	22.06	30	-7.94
1.4	19957	1710.7	16QAM	1	0	20.31	22.13	30	-7.87
				1	5	20.35	22.17	30	-7.83
				3	2	20.19	22.01	30	-7.99
				6	0	19.20	21.02	30	-8.98
	20175	1732.5	16QAM	1	0	20.34	22.16	30	-7.84
				1	5	20.19	22.01	30	-7.99
				3	2	20.31	22.13	30	-7.87
				6	0	19.23	21.05	30	-8.95
	20393	1754.3	16QAM	1	0	20.30	22.12	30	-7.88
				1	5	20.34	22.16	30	-7.84
				3	2	20.31	22.13	30	-7.87
				6	0	19.38	21.20	30	-8.8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		1.82							
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3	19965	1711.5	QPSK	1	0	21.34	23.16	30	-6.84
				1	14	21.26	23.08	30	-6.92
				8	4	20.27	22.09	30	-7.91
				15	0	20.37	22.19	30	-7.81
	20175	1732.5	QPSK	1	0	21.22	23.04	30	-6.96
				1	14	21.32	23.14	30	-6.86
				8	4	20.32	22.14	30	-7.86
				15	0	20.22	22.04	30	-7.96
	20385	1753.5	QPSK	1	0	21.29	23.11	30	-6.89
				1	14	21.36	23.18	30	-6.82
				8	4	20.21	22.03	30	-7.97
				15	0	20.36	22.18	30	-7.82
3	19965	1711.5	16QAM	1	0	20.25	22.07	30	-7.93
				1	14	20.21	22.03	30	-7.97
				8	4	19.23	21.05	30	-8.95
				15	0	19.31	21.13	30	-8.87
	20175	1732.5	16QAM	1	0	20.20	22.02	30	-7.98
				1	14	20.34	22.16	30	-7.84
				8	4	19.35	21.17	30	-8.83
				15	0	19.33	21.15	30	-8.85
	20385	1753.5	16QAM	1	0	20.27	22.09	30	-7.91
				1	14	20.30	22.12	30	-7.88
				8	4	19.20	21.02	30	-8.98
				15	0	19.20	21.02	30	-8.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		1.82							
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5	19975	1712.5	QPSK	1	0	21.33	23.15	30	-6.85
				1	24	21.23	23.05	30	-6.95
				12	6	20.19	22.01	30	-7.99
				25	0	20.29	22.11	30	-7.89
	20175	1732.5	QPSK	1	0	21.28	23.10	30	-6.9
				1	24	21.25	23.07	30	-6.93
				12	6	20.28	22.10	30	-7.9
				25	0	20.35	22.17	30	-7.83
	20375	1752.5	QPSK	1	0	21.31	23.13	30	-6.87
				1	24	21.20	23.02	30	-6.98
				12	6	20.27	22.09	30	-7.91
				25	0	20.19	22.01	30	-7.99
5	19975	1712.5	16QAM	1	0	20.21	22.03	30	-7.97
				1	24	20.28	22.10	30	-7.9
				12	6	19.32	21.14	30	-8.86
				25	0	19.26	21.08	30	-8.92
	20175	1732.5	16QAM	1	0	20.26	22.08	30	-7.92
				1	24	20.36	22.18	30	-7.82
				12	6	19.26	21.08	30	-8.92
				25	0	19.21	21.03	30	-8.97
	20375	1752.5	16QAM	1	0	20.35	22.17	30	-7.83
				1	24	20.36	22.18	30	-7.82
				12	6	19.29	21.11	30	-8.89
				25	0	19.30	21.12	30	-8.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		1.82							
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	20000	1715	QPSK	1	0	21.29	23.11	30	-6.89
				1	49	21.25	23.07	30	-6.93
				25	12	20.23	22.05	30	-7.95
				50	0	20.22	22.04	30	-7.96
	20175	1732.5	QPSK	1	0	21.32	23.14	30	-6.86
				1	49	21.23	23.05	30	-6.95
				25	12	20.33	22.15	30	-7.85
				50	0	20.36	22.18	30	-7.82
	20350	1750	QPSK	1	0	21.21	23.03	30	-6.97
				1	49	21.21	23.03	30	-6.97
				25	12	20.34	22.16	30	-7.84
				50	0	20.26	22.08	30	-7.92
10	20000	1715	16QAM	1	0	20.20	22.02	30	-7.98
				1	49	20.34	22.16	30	-7.84
				25	12	19.25	21.07	30	-8.93
				50	0	19.35	21.17	30	-8.83
	20175	1732.5	16QAM	1	0	20.25	22.07	30	-7.93
				1	49	20.20	22.02	30	-7.98
				25	12	19.33	21.15	30	-8.85
				50	0	19.32	21.14	30	-8.86
	20350	1750	16QAM	1	0	20.32	22.14	30	-7.86
				1	49	20.31	22.13	30	-7.87
				25	12	19.36	21.18	30	-8.82
				50	0	19.26	21.08	30	-8.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		1.82							
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15	20025	1717.5	QPSK	1	0	21.23	23.05	30	-6.95
				1	74	21.28	23.10	30	-6.9
				36	18	20.33	22.15	30	-7.85
				75	0	20.19	22.01	30	-7.99
	20175	1732.5	QPSK	1	0	21.28	23.10	30	-6.9
				1	74	21.21	23.03	30	-6.97
				36	18	20.27	22.09	30	-7.91
				75	0	20.30	22.12	30	-7.88
	20325	1747.5	QPSK	1	0	21.28	23.10	30	-6.9
				1	74	21.25	23.07	30	-6.93
				36	18	20.37	22.19	30	-7.81
				75	0	20.29	22.11	30	-7.89
15	20025	1717.5	16QAM	1	0	20.21	22.03	30	-7.97
				1	74	20.33	22.15	30	-7.85
				36	18	19.35	21.17	30	-8.83
				75	0	19.34	21.16	30	-8.84
	20175	1732.5	16QAM	1	0	20.26	22.08	30	-7.92
				1	74	20.31	22.13	30	-7.87
				36	18	19.26	21.08	30	-8.92
				75	0	19.36	21.18	30	-8.82
	20325	1747.5	16QAM	1	0	20.25	22.07	30	-7.93
				1	74	20.29	22.11	30	-7.89
				36	18	19.27	21.09	30	-8.91
				75	0	19.28	21.10	30	-8.9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		1.82							
LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20	20050	1720	QPSK	1	0	21.85	23.67	30	-6.33
				1	99	21.19	23.01	30	-6.99
				50	25	20.23	22.05	30	-7.95
				100	0	20.27	22.09	30	-7.91
	20175	1732.5	QPSK	1	0	21.20	23.02	30	-6.98
				1	99	21.23	23.05	30	-6.95
				50	25	20.26	22.08	30	-7.92
				100	0	20.31	22.13	30	-7.87
	20300	1745	QPSK	1	0	21.52	23.34	30	-6.66
				1	99	21.22	23.04	30	-6.96
				50	25	20.21	22.03	30	-7.97
				100	0	20.19	22.01	30	-7.99
20	20050	1720	16QAM	1	0	20.36	22.18	30	-7.82
				1	99	20.18	22.00	30	-8
				50	25	19.37	21.19	30	-8.81
				100	0	19.25	21.07	30	-8.93
	20175	1732.5	16QAM	1	0	20.33	22.15	30	-7.85
				1	99	20.37	22.19	30	-7.81
				50	25	19.30	21.12	30	-8.88
				100	0	19.19	21.01	30	-8.99
	20300	1745	16QAM	1	0	20.36	22.18	30	-7.82
				1	99	20.19	22.01	30	-7.99
				50	25	19.27	21.09	30	-8.91
				100	0	19.37	21.19	30	-8.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.13								
LTE Band 5_Uplink frequency band : 824 to 849 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
1.4	20407	824.7	QPSK	1	0	21.48	20.35	18.20	38.45	-20.25
				1	5	21.50	20.37	18.22	38.45	-20.23
				3	2	21.47	20.34	18.19	38.45	-20.26
				6	0	20.63	19.50	17.35	38.45	-21.10
	20525	836.5	QPSK	1	0	21.50	20.37	18.22	38.45	-20.23
				1	5	21.60	20.47	18.32	38.45	-20.13
				3	2	21.46	20.33	18.18	38.45	-20.27
				6	0	20.48	19.35	17.20	38.45	-21.25
	20643	848.3	QPSK	1	0	21.50	20.37	18.22	38.45	-20.23
				1	5	21.50	20.37	18.22	38.45	-20.23
				3	2	21.46	20.33	18.18	38.45	-20.27
				6	0	20.45	19.32	17.17	38.45	-21.28
1.4	20407	824.7	16QAM	1	0	20.54	19.41	17.26	38.45	-21.19
				1	5	20.50	19.37	17.22	38.45	-21.23
				3	2	20.60	19.47	17.32	38.45	-21.13
				6	0	19.62	18.49	16.34	38.45	-22.11
	20525	836.5	16QAM	1	0	20.58	19.45	17.30	38.45	-21.15
				1	5	20.49	19.36	17.21	38.45	-21.24
				3	2	20.55	19.42	17.27	38.45	-21.18
				6	0	19.47	18.34	16.19	38.45	-22.26
	20643	848.3	16QAM	1	0	20.61	19.48	17.33	38.45	-21.12
				1	5	20.61	19.48	17.33	38.45	-21.12
				3	2	20.54	19.41	17.26	38.45	-21.19
				6	0	19.50	18.37	16.22	38.45	-22.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.13								
LTE Band 5_Uplink frequency band : 824 to 849 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
3	20415	825.5	QPSK	1	0	21.64	20.51	18.36	38.45	-20.09
				1	14	21.47	20.34	18.19	38.45	-20.26
				8	4	20.61	19.48	17.33	38.45	-21.12
				15	0	20.47	19.34	17.19	38.45	-21.26
	20525	836.5	QPSK	1	0	21.56	20.43	18.28	38.45	-20.17
				1	14	21.63	20.50	18.35	38.45	-20.10
				8	4	20.60	19.47	17.32	38.45	-21.13
				15	0	20.46	19.33	17.18	38.45	-21.27
	20635	847.5	QPSK	1	0	21.56	20.43	18.28	38.45	-20.17
				1	14	21.46	20.33	18.18	38.45	-20.27
				8	4	20.50	19.37	17.22	38.45	-21.23
				15	0	20.51	19.38	17.23	38.45	-21.22
3	20415	825.5	16QAM	1	0	20.51	19.38	17.23	38.45	-21.22
				1	14	20.64	19.51	17.36	38.45	-21.09
				8	4	19.47	18.34	16.19	38.45	-22.26
				15	0	19.48	18.35	16.20	38.45	-22.25
	20525	836.5	16QAM	1	0	20.58	19.45	17.30	38.45	-21.15
				1	14	20.64	19.51	17.36	38.45	-21.09
				8	4	19.59	18.46	16.31	38.45	-22.14
				15	0	19.48	18.35	16.20	38.45	-22.25
	20635	847.5	16QAM	1	0	20.54	19.41	17.26	38.45	-21.19
				1	14	20.52	19.39	17.24	38.45	-21.21
				8	4	19.63	18.50	16.35	38.45	-22.10
				15	0	19.44	18.31	16.16	38.45	-22.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.13								
LTE Band 5_Uplink frequency band : 824 to 849 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5	20425	826.5	QPSK	1	0	21.62	20.49	18.34	38.45	-20.11
				1	24	21.47	20.34	18.19	38.45	-20.26
				12	6	20.48	19.35	17.20	38.45	-21.25
				25	0	20.57	19.44	17.29	38.45	-21.16
	20525	836.5	QPSK	1	0	21.63	20.50	18.35	38.45	-20.10
				1	24	21.50	20.37	18.22	38.45	-20.23
				12	6	20.52	19.39	17.24	38.45	-21.21
				25	0	20.61	19.48	17.33	38.45	-21.12
	20625	846.5	QPSK	1	0	21.48	20.35	18.20	38.45	-20.25
				1	24	21.45	20.32	18.17	38.45	-20.28
				12	6	20.54	19.41	17.26	38.45	-21.19
				25	0	20.59	19.46	17.31	38.45	-21.14
5	20425	826.5	16QAM	1	0	20.50	19.37	17.22	38.45	-21.23
				1	24	20.60	19.47	17.32	38.45	-21.13
				12	6	19.57	18.44	16.29	38.45	-22.16
				25	0	19.48	18.35	16.20	38.45	-22.25
	20525	836.5	16QAM	1	0	20.50	19.37	17.22	38.45	-21.23
				1	24	20.59	19.46	17.31	38.45	-21.14
				12	6	19.62	18.49	16.34	38.45	-22.11
				25	0	19.46	18.33	16.18	38.45	-22.27
	20625	846.5	16QAM	1	0	20.53	19.40	17.25	38.45	-21.20
				1	24	20.47	19.34	17.19	38.45	-21.26
				12	6	19.52	18.39	16.24	38.45	-22.21
				25	0	19.44	18.31	16.16	38.45	-22.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.13								
LTE Band 5_Uplink frequency band : 824 to 849 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10	20450	829	QPSK	1	0	22.15	21.02	18.87	38.45	-19.58
				1	49	21.49	20.36	18.21	38.45	-20.24
				25	12	20.48	19.35	17.20	38.45	-21.25
				50	0	20.54	19.41	17.26	38.45	-21.19
	20525	836.5	QPSK	1	0	22.22	21.09	18.94	38.45	-19.51
				1	49	21.52	20.39	18.24	38.45	-20.21
				25	12	20.52	19.39	17.24	38.45	-21.21
				50	0	20.59	19.46	17.31	38.45	-21.14
	20600	844	QPSK	1	0	22.33	21.20	19.05	38.45	-19.40
				1	49	21.58	20.45	18.30	38.45	-20.15
				25	12	20.56	19.43	17.28	38.45	-21.17
				50	0	20.47	19.34	17.19	38.45	-21.26
10	20450	829	16QAM	1	0	20.48	19.35	17.20	38.45	-21.25
				1	49	20.51	19.38	17.23	38.45	-21.22
				25	12	19.56	18.43	16.28	38.45	-22.17
				50	0	19.45	18.32	16.17	38.45	-22.28
	20525	836.5	16QAM	1	0	20.62	19.49	17.34	38.45	-21.11
				1	49	20.47	19.34	17.19	38.45	-21.26
				25	12	19.58	18.45	16.30	38.45	-22.15
				50	0	19.55	18.42	16.27	38.45	-22.18
	20600	844	16QAM	1	0	20.60	19.47	17.32	38.45	-21.13
				1	49	20.49	19.36	17.21	38.45	-21.24
				25	12	19.49	18.36	16.21	38.45	-22.24
				50	0	19.56	18.43	16.28	38.45	-22.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.35								
LTE Band 12_Uplink frequency band : 699 to 716 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
1.4	23017	699.7	QPSK	1	0	21.56	20.21	18.06	34.77	-16.71
				1	5	21.62	20.27	18.12	34.77	-16.65
				3	2	21.54	20.19	18.04	34.77	-16.73
				6	0	20.71	19.36	17.21	34.77	-17.56
	23095	707.5	QPSK	1	0	21.52	20.17	18.02	34.77	-16.75
				1	5	21.55	20.20	18.05	34.77	-16.72
				3	2	21.65	20.30	18.15	34.77	-16.62
				6	0	20.61	19.26	17.11	34.77	-17.66
	23173	715.3	QPSK	1	0	21.54	20.19	18.04	34.77	-16.73
				1	5	21.56	20.21	18.06	34.77	-16.71
				3	2	21.61	20.26	18.11	34.77	-16.66
				6	0	20.68	19.33	17.18	34.77	-17.59
1.4	23017	699.7	16QAM	1	0	20.53	19.18	17.03	34.77	-17.74
				1	5	20.60	19.25	17.10	34.77	-17.67
				3	2	20.57	19.22	17.07	34.77	-17.70
				6	0	19.57	18.22	16.07	34.77	-18.70
	23095	707.5	16QAM	1	0	20.66	19.31	17.16	34.77	-17.61
				1	5	20.71	19.36	17.21	34.77	-17.56
				3	2	20.57	19.22	17.07	34.77	-17.70
				6	0	19.66	18.31	16.16	34.77	-18.61
	23173	715.3	16QAM	1	0	20.53	19.18	17.03	34.77	-17.74
				1	5	20.52	19.17	17.02	34.77	-17.75
				3	2	20.67	19.32	17.17	34.77	-17.60
				6	0	19.71	18.36	16.21	34.77	-18.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.35								
LTE Band 12_Uplink frequency band : 699 to 716 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
3	23025	700.5	QPSK	1	0	21.53	20.18	18.03	34.77	-16.74
				1	14	21.58	20.23	18.08	34.77	-16.69
				8	4	20.53	19.18	17.03	34.77	-17.74
				15	0	20.70	19.35	17.20	34.77	-17.57
	23095	707.5	QPSK	1	0	21.59	20.24	18.09	34.77	-16.68
				1	14	21.66	20.31	18.16	34.77	-16.61
				8	4	20.54	19.19	17.04	34.77	-17.73
				15	0	20.70	19.35	17.20	34.77	-17.57
	23165	714.5	QPSK	1	0	21.65	20.30	18.15	34.77	-16.62
				1	14	21.53	20.18	18.03	34.77	-16.74
				8	4	20.58	19.23	17.08	34.77	-17.69
				15	0	20.54	19.19	17.04	34.77	-17.73
3	23025	700.5	16QAM	1	0	20.53	19.18	17.03	34.77	-17.74
				1	14	20.68	19.33	17.18	34.77	-17.59
				8	4	19.65	18.30	16.15	34.77	-18.62
				15	0	19.55	18.20	16.05	34.77	-18.72
	23095	707.5	16QAM	1	0	20.61	19.26	17.11	34.77	-17.66
				1	14	20.58	19.23	17.08	34.77	-17.69
				8	4	19.57	18.22	16.07	34.77	-18.70
				15	0	19.56	18.21	16.06	34.77	-18.71
	23165	714.5	16QAM	1	0	20.53	19.18	17.03	34.77	-17.74
				1	14	20.59	19.24	17.09	34.77	-17.68
				8	4	19.56	18.21	16.06	34.77	-18.71
				15	0	19.61	18.26	16.11	34.77	-18.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.35								
LTE Band 12_Uplink frequency band : 699 to 716 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5	23035	701.5	QPSK	1	0	21.68	20.33	18.18	34.77	-16.59
				1	24	21.53	20.18	18.03	34.77	-16.74
				12	6	20.62	19.27	17.12	34.77	-17.65
				25	0	20.58	19.23	17.08	34.77	-17.69
	23095	707.5	QPSK	1	0	21.54	20.19	18.04	34.77	-16.73
				1	24	21.56	20.21	18.06	34.77	-16.71
				12	6	20.66	19.31	17.16	34.77	-17.61
				25	0	20.64	19.29	17.14	34.77	-17.63
	23155	713.5	QPSK	1	0	21.66	20.31	18.16	34.77	-16.61
				1	24	21.62	20.27	18.12	34.77	-16.65
				12	6	20.71	19.36	17.21	34.77	-17.56
				25	0	20.70	19.35	17.20	34.77	-17.57
5	23035	701.5	16QAM	1	0	20.54	19.19	17.04	34.77	-17.73
				1	24	20.65	19.30	17.15	34.77	-17.62
				12	6	19.62	18.27	16.12	34.77	-18.65
				25	0	19.54	18.19	16.04	34.77	-18.73
	23095	707.5	16QAM	1	0	20.67	19.32	17.17	34.77	-17.60
				1	24	20.69	19.34	17.19	34.77	-17.58
				12	6	19.57	18.22	16.07	34.77	-18.70
				25	0	19.58	18.23	16.08	34.77	-18.69
	23155	713.5	16QAM	1	0	20.52	19.17	17.02	34.77	-17.75
				1	24	20.55	19.20	17.05	34.77	-17.72
				12	6	19.66	18.31	16.16	34.77	-18.61
				25	0	19.60	18.25	16.10	34.77	-18.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.35								
LTE Band 12_Uplink frequency band : 699 to 716 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10	23060	704	QPSK	1	0	22.83	21.48	19.33	34.77	-15.44
				1	49	21.70	20.35	18.20	34.77	-16.57
				25	12	20.56	19.21	17.06	34.77	-17.71
				50	0	20.59	19.24	17.09	34.77	-17.68
	23095	707.5	QPSK	1	0	22.74	21.39	19.24	34.77	-15.53
				1	49	21.71	20.36	18.21	34.77	-16.56
				25	12	20.63	19.28	17.13	34.77	-17.64
				50	0	20.65	19.30	17.15	34.77	-17.62
	23130	711	QPSK	1	0	22.93	21.58	19.43	34.77	-15.34
				1	49	21.59	20.24	18.09	34.77	-16.68
				25	12	20.65	19.30	17.15	34.77	-17.62
				50	0	20.69	19.34	17.19	34.77	-17.58
10	23060	704	16QAM	1	0	20.61	19.26	17.11	34.77	-17.66
				1	49	20.62	19.27	17.12	34.77	-17.65
				25	12	19.56	18.21	16.06	34.77	-18.71
				50	0	19.57	18.22	16.07	34.77	-18.70
	23095	707.5	16QAM	1	0	20.59	19.24	17.09	34.77	-17.68
				1	49	20.64	19.29	17.14	34.77	-17.63
				25	12	19.63	18.28	16.13	34.77	-18.64
				50	0	19.70	18.35	16.20	34.77	-18.57
	23130	711	16QAM	1	0	20.68	19.33	17.18	34.77	-17.59
				1	49	20.53	19.18	17.03	34.77	-17.74
				25	12	19.69	18.34	16.19	34.77	-18.58
				50	0	19.67	18.32	16.17	34.77	-18.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.32								
LTE Band 13_Uplink frequency band : 777 to 787 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5	23205	779.5	QPSK	1	0	21.58	20.26	18.11	34.77	-16.66
				1	24	21.49	20.17	18.02	34.77	-16.75
				12	6	20.52	19.20	17.05	34.77	-17.72
				25	0	20.59	19.27	17.12	34.77	-17.65
	23230	782	QPSK	1	0	21.46	20.14	17.99	34.77	-16.78
				1	24	21.47	20.15	18.00	34.77	-16.77
				12	6	20.53	19.21	17.06	34.77	-17.71
				25	0	20.57	19.25	17.10	34.77	-17.67
	23255	784.5	QPSK	1	0	21.57	20.25	18.10	34.77	-16.67
				1	24	21.62	20.30	18.15	34.77	-16.62
				12	6	20.55	19.23	17.08	34.77	-17.69
				25	0	20.47	19.15	17.00	34.77	-17.77
5	23205	779.5	16QAM	1	0	20.63	19.31	17.16	34.77	-17.61
				1	24	20.58	19.26	17.11	34.77	-17.66
				12	6	19.47	18.15	16.00	34.77	-18.77
				25	0	19.44	18.12	15.97	34.77	-18.80
	23230	782	16QAM	1	0	20.52	19.20	17.05	34.77	-17.72
				1	24	20.44	19.12	16.97	34.77	-17.80
				12	6	19.45	18.13	15.98	34.77	-18.79
				25	0	19.45	18.13	15.98	34.77	-18.79
	23255	784.5	16QAM	1	0	20.45	19.13	16.98	34.77	-17.79
				1	24	20.61	19.29	17.14	34.77	-17.63
				12	6	19.54	18.22	16.07	34.77	-18.70
				25	0	19.53	18.21	16.06	34.77	-18.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.32								
LTE Band 13_Uplink frequency band : 777 to 787 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10	23230	782	QPSK	1	0	21.54	20.22	18.07	34.77	-16.70
				1	49	21.53	20.21	18.06	34.77	-16.71
				25	12	20.54	19.22	17.07	34.77	-17.70
				50	0	20.47	19.15	17.00	34.77	-17.77
10	23230	782	16QAM	1	0	20.62	19.30	17.15	34.77	-17.62
				1	49	20.46	19.14	16.99	34.77	-17.78
				25	12	19.48	18.16	16.01	34.77	-18.76
				50	0	19.50	18.18	16.03	34.77	-18.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.35								
LTE Band 17_Uplink frequency band : 704 to 716 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
5	23755	706.5	QPSK	1	0	21.48	20.13	17.98	34.77	-16.79
				1	24	21.50	20.15	18.00	34.77	-16.77
				12	6	20.57	19.22	17.07	34.77	-17.70
				25	0	20.47	19.12	16.97	34.77	-17.80
	23790	710	QPSK	1	0	21.48	20.13	17.98	34.77	-16.79
				1	24	21.48	20.13	17.98	34.77	-16.79
				12	6	20.60	19.25	17.10	34.77	-17.67
				25	0	20.42	19.07	16.92	34.77	-17.85
	23825	713.5	QPSK	1	0	21.61	20.26	18.11	34.77	-16.66
				1	24	21.47	20.12	17.97	34.77	-16.80
				12	6	20.56	19.21	17.06	34.77	-17.71
				25	0	20.53	19.18	17.03	34.77	-17.74
5	23755	706.5	16QAM	1	0	20.60	19.25	17.10	34.77	-17.67
				1	24	20.46	19.11	16.96	34.77	-17.81
				12	6	19.47	18.12	15.97	34.77	-18.80
				25	0	19.48	18.13	15.98	34.77	-18.79
	23790	710	16QAM	1	0	20.56	19.21	17.06	34.77	-17.71
				1	24	20.54	19.19	17.04	34.77	-17.73
				12	6	19.44	18.09	15.94	34.77	-18.83
				25	0	19.45	18.10	15.95	34.77	-18.82
	23825	713.5	16QAM	1	0	20.57	19.22	17.07	34.77	-17.70
				1	24	20.50	19.15	17.00	34.77	-17.77
				12	6	19.47	18.12	15.97	34.77	-18.80
				25	0	19.44	18.09	15.94	34.77	-18.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		-1.35								
LTE Band 17_Uplink frequency band : 704 to 716 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	ERP Average (dBm)	ERP Limit (dBm)	Margin (dB)
10	23780	709	QPSK	1	0	22.40	21.05	18.90	34.77	-15.87
				1	49	21.52	20.17	18.02	34.77	-16.75
				25	12	20.51	19.16	17.01	34.77	-17.76
				50	0	20.51	19.16	17.01	34.77	-17.76
	23790	710	QPSK	1	0	22.28	20.93	18.78	34.77	-15.99
				1	49	21.53	20.18	18.03	34.77	-16.74
				25	12	20.50	19.15	17.00	34.77	-17.77
				50	0	20.42	19.07	16.92	34.77	-17.85
	23800	711	QPSK	1	0	22.44	21.09	18.94	34.77	-15.83
				1	49	21.51	20.16	18.01	34.77	-16.76
				25	12	20.53	19.18	17.03	34.77	-17.74
				50	0	20.52	19.17	17.02	34.77	-17.75
10	23780	709	16QAM	1	0	20.46	19.11	16.96	34.77	-17.81
				1	49	20.48	19.13	16.98	34.77	-17.79
				25	12	19.47	18.12	15.97	34.77	-18.80
				50	0	19.43	18.08	15.93	34.77	-18.84
	23790	710	16QAM	1	0	20.46	19.11	16.96	34.77	-17.81
				1	49	20.55	19.20	17.05	34.77	-17.72
				25	12	19.55	18.20	16.05	34.77	-18.72
				50	0	19.54	18.19	16.04	34.77	-18.73
	23800	711	16QAM	1	0	20.58	19.23	17.08	34.77	-17.69
				1	49	20.43	19.08	16.93	34.77	-17.84
				25	12	19.45	18.10	15.95	34.77	-18.82
				50	0	19.47	18.12	15.97	34.77	-18.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.44							
LTE Band 66_Uplink frequency band : 1710 to 1780 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	131979	1710.7	QPSK	1	0	21.30	21.74	30	-8.26
				1	5	21.26	21.70	30	-8.3
				3	2	21.29	21.73	30	-8.27
				6	0	20.16	20.60	30	-9.4
	132322	1745	QPSK	1	0	21.31	21.75	30	-8.25
				1	5	21.20	21.64	30	-8.36
				3	2	21.25	21.69	30	-8.31
				6	0	20.31	20.75	30	-9.25
	132665	1779.3	QPSK	1	0	21.26	21.70	30	-8.3
				1	5	21.30	21.74	30	-8.26
				3	2	21.33	21.77	30	-8.23
				6	0	20.31	20.75	30	-9.25
1.4	131979	1710.7	16QAM	1	0	20.30	20.74	30	-9.26
				1	5	20.19	20.63	30	-9.37
				3	2	20.25	20.69	30	-9.31
				6	0	19.27	19.71	30	-10.29
	132322	1745	16QAM	1	0	20.32	20.76	30	-9.24
				1	5	20.28	20.72	30	-9.28
				3	2	20.16	20.60	30	-9.4
				6	0	19.32	19.76	30	-10.24
	132665	1779.3	16QAM	1	0	20.34	20.78	30	-9.22
				1	5	20.16	20.60	30	-9.4
				3	2	20.34	20.78	30	-9.22
				6	0	19.27	19.71	30	-10.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.44							
LTE Band 66_Uplink frequency band : 1710 to 1780 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3	131987	1711.5	QPSK	1	0	21.32	21.76	30	-8.24
				1	14	21.17	21.61	30	-8.39
				8	4	20.29	20.73	30	-9.27
				15	0	20.23	20.67	30	-9.33
	132322	1745	QPSK	1	0	21.30	21.74	30	-8.26
				1	14	21.21	21.65	30	-8.35
				8	4	20.19	20.63	30	-9.37
				15	0	20.20	20.64	30	-9.36
	132657	1778.5	QPSK	1	0	21.28	21.72	30	-8.28
				1	14	21.35	21.79	30	-8.21
				8	4	20.32	20.76	30	-9.24
				15	0	20.21	20.65	30	-9.35
3	131987	1711.5	16QAM	1	0	20.21	20.65	30	-9.35
				1	14	20.28	20.72	30	-9.28
				8	4	19.25	19.69	30	-10.31
				15	0	19.28	19.72	30	-10.28
	132322	1745	16QAM	1	0	20.18	20.62	30	-9.38
				1	14	20.17	20.61	30	-9.39
				8	4	19.27	19.71	30	-10.29
				15	0	19.22	19.66	30	-10.34
	132657	1778.5	16QAM	1	0	20.19	20.63	30	-9.37
				1	14	20.30	20.74	30	-9.26
				8	4	19.33	19.77	30	-10.23
				15	0	19.18	19.62	30	-10.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE Band 66_Uplink frequency band : 1710 to 1780 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5	131997	1712.5	QPSK	1	0	21.33	21.77	30	-8.23
				1	24	21.26	21.70	30	-8.3
				12	6	20.34	20.78	30	-9.22
				25	0	20.28	20.72	30	-9.28
	132322	1745	QPSK	1	0	21.19	21.63	30	-8.37
				1	24	21.29	21.73	30	-8.27
				12	6	20.18	20.62	30	-9.38
				25	0	20.28	20.72	30	-9.28
	132647	1777.5	QPSK	1	0	21.28	21.72	30	-8.28
				1	24	21.16	21.60	30	-8.4
				12	6	20.24	20.68	30	-9.32
				25	0	20.17	20.61	30	-9.39
5	131997	1712.5	16QAM	1	0	20.29	20.73	30	-9.27
				1	24	20.29	20.73	30	-9.27
				12	6	19.20	19.64	30	-10.36
				25	0	19.17	19.61	30	-10.39
	132322	1745	16QAM	1	0	20.16	20.60	30	-9.4
				1	24	20.20	20.64	30	-9.36
				12	6	19.24	19.68	30	-10.32
				25	0	19.16	19.60	30	-10.4
	132647	1777.5	16QAM	1	0	20.34	20.78	30	-9.22
				1	24	20.31	20.75	30	-9.25
				12	6	19.32	19.76	30	-10.24
				25	0	19.34	19.78	30	-10.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.44							
LTE Band 66_Uplink frequency band : 1710 to 1780 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	132022	1715	QPSK	1	0	21.28	21.72	30	-8.28
				1	49	21.23	21.67	30	-8.33
				25	12	20.31	20.75	30	-9.25
				50	0	20.16	20.60	30	-9.4
	132322	1745	QPSK	1	0	21.18	21.62	30	-8.38
				1	49	21.21	21.65	30	-8.35
				25	12	20.34	20.78	30	-9.22
				50	0	20.18	20.62	30	-9.38
	132622	1775	QPSK	1	0	21.31	21.75	30	-8.25
				1	49	21.15	21.59	30	-8.41
				25	12	20.29	20.73	30	-9.27
				50	0	20.22	20.66	30	-9.34
10	132022	1715	16QAM	1	0	20.17	20.61	30	-9.39
				1	49	20.18	20.62	30	-9.38
				25	12	19.27	19.71	30	-10.29
				50	0	19.26	19.70	30	-10.3
	132322	1745	16QAM	1	0	20.33	20.77	30	-9.23
				1	49	20.19	20.63	30	-9.37
				25	12	19.16	19.60	30	-10.4
				50	0	19.23	19.67	30	-10.33
	132622	1775	16QAM	1	0	20.24	20.68	30	-9.32
				1	49	20.25	20.69	30	-9.31
				25	12	19.21	19.65	30	-10.35
				50	0	19.28	19.72	30	-10.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.44							
LTE Band 66_Uplink frequency band : 1710 to 1780 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15	132047	1717.5	QPSK	1	0	21.30	21.74	30	-8.26
				1	74	21.31	21.75	30	-8.25
				36	18	20.28	20.72	30	-9.28
				75	0	20.27	20.71	30	-9.29
	132322	1745	QPSK	1	0	21.29	21.73	30	-8.27
				1	74	21.29	21.73	30	-8.27
				36	18	20.24	20.68	30	-9.32
				75	0	20.21	20.65	30	-9.35
	132597	1772.5	QPSK	1	0	21.16	21.60	30	-8.4
				1	74	21.22	21.66	30	-8.34
				36	18	20.24	20.68	30	-9.32
				75	0	20.19	20.63	30	-9.37
15	132047	1717.5	16QAM	1	0	20.27	20.71	30	-9.29
				1	74	20.22	20.66	30	-9.34
				36	18	19.31	19.75	30	-10.25
				75	0	19.23	19.67	30	-10.33
	132322	1745	16QAM	1	0	20.31	20.75	30	-9.25
				1	74	20.22	20.66	30	-9.34
				36	18	19.33	19.77	30	-10.23
				75	0	19.27	19.71	30	-10.29
	132597	1772.5	16QAM	1	0	20.23	20.67	30	-9.33
				1	74	20.27	20.71	30	-9.29
				36	18	19.26	19.70	30	-10.3
				75	0	19.19	19.63	30	-10.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Antenna gain (dBi)		0.44							
LTE Band 66_Uplink frequency band : 1710 to 1780 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20	132072	1720	QPSK	1	0	21.87	22.31	30	-7.69
				1	99	21.29	21.73	30	-8.27
				50	25	20.18	20.62	30	-9.38
				100	0	20.16	20.60	30	-9.4
	132322	1745	QPSK	1	0	22.28	22.72	30	-7.28
				1	99	21.32	21.76	30	-8.24
				50	25	20.34	20.78	30	-9.22
				100	0	20.17	20.61	30	-9.39
	132572	1770	QPSK	1	0	21.77	22.21	30	-7.79
				1	99	21.33	21.77	30	-8.23
				50	25	20.26	20.70	30	-9.3
				100	0	20.21	20.65	30	-9.35
20	132072	1720	16QAM	1	0	20.18	20.62	30	-9.38
				1	99	20.32	20.76	30	-9.24
				50	25	19.22	19.66	30	-10.34
				100	0	19.24	19.68	30	-10.32
	132322	1745	16QAM	1	0	20.28	20.72	30	-9.28
				1	99	20.16	20.60	30	-9.4
				50	25	19.22	19.66	30	-10.34
				100	0	19.22	19.66	30	-10.34
	132572	1770	16QAM	1	0	20.25	20.69	30	-9.31
				1	99	20.32	20.76	30	-9.24
				50	25	19.21	19.65	30	-10.35
				100	0	19.27	19.71	30	-10.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

10.2 Field Strength of Spurious Radiation Measurement

Report Number :TERF2403000755E2

Test Site :SAC D

Operation Mode :LTE B4

Test Date :2024-04-25

Test Mode :Tx


Temp./Humi. :21.3°C/71%

EUT Pol :E2 Plane

Antenna Pol. :Vertical

Test Frequency :1720 MHz

Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
48.430	-49.17	-36.42	-11.88	-0.87	-13.00	-36.17
83.350	-58.11	-55.10	-1.87	-1.14	-13.00	-45.11
96.930	-55.32	-53.40	-0.69	-1.23	-13.00	-42.32
109.540	-61.79	-59.04	-1.42	-1.33	-13.00	-48.79
239.520	-63.37	-65.42	4.01	-1.96	-13.00	-50.37
306.450	-61.19	-63.13	4.15	-2.21	-13.00	-48.19
3440.000	-58.25	-63.37	12.52	-7.40	-13.00	-45.25
5160.000	-53.43	-56.74	12.46	-9.15	-13.00	-40.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2403000755E2
Operation Mode :LTE B4
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1720 MHz

Test Site :SAC D
Test Date :2024-04-25
Temp./Humi. :21.3°C/71%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
47.460	-55.50	-42.76	-11.88	-0.86	-13.00	-42.50
89.170	-59.94	-58.00	-0.75	-1.19	-13.00	-46.94
112.450	-66.02	-63.32	-1.36	-1.34	-13.00	-53.02
214.300	-64.79	-67.63	4.70	-1.86	-13.00	-51.79
240.490	-63.09	-65.11	3.98	-1.96	-13.00	-50.09
305.480	-61.38	-63.33	4.16	-2.21	-13.00	-48.38
3440.000	-58.16	-63.28	12.52	-7.40	-13.00	-45.16
5160.000	-53.83	-57.14	12.46	-9.15	-13.00	-40.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2403000755E2
Operation Mode :LTE B12
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :711 MHz

Test Site :SAC D
Test Date :2024-04-25
Temp./Humi. :21.3°C/71%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-52.11	-39.58	-11.65	-0.88	-13.00	-39.11
96.930	-56.19	-54.27	-0.69	-1.23	-13.00	-43.19
111.480	-61.34	-58.68	-1.32	-1.34	-13.00	-48.34
237.580	-63.67	-65.84	4.13	-1.96	-13.00	-50.67
289.960	-61.40	-63.27	4.03	-2.16	-13.00	-48.40
310.330	-62.45	-64.34	4.11	-2.22	-13.00	-49.45
1422.000	-59.49	-62.51	7.72	-4.70	-13.00	-46.49
2133.000	-53.52	-57.60	9.87	-5.79	-13.00	-40.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2403000755E2
Operation Mode :LTE B12
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :711 MHz

Test Site :SAC D
Test Date :2024-04-25
Temp./Humi. :21.3°C/71%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
34.850	-56.77	-42.57	-13.46	-0.74	-13.00	-43.77
46.490	-59.89	-46.97	-12.07	-0.85	-13.00	-46.89
89.170	-60.62	-58.68	-0.75	-1.19	-13.00	-47.62
224.000	-64.39	-67.77	5.26	-1.88	-13.00	-51.39
287.050	-61.66	-63.52	4.00	-2.14	-13.00	-48.66
307.420	-63.78	-65.71	4.14	-2.21	-13.00	-50.78
1422.000	-61.18	-64.20	7.72	-4.70	-13.00	-48.18
2133.000	-55.05	-59.13	9.87	-5.79	-13.00	-42.05

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group