


802.11a_(6Mbps)_4TX

5320MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 80
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63848G	40.39	54.00	-13.61	11.45	3	V	73	1.54	-
AV	15.96136G	44.83	54.00	-9.17	13.41	3	V	313	2.44	-
PK	10.65096G	53.23	74.00	-20.77	11.47	3	V	73	1.54	-
PK	15.97848G	58.18	74.00	-15.82	13.39	3	V	313	2.44	-

802.11a_(6Mbps)_4TX

5320MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 80
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63056G	39.91	54.00	-14.09	11.45	3	H	230	2.30	-
AV	15.94G	44.51	54.00	-9.49	13.43	3	H	0	1.68	-
PK	10.62984G	52.88	74.00	-21.12	11.44	3	H	230	2.30	-
PK	15.95296G	57.61	74.00	-16.39	13.42	3	H	0	1.68	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 69
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4196G	50.49	54.00	-3.51	4.87	3	V	93	1.21	-
AV	5.4688G	50.12	54.00	-3.88	5.01	3	V	93	1.21	-
AV	5.5012G	109.16	Inf	-Inf	5.09	3	V	93	1.21	-
AV	5.7424G	53.61	54.00	-0.39	5.86	3	V	93	1.21	-
PK	5.3392G	64.11	68.20	-4.09	4.71	3	V	93	1.21	-
PK	5.4676G	66.20	74.00	-7.80	5.00	3	V	93	1.21	-
PK	5.5012G	118.14	Inf	-Inf	5.09	3	V	93	1.21	-
PK	5.7424G	64.05	74.00	-9.95	5.86	3	V	93	1.21	-
PK	5.4196G	62.52	74.00	-11.48	4.87	3	V	93	1.21	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 69
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4256G	47.28	54.00	-6.72	4.89	3	H	83	1.08	-
AV	5.4676G	48.79	54.00	-5.21	5.00	3	H	83	1.08	-
AV	5.4964G	101.64	Inf	-Inf	5.08	3	H	83	1.08	-
AV	5.746G	48.00	54.00	-6.00	5.87	3	H	83	1.08	-
PK	5.3332G	59.43	68.20	-8.77	4.70	3	H	83	1.08	-
PK	5.4664G	66.72	74.00	-7.28	5.00	3	H	83	1.08	-
PK	5.5048G	111.24	Inf	-Inf	5.11	3	H	83	1.08	-
PK	5.7364G	58.80	74.00	-15.20	5.84	3	H	83	1.08	-
PK	5.4208G	59.69	74.00	-14.31	4.88	3	H	83	1.08	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 69
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0152G	40.22	54.00	-13.78	11.88	3	V	81	2.20	-
PK	10.9836G	53.51	74.00	-20.49	11.85	3	V	81	2.20	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 69
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99864G	40.13	54.00	-13.87	11.87	3	H	311	1.50	-
PK	10.99704G	53.28	74.00	-20.72	11.87	3	H	311	1.50	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 60
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4192G	53.94	54.00	-0.06	4.87	3	V	91	1.02	-
AV	5.4684G	45.64	54.00	-8.36	5.00	3	V	91	1.02	-
AV	5.5812G	104.26	Inf	-Inf	5.37	3	V	91	1.02	-
AV	5.742G	51.81	54.00	-2.19	5.86	3	V	91	1.02	-
PK	5.3388G	63.17	68.20	-5.03	4.71	3	V	91	1.02	-
PK	5.418G	64.39	74.00	-9.61	4.87	3	V	91	1.02	-
PK	5.4684G	57.32	74.00	-16.68	5.00	3	V	91	1.02	-
PK	5.5812G	113.87	Inf	-Inf	5.37	3	V	91	1.02	-
PK	5.742G	62.45	74.00	-11.55	5.86	3	V	91	1.02	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 60
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.412G	47.54	54.00	-6.46	4.85	3	H	77	1.09	-
AV	5.466G	44.68	54.00	-9.32	5.00	3	H	77	1.09	-
AV	5.5824G	98.07	Inf	-Inf	5.38	3	H	77	1.09	-
AV	5.7432G	48.30	54.00	-5.70	5.86	3	H	77	1.09	-
PK	5.34G	58.30	68.20	-9.90	4.71	3	H	77	1.09	-
PK	5.4132G	58.83	74.00	-15.17	4.86	3	H	77	1.09	-
PK	5.4684G	57.31	74.00	-16.69	5.00	3	H	77	1.09	-
PK	5.5836G	108.17	Inf	-Inf	5.38	3	H	77	1.09	-
PK	5.7372G	59.89	74.00	-14.11	5.84	3	H	77	1.09	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 60
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.17824G	39.97	54.00	-14.03	11.96	3	V	142	1.36	-
PK	11.14048G	53.91	74.00	-20.09	11.94	3	V	142	1.36	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 60
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16864G	39.75	54.00	-14.25	11.96	3	H	288	1.58	-
PK	11.17512G	53.39	74.00	-20.61	11.96	3	H	288	1.58	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 60
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4576G	53.76	54.00	-0.24	4.98	3	V	95	1.06	-
AV	5.466G	52.59	54.00	-1.41	5.00	3	V	95	1.06	-
AV	5.7012G	104.66	Inf	-Inf	5.74	3	V	95	1.06	-
AV	5.862G	52.81	54.00	-1.19	6.26	3	V	95	1.06	-
PK	5.4576G	64.54	74.00	-9.46	4.98	3	V	95	1.06	-
PK	5.466G	63.05	74.00	-10.95	5.00	3	V	95	1.06	-
PK	5.7012G	113.53	Inf	-Inf	5.74	3	V	95	1.06	-
PK	5.7276G	65.99	74.00	-8.01	5.82	3	V	95	1.06	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 60
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	47.77	54.00	-6.23	4.98	3	H	75	1.15	-
AV	5.4612G	47.79	54.00	-6.21	4.99	3	H	75	1.15	-
AV	5.7024G	98.70	Inf	-Inf	5.75	3	H	75	1.15	-
AV	5.8632G	48.40	54.00	-5.60	6.27	3	H	75	1.15	-
PK	5.4552G	59.36	74.00	-14.64	4.97	3	H	75	1.15	-
PK	5.4612G	59.30	74.00	-14.70	4.99	3	H	75	1.15	-
PK	5.7036G	108.71	Inf	-Inf	5.75	3	H	75	1.15	-
PK	5.7252G	61.37	74.00	-12.63	5.81	3	H	75	1.15	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 60
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40128G	40.54	54.00	-13.46	12.08	3	V	127	2.12	-
PK	11.41144G	54.19	74.00	-19.81	12.08	3	V	127	2.12	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 60
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39008G	40.81	54.00	-13.19	12.07	3	H	207	2.40	-
PK	11.39504G	53.65	74.00	-20.35	12.08	3	H	207	2.40	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 90
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.396G	50.49	54.00	-3.51	4.81	3	V	266	1.18	-
AV	5.716G	113.46	Inf	-Inf	5.78	3	V	266	1.18	-
PK	5.396G	61.26	74.00	-12.74	4.81	3	V	266	1.18	-
PK	5.464G	60.19	68.20	-8.01	4.99	3	V	266	1.18	-
PK	5.716G	122.53	Inf	-Inf	5.78	3	V	266	1.18	-
PK	5.956G	67.84	68.20	-0.36	6.62	3	V	266	1.18	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 90
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.392G	47.85	54.00	-6.15	4.81	3	H	83	1.17	-
AV	5.716G	107.88	Inf	-Inf	5.78	3	H	83	1.17	-
PK	5.45G	59.00	74.00	-15.00	4.95	3	H	83	1.17	-
PK	5.462G	57.59	68.20	-10.61	4.99	3	H	83	1.17	-
PK	5.716G	117.15	Inf	-Inf	5.78	3	H	83	1.17	-
PK	5.962G	63.11	68.20	-5.09	6.64	3	H	83	1.17	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 90
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4364G	44.62	54.00	-9.38	12.10	3	V	273	1.01	-
PK	11.43868G	57.58	74.00	-16.42	12.10	3	V	273	1.01	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 90
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.45194G	42.59	54.00	-11.41	12.11	3	H	121	1.52	-
PK	11.4427G	56.53	74.00	-17.47	12.10	3	H	121	1.52	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 89
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.746G	114.57	Inf	-Inf	5.87	3	V	94	1.11	-
PK	5.51G	68.18	68.20	-0.02	5.12	3	V	94	1.11	-
PK	5.746G	123.86	Inf	-Inf	5.87	3	V	94	1.11	-
PK	5.988G	64.90	68.20	-3.30	6.74	3	V	94	1.11	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 89
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	107.03	Inf	-Inf	5.87	3	H	78	2.79	-
PK	5.504G	59.49	68.20	-8.71	5.10	3	H	78	2.79	-
PK	5.747G	116.59	Inf	-Inf	5.87	3	H	78	2.79	-
PK	5.989G	62.14	68.20	-6.06	6.74	3	H	78	2.79	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 89
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.488G	44.95	54.00	-9.05	12.12	3	V	110	1.02	-
PK	11.48832G	59.05	74.00	-14.95	12.12	3	V	110	1.02	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 89
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49032G	41.32	54.00	-12.68	12.12	3	H	195	1.39	-
PK	11.4916G	54.43	74.00	-19.57	12.13	3	H	195	1.39	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 91
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.786G	114.45	Inf	-Inf	5.98	3	V	92	1.10	-
PK	5.55G	67.99	68.20	-0.21	5.27	3	V	92	1.10	-
PK	5.785G	125.39	Inf	-Inf	5.98	3	V	92	1.10	-
PK	5.947G	65.10	68.20	-3.10	6.58	3	V	92	1.10	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 91
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.787G	109.87	Inf	-Inf	5.98	3	H	76	1.06	-
PK	5.537G	63.01	68.20	-5.19	5.22	3	H	76	1.06	-
PK	5.788G	120.70	Inf	-Inf	5.99	3	H	76	1.06	-
PK	5.939G	60.71	68.20	-7.49	6.55	3	H	76	1.06	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 91
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57272G	51.53	54.00	-2.47	12.17	3	V	111	1.07	-
PK	11.57032G	64.47	74.00	-9.53	12.17	3	V	111	1.07	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 91
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57128G	47.33	54.00	-6.67	12.17	3	H	290	1.02	-
PK	11.5704G	60.67	74.00	-13.33	12.17	3	H	290	1.02	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 91
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.826G	114.13	Inf	-Inf	6.12	3	V	93	1.04	-
PK	5.589G	65.83	68.20	-2.37	5.40	3	V	93	1.04	-
PK	5.826G	124.19	Inf	-Inf	6.12	3	V	93	1.04	-
PK	5.929G	68.15	68.20	-0.05	6.52	3	V	93	1.04	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 91
01-Z-1-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.828G	109.41	Inf	-Inf	6.13	3	H	75	1.05	-
PK	5.588G	62.15	68.20	-6.05	5.40	3	H	75	1.05	-
PK	5.827G	120.50	Inf	-Inf	6.13	3	H	75	1.05	-
PK	5.923G	66.51	69.68	-3.17	6.50	3	H	75	1.05	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 91
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65312G	53.45	54.00	-0.55	12.21	3	V	109	1.05	-
PK	11.654G	66.57	74.00	-7.43	12.21	3	V	109	1.05	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170211
EUT Z 4TX Non-TXBF
Setting 91
01-Z-1
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64928G	47.65	54.00	-6.35	12.21	3	H	97	1.24	-
PK	11.6484G	60.22	74.00	-13.78	12.21	3	H	97	1.24	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 72
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	53.77	54.00	-0.23	4.32	3	V	257	1.18	-
AV	5.183G	107.09	Inf	-Inf	4.39	3	V	257	1.18	-
AV	5.414G	46.26	54.00	-7.74	4.86	3	V	257	1.18	-
PK	5.148G	70.98	74.00	-3.02	4.32	3	V	257	1.18	-
PK	5.183G	117.42	Inf	-Inf	4.39	3	V	257	1.18	-
PK	5.414G	57.82	74.00	-16.18	4.86	3	V	257	1.18	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 72
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.87	54.00	-5.13	4.32	3	H	76	1.07	-
AV	5.177G	100.77	Inf	-Inf	4.38	3	H	76	1.07	-
AV	5.413G	44.88	54.00	-9.12	4.86	3	H	76	1.07	-
PK	5.149995G	65.46	74.00	-8.54	4.32	3	H	76	1.07	-
PK	5.187G	110.75	Inf	-Inf	4.40	3	H	76	1.07	-
PK	5.417G	57.79	74.00	-16.21	4.87	3	H	76	1.07	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 72
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.35928G	67.22	68.20	-0.98	11.13	3	V	187	1.16	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 72
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.36072G	59.67	68.20	-8.53	11.13	3	H	79	2.84	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 78
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.144G	47.97	54.00	-6.03	4.31	3	V	257	1.02	-
AV	5.204G	107.67	Inf	-Inf	4.44	3	V	257	1.02	-
AV	5.354G	48.35	54.00	-5.65	4.74	3	V	257	1.02	-
PK	5.149G	65.51	74.00	-8.49	4.32	3	V	257	1.02	-
PK	5.206G	117.44	Inf	-Inf	4.44	3	V	257	1.02	-
PK	5.354G	59.44	74.00	-14.56	4.74	3	V	257	1.02	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 78
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.145G	44.93	54.00	-9.07	4.31	3	H	67	1.18	-
AV	5.205G	101.61	Inf	-Inf	4.44	3	H	67	1.18	-
AV	5.355G	45.28	54.00	-8.72	4.74	3	H	67	1.18	-
PK	5.145G	59.87	74.00	-14.13	4.31	3	H	67	1.18	-
PK	5.205G	112.40	Inf	-Inf	4.44	3	H	67	1.18	-
PK	5.358G	57.61	74.00	-16.39	4.74	3	H	67	1.18	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 78
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.40018G	68.12	68.20	-0.08	11.18	3	V	208	1.01	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 78
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.39874G	61.46	68.20	-6.74	11.18	3	H	89	2.64	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.083G	48.88	54.00	-5.12	4.17	3	V	256	1.01	-
AV	5.233G	110.48	Inf	-Inf	4.50	3	V	256	1.01	-
AV	5.403G	49.30	54.00	-4.70	4.83	3	V	256	1.01	-
PK	5.073G	60.03	74.00	-13.97	4.14	3	V	256	1.01	-
PK	5.233G	119.89	Inf	-Inf	4.50	3	V	256	1.01	-
PK	5.404G	60.84	74.00	-13.16	4.83	3	V	256	1.01	-
PK	5.479G	57.74	68.20	-10.46	5.03	3	V	256	1.01	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	45.94	54.00	-8.06	4.32	3	H	93	1.12	-
AV	5.235G	105.11	Inf	-Inf	4.50	3	H	93	1.12	-
AV	5.394G	46.55	54.00	-7.45	4.81	3	H	93	1.12	-
PK	5.146G	57.79	74.00	-16.21	4.31	3	H	93	1.12	-
PK	5.245G	116.21	Inf	-Inf	4.52	3	H	93	1.12	-
PK	5.399G	58.36	74.00	-15.64	4.82	3	H	93	1.12	-
PK	5.472G	57.81	68.20	-10.39	5.01	3	H	93	1.12	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.4812G	68.03	68.20	-0.17	11.27	3	V	206	1.05	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.47742G	61.86	68.20	-6.34	11.27	3	H	73	1.15	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 87
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.103G	48.35	54.00	-5.65	4.22	3	V	256	1.22	-
AV	5.253G	110.16	Inf	-Inf	4.54	3	V	256	1.22	-
AV	5.419G	49.00	54.00	-5.00	4.87	3	V	256	1.22	-
PK	5.093G	60.26	74.00	-13.74	4.19	3	V	256	1.22	-
PK	5.266G	120.00	Inf	-Inf	4.57	3	V	256	1.22	-
PK	5.494G	58.59	68.20	-9.61	5.07	3	V	256	1.22	-
PK	5.419G	60.17	74.00	-13.83	4.87	3	V	256	1.22	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 87
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.105G	45.28	54.00	-8.72	4.22	3	H	92	1.01	-
AV	5.264G	104.38	Inf	-Inf	4.56	3	H	92	1.01	-
AV	5.415G	46.59	54.00	-7.41	4.86	3	H	92	1.01	-
PK	5.095G	57.93	74.00	-16.07	4.20	3	H	92	1.01	-
PK	5.255G	115.88	Inf	-Inf	4.55	3	H	92	1.01	-
PK	5.415G	59.57	74.00	-14.43	4.86	3	H	92	1.01	-
PK	5.495G	58.01	68.20	-10.19	5.08	3	H	92	1.01	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 87
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.51874G	68.06	68.20	-0.14	11.32	3	V	200	1.02	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 87
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.5212G	60.14	68.20	-8.06	11.32	3	H	88	1.34	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 91
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.143G	49.20	54.00	-4.80	4.30	3	V	258	1.19	-
AV	5.308G	111.10	Inf	-Inf	4.65	3	V	258	1.19	-
AV	5.351G	53.78	54.00	-0.22	4.73	3	V	258	1.19	-
PK	5.148G	59.65	74.00	-14.35	4.32	3	V	258	1.19	-
PK	5.306G	121.41	Inf	-Inf	4.65	3	V	258	1.19	-
PK	5.351G	69.14	74.00	-4.86	4.73	3	V	258	1.19	-
PK	5.463G	60.62	68.20	-7.58	4.99	3	V	258	1.19	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 91
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.143G	45.38	54.00	-8.62	4.30	3	H	90	1.49	-
AV	5.304G	105.21	Inf	-Inf	4.65	3	H	90	1.49	-
AV	5.350005G	50.46	54.00	-3.54	4.73	3	H	90	1.49	-
PK	5.148G	57.70	74.00	-16.30	4.32	3	H	90	1.49	-
PK	5.294G	115.70	Inf	-Inf	4.63	3	H	90	1.49	-
PK	5.350005G	66.25	74.00	-7.75	4.73	3	H	90	1.49	-
PK	5.485G	57.46	68.20	-10.74	5.05	3	H	90	1.49	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 91
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60049G	50.84	54.00	-3.16	11.41	3	V	198	1.01	-
PK	10.60034G	66.02	74.00	-7.98	11.41	3	V	198	1.01	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 91
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60054G	45.70	54.00	-8.30	11.41	3	H	83	2.97	-
PK	10.60006G	60.15	74.00	-13.85	11.41	3	H	83	2.97	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 76
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.088G	46.01	54.00	-7.99	4.18	3	V	255	1.15	-
AV	5.318G	107.70	Inf	-Inf	4.67	3	V	255	1.15	-
AV	5.351G	53.84	54.00	-0.16	4.73	3	V	255	1.15	-
PK	5.075G	57.58	74.00	-16.42	4.15	3	V	255	1.15	-
PK	5.323G	117.82	Inf	-Inf	4.68	3	V	255	1.15	-
PK	5.351G	69.14	74.00	-4.86	4.73	3	V	255	1.15	-
PK	5.488G	58.25	68.20	-9.95	5.06	3	V	255	1.15	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 76
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.076G	43.95	54.00	-10.05	4.15	3	H	90	1.15	-
AV	5.324G	102.56	Inf	-Inf	4.68	3	H	90	1.15	-
AV	5.350005G	51.02	54.00	-2.98	4.73	3	H	90	1.15	-
PK	5.086G	56.90	74.00	-17.10	4.17	3	H	90	1.15	-
PK	5.324G	113.30	Inf	-Inf	4.68	3	H	90	1.15	-
PK	5.350005G	68.45	74.00	-5.55	4.73	3	H	90	1.15	-
PK	5.554G	57.72	68.20	-10.48	5.28	3	H	90	1.15	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 76
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63688G	42.12	54.00	-11.88	11.45	3	V	203	1.02	-
PK	10.6277G	57.77	74.00	-16.23	11.44	3	V	203	1.02	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 76
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64144G	39.82	54.00	-14.18	11.46	3	H	63	1.11	-
PK	10.63832G	53.35	74.00	-20.65	11.45	3	H	63	1.11	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 70
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.425G	50.22	54.00	-3.78	4.89	3	V	93	1.23	-
AV	5.469G	52.17	54.00	-1.83	5.01	3	V	93	1.23	-
AV	5.495G	107.42	Inf	-Inf	5.08	3	V	93	1.23	-
AV	5.738G	53.95	54.00	-0.05	5.85	3	V	93	1.23	-
PK	5.335G	63.39	68.20	-4.81	4.70	3	V	93	1.23	-
PK	5.415G	61.45	74.00	-12.55	4.86	3	V	93	1.23	-
PK	5.466G	68.49	74.00	-5.51	5.00	3	V	93	1.23	-
PK	5.505G	117.59	Inf	-Inf	5.11	3	V	93	1.23	-
PK	5.738G	65.25	74.00	-8.75	5.85	3	V	93	1.23	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 70
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.423G	47.17	54.00	-6.83	4.88	3	H	87	1.05	-
AV	5.469G	50.23	54.00	-3.77	5.01	3	H	87	1.05	-
AV	5.504G	101.60	Inf	-Inf	5.10	3	H	87	1.05	-
AV	5.735G	47.27	54.00	-6.73	5.84	3	H	87	1.05	-
PK	5.343G	59.61	68.20	-8.59	4.72	3	H	87	1.05	-
PK	5.454G	62.54	74.00	-11.46	4.97	3	H	87	1.05	-
PK	5.464G	67.24	74.00	-6.76	4.99	3	H	87	1.05	-
PK	5.504G	112.33	Inf	-Inf	5.10	3	H	87	1.05	-
PK	5.738G	60.72	74.00	-13.28	5.85	3	H	87	1.05	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 70
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99808G	39.64	54.00	-14.36	11.87	3	V	175	1.50	-
PK	10.98968G	53.14	74.00	-20.86	11.86	3	V	175	1.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 70
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.98842G	39.54	54.00	-14.46	11.86	3	H	65	1.25	-
PK	10.98758G	53.32	74.00	-20.68	11.86	3	H	65	1.25	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.415G	53.78	54.00	-0.22	4.86	3	V	92	1.05	-
AV	5.468G	45.79	54.00	-8.21	5.00	3	V	92	1.05	-
AV	5.585G	104.48	Inf	-Inf	5.39	3	V	92	1.05	-
AV	5.736G	51.25	54.00	-2.75	5.84	3	V	92	1.05	-
AV	5.818G	51.81	54.00	-2.19	6.09	3	V	92	1.05	-
PK	5.338G	61.85	68.20	-6.35	4.71	3	V	92	1.05	-
PK	5.424G	63.34	74.00	-10.66	4.88	3	V	92	1.05	-
PK	5.461G	57.80	74.00	-16.20	4.98	3	V	92	1.05	-
PK	5.585G	114.10	Inf	-Inf	5.39	3	V	92	1.05	-
PK	5.737G	61.35	74.00	-12.65	5.84	3	V	92	1.05	-
PK	5.818G	61.96	74.00	-12.04	6.09	3	V	92	1.05	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.416G	48.07	54.00	-5.93	4.86	3	H	80	1.02	-
AV	5.469G	44.77	54.00	-9.23	5.01	3	H	80	1.02	-
AV	5.577G	98.21	Inf	-Inf	5.36	3	H	80	1.02	-
AV	5.743G	47.84	54.00	-6.16	5.86	3	H	80	1.02	-
AV	5.82G	47.38	54.00	-6.62	6.10	3	H	80	1.02	-
PK	5.336G	58.73	68.20	-9.47	4.70	3	H	80	1.02	-
PK	5.415G	58.70	74.00	-15.30	4.86	3	H	80	1.02	-
PK	5.465G	56.23	74.00	-17.77	5.00	3	H	80	1.02	-
PK	5.575G	109.27	Inf	-Inf	5.35	3	H	80	1.02	-
PK	5.735G	58.87	74.00	-15.13	5.84	3	H	80	1.02	-
PK	5.818G	58.94	74.00	-15.06	6.09	3	H	80	1.02	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.17302G	39.51	54.00	-14.49	11.96	3	V	291	1.16	-
PK	11.1609G	52.68	74.00	-21.32	11.95	3	V	291	1.16	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.17386G	39.45	54.00	-14.55	11.96	3	H	126	1.39	-
PK	11.16942G	52.97	74.00	-21.03	11.96	3	H	126	1.39	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 67
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	53.92	54.00	-0.08	4.97	3	V	94	1.26	-
AV	5.464G	53.55	54.00	-0.45	4.99	3	V	94	1.26	-
AV	5.705G	104.81	Inf	-Inf	5.75	3	V	94	1.26	-
AV	5.726G	52.20	54.00	-1.80	5.81	3	V	94	1.26	-
PK	5.455G	65.72	74.00	-8.28	4.97	3	V	94	1.26	-
PK	5.465G	63.59	74.00	-10.41	5.00	3	V	94	1.26	-
PK	5.705G	114.36	Inf	-Inf	5.75	3	V	94	1.26	-
PK	5.726G	70.57	74.00	-3.43	5.81	3	V	94	1.26	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 67
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	47.60	54.00	-6.40	4.97	3	H	78	2.82	-
AV	5.466G	47.29	54.00	-6.71	5.00	3	H	78	2.82	-
AV	5.705G	98.52	Inf	-Inf	5.75	3	H	78	2.82	-
AV	5.726G	48.68	54.00	-5.32	5.81	3	H	78	2.82	-
PK	5.455G	58.24	74.00	-15.76	4.97	3	H	78	2.82	-
PK	5.466G	58.73	74.00	-15.27	5.00	3	H	78	2.82	-
PK	5.696G	108.67	Inf	-Inf	5.73	3	H	78	2.82	-
PK	5.726G	67.55	74.00	-6.45	5.81	3	H	78	2.82	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 67
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38866G	40.27	54.00	-13.73	12.07	3	V	273	1.22	-
PK	11.39466G	53.47	74.00	-20.53	12.08	3	V	273	1.22	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 67
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38698G	40.23	54.00	-13.77	12.07	3	H	334	1.06	-
PK	11.40906G	53.55	74.00	-20.45	12.08	3	H	334	1.06	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 85
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.404G	48.69	54.00	-5.31	4.83	3	V	314	1.02	-
AV	5.724G	111.16	Inf	-Inf	5.81	3	V	314	1.02	-
PK	5.402G	60.40	74.00	-13.60	4.83	3	V	314	1.02	-
PK	5.460005G	59.45	68.20	-8.75	4.98	3	V	314	1.02	-
PK	5.724G	120.34	Inf	-Inf	5.81	3	V	314	1.02	-
PK	5.964G	67.97	68.20	-0.23	6.65	3	V	314	1.02	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 85
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.406G	47.32	54.00	-6.68	4.84	3	H	81	1.03	-
AV	5.716G	105.45	Inf	-Inf	5.78	3	H	81	1.03	-
PK	5.396G	58.75	74.00	-15.25	4.81	3	H	81	1.03	-
PK	5.464G	57.62	68.20	-10.58	4.99	3	H	81	1.03	-
PK	5.714G	115.64	Inf	-Inf	5.78	3	H	81	1.03	-
PK	5.956G	62.64	68.20	-5.56	6.62	3	H	81	1.03	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 85
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44984G	39.83	54.00	-14.17	12.10	3	V	322	2.08	-
PK	11.4379G	53.24	74.00	-20.76	12.10	3	V	322	2.08	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 85
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.45434G	39.63	54.00	-14.37	12.11	3	H	99	1.77	-
PK	11.4493G	52.86	74.00	-21.14	12.10	3	H	99	1.77	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.74G	112.12	Inf	-Inf	5.85	3	V	94	1.12	-
PK	5.635G	68.16	68.20	-0.04	5.54	3	V	94	1.12	-
PK	5.741G	121.72	Inf	-Inf	5.85	3	V	94	1.12	-
PK	5.993G	66.39	68.20	-1.81	6.75	3	V	94	1.12	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.74G	105.54	Inf	-Inf	5.85	3	H	79	2.94	-
PK	5.511G	61.10	68.20	-7.10	5.13	3	H	79	2.94	-
PK	5.751G	115.65	Inf	-Inf	5.88	3	H	79	2.94	-
PK	5.99G	59.56	68.20	-8.64	6.74	3	H	79	2.94	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49096G	44.73	54.00	-9.27	12.13	3	V	235	1.80	-
PK	11.48592G	58.66	74.00	-15.34	12.12	3	V	235	1.80	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49018G	41.13	54.00	-12.87	12.12	3	H	26	1.86	-
PK	11.48262G	54.88	74.00	-19.12	12.12	3	H	26	1.86	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 92
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.79G	112.68	Inf	-Inf	5.99	3	V	94	1.04	-
PK	5.55G	67.98	68.20	-0.22	5.27	3	V	94	1.04	-
PK	5.79G	122.79	Inf	-Inf	5.99	3	V	94	1.04	-
PK	5.948G	62.63	68.20	-5.57	6.59	3	V	94	1.04	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 92
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.781G	108.47	Inf	-Inf	5.97	3	H	73	1.01	-
PK	5.552G	60.36	68.20	-7.84	5.27	3	H	73	1.01	-
PK	5.781G	120.00	Inf	-Inf	5.97	3	H	73	1.01	-
PK	5.938G	60.91	68.20	-7.29	6.55	3	H	73	1.01	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 92
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57042G	50.78	54.00	-3.22	12.17	3	V	140	2.08	-
PK	11.57078G	63.38	74.00	-10.62	12.17	3	V	140	2.08	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 92
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57144G	45.56	54.00	-8.44	12.17	3	H	59	1.70	-
PK	11.57132G	58.47	74.00	-15.53	12.17	3	H	59	1.70	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.826G	111.72	Inf	-Inf	6.12	3	V	252	1.06	-
PK	5.588G	63.18	68.20	-5.02	5.40	3	V	252	1.06	-
PK	5.821G	121.73	Inf	-Inf	6.10	3	V	252	1.06	-
PK	5.925G	68.03	68.20	-0.17	6.50	3	V	252	1.06	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.82G	104.65	Inf	-Inf	6.10	3	H	71	1.02	-
PK	5.575G	59.05	68.20	-9.15	5.35	3	H	71	1.02	-
PK	5.82G	113.83	Inf	-Inf	6.10	3	H	71	1.02	-
PK	5.982G	59.42	68.20	-8.78	6.71	3	H	71	1.02	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6506G	46.47	54.00	-7.53	12.21	3	V	212	1.03	-
PK	11.6488G	60.51	74.00	-13.49	12.21	3	V	212	1.03	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 88
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6488G	41.29	54.00	-12.71	12.21	3	H	45	2.22	-
PK	11.64748G	54.84	74.00	-19.16	12.21	3	H	45	2.22	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	53.86	54.00	-0.14	4.32	3	V	258	1.16	-
AV	5.1984G	100.66	Inf	-Inf	4.43	3	V	258	1.16	-
AV	5.3592G	49.95	54.00	-4.05	4.75	3	V	258	1.16	-
PK	5.149995G	70.76	74.00	-3.24	4.32	3	V	258	1.16	-
PK	5.196G	111.58	Inf	-Inf	4.42	3	V	258	1.16	-
PK	5.358G	60.20	74.00	-13.80	4.74	3	V	258	1.16	-
PK	5.4852G	56.49	68.20	-11.71	5.05	3	V	258	1.16	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1492G	49.81	54.00	-4.19	4.32	3	H	91	1.07	-
AV	5.1792G	95.89	Inf	-Inf	4.38	3	H	91	1.07	-
AV	5.3592G	46.99	54.00	-7.01	4.75	3	H	91	1.07	-
PK	5.149995G	72.36	74.00	-1.64	4.32	3	H	91	1.07	-
PK	5.1996G	107.11	Inf	-Inf	4.43	3	H	91	1.07	-
PK	5.3652G	58.16	74.00	-15.84	4.76	3	H	91	1.07	-
PK	5.4768G	56.70	68.20	-11.50	5.03	3	H	91	1.07	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5667G	43.21	54.00	-10.79	13.88	3	V	336	2.02	-
PK	15.57234G	57.33	74.00	-16.67	13.87	3	V	336	2.02	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.56682G	43.25	54.00	-10.75	13.88	3	H	186	1.15	-
PK	15.5811G	56.49	74.00	-17.51	13.86	3	H	186	1.15	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 83
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.49	54.00	-1.51	4.32	3	V	257	1.01	-
AV	5.2384G	105.60	Inf	-Inf	4.51	3	V	257	1.01	-
AV	5.3836G	53.45	54.00	-0.55	4.79	3	V	257	1.01	-
PK	5.149995G	66.07	74.00	-7.93	4.32	3	V	257	1.01	-
PK	5.236G	116.16	Inf	-Inf	4.51	3	V	257	1.01	-
PK	5.3836G	63.63	74.00	-10.37	4.79	3	V	257	1.01	-
PK	5.4784G	61.01	68.20	-7.19	5.03	3	V	257	1.01	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 83
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	48.91	54.00	-5.09	4.32	3	H	93	1.12	-
AV	5.2336G	100.05	Inf	-Inf	4.50	3	H	93	1.12	-
AV	5.3836G	49.11	54.00	-4.89	4.79	3	H	93	1.12	-
PK	5.149995G	63.86	74.00	-10.14	4.32	3	H	93	1.12	-
PK	5.224G	111.53	Inf	-Inf	4.48	3	H	93	1.12	-
PK	5.3752G	59.89	74.00	-14.11	4.78	3	H	93	1.12	-
PK	5.4676G	58.41	68.20	-9.79	5.00	3	H	93	1.12	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 83
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.45904G	65.06	68.20	-3.14	11.25	3	V	173	1.34	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 83
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.45952G	57.86	68.20	-10.34	11.25	3	H	300	2.06	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 83
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1224G	52.49	54.00	-1.51	4.26	3	V	258	1.20	-
AV	5.2628G	106.17	Inf	-Inf	4.56	3	V	258	1.20	-
AV	5.3528G	53.77	54.00	-0.23	4.74	3	V	258	1.20	-
PK	5.1224G	62.13	74.00	-11.87	4.26	3	V	258	1.20	-
PK	5.276G	116.42	Inf	-Inf	4.59	3	V	258	1.20	-
PK	5.3552G	69.01	74.00	-4.99	4.74	3	V	258	1.20	-
PK	5.4992G	61.71	68.20	-6.49	5.09	3	V	258	1.20	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 83
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1032G	47.60	54.00	-6.40	4.22	3	H	89	1.19	-
AV	5.264G	99.94	Inf	-Inf	4.56	3	H	89	1.19	-
AV	5.3504G	49.79	54.00	-4.21	4.73	3	H	89	1.19	-
PK	5.1032G	58.59	74.00	-15.41	4.22	3	H	89	1.19	-
PK	5.264G	112.37	Inf	-Inf	4.56	3	H	89	1.19	-
PK	5.3564G	63.22	74.00	-10.78	4.74	3	H	89	1.19	-
PK	5.5004G	59.58	68.20	-8.62	5.09	3	H	89	1.19	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 83
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.53856G	61.22	68.20	-6.98	11.34	3	V	314	1.29	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 83
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.5394G	57.13	68.20	-11.07	11.34	3	H	172	1.46	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 66
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1432G	49.01	54.00	-4.99	4.31	3	V	259	1.03	-
AV	5.3028G	102.05	Inf	-Inf	4.65	3	V	259	1.03	-
AV	5.3532G	53.72	54.00	-0.28	4.74	3	V	259	1.03	-
PK	5.1432G	60.12	74.00	-13.88	4.31	3	V	259	1.03	-
PK	5.316G	112.45	Inf	-Inf	4.67	3	V	259	1.03	-
PK	5.350005G	73.95	74.00	-0.05	4.73	3	V	259	1.03	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 66
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1432G	45.29	54.00	-8.71	4.31	3	H	90	1.45	-
AV	5.3184G	96.13	Inf	-Inf	4.67	3	H	90	1.45	-
AV	5.3532G	50.40	54.00	-3.60	4.74	3	H	90	1.45	-
PK	5.1432G	57.63	74.00	-16.37	4.31	3	H	90	1.45	-
PK	5.3184G	107.79	Inf	-Inf	4.67	3	H	90	1.45	-
PK	5.350005G	72.53	74.00	-1.47	4.73	3	H	90	1.45	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 66
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.92298G	41.90	54.00	-12.10	13.45	3	V	61	2.39	-
PK	15.92028G	55.55	74.00	-18.45	13.45	3	V	61	2.39	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 66
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.91716G	41.62	54.00	-12.38	13.46	3	H	97	2.48	-
PK	15.94446G	55.44	74.00	-18.56	13.43	3	H	97	2.48	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 62
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	50.92	54.00	-3.08	4.98	3	V	91	1.13	-
AV	5.4692G	53.95	54.00	-0.05	5.01	3	V	91	1.13	-
AV	5.5004G	101.91	Inf	-Inf	5.09	3	V	91	1.13	-
AV	5.7428G	48.87	54.00	-5.13	5.86	3	V	91	1.13	-
PK	5.3396G	60.65	68.20	-7.55	4.71	3	V	91	1.13	-
PK	5.4548G	65.84	74.00	-8.16	4.97	3	V	91	1.13	-
PK	5.4692G	71.89	74.00	-2.11	5.01	3	V	91	1.13	-
PK	5.4992G	111.90	Inf	-Inf	5.09	3	V	91	1.13	-
PK	5.7428G	59.63	74.00	-14.37	5.86	3	V	91	1.13	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 62
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4584G	48.06	54.00	-5.94	4.98	3	H	85	1.13	-
AV	5.4692G	50.64	54.00	-3.36	5.01	3	H	85	1.13	-
AV	5.504G	96.19	Inf	-Inf	5.10	3	H	85	1.13	-
AV	5.7428G	45.22	54.00	-8.78	5.86	3	H	85	1.13	-
PK	5.3468G	57.45	68.20	-10.75	4.72	3	H	85	1.13	-
PK	5.459995G	65.47	74.00	-8.53	4.98	3	H	85	1.13	-
PK	5.4692G	69.25	74.00	-4.75	5.01	3	H	85	1.13	-
PK	5.5184G	107.03	Inf	-Inf	5.15	3	H	85	1.13	-
PK	5.738G	57.68	74.00	-16.32	5.85	3	H	85	1.13	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 62
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01544G	39.37	54.00	-14.63	11.88	3	V	349	2.07	-
PK	11.02366G	53.57	74.00	-20.43	11.88	3	V	349	2.07	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 62
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.03014G	39.51	54.00	-14.49	11.89	3	H	236	2.05	-
PK	11.02642G	53.70	74.00	-20.30	11.88	3	H	236	2.05	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 73
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3952G	53.79	54.00	-0.21	4.81	3	V	92	1.07	-
AV	5.4648G	49.16	54.00	-4.84	4.99	3	V	92	1.07	-
AV	5.5452G	103.82	Inf	-Inf	5.25	3	V	92	1.07	-
AV	5.7252G	50.18	54.00	-3.82	5.81	3	V	92	1.07	-
PK	5.3244G	60.98	68.20	-7.22	4.68	3	V	92	1.07	-
PK	5.394G	63.38	74.00	-10.62	4.81	3	V	92	1.07	-
PK	5.4696G	62.62	74.00	-11.38	5.01	3	V	92	1.07	-
PK	5.5404G	113.57	Inf	-Inf	5.23	3	V	92	1.07	-
PK	5.7804G	61.54	74.00	-12.46	5.97	3	V	92	1.07	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 73
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4012G	47.63	54.00	-6.37	4.82	3	H	79	1.02	-
AV	5.4684G	46.22	54.00	-7.78	5.00	3	H	79	1.02	-
AV	5.5416G	97.45	Inf	-Inf	5.24	3	H	79	1.02	-
AV	5.7276G	47.19	54.00	-6.81	5.82	3	H	79	1.02	-
PK	5.3256G	57.94	68.20	-10.26	4.69	3	H	79	1.02	-
PK	5.4012G	59.16	74.00	-14.84	4.82	3	H	79	1.02	-
PK	5.4684G	59.93	74.00	-14.07	5.00	3	H	79	1.02	-
PK	5.556G	109.13	Inf	-Inf	5.29	3	H	79	1.02	-
PK	5.7828G	59.05	74.00	-14.95	5.97	3	H	79	1.02	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 73
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0958G	38.95	54.00	-15.05	11.92	3	V	26	1.99	-
PK	11.09754G	52.62	74.00	-21.38	11.92	3	V	26	1.99	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 73
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.08896G	39.00	54.00	-15.00	11.92	3	H	127	2.16	-
PK	11.10696G	53.12	74.00	-20.88	11.93	3	H	127	2.16	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 71
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4348G	51.64	54.00	-2.36	4.91	3	V	92	1.01	-
AV	5.4696G	44.85	54.00	-9.15	5.01	3	V	92	1.01	-
AV	5.6652G	102.05	Inf	-Inf	5.64	3	V	92	1.01	-
AV	5.7264G	53.86	54.00	-0.14	5.81	3	V	92	1.01	-
PK	5.4396G	62.57	74.00	-11.43	4.93	3	V	92	1.01	-
PK	5.4696G	57.66	74.00	-16.34	5.01	3	V	92	1.01	-
PK	5.6544G	111.84	Inf	-Inf	5.60	3	V	92	1.01	-
PK	5.7264G	69.96	74.00	-4.04	5.81	3	V	92	1.01	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 71
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4336G	46.48	54.00	-7.52	4.91	3	H	72	1.08	-
AV	5.4636G	44.16	54.00	-9.84	4.99	3	H	72	1.08	-
AV	5.6748G	95.38	Inf	-Inf	5.66	3	H	72	1.08	-
AV	5.7252G	48.89	54.00	-5.11	5.81	3	H	72	1.08	-
PK	5.4384G	58.43	74.00	-15.57	4.92	3	H	72	1.08	-
PK	5.4684G	56.03	74.00	-17.97	5.00	3	H	72	1.08	-
PK	5.6808G	106.86	Inf	-Inf	5.68	3	H	72	1.08	-
PK	5.7276G	63.34	74.00	-10.66	5.82	3	H	72	1.08	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 71
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34264G	40.07	54.00	-13.93	12.05	3	V	301	1.08	-
PK	11.33058G	54.55	74.00	-19.45	12.04	3	V	301	1.08	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 71
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.32788G	39.99	54.00	-14.01	12.04	3	H	264	1.04	-
PK	11.34936G	54.66	74.00	-19.34	12.05	3	H	264	1.04	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 80
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	53.81	54.00	-0.19	4.97	3	V	313	1.06	-
AV	5.704G	106.08	Inf	-Inf	5.75	3	V	313	1.06	-
PK	5.458G	63.67	74.00	-10.33	4.98	3	V	313	1.06	-
PK	5.462G	65.23	68.20	-2.97	4.99	3	V	313	1.06	-
PK	5.704G	115.80	Inf	-Inf	5.75	3	V	313	1.06	-
PK	5.94G	64.95	68.20	-3.25	6.56	3	V	313	1.06	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 80
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.55	54.00	-3.45	4.98	3	H	80	1.01	-
AV	5.696G	99.98	Inf	-Inf	5.73	3	H	80	1.01	-
PK	5.456G	61.46	74.00	-12.54	4.97	3	H	80	1.01	-
PK	5.466G	61.95	68.20	-6.25	5.00	3	H	80	1.01	-
PK	5.716G	111.25	Inf	-Inf	5.78	3	H	80	1.01	-
PK	5.938G	61.90	68.20	-6.30	6.55	3	H	80	1.01	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 80
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40842G	39.34	54.00	-14.66	12.08	3	V	155	2.05	-
PK	11.40608G	53.57	74.00	-20.43	12.08	3	V	155	2.05	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 80
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4068G	39.34	54.00	-14.66	12.08	3	H	75	1.90	-
PK	11.41136G	53.30	74.00	-20.70	12.08	3	H	75	1.90	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 89
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.745G	107.73	Inf	-Inf	5.87	3	V	93	1.27	-
PK	5.651G	68.73	68.94	-0.21	5.59	3	V	93	1.27	-
PK	5.77G	117.92	Inf	-Inf	5.94	3	V	93	1.27	-
PK	5.931G	61.70	68.20	-6.50	6.52	3	V	93	1.27	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 89
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.76G	101.76	Inf	-Inf	5.91	3	H	79	2.91	-
PK	5.645G	60.79	68.20	-7.41	5.57	3	H	79	2.91	-
PK	5.766G	112.84	Inf	-Inf	5.92	3	H	79	2.91	-
PK	5.926G	59.31	68.20	-8.89	6.51	3	H	79	2.91	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 89
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5109G	40.80	54.00	-13.20	12.14	3	V	110	1.06	-
PK	11.51084G	55.94	74.00	-18.06	12.14	3	V	110	1.06	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 89
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51714G	39.28	54.00	-14.72	12.14	3	H	113	1.47	-
PK	11.52176G	53.22	74.00	-20.78	12.14	3	H	113	1.47	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 90
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.79G	107.54	Inf	-Inf	5.99	3	V	93	1.14	-
PK	5.642G	62.58	68.20	-5.62	5.57	3	V	93	1.14	-
PK	5.785G	117.98	Inf	-Inf	5.98	3	V	93	1.14	-
PK	5.941G	67.75	68.20	-0.45	6.56	3	V	93	1.14	-

802.11ac VHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.785G	101.30	Inf	-Inf	5.98	3	H	72	1.11	-
PK	5.566G	58.78	68.20	-9.42	5.32	3	H	72	1.11	-
PK	5.801G	112.94	Inf	-Inf	6.02	3	H	72	1.11	-
PK	5.925G	59.69	68.20	-8.51	6.50	3	H	72	1.11	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 90
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58916G	41.11	54.00	-12.89	12.18	3	V	112	1.12	-
PK	11.59036G	55.48	74.00	-18.52	12.18	3	V	112	1.12	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 90
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57668G	39.02	54.00	-14.98	12.17	3	H	348	1.27	-
PK	11.60494G	52.89	74.00	-21.11	12.18	3	H	348	1.27	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1428G	53.93	54.00	-0.07	4.30	3	V	258	1.03	-
AV	5.2232G	99.50	Inf	-Inf	4.48	3	V	258	1.03	-
AV	5.354G	49.36	54.00	-4.64	4.74	3	V	258	1.03	-
PK	5.1488G	72.67	74.00	-1.33	4.32	3	V	258	1.03	-
PK	5.1968G	109.44	Inf	-Inf	4.42	3	V	258	1.03	-
PK	5.354G	60.14	74.00	-13.86	4.74	3	V	258	1.03	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.83	54.00	-4.17	4.32	3	H	93	1.11	-
AV	5.2244G	94.15	Inf	-Inf	4.48	3	H	93	1.11	-
AV	5.3588G	46.47	54.00	-7.53	4.75	3	H	93	1.11	-
PK	5.149995G	68.08	74.00	-5.92	4.32	3	H	93	1.11	-
PK	5.2244G	105.29	Inf	-Inf	4.48	3	H	93	1.11	-
PK	5.384G	58.41	74.00	-15.59	4.79	3	H	93	1.11	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62028G	43.53	54.00	-10.47	13.81	3	V	322	1.40	-
PK	15.6159G	56.04	74.00	-17.96	13.82	3	V	322	1.40	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.63156G	43.24	54.00	-10.76	13.80	3	H	62	1.86	-
PK	15.6177G	55.58	74.00	-18.42	13.81	3	H	62	1.86	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1436G	47.55	54.00	-6.45	4.31	3	V	257	1.04	-
AV	5.3032G	99.00	Inf	-Inf	4.65	3	V	257	1.04	-
AV	5.3536G	53.86	54.00	-0.14	4.74	3	V	257	1.04	-
PK	5.1424G	58.69	74.00	-15.31	4.30	3	V	257	1.04	-
PK	5.2768G	109.35	Inf	-Inf	4.59	3	V	257	1.04	-
PK	5.3584G	73.14	74.00	-0.86	4.75	3	V	257	1.04	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-L-2-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1484G	44.76	54.00	-9.24	4.32	3	H	89	1.12	-
AV	5.2792G	93.48	Inf	-Inf	4.60	3	H	89	1.12	-
AV	5.3548G	50.12	54.00	-3.88	4.74	3	H	89	1.12	-
PK	5.1484G	56.89	74.00	-17.11	4.32	3	H	89	1.12	-
PK	5.3032G	103.00	Inf	-Inf	4.65	3	H	89	1.12	-
PK	5.350005G	71.86	74.00	-2.14	4.73	3	H	89	1.12	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88266G	43.72	54.00	-10.28	13.50	3	V	39	2.40	-
PK	15.86064G	55.92	74.00	-18.08	13.53	3	V	39	2.40	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 63
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.85764G	43.96	54.00	-10.04	13.53	3	H	119	1.92	-
PK	15.8604G	56.76	74.00	-17.24	13.53	3	H	119	1.92	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 59
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	52.50	54.00	-1.50	4.98	3	V	92	1.24	-
AV	5.4652G	53.99	54.00	-0.01	5.00	3	V	92	1.24	-
AV	5.5144G	98.75	Inf	-Inf	5.14	3	V	92	1.24	-
AV	5.7256G	47.99	54.00	-6.01	5.81	3	V	92	1.24	-
PK	5.4556G	73.92	74.00	-0.08	4.97	3	V	92	1.24	-
PK	5.4628G	69.96	74.00	-4.04	4.99	3	V	92	1.24	-
PK	5.5G	108.44	Inf	-Inf	5.09	3	V	92	1.24	-
PK	5.7424G	58.77	74.00	-15.23	5.86	3	V	92	1.24	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 59
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	48.17	54.00	-5.83	4.98	3	H	89	2.99	-
AV	5.4628G	49.05	54.00	-4.95	4.99	3	H	89	2.99	-
AV	5.542G	93.17	Inf	-Inf	5.24	3	H	89	2.99	-
AV	5.7484G	45.97	54.00	-8.03	5.88	3	H	89	2.99	-
PK	5.4544G	63.99	74.00	-10.01	4.97	3	H	89	2.99	-
PK	5.4688G	70.16	74.00	-3.84	5.01	3	H	89	2.99	-
PK	5.5156G	102.49	Inf	-Inf	5.14	3	H	89	2.99	-
PK	5.764G	57.61	74.00	-16.39	5.92	3	H	89	2.99	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 59
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05574G	40.22	54.00	-13.78	11.90	3	V	265	1.08	-
PK	11.05628G	53.35	74.00	-20.65	11.90	3	V	265	1.08	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 59
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.066G	40.35	54.00	-13.65	11.90	3	H	73	1.85	-
PK	11.07158G	52.49	74.00	-21.51	11.91	3	H	73	1.85	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 75
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	52.76	54.00	-1.24	4.97	3	V	94	1.11	-
AV	5.6004G	102.19	Inf	-Inf	5.44	3	V	94	1.11	-
PK	5.4588G	64.15	74.00	-9.85	4.98	3	V	94	1.11	-
PK	5.4696G	64.41	68.20	-3.79	5.01	3	V	94	1.11	-
PK	5.5956G	111.81	Inf	-Inf	5.42	3	V	94	1.11	-
PK	5.7324G	67.91	68.20	-0.29	5.83	3	V	94	1.11	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 75
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4564G	47.83	54.00	-6.17	4.97	3	H	78	1.04	-
AV	5.6256G	95.57	Inf	-Inf	5.52	3	H	78	1.04	-
PK	5.4372G	59.79	74.00	-14.21	4.92	3	H	78	1.04	-
PK	5.466G	62.21	68.20	-5.99	5.00	3	H	78	1.04	-
PK	5.6256G	106.45	Inf	-Inf	5.52	3	H	78	1.04	-
PK	5.7336G	63.09	68.20	-5.11	5.83	3	H	78	1.04	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 75
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.21046G	40.80	54.00	-13.20	11.98	3	V	109	1.13	-
PK	11.22702G	54.10	74.00	-19.90	11.99	3	V	109	1.13	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 75
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22324G	40.69	54.00	-13.31	11.99	3	H	47	2.11	-
PK	11.23098G	53.37	74.00	-20.63	11.99	3	H	47	2.11	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 85
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	53.97	54.00	-0.03	4.97	3	V	312	1.04	-
AV	5.7G	105.48	Inf	-Inf	5.74	3	V	312	1.04	-
PK	5.452G	64.02	74.00	-9.98	4.96	3	V	312	1.04	-
PK	5.468G	65.09	68.20	-3.11	5.00	3	V	312	1.04	-
PK	5.694G	114.61	Inf	-Inf	5.72	3	V	312	1.04	-
PK	5.924G	64.58	68.94	-4.36	6.50	3	V	312	1.04	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 85
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.452G	50.44	54.00	-3.56	4.96	3	H	81	1.02	-
AV	5.696G	99.67	Inf	-Inf	5.73	3	H	81	1.02	-
PK	5.446G	61.58	74.00	-12.42	4.94	3	H	81	1.02	-
PK	5.462G	60.90	68.20	-7.30	4.99	3	H	81	1.02	-
PK	5.716G	109.85	Inf	-Inf	5.78	3	H	81	1.02	-
PK	5.934G	60.79	68.20	-7.41	6.54	3	H	81	1.02	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 85
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37964G	40.92	54.00	-13.08	12.07	3	V	244	2.33	-
PK	11.36848G	53.87	74.00	-20.13	12.06	3	V	244	2.33	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170216
EUT Z 4TX Non-TXBF
Setting 85
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37652G	40.87	54.00	-13.13	12.07	3	H	355	2.42	-
PK	11.37154G	52.85	74.00	-21.15	12.06	3	H	355	2.42	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 82
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.76G	102.81	Inf	-Inf	5.91	3	V	96	1.28	-
PK	5.65G	68.03	68.20	-0.17	5.59	3	V	96	1.28	-
PK	5.745G	112.20	Inf	-Inf	5.87	3	V	96	1.28	-
PK	5.932G	64.85	68.20	-3.35	6.53	3	V	96	1.28	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 82
01-J-4-10
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.76G	97.70	Inf	-Inf	5.91	3	H	77	2.79	-
PK	5.649G	63.36	68.20	-4.84	5.59	3	H	77	2.79	-
PK	5.765G	108.59	Inf	-Inf	5.92	3	H	77	2.79	-
PK	5.927G	62.28	68.20	-5.92	6.51	3	H	77	2.79	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 82
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5537G	40.31	54.00	-13.69	12.16	3	V	0	1.50	-
PK	11.5614G	53.28	74.00	-20.72	12.16	3	V	0	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170213
EUT Z 4TX Non-TXBF
Setting 82
01-J-4
FSP(100056)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.317G	41.40	54.00	-12.60	12.03	3	H	270	1.19	-
PK	11.339G	54.07	74.00	-19.93	12.05	3	H	270	1.19	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170309
EUT_Z_4TX
Setting 74
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.89	54.00	-0.11	4.27	3	V	197	1.01	-
AV	5.1832G	109.86	Inf	-Inf	4.34	3	V	197	1.01	-
AV	5.4232G	48.09	54.00	-5.91	4.83	3	V	197	1.01	-
PK	5.149995G	67.34	74.00	-6.66	4.27	3	V	197	1.01	-
PK	5.1848G	119.35	Inf	-Inf	4.35	3	V	197	1.01	-
PK	5.4232G	60.59	74.00	-13.41	4.83	3	V	197	1.01	-
PK	5.4744G	59.56	68.20	-8.64	4.96	3	V	197	1.01	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170309
EUT_Z_4TX
Setting 74
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	46.83	54.00	-7.17	4.27	3	H	92	1.31	-
AV	5.188G	106.26	Inf	-Inf	4.35	3	H	92	1.31	-
AV	5.428G	46.88	54.00	-7.12	4.84	3	H	92	1.31	-
PK	5.149995G	58.87	74.00	-15.13	4.27	3	H	92	1.31	-
PK	5.188G	115.51	Inf	-Inf	4.35	3	H	92	1.31	-
PK	5.4296G	58.56	74.00	-15.44	4.85	3	H	92	1.31	-
PK	5.476G	59.27	68.20	-8.93	4.97	3	H	92	1.31	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170309
EUT_Z_4TX
Setting 74
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.3587G	65.94	68.20	-2.26	11.08	3	V	249	2.31	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170309
EUT_Z_4TX
Setting 74
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.36136G	59.06	68.20	-9.14	11.08	3	H	330	1.30	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170310
EUT_Z_4TX
Setting 80
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.144G	50.39	54.00	-3.61	4.26	3	V	83	1.33	-
AV	5.2032G	111.00	Inf	-Inf	4.39	3	V	83	1.33	-
AV	5.3648G	50.15	54.00	-3.85	4.71	3	V	83	1.33	-
PK	5.1424G	65.55	74.00	-8.45	4.25	3	V	83	1.33	-
PK	5.2064G	120.57	Inf	-Inf	4.39	3	V	83	1.33	-
PK	5.3648G	61.51	74.00	-12.49	4.71	3	V	83	1.33	-
PK	5.4976G	63.31	68.20	-4.89	5.02	3	V	83	1.33	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170310
EUT_Z_4TX
Setting 80
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.128G	47.00	54.00	-7.00	4.22	3	H	72	1.01	-
AV	5.208G	106.27	Inf	-Inf	4.40	3	H	72	1.01	-
AV	5.368G	47.67	54.00	-6.33	4.71	3	H	72	1.01	-
PK	5.1392G	59.16	74.00	-14.84	4.25	3	H	72	1.01	-
PK	5.208G	116.27	Inf	-Inf	4.40	3	H	72	1.01	-
PK	5.3664G	58.95	74.00	-15.05	4.71	3	H	72	1.01	-
PK	5.4976G	59.73	68.20	-8.47	5.02	3	H	72	1.01	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170310
EUT_Z_4TX
Setting 80
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60456G	45.12	54.00	-8.88	13.72	3	V	352	2.17	-
PK	10.39922G	67.92	68.20	-0.28	11.12	3	V	223	1.00	-
PK	15.60008G	59.23	74.00	-14.77	13.73	3	V	352	2.17	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170310
EUT_Z_4TX
Setting 80
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6021G	45.15	54.00	-8.85	13.72	3	H	234	1.08	-
PK	10.40162G	62.57	68.20	-5.63	11.12	3	H	257	1.06	-
PK	15.5997G	58.95	74.00	-15.05	13.73	3	H	234	1.08	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0752G	48.72	54.00	-5.28	4.10	3	V	256	1.14	-
AV	5.2352G	111.01	Inf	-Inf	4.45	3	V	256	1.14	-
AV	5.3968G	49.46	54.00	-4.54	4.76	3	V	256	1.14	-
PK	5.0752G	60.29	74.00	-13.71	4.10	3	V	256	1.14	-
PK	5.2384G	120.46	Inf	-Inf	4.46	3	V	256	1.14	-
PK	5.3936G	61.12	74.00	-12.88	4.76	3	V	256	1.14	-
PK	5.4832G	59.83	68.20	-8.37	4.99	3	V	256	1.14	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0864G	45.80	54.00	-8.20	4.13	3	H	92	1.11	-
AV	5.248G	106.48	Inf	-Inf	4.48	3	H	92	1.11	-
AV	5.408G	47.08	54.00	-6.92	4.79	3	H	92	1.11	-
PK	5.1456G	58.49	74.00	-15.51	4.26	3	H	92	1.11	-
PK	5.248G	115.75	Inf	-Inf	4.48	3	H	92	1.11	-
PK	5.4448G	59.00	74.00	-15.00	4.89	3	H	92	1.11	-
PK	5.5632G	58.92	68.20	-9.28	5.25	3	H	92	1.11	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.71522G	44.19	54.00	-9.81	13.58	3	V	315	1.82	-
PK	10.48142G	67.12	68.20	-1.08	11.21	3	V	317	1.02	-
PK	15.71504G	58.91	74.00	-15.09	13.58	3	V	315	1.82	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72324G	44.20	54.00	-9.80	13.57	3	H	83	1.30	-
PK	10.47888G	61.89	68.20	-6.31	11.21	3	H	31	1.10	-
PK	15.7182G	57.94	74.00	-16.06	13.58	3	H	83	1.30	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1064G	49.66	54.00	-4.34	4.17	3	V	190	1.29	-
AV	5.268G	113.45	Inf	-Inf	4.52	3	V	190	1.29	-
AV	5.428G	51.38	54.00	-2.62	4.84	3	V	190	1.29	-
PK	5.1064G	60.31	74.00	-13.69	4.17	3	V	190	1.29	-
PK	5.268G	122.51	Inf	-Inf	4.52	3	V	190	1.29	-
PK	5.4264G	61.62	74.00	-12.38	4.84	3	V	190	1.29	-
PK	5.5592G	60.84	68.20	-7.36	5.24	3	V	190	1.29	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.092G	45.83	54.00	-8.17	4.14	3	H	73	1.35	-
AV	5.252G	106.33	Inf	-Inf	4.49	3	H	73	1.35	-
AV	5.412G	46.93	54.00	-7.07	4.80	3	H	73	1.35	-
PK	5.0152G	57.31	74.00	-16.69	3.96	3	H	73	1.35	-
PK	5.2536G	114.90	Inf	-Inf	4.49	3	H	73	1.35	-
PK	5.412G	58.47	74.00	-15.53	4.80	3	H	73	1.35	-
PK	5.4968G	59.07	68.20	-9.13	5.02	3	H	73	1.35	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78408G	44.31	54.00	-9.69	13.50	3	V	22	1.95	-
PK	10.52146G	63.89	68.20	-4.31	11.26	3	V	308	1.01	-
PK	15.78108G	58.11	74.00	-15.89	13.50	3	V	22	1.95	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78148G	44.17	54.00	-9.83	13.50	3	H	254	1.99	-
PK	10.51882G	59.36	68.20	-8.84	11.26	3	H	283	2.38	-
PK	15.78093G	57.85	74.00	-16.15	13.50	3	H	254	1.99	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1464G	48.78	54.00	-5.22	4.26	3	V	193	1.04	-
AV	5.3064G	112.60	Inf	-Inf	4.60	3	V	193	1.04	-
AV	5.350005G	50.44	54.00	-3.56	4.68	3	V	193	1.04	-
PK	5.1448G	59.49	74.00	-14.51	4.26	3	V	193	1.04	-
PK	5.3064G	121.92	Inf	-Inf	4.60	3	V	193	1.04	-
PK	5.350005G	63.09	74.00	-10.91	4.68	3	V	193	1.04	-
PK	5.4664G	62.50	68.20	-5.70	4.94	3	V	193	1.04	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1304G	45.84	54.00	-8.16	4.23	3	H	73	1.34	-
AV	5.292G	107.31	Inf	-Inf	4.57	3	H	73	1.34	-
AV	5.3592G	47.93	54.00	-6.07	4.70	3	H	73	1.34	-
PK	5.0872G	57.49	74.00	-16.51	4.13	3	H	73	1.34	-
PK	5.292G	115.55	Inf	-Inf	4.57	3	H	73	1.34	-
PK	5.4328G	59.31	74.00	-14.69	4.86	3	H	73	1.34	-
PK	5.6168G	58.59	68.20	-9.61	5.43	3	H	73	1.34	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60058G	45.15	54.00	-8.85	11.35	3	V	280	1.14	-
PK	10.60166G	62.83	74.00	-11.17	11.35	3	V	280	1.14	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6006G	41.96	54.00	-12.04	11.35	3	H	257	1.29	-
PK	10.60135G	56.34	74.00	-17.66	11.35	3	H	257	1.29	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170309
EUT_Z_4TX
Setting 73
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.088G	46.89	54.00	-7.11	4.13	3	V	252	1.24	-
AV	5.3248G	108.49	Inf	-Inf	4.63	3	V	252	1.24	-
AV	5.3504G	53.92	54.00	-0.08	4.68	3	V	252	1.24	-
PK	5.128G	58.34	74.00	-15.66	4.22	3	V	252	1.24	-
PK	5.3232G	118.59	Inf	-Inf	4.63	3	V	252	1.24	-
PK	5.3552G	70.23	74.00	-3.77	4.69	3	V	252	1.24	-
PK	5.5632G	60.69	68.20	-7.51	5.25	3	V	252	1.24	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170309
EUT_Z_4TX
Setting 73
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0816G	45.10	54.00	-8.90	4.12	3	H	78	1.16	-
AV	5.3216G	101.75	Inf	-Inf	4.63	3	H	78	1.16	-
AV	5.3504G	49.65	54.00	-4.35	4.68	3	H	78	1.16	-
PK	5.0736G	57.88	74.00	-16.12	4.10	3	H	78	1.16	-
PK	5.3216G	111.76	Inf	-Inf	4.63	3	H	78	1.16	-
PK	5.352G	65.21	74.00	-8.79	4.68	3	H	78	1.16	-
PK	5.56G	59.08	68.20	-9.12	5.24	3	H	78	1.16	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170310
EUT_Z_4TX
Setting 73
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64048G	43.57	54.00	-10.43	11.39	3	V	197	1.01	-
AV	15.95962G	44.78	54.00	-9.22	13.28	3	V	339	2.21	-
PK	10.63938G	58.03	74.00	-15.97	11.39	3	V	197	1.01	-
PK	15.96107G	58.75	74.00	-15.25	13.28	3	V	339	2.21	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170310
EUT_Z_4TX
Setting 73
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64077G	40.28	54.00	-13.72	11.39	3	H	199	1.71	-
AV	15.96234G	44.94	54.00	-9.06	13.28	3	H	179	2.15	-
PK	10.63956G	54.46	74.00	-19.54	11.39	3	H	199	1.71	-
PK	15.95862G	58.51	74.00	-15.49	13.28	3	H	179	2.15	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170309
EUT_Z_4TX
Setting 63
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.66	54.00	-4.34	4.93	3	V	86	1.01	-
AV	5.4696G	51.60	54.00	-2.40	4.95	3	V	86	1.01	-
AV	5.4968G	108.36	Inf	-Inf	5.02	3	V	86	1.01	-
AV	5.7384G	53.98	54.00	-0.02	5.79	3	V	86	1.01	-
PK	5.3448G	61.65	68.20	-6.55	4.67	3	V	86	1.01	-
PK	5.46G	62.50	74.00	-11.50	4.93	3	V	86	1.01	-
PK	5.468G	69.77	74.00	-4.23	4.95	3	V	86	1.01	-
PK	5.5032G	119.82	Inf	-Inf	5.04	3	V	86	1.01	-
PK	5.7384G	65.65	74.00	-8.35	5.79	3	V	86	1.01	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170309
EUT_Z_4TX
Setting 63
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4264G	46.73	54.00	-7.27	4.84	3	H	43	1.07	-
AV	5.468G	46.58	54.00	-7.42	4.95	3	H	43	1.07	-
AV	5.508G	102.70	Inf	-Inf	5.06	3	H	43	1.07	-
AV	5.748G	51.40	54.00	-2.60	5.81	3	H	43	1.07	-
PK	5.2664G	58.81	68.20	-9.39	4.52	3	H	43	1.07	-
PK	5.428G	59.17	74.00	-14.83	4.84	3	H	43	1.07	-
PK	5.468G	58.72	74.00	-15.28	4.95	3	H	43	1.07	-
PK	5.5064G	112.53	Inf	-Inf	5.05	3	H	43	1.07	-
PK	5.748G	62.34	74.00	-11.66	5.81	3	H	43	1.07	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170310
EUT_Z_4TX
Setting 63
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00229G	39.32	54.00	-14.68	11.80	3	V	207	1.68	-
PK	10.99914G	52.96	74.00	-21.04	11.80	3	V	207	1.68	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170310
EUT_Z_4TX
Setting 63
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00009G	39.30	54.00	-14.70	11.80	3	H	253	1.03	-
PK	11.00023G	53.00	74.00	-21.00	11.80	3	H	253	1.03	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170309
EUT_Z_4TX
Setting 65
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4152G	53.73	54.00	-0.27	4.81	3	V	265	1.28	-
AV	5.5752G	107.38	Inf	-Inf	5.29	3	V	265	1.28	-
PK	5.412G	64.08	74.00	-9.92	4.80	3	V	265	1.28	-
PK	5.4664G	58.32	68.20	-9.88	4.94	3	V	265	1.28	-
PK	5.5752G	117.47	Inf	-Inf	5.29	3	V	265	1.28	-
PK	5.8168G	63.76	68.20	-4.44	6.02	3	V	265	1.28	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170309
EUT_Z_4TX
Setting 65
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.412G	50.45	54.00	-3.55	4.80	3	H	81	1.26	-
AV	5.572G	103.95	Inf	-Inf	5.28	3	H	81	1.26	-
PK	5.412G	60.57	74.00	-13.43	4.80	3	H	81	1.26	-
PK	5.4696G	57.91	68.20	-10.29	4.95	3	H	81	1.26	-
PK	5.572G	113.02	Inf	-Inf	5.28	3	H	81	1.26	-
PK	5.732G	61.38	68.20	-6.82	5.77	3	H	81	1.26	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170310
EUT_Z_4TX
Setting 65
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16162G	39.30	54.00	-14.70	11.88	3	V	311	2.23	-
PK	11.15961G	52.86	74.00	-21.14	11.88	3	V	311	2.23	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170310
EUT_Z_4TX
Setting 65
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15816G	39.18	54.00	-14.82	11.88	3	H	119	1.38	-
PK	11.15947G	53.36	74.00	-20.64	11.88	3	H	119	1.38	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170309
EUT_Z_4TX
Setting 65
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4552G	50.78	54.00	-3.22	4.91	3	V	82	1.24	-
AV	5.4664G	52.45	54.00	-1.55	4.94	3	V	82	1.24	-
AV	5.6952G	106.75	Inf	-Inf	5.67	3	V	82	1.24	-
AV	5.7256G	53.62	54.00	-0.38	5.75	3	V	82	1.24	-
PK	5.4552G	63.41	74.00	-10.59	4.91	3	V	82	1.24	-
PK	5.468G	62.84	74.00	-11.16	4.95	3	V	82	1.24	-
PK	5.6968G	116.76	Inf	-Inf	5.67	3	V	82	1.24	-
PK	5.7256G	71.47	74.00	-2.53	5.75	3	V	82	1.24	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170309
EUT_Z_4TX
Setting 65
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4536G	48.18	54.00	-5.82	4.91	3	H	44	1.01	-
AV	5.4616G	47.43	54.00	-6.57	4.93	3	H	44	1.01	-
AV	5.6952G	101.73	Inf	-Inf	5.67	3	H	44	1.01	-
AV	5.9384G	49.03	54.00	-4.97	6.49	3	H	44	1.01	-
PK	5.452G	60.09	74.00	-13.91	4.91	3	H	44	1.01	-
PK	5.4632G	59.16	74.00	-14.84	4.93	3	H	44	1.01	-
PK	5.6952G	112.06	Inf	-Inf	5.67	3	H	44	1.01	-
PK	5.8648G	61.12	74.00	-12.88	6.21	3	H	44	1.01	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170310
EUT_Z_4TX
Setting 65
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40039G	39.18	54.00	-14.82	12.00	3	V	5	1.20	-
PK	11.39756G	53.35	74.00	-20.65	11.99	3	V	5	1.20	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170310
EUT_Z_4TX
Setting 65
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40008G	39.14	54.00	-14.86	12.00	3	H	293	1.56	-
PK	11.40105G	52.91	74.00	-21.09	12.00	3	H	293	1.56	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4064G	46.68	54.00	-7.32	4.79	3	V	223	1.50	-
AV	5.7264G	111.22	Inf	-Inf	5.75	3	V	223	1.50	-
PK	5.408G	58.81	74.00	-15.19	4.79	3	V	223	1.50	-
PK	5.4624G	58.08	68.20	-10.12	4.93	3	V	223	1.50	-
PK	5.728G	120.58	Inf	-Inf	5.76	3	V	223	1.50	-
PK	5.9648G	66.23	68.20	-1.97	6.59	3	V	223	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4032G	46.30	54.00	-7.70	4.78	3	H	74	1.30	-
AV	5.7248G	104.67	Inf	-Inf	5.75	3	H	74	1.30	-
PK	5.408G	58.80	74.00	-15.20	4.79	3	H	74	1.30	-
PK	5.4608G	58.30	68.20	-9.90	4.93	3	H	74	1.30	-
PK	5.7232G	113.97	Inf	-Inf	5.74	3	H	74	1.30	-
PK	5.9648G	64.15	68.20	-4.05	6.59	3	H	74	1.30	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44023G	39.90	54.00	-14.10	12.02	3	V	345	2.10	-
PK	11.43809G	53.46	74.00	-20.54	12.01	3	V	345	2.10	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43813G	39.28	54.00	-14.72	12.01	3	H	42	1.04	-
PK	11.44019G	52.83	74.00	-21.17	12.02	3	H	42	1.04	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4314G	46.21	54.00	-7.79	4.85	3	V	334	1.13	-
AV	5.7498G	112.05	Inf	-Inf	5.82	3	V	334	1.13	-
PK	5.4282G	58.71	74.00	-15.29	4.84	3	V	334	1.13	-
PK	5.513G	67.00	68.20	-1.20	5.08	3	V	334	1.13	-
PK	5.7498G	121.79	Inf	-Inf	5.82	3	V	334	1.13	-
PK	5.9898G	64.64	68.20	-3.56	6.68	3	V	334	1.13	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4442G	45.55	54.00	-8.45	4.88	3	H	84	2.94	-
AV	5.7482G	105.12	Inf	-Inf	5.81	3	H	84	2.94	-
PK	5.4442G	57.88	74.00	-16.12	4.88	3	H	84	2.94	-
PK	5.513G	60.19	68.20	-8.01	5.08	3	H	84	2.94	-
PK	5.7514G	114.62	Inf	-Inf	5.82	3	H	84	2.94	-
PK	5.9898G	61.94	68.20	-6.26	6.68	3	H	84	2.94	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49248G	39.46	54.00	-14.54	12.04	3	V	22	2.05	-
PK	11.49048G	52.64	74.00	-21.36	12.04	3	V	22	2.05	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4924G	39.14	54.00	-14.86	12.04	3	H	268	2.41	-
PK	11.49144G	53.27	74.00	-20.73	12.04	3	H	268	2.41	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.05	54.00	-6.95	4.93	3	V	313	1.12	-
AV	5.7818G	112.99	Inf	-Inf	5.91	3	V	313	1.12	-
PK	5.457G	58.69	74.00	-15.31	4.92	3	V	313	1.12	-
PK	5.5514G	67.87	68.20	-0.33	5.21	3	V	313	1.12	-
PK	5.785G	123.36	Inf	-Inf	5.92	3	V	313	1.12	-
PK	5.9402G	64.40	68.20	-3.80	6.49	3	V	313	1.12	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3994G	45.55	54.00	-8.45	4.77	3	H	99	1.06	-
AV	5.793G	105.63	Inf	-Inf	5.94	3	H	99	1.06	-
PK	5.4378G	57.87	74.00	-16.13	4.87	3	H	99	1.06	-
PK	5.5514G	61.23	68.20	-6.97	5.21	3	H	99	1.06	-
PK	5.793G	115.03	Inf	-Inf	5.94	3	H	99	1.06	-
PK	5.9514G	60.15	68.20	-8.05	6.54	3	H	99	1.06	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57007G	39.79	54.00	-14.21	12.08	3	V	342	1.19	-
PK	11.56882G	53.82	74.00	-20.18	12.08	3	V	342	1.19	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56878G	39.49	54.00	-14.51	12.08	3	H	191	1.58	-
PK	11.57009G	53.51	74.00	-20.49	12.08	3	H	191	1.58	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	45.81	54.00	-8.19	4.92	3	V	315	1.00	-
AV	5.817G	113.18	Inf	-Inf	6.02	3	V	315	1.00	-
PK	5.441G	58.51	74.00	-15.49	4.88	3	V	315	1.00	-
PK	5.5898G	65.90	68.20	-2.30	5.34	3	V	315	1.00	-
PK	5.817G	122.06	Inf	-Inf	6.02	3	V	315	1.00	-
PK	5.9802G	63.17	68.20	-5.03	6.64	3	V	315	1.00	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170309
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	45.50	54.00	-8.50	4.92	3	H	102	1.08	-
AV	5.817G	105.40	Inf	-Inf	6.02	3	H	102	1.08	-
PK	5.4282G	58.05	74.00	-15.95	4.84	3	H	102	1.08	-
PK	5.5866G	59.36	68.20	-8.84	5.33	3	H	102	1.08	-
PK	5.817G	115.18	Inf	-Inf	6.02	3	H	102	1.08	-
PK	5.977G	60.05	68.20	-8.15	6.63	3	H	102	1.08	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65007G	41.72	54.00	-12.28	12.12	3	V	84	1.30	-
PK	11.65145G	56.42	74.00	-17.58	12.12	3	V	84	1.30	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65098G	40.14	54.00	-13.86	12.12	3	H	75	1.31	-
PK	11.65126G	54.38	74.00	-19.62	12.12	3	H	75	1.31	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170309
EUT_Z_4TX
Setting 63
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.96	54.00	-0.04	4.27	3	V	248	1.07	-
AV	5.2076G	104.18	Inf	-Inf	4.40	3	V	248	1.07	-
AV	5.4396G	51.01	54.00	-2.99	4.87	3	V	248	1.07	-
PK	5.1484G	69.96	74.00	-4.04	4.27	3	V	248	1.07	-
PK	5.2044G	114.09	Inf	-Inf	4.39	3	V	248	1.07	-
PK	5.358G	62.31	74.00	-11.69	4.69	3	V	248	1.07	-
PK	5.5164G	58.81	68.20	-9.39	5.09	3	V	248	1.07	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170309
EUT_Z_4TX
Setting 63
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.87	54.00	-6.13	4.27	3	H	97	1.37	-
AV	5.182G	99.82	Inf	-Inf	4.34	3	H	97	1.37	-
AV	5.422G	47.36	54.00	-6.64	4.83	3	H	97	1.37	-
PK	5.1484G	67.64	74.00	-6.36	4.27	3	H	97	1.37	-
PK	5.182G	109.95	Inf	-Inf	4.34	3	H	97	1.37	-
PK	5.422G	59.54	74.00	-14.46	4.83	3	H	97	1.37	-
PK	5.582G	58.37	68.20	-9.83	5.32	3	H	97	1.37	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170310
EUT_Z_4TX
Setting 63
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57183G	45.23	54.00	-8.77	13.76	3	V	322	1.99	-
PK	15.57188G	59.10	74.00	-14.90	13.76	3	V	322	1.99	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170310
EUT_Z_4TX
Setting 63
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.56908G	45.30	54.00	-8.70	13.76	3	H	99	1.95	-
PK	15.56878G	58.92	74.00	-15.08	13.76	3	H	99	1.95	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170309
EUT_Z_4TX
Setting 79
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.078G	52.37	54.00	-1.63	4.11	3	V	238	1.11	-
AV	5.2348G	107.10	Inf	-Inf	4.45	3	V	238	1.11	-
AV	5.3996G	53.65	54.00	-0.35	4.77	3	V	238	1.11	-
PK	5.1452G	64.35	74.00	-9.65	4.26	3	V	238	1.11	-
PK	5.2332G	117.13	Inf	-Inf	4.45	3	V	238	1.11	-
PK	5.3996G	65.72	74.00	-8.28	4.77	3	V	238	1.11	-
PK	5.4732G	63.57	68.20	-4.63	4.96	3	V	238	1.11	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170309
EUT_Z_4TX
Setting 79
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.086G	46.91	54.00	-7.09	4.13	3	H	96	1.07	-
AV	5.246G	103.36	Inf	-Inf	4.48	3	H	96	1.07	-
AV	5.4076G	49.99	54.00	-4.01	4.79	3	H	96	1.07	-
PK	5.086G	58.29	74.00	-15.71	4.13	3	H	96	1.07	-
PK	5.2444G	113.57	Inf	-Inf	4.47	3	H	96	1.07	-
PK	5.4076G	61.70	74.00	-12.30	4.79	3	H	96	1.07	-
PK	5.4844G	60.68	68.20	-7.52	4.99	3	H	96	1.07	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170310
EUT_Z_4TX
Setting 79
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.68936G	44.13	54.00	-9.87	13.62	3	V	7	2.25	-
PK	15.69225G	57.87	74.00	-16.13	13.61	3	V	7	2.25	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170310
EUT_Z_4TX
Setting 79
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.68962G	44.16	54.00	-9.84	13.61	3	H	310	1.10	-
PK	15.68935G	58.19	74.00	-15.81	13.62	3	H	310	1.10	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170309
EUT_Z_4TX
Setting 81
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1164G	52.98	54.00	-1.02	4.20	3	V	255	1.37	-
AV	5.2764G	106.84	Inf	-Inf	4.54	3	V	255	1.37	-
AV	5.4348G	53.66	54.00	-0.34	4.86	3	V	255	1.37	-
PK	5.118G	64.10	74.00	-9.90	4.20	3	V	255	1.37	-
PK	5.278G	116.68	Inf	-Inf	4.54	3	V	255	1.37	-
PK	5.3516G	70.50	74.00	-3.50	4.68	3	V	255	1.37	-
PK	5.5084G	64.06	68.20	-4.14	5.06	3	V	255	1.37	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170309
EUT_Z_4TX
Setting 81
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0924G	48.28	54.00	-5.72	4.14	3	H	98	1.13	-
AV	5.254G	106.47	Inf	-Inf	4.49	3	H	98	1.13	-
AV	5.414G	52.33	54.00	-1.67	4.81	3	H	98	1.13	-
PK	5.0956G	59.53	74.00	-14.47	4.15	3	H	98	1.13	-
PK	5.254G	115.95	Inf	-Inf	4.49	3	H	98	1.13	-
PK	5.350005G	64.61	74.00	-9.39	4.68	3	H	98	1.13	-
PK	5.4956G	62.90	68.20	-5.30	5.02	3	H	98	1.13	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170310
EUT_Z_4TX
Setting 81
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.81139G	44.32	54.00	-9.68	13.46	3	V	357	2.49	-
PK	15.81134G	58.68	74.00	-15.32	13.46	3	V	357	2.49	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170310
EUT_Z_4TX
Setting 81
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80782G	44.23	54.00	-9.77	13.47	3	H	278	2.36	-
PK	15.80811G	57.87	74.00	-16.13	13.47	3	H	278	2.36	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170309
EUT_Z_4TX
Setting 64
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	49.26	54.00	-4.74	4.25	3	V	83	1.22	-
AV	5.3036G	103.06	Inf	-Inf	4.60	3	V	83	1.22	-
AV	5.350005G	53.66	54.00	-0.34	4.68	3	V	83	1.22	-
PK	5.1404G	61.03	74.00	-12.97	4.25	3	V	83	1.22	-
PK	5.302G	113.17	Inf	-Inf	4.59	3	V	83	1.22	-
PK	5.350005G	72.78	74.00	-1.22	4.68	3	V	83	1.22	-
PK	5.478G	62.91	68.20	-5.29	4.97	3	V	83	1.22	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170309
EUT_Z_4TX
Setting 64
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0876G	46.18	54.00	-7.82	4.13	3	H	73	1.06	-
AV	5.3276G	99.66	Inf	-Inf	4.64	3	H	73	1.06	-
AV	5.350005G	50.80	54.00	-3.20	4.68	3	H	73	1.06	-
PK	5.0844G	57.95	74.00	-16.05	4.12	3	H	73	1.06	-
PK	5.3276G	108.87	Inf	-Inf	4.64	3	H	73	1.06	-
PK	5.3516G	72.22	74.00	-1.78	4.68	3	H	73	1.06	-
PK	5.486G	61.07	68.20	-7.13	4.99	3	H	73	1.06	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170310
EUT_Z_4TX
Setting 64
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61867G	40.43	54.00	-13.57	11.37	3	V	72	2.41	-
AV	15.93007G	44.79	54.00	-9.21	13.32	3	V	197	2.17	-
PK	10.62218G	54.29	74.00	-19.71	11.37	3	V	72	2.41	-
PK	15.9307G	58.37	74.00	-15.63	13.32	3	V	197	2.17	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170310
EUT_Z_4TX
Setting 64
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61947G	40.45	54.00	-13.55	11.37	3	H	142	1.21	-
AV	15.93229G	44.74	54.00	-9.26	13.31	3	H	48	1.51	-
PK	10.61814G	54.32	74.00	-19.68	11.37	3	H	142	1.21	-
PK	15.93249G	58.52	74.00	-15.48	13.31	3	H	48	1.51	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170310
EUT_Z_4TX
Setting 58
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	51.64	54.00	-2.36	4.92	3	V	314	1.10	-
AV	5.4684G	53.73	54.00	-0.27	4.95	3	V	314	1.10	-
AV	5.5212G	105.09	Inf	-Inf	5.10	3	V	314	1.10	-
AV	5.7596G	53.15	54.00	-0.85	5.85	3	V	314	1.10	-
PK	5.2748G	60.83	68.20	-7.37	4.54	3	V	314	1.10	-
PK	5.4588G	67.73	74.00	-6.27	4.92	3	V	314	1.10	-
PK	5.4668G	73.41	74.00	-0.59	4.94	3	V	314	1.10	-
PK	5.518G	115.49	Inf	-Inf	5.09	3	V	314	1.10	-
PK	5.7644G	64.99	74.00	-9.01	5.86	3	V	314	1.10	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170310
EUT_Z_4TX
Setting 58
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.438G	46.55	54.00	-7.45	4.87	3	H	92	2.78	-
AV	5.4668G	46.98	54.00	-7.02	4.94	3	H	92	2.78	-
AV	5.5164G	98.72	Inf	-Inf	5.09	3	H	92	2.78	-
AV	5.7564G	48.65	54.00	-5.35	5.84	3	H	92	2.78	-
PK	5.278G	57.73	68.20	-10.47	4.54	3	H	92	2.78	-
PK	5.4524G	59.81	74.00	-14.19	4.91	3	H	92	2.78	-
PK	5.4684G	59.36	74.00	-14.64	4.95	3	H	92	2.78	-
PK	5.518G	108.58	Inf	-Inf	5.09	3	H	92	2.78	-
PK	5.7564G	60.75	74.00	-13.25	5.84	3	H	92	2.78	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170310
EUT_Z_4TX
Setting 58
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01887G	38.95	54.00	-15.05	11.81	3	V	124	1.24	-
PK	11.02227G	53.06	74.00	-20.94	11.81	3	V	124	1.24	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170310
EUT_Z_4TX
Setting 58
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02081G	38.93	54.00	-15.07	11.81	3	H	45	1.09	-
PK	11.02049G	53.28	74.00	-20.72	11.81	3	H	45	1.09	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170310
EUT_Z_4TX
Setting 81
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3996G	53.88	54.00	-0.12	4.77	3	V	166	1.01	-
AV	5.5628G	109.70	Inf	-Inf	5.25	3	V	166	1.01	-
PK	5.3196G	62.63	68.20	-5.57	4.63	3	V	166	1.01	-
PK	5.4588G	65.58	74.00	-8.42	4.92	3	V	166	1.01	-
PK	5.4684G	64.97	68.20	-3.23	4.95	3	V	166	1.01	-
PK	5.5612G	120.27	Inf	-Inf	5.24	3	V	166	1.01	-
PK	5.726G	65.78	68.20	-2.42	5.75	3	V	166	1.01	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170310
EUT_Z_4TX
Setting 81
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4076G	52.57	54.00	-1.43	4.79	3	H	76	1.19	-
AV	5.5676G	106.20	Inf	-Inf	5.27	3	H	76	1.19	-
PK	5.3276G	61.15	68.20	-7.05	4.64	3	H	76	1.19	-
PK	5.406G	63.15	74.00	-10.85	4.79	3	H	76	1.19	-
PK	5.4636G	60.24	68.20	-7.96	4.94	3	H	76	1.19	-
PK	5.5676G	115.27	Inf	-Inf	5.27	3	H	76	1.19	-
PK	5.7276G	65.21	68.20	-2.99	5.76	3	H	76	1.19	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170310
EUT_Z_4TX
Setting 81
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09947G	39.58	54.00	-14.42	11.85	3	V	301	1.53	-
PK	11.10098G	53.75	74.00	-20.25	11.85	3	V	301	1.53	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170310
EUT_Z_4TX
Setting 81
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09965G	39.53	54.00	-14.47	11.85	3	H	256	1.94	-
PK	11.09751G	53.28	74.00	-20.72	11.85	3	H	256	1.94	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170310
EUT_Z_4TX
Setting 69
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4348G	51.90	54.00	-2.10	4.86	3	V	311	1.07	-
AV	5.662G	107.53	Inf	-Inf	5.57	3	V	311	1.07	-
PK	5.3404G	57.52	68.20	-10.68	4.66	3	V	311	1.07	-
PK	5.4348G	62.56	74.00	-11.44	4.86	3	V	311	1.07	-
PK	5.462G	57.57	68.20	-10.63	4.93	3	V	311	1.07	-
PK	5.662G	117.37	Inf	-Inf	5.57	3	V	311	1.07	-
PK	5.7372G	68.00	68.20	-0.20	5.78	3	V	311	1.07	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170310
EUT_Z_4TX
Setting 69
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4252G	46.72	54.00	-7.28	4.84	3	H	97	1.25	-
AV	5.6668G	99.68	Inf	-Inf	5.58	3	H	97	1.25	-
PK	5.27G	56.68	68.20	-11.52	4.53	3	H	97	1.25	-
PK	5.4268G	58.58	74.00	-15.42	4.84	3	H	97	1.25	-
PK	5.4668G	56.93	68.20	-11.27	4.94	3	H	97	1.25	-
PK	5.6668G	109.98	Inf	-Inf	5.58	3	H	97	1.25	-
PK	5.8268G	62.29	68.20	-5.91	6.06	3	H	97	1.25	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170310
EUT_Z_4TX
Setting 69
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.33847G	39.08	54.00	-14.92	11.97	3	V	216	1.16	-
PK	11.34164G	52.81	74.00	-21.19	11.97	3	V	216	1.16	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170310
EUT_Z_4TX
Setting 69
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.33863G	39.08	54.00	-14.92	11.97	3	H	299	1.83	-
PK	11.34065G	53.36	74.00	-20.64	11.97	3	H	299	1.83	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz_TX




20170310
EUT_Z_4TX
Setting 75
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	53.74	54.00	-0.26	4.93	3	V	317	1.05	-
AV	5.7036G	108.21	Inf	-Inf	5.69	3	V	317	1.05	-
PK	5.459995G	63.46	74.00	-10.54	4.93	3	V	317	1.05	-
PK	5.4636G	64.75	68.20	-3.45	4.94	3	V	317	1.05	-
PK	5.7036G	118.13	Inf	-Inf	5.69	3	V	317	1.05	-
PK	5.9468G	63.48	68.20	-4.72	6.52	3	V	317	1.05	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz_TX




20170310
EUT_Z_4TX
Setting 75
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4524G	46.32	54.00	-7.68	4.91	3	H	85	2.75	-
AV	5.7276G	104.71	Inf	-Inf	5.76	3	H	85	2.75	-
PK	5.4268G	58.10	74.00	-15.90	4.84	3	H	85	2.75	-
PK	5.4652G	58.61	68.20	-9.59	4.94	3	H	85	2.75	-
PK	5.7276G	114.09	Inf	-Inf	5.76	3	H	85	2.75	-
PK	5.9692G	61.46	68.20	-6.74	6.60	3	H	85	2.75	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz_TX




20170310
EUT_Z_4TX
Setting 75
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42148G	39.39	54.00	-14.61	12.01	3	V	144	2.30	-
PK	11.41856G	52.98	74.00	-21.02	12.01	3	V	144	2.30	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz_TX




20170310
EUT_Z_4TX
Setting 75
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41813G	39.20	54.00	-14.80	12.00	3	H	38	1.09	-
PK	11.41913G	53.39	74.00	-20.61	12.01	3	H	38	1.09	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4446G	46.01	54.00	-7.99	4.89	3	V	312	1.01	-
AV	5.7454G	108.74	Inf	-Inf	5.81	3	V	312	1.01	-
PK	5.443G	59.63	74.00	-14.37	4.88	3	V	312	1.01	-
PK	5.5806G	62.72	68.20	-5.48	5.31	3	V	312	1.01	-
PK	5.747G	118.54	Inf	-Inf	5.81	3	V	312	1.01	-
PK	5.9326G	60.84	68.20	-7.36	6.46	3	V	312	1.01	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4526G	45.55	54.00	-8.45	4.91	3	H	75	1.48	-
AV	5.771G	102.73	Inf	-Inf	5.88	3	H	75	1.48	-
PK	5.3886G	57.75	74.00	-16.25	4.75	3	H	75	1.48	-
PK	5.5838G	59.49	68.20	-8.71	5.32	3	H	75	1.48	-
PK	5.771G	112.28	Inf	-Inf	5.88	3	H	75	1.48	-
PK	5.9854G	59.55	68.20	-8.65	6.66	3	H	75	1.48	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50866G	39.26	54.00	-14.74	12.05	3	V	35	2.15	-
PK	11.51186G	53.00	74.00	-21.00	12.05	3	V	35	2.15	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51029G	39.34	54.00	-14.66	12.05	3	H	9	1.03	-
PK	11.51209G	52.91	74.00	-21.09	12.05	3	H	9	1.03	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4574G	45.70	54.00	-8.30	4.92	3	V	92	1.05	-
AV	5.7886G	106.48	Inf	-Inf	5.93	3	V	92	1.05	-
PK	5.451G	58.22	74.00	-15.78	4.90	3	V	92	1.05	-
PK	5.6206G	60.33	68.20	-7.87	5.44	3	V	92	1.05	-
PK	5.7902G	117.24	Inf	-Inf	5.93	3	V	92	1.05	-
PK	5.9646G	62.45	68.20	-5.75	6.59	3	V	92	1.05	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4446G	45.31	54.00	-8.69	4.89	3	H	40	1.04	-
AV	5.8094G	102.77	Inf	-Inf	6.00	3	H	40	1.04	-
PK	5.4558G	58.48	74.00	-15.52	4.92	3	H	40	1.04	-
PK	5.5726G	59.11	68.20	-9.09	5.28	3	H	40	1.04	-
PK	5.811G	112.13	Inf	-Inf	6.00	3	H	40	1.04	-
PK	5.9582G	60.05	68.20	-8.15	6.56	3	H	40	1.04	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59064G	39.80	54.00	-14.20	12.09	3	V	107	1.11	-
PK	11.58832G	53.03	74.00	-20.97	12.09	3	V	107	1.11	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5882G	39.10	54.00	-14.90	12.09	3	H	338	1.93	-
PK	11.59188G	52.90	74.00	-21.10	12.09	3	H	338	1.93	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170310
EUT_Z_4TX
Setting 60
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	52.92	54.00	-1.08	4.27	3	V	202	1.00	-
AV	5.1988G	102.09	Inf	-Inf	4.38	3	V	202	1.00	-
AV	5.3588G	50.92	54.00	-3.08	4.70	3	V	202	1.00	-
PK	5.1428G	73.82	74.00	-0.18	4.25	3	V	202	1.00	-
PK	5.1972G	112.16	Inf	-Inf	4.37	3	V	202	1.00	-
PK	5.3748G	61.78	74.00	-12.22	4.72	3	V	202	1.00	-
PK	5.474G	61.04	68.20	-7.16	4.96	3	V	202	1.00	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170310
EUT_Z_4TX
Setting 60
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0692G	46.88	54.00	-7.12	4.09	3	H	81	1.16	-
AV	5.2292G	98.51	Inf	-Inf	4.44	3	H	81	1.16	-
AV	5.3908G	48.23	54.00	-5.77	4.75	3	H	81	1.16	-
PK	5.138G	61.58	74.00	-12.42	4.24	3	H	81	1.16	-
PK	5.2276G	108.13	Inf	-Inf	4.44	3	H	81	1.16	-
PK	5.3876G	59.47	74.00	-14.53	4.75	3	H	81	1.16	-
PK	5.466G	60.46	68.20	-7.74	4.94	3	H	81	1.16	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170310
EUT_Z_4TX
Setting 60
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62792G	44.68	54.00	-9.32	13.69	3	V	252	1.49	-
PK	15.6316G	59.23	74.00	-14.77	13.69	3	V	252	1.49	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170310
EUT_Z_4TX
Setting 60
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6283G	44.70	54.00	-9.30	13.69	3	H	142	1.05	-
PK	15.63106G	58.62	74.00	-15.38	13.69	3	H	142	1.05	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170310
EUT_Z_4TX
Setting 65
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1412G	48.28	54.00	-5.72	4.25	3	V	247	1.02	-
AV	5.3028G	100.54	Inf	-Inf	4.60	3	V	247	1.02	-
AV	5.350005G	53.90	54.00	-0.10	4.68	3	V	247	1.02	-
PK	5.1396G	60.76	74.00	-13.24	4.25	3	V	247	1.02	-
PK	5.298G	110.25	Inf	-Inf	4.59	3	V	247	1.02	-
PK	5.3572G	73.92	74.00	-0.08	4.69	3	V	247	1.02	-
PK	5.466G	60.67	68.20	-7.53	4.94	3	V	247	1.02	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170310
EUT_Z_4TX
Setting 65
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1236G	45.83	54.00	-8.17	4.21	3	H	85	1.50	-
AV	5.282G	96.40	Inf	-Inf	4.55	3	H	85	1.50	-
AV	5.3508G	48.63	54.00	-5.37	4.68	3	H	85	1.50	-
PK	5.0148G	58.05	74.00	-15.95	3.96	3	H	85	1.50	-
PK	5.2884G	106.76	Inf	-Inf	4.57	3	H	85	1.50	-
PK	5.386G	66.71	74.00	-7.29	4.74	3	H	85	1.50	-
PK	5.5668G	59.62	68.20	-8.58	5.26	3	H	85	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170310
EUT_Z_4TX
Setting 65
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86831G	44.45	54.00	-9.55	13.39	3	V	334	1.71	-
PK	15.86905G	58.63	74.00	-15.37	13.39	3	V	334	1.71	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170310
EUT_Z_4TX
Setting 65
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87097G	44.48	54.00	-9.52	13.39	3	H	273	1.69	-
PK	15.86948G	58.02	74.00	-15.98	13.39	3	H	273	1.69	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170310
EUT_Z_4TX
Setting 60
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	52.20	54.00	-1.80	4.93	3	V	81	1.28	-
AV	5.466G	53.80	54.00	-0.20	4.94	3	V	81	1.28	-
AV	5.546G	101.97	Inf	-Inf	5.19	3	V	81	1.28	-
AV	5.7748G	48.80	54.00	-5.20	5.89	3	V	81	1.28	-
PK	5.3444G	59.19	68.20	-9.01	4.67	3	V	81	1.28	-
PK	5.4532G	70.24	74.00	-3.76	4.91	3	V	81	1.28	-
PK	5.4692G	72.09	74.00	-1.91	4.95	3	V	81	1.28	-
PK	5.546G	111.57	Inf	-Inf	5.19	3	V	81	1.28	-
PK	5.7748G	60.96	74.00	-13.04	5.89	3	V	81	1.28	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170310
EUT_Z_4TX
Setting 60
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	48.05	54.00	-5.95	4.93	3	H	93	2.87	-
AV	5.4692G	49.10	54.00	-4.90	4.95	3	H	93	2.87	-
AV	5.5156G	97.83	Inf	-Inf	5.08	3	H	93	2.87	-
AV	5.7556G	48.68	54.00	-5.32	5.84	3	H	93	2.87	-
PK	5.2004G	57.91	68.20	-10.29	4.38	3	H	93	2.87	-
PK	5.459995G	66.72	74.00	-7.28	4.93	3	H	93	2.87	-
PK	5.4676G	71.29	74.00	-2.71	4.95	3	H	93	2.87	-
PK	5.5172G	107.36	Inf	-Inf	5.09	3	H	93	2.87	-
PK	5.754G	60.41	74.00	-13.59	5.83	3	H	93	2.87	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170310
EUT_Z_4TX
Setting 60
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06027G	39.64	54.00	-14.36	11.83	3	V	312	1.07	-
PK	11.0625G	54.02	74.00	-19.98	11.83	3	V	312	1.07	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170310
EUT_Z_4TX
Setting 60
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06038G	39.63	54.00	-14.37	11.83	3	H	309	1.98	-
PK	11.05877G	53.40	74.00	-20.60	11.83	3	H	309	1.98	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170310
EUT_Z_4TX
Setting 72
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4548G	51.50	54.00	-2.50	4.91	3	V	93	1.14	-
AV	5.6164G	104.67	Inf	-Inf	5.43	3	V	93	1.14	-
PK	5.3348G	58.29	68.20	-9.91	4.65	3	V	93	1.14	-
PK	5.4484G	62.80	74.00	-11.20	4.90	3	V	93	1.14	-
PK	5.4676G	65.07	68.20	-3.13	4.95	3	V	93	1.14	-
PK	5.6196G	114.36	Inf	-Inf	5.44	3	V	93	1.14	-
PK	5.7396G	68.13	68.20	-0.07	5.79	3	V	93	1.14	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170310
EUT_Z_4TX
Setting 72
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4116G	49.79	54.00	-4.21	4.80	3	H	80	1.23	-
AV	5.5716G	102.64	Inf	-Inf	5.28	3	H	80	1.23	-
PK	5.3316G	58.37	68.20	-9.83	4.65	3	H	80	1.23	-
PK	5.4564G	61.89	74.00	-12.11	4.92	3	H	80	1.23	-
PK	5.460005G	61.71	68.20	-6.49	4.93	3	H	80	1.23	-
PK	5.5732G	112.03	Inf	-Inf	5.29	3	H	80	1.23	-
PK	5.7332G	63.89	68.20	-4.31	5.77	3	H	80	1.23	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170310
EUT_Z_4TX
Setting 72
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22245G	39.49	54.00	-14.51	11.91	3	V	135	2.35	-
PK	11.21873G	53.29	74.00	-20.71	11.91	3	V	135	2.35	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170310
EUT_Z_4TX
Setting 72
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22141G	39.43	54.00	-14.57	11.91	3	H	93	1.89	-
PK	11.22079G	53.16	74.00	-20.84	11.91	3	H	93	1.89	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4372G	53.29	54.00	-0.71	4.87	3	V	314	1.07	-
AV	5.6708G	107.41	Inf	-Inf	5.59	3	V	314	1.07	-
PK	5.4356G	64.16	74.00	-9.84	4.86	3	V	314	1.07	-
PK	5.4644G	64.23	68.20	-3.97	4.94	3	V	314	1.07	-
PK	5.6628G	118.42	Inf	-Inf	5.57	3	V	314	1.07	-
PK	5.9668G	62.77	68.20	-5.43	6.59	3	V	314	1.07	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.24	54.00	-6.76	4.93	3	H	89	2.83	-
AV	5.7156G	101.23	Inf	-Inf	5.72	3	H	89	2.83	-
PK	5.458G	59.26	74.00	-14.74	4.92	3	H	89	2.83	-
PK	5.4628G	59.50	68.20	-8.70	4.93	3	H	89	2.83	-
PK	5.7236G	110.71	Inf	-Inf	5.75	3	H	89	2.83	-
PK	5.9476G	61.84	68.20	-6.36	6.52	3	H	89	2.83	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38055G	39.32	54.00	-14.68	11.99	3	V	138	1.42	-
PK	11.38035G	52.93	74.00	-21.07	11.99	3	V	138	1.42	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz_TX




20170310
EUT_Z_4TX
Setting 84 (Max setting)
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38187G	39.21	54.00	-14.79	11.99	3	H	18	1.91	-
PK	11.38105G	53.04	74.00	-20.96	11.99	3	H	18	1.91	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170310
EUT_Z_4TX
Setting 78
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4566G	45.73	54.00	-8.27	4.92	3	V	92	1.44	-
AV	5.7382G	104.23	Inf	-Inf	5.79	3	V	92	1.44	-
PK	5.4502G	58.44	74.00	-15.56	4.90	3	V	92	1.44	-
PK	5.639G	68.18	68.20	-0.02	5.50	3	V	92	1.44	-
PK	5.7382G	114.88	Inf	-Inf	5.79	3	V	92	1.44	-
PK	5.9286G	64.38	68.20	-3.82	6.45	3	V	92	1.44	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170310
EUT_Z_4TX
Setting 78
01-W-3-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.455G	45.35	54.00	-8.65	4.91	3	H	77	1.04	-
AV	5.8118G	100.98	Inf	-Inf	6.00	3	H	77	1.04	-
PK	5.4086G	58.04	74.00	-15.96	4.79	3	H	77	1.04	-
PK	5.6342G	60.60	68.20	-7.60	5.48	3	H	77	1.04	-
PK	5.8118G	110.32	Inf	-Inf	6.00	3	H	77	1.04	-
PK	5.9238G	62.87	69.09	-6.21	6.43	3	H	77	1.04	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170310
EUT_Z_4TX
Setting 78
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55086G	39.44	54.00	-14.56	12.07	3	V	302	1.50	-
PK	11.54968G	53.88	74.00	-20.12	12.07	3	V	302	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170310
EUT_Z_4TX
Setting 78
01-W-3
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55476G	39.36	54.00	-14.64	12.07	3	H	224	1.30	-
PK	11.55338G	53.34	74.00	-20.66	12.07	3	H	224	1.30	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 74
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.84	54.00	-0.16	4.27	3	V	262	1.48	-
AV	5.1736G	107.14	Inf	-Inf	4.32	3	V	262	1.48	-
AV	5.4248G	46.64	54.00	-7.36	4.83	3	V	262	1.48	-
PK	5.149995G	67.80	74.00	-6.20	4.27	3	V	262	1.48	-
PK	5.1832G	118.30	Inf	-Inf	4.34	3	V	262	1.48	-
PK	5.476G	59.41	68.20	-8.79	4.97	3	V	262	1.48	-
PK	5.4168G	58.81	74.00	-15.19	4.81	3	V	262	1.48	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 74
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	47.25	54.00	-6.75	4.27	3	H	284	1.31	-
AV	5.1864G	102.69	Inf	-Inf	4.35	3	H	284	1.31	-
AV	5.428G	46.04	54.00	-7.96	4.84	3	H	284	1.31	-
PK	5.149995G	62.52	74.00	-11.48	4.27	3	H	284	1.31	-
PK	5.1864G	113.50	Inf	-Inf	4.35	3	H	284	1.31	-
PK	5.476G	58.82	68.20	-9.38	4.97	3	H	284	1.31	-
PK	5.4296G	58.26	74.00	-15.74	4.85	3	H	284	1.31	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 74
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.35852G	64.66	68.20	-3.54	11.08	3	V	298	1.75	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5180MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 74
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
PK	10.3615G	57.93	68.20	-10.27	11.08	3	H	111	2.02	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.39	54.00	-2.61	4.27	3	V	191	1.63	-
AV	5.2016G	110.54	Inf	-Inf	4.38	3	V	191	1.63	-
AV	5.3632G	49.80	54.00	-4.20	4.70	3	V	191	1.63	-
PK	5.149995G	66.38	74.00	-7.62	4.27	3	V	191	1.63	-
PK	5.2032G	120.37	Inf	-Inf	4.39	3	V	191	1.63	-
PK	5.4944G	62.08	68.20	-6.12	5.02	3	V	191	1.63	-
PK	5.3616G	61.59	74.00	-12.41	4.70	3	V	191	1.63	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.52	54.00	-5.48	4.27	3	H	189	2.33	-
AV	5.1936G	105.65	Inf	-Inf	4.37	3	H	189	2.33	-
AV	5.4336G	46.26	54.00	-7.74	4.86	3	H	189	2.33	-
PK	5.1472G	62.92	74.00	-11.08	4.26	3	H	189	2.33	-
PK	5.192G	115.75	Inf	-Inf	4.36	3	H	189	2.33	-
PK	5.472G	59.22	68.20	-8.98	4.96	3	H	189	2.33	-
PK	5.352G	58.75	74.00	-15.25	4.70	3	H	189	2.33	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




220170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60026G	45.53	54.00	-8.47	13.73	3	V	234	1.56	-
PK	10.39902G	67.09	68.20	-1.11	11.12	3	V	216	1.45	-
PK	15.59558G	59.21	74.00	-14.79	13.73	3	V	234	1.56	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5200MHz_TX




220170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5955G	45.46	54.00	-8.54	13.73	3	H	300	1.28	-
PK	10.4016G	62.23	68.20	-5.97	11.12	3	H	206	1.06	-
PK	15.60046G	59.40	74.00	-14.60	13.73	3	H	300	1.28	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.28	54.00	-5.72	4.27	3	V	307	2.04	-
AV	5.2384G	108.55	Inf	-Inf	4.46	3	V	307	2.04	-
AV	5.3936G	48.62	54.00	-5.38	4.76	3	V	307	2.04	-
PK	5.149995G	59.97	74.00	-14.03	4.27	3	V	307	2.04	-
PK	5.2368G	119.92	Inf	-Inf	4.46	3	V	307	2.04	-
PK	5.5344G	59.15	68.20	-9.05	5.15	3	V	307	2.04	-
PK	5.3968G	60.81	74.00	-13.19	4.76	3	V	307	2.04	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0864G	45.90	54.00	-8.10	4.13	3	H	19	2.00	-
AV	5.2464G	103.79	Inf	-Inf	4.48	3	H	19	2.00	-
AV	5.3984G	46.57	54.00	-7.43	4.77	3	H	19	2.00	-
PK	5.1472G	59.18	74.00	-14.82	4.26	3	H	19	2.00	-
PK	5.2432G	114.05	Inf	-Inf	4.47	3	H	19	2.00	-
PK	5.5776G	59.46	68.20	-8.74	5.30	3	H	19	2.00	-
PK	5.4048G	58.64	74.00	-15.36	4.78	3	H	19	2.00	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72156G	44.46	54.00	-9.54	13.58	3	V	114	1.13	-
PK	10.47968G	65.15	68.20	-3.05	11.21	3	V	198	1.55	-
PK	15.72138G	58.41	74.00	-15.59	13.58	3	V	114	1.13	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5240MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72174G	44.45	54.00	-9.55	13.58	3	H	17	2.29	-
PK	10.4798G	60.97	68.20	-7.23	11.21	3	H	106	1.67	-
PK	15.7202G	58.54	74.00	-15.46	13.58	3	H	17	2.29	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.108G	47.69	54.00	-6.31	4.18	3	V	259	1.84	-
AV	5.268G	108.41	Inf	-Inf	4.52	3	V	259	1.84	-
AV	5.4248G	48.44	54.00	-5.56	4.83	3	V	259	1.84	-
PK	5.1096G	59.20	74.00	-14.80	4.18	3	V	259	1.84	-
PK	5.2664G	119.35	Inf	-Inf	4.52	3	V	259	1.84	-
PK	5.5608G	61.60	68.20	-6.60	5.24	3	V	259	1.84	-
PK	5.428G	60.01	74.00	-13.99	4.84	3	V	259	1.84	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0936G	45.92	54.00	-8.08	4.14	3	H	161	1.78	-
AV	5.2536G	106.00	Inf	-Inf	4.49	3	H	161	1.78	-
AV	5.4136G	47.40	54.00	-6.60	4.81	3	H	161	1.78	-
PK	5.1384G	57.96	74.00	-16.04	4.24	3	H	161	1.78	-
PK	5.2552G	116.21	Inf	-Inf	4.50	3	H	161	1.78	-
PK	5.5848G	59.13	68.20	-9.07	5.33	3	H	161	1.78	-
PK	5.404G	59.23	74.00	-14.77	4.78	3	H	161	1.78	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78132G	44.25	54.00	-9.75	13.50	3	V	359	1.23	-
PK	10.52066G	62.64	68.20	-5.56	11.26	3	V	242	1.87	-
PK	15.77694G	57.81	74.00	-16.19	13.51	3	V	359	1.23	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5260MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7849G	44.42	54.00	-9.58	13.50	3	H	181	2.37	-
PK	10.52066G	56.80	68.20	-11.40	11.26	3	H	84	1.79	-
PK	15.77614G	57.83	74.00	-16.17	13.51	3	H	181	2.37	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1416G	47.37	54.00	-6.63	4.25	3	V	218	2.06	-
AV	5.3064G	109.99	Inf	-Inf	4.60	3	V	218	2.06	-
AV	5.350005G	51.01	54.00	-2.99	4.68	3	V	218	2.06	-
PK	5.14G	60.77	74.00	-13.23	4.25	3	V	218	2.06	-
PK	5.3064G	120.52	Inf	-Inf	4.60	3	V	218	2.06	-
PK	5.468G	61.91	68.20	-6.29	4.95	3	V	218	1.06	-
PK	5.356G	64.39	74.00	-9.61	4.69	3	V	218	1.06	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1432G	45.25	54.00	-8.75	4.26	3	H	343	1.88	-
AV	5.2968G	103.61	Inf	-Inf	4.58	3	H	343	1.88	-
AV	5.350005G	47.83	54.00	-6.17	4.68	3	H	343	1.88	-
PK	5.1384G	58.51	74.00	-15.49	4.24	3	H	343	1.88	-
PK	5.2984G	114.82	Inf	-Inf	4.59	3	H	343	1.88	-
PK	5.6104G	59.28	68.20	-8.92	5.41	3	H	343	1.88	-
PK	5.3912G	60.36	74.00	-13.64	4.75	3	H	343	1.88	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.69652G	40.76	54.00	-13.24	11.46	3	V	212	2.34	-
AV	15.90142G	44.70	54.00	-9.30	13.35	3	V	236	2.48	-
PK	10.69882G	54.61	74.00	-19.39	11.46	3	V	212	2.34	-
PK	15.89754G	58.71	74.00	-15.29	13.36	3	V	236	2.48	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5300MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60266G	40.84	54.00	-13.16	11.35	3	H	294	1.83	-
AV	15.89858G	44.66	54.00	-9.34	13.36	3	H	273	2.40	-
PK	10.69704G	54.74	74.00	-19.26	11.46	3	H	294	1.83	-
PK	15.90398G	58.92	74.00	-15.08	13.35	3	H	273	2.40	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 74
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0864G	45.99	54.00	-8.01	4.13	3	V	335	2.14	-
AV	5.3136G	106.84	Inf	-Inf	4.61	3	V	335	2.14	-
AV	5.3504G	53.78	54.00	-0.22	4.68	3	V	335	2.14	-
PK	5.0768G	58.76	74.00	-15.24	4.10	3	V	335	2.14	-
PK	5.3168G	117.45	Inf	-Inf	4.62	3	V	335	2.14	-
PK	5.3504G	69.45	74.00	-4.55	4.68	3	V	335	2.14	-
PK	5.4784G	60.83	68.20	-7.37	4.97	3	V	335	2.14	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 74
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0864G	45.30	54.00	-8.70	4.13	3	H	219	1.01	-
AV	5.3264G	102.37	Inf	-Inf	4.64	3	H	219	1.01	-
AV	5.3504G	51.93	54.00	-2.07	4.68	3	H	219	1.01	-
PK	5.0352G	58.23	74.00	-15.77	4.00	3	H	219	1.01	-
PK	5.3248G	112.84	Inf	-Inf	4.63	3	H	219	1.01	-
PK	5.3504G	72.66	74.00	-1.34	4.68	3	H	219	1.01	-
PK	5.5104G	58.70	68.20	-9.50	5.07	3	H	219	1.01	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 74
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63906G	40.47	54.00	-13.53	11.39	3	V	31	1.65	-
AV	15.9559G	45.20	54.00	-8.80	13.28	3	V	72	1.15	-
PK	10.63732G	53.80	74.00	-20.20	11.39	3	V	31	1.65	-
PK	15.9564G	59.08	74.00	-14.92	13.28	3	V	72	1.15	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5320MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 74
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64068G	40.44	54.00	-13.56	11.39	3	H	272	1.89	-
AV	15.95524G	44.93	54.00	-9.07	13.29	3	H	251	1.65	-
PK	10.63692G	54.40	74.00	-19.60	11.39	3	H	272	1.89	-
PK	15.95852G	59.11	74.00	-14.89	13.28	3	H	251	1.65	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 64
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.74	54.00	-4.26	4.93	3	V	316	1.09	-
AV	5.4936G	108.27	Inf	-Inf	5.01	3	V	316	1.09	-
PK	5.3352G	62.90	68.20	-5.30	4.65	3	V	316	1.09	-
PK	5.4696G	66.44	68.20	-1.76	4.95	3	V	316	1.09	-
PK	5.4952G	118.59	Inf	-Inf	5.02	3	V	316	1.09	-
PK	5.7368G	66.00	68.20	-2.20	5.78	3	V	316	1.09	-
PK	5.42G	62.23	74.00	-11.77	4.82	3	V	316	1.09	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 64
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	46.80	54.00	-7.20	4.93	3	H	93	1.46	-
AV	5.5016G	99.74	Inf	-Inf	5.04	3	H	93	1.46	-
PK	5.2616G	59.77	68.20	-8.43	4.51	3	H	93	1.46	-
PK	5.4696G	64.21	68.20	-3.99	4.95	3	H	93	1.46	-
PK	5.5032G	110.83	Inf	-Inf	5.04	3	H	93	1.46	-
PK	5.4136G	58.97	74.00	-15.03	4.81	3	H	93	1.46	-
PK	5.7448G	61.27	68.20	-6.93	5.81	3	H	93	1.46	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 64
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99704G	39.20	54.00	-14.80	11.80	3	V	49	1.79	-
PK	10.99802G	52.99	74.00	-21.01	11.80	3	V	49	1.79	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5500MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 64
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99732G	39.26	54.00	-14.74	11.80	3	H	304	1.99	-
PK	10.99844G	52.99	74.00	-21.01	11.80	3	H	304	1.99	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 68
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4264G	50.87	54.00	-3.13	4.84	3	V	92	1.43	-
AV	5.5736G	108.01	Inf	-Inf	5.29	3	V	92	1.43	-
PK	5.4664G	59.50	68.20	-8.70	4.94	3	V	92	1.43	-
PK	5.5752G	118.21	Inf	-Inf	5.29	3	V	92	1.43	-
PK	5.7336G	67.48	68.20	-0.72	5.77	3	V	92	1.43	-
PK	5.4232G	62.39	74.00	-11.61	4.83	3	V	92	1.43	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 68
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4168G	47.53	54.00	-6.47	4.81	3	H	74	2.92	-
AV	5.5736G	102.08	Inf	-Inf	5.29	3	H	74	2.92	-
PK	5.4632G	57.48	68.20	-10.72	4.93	3	H	74	2.92	-
PK	5.5768G	112.38	Inf	-Inf	5.30	3	H	74	2.92	-
PK	5.7368G	62.51	68.20	-5.69	5.78	3	H	74	2.92	-
PK	5.4184G	59.54	74.00	-14.46	4.82	3	H	74	2.92	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 68
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16478G	39.41	54.00	-14.59	11.88	3	V	274	1.35	-
PK	11.15858G	53.14	74.00	-20.86	11.88	3	V	274	1.35	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5580MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 68
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15588G	39.47	54.00	-14.53	11.88	3	H	198	2.10	-
PK	11.16054G	53.68	74.00	-20.32	11.88	3	H	198	2.10	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 68
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4616G	51.96	54.00	-2.04	4.93	3	V	81	1.47	-
AV	5.7032G	104.84	Inf	-Inf	5.69	3	V	81	1.47	-
AV	5.7256G	53.98	54.00	-0.02	5.75	3	V	81	1.47	-
PK	5.4664G	63.38	74.00	-10.62	4.94	3	V	81	1.47	-
PK	5.7032G	115.38	Inf	-Inf	5.69	3	V	81	1.47	-
PK	5.7272G	69.86	74.00	-4.14	5.76	3	V	81	1.47	-
PK	5.459995G	62.54	74.00	-11.46	4.93	3	V	81	1.47	-
AV	5.4584G	50.32	54.00	-3.68	4.92	3	V	81	1.47	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 68
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4568G	48.45	54.00	-5.55	4.92	3	H	89	2.82	-
AV	5.6984G	100.82	Inf	-Inf	5.68	3	H	89	2.82	-
AV	5.8584G	50.91	54.00	-3.09	6.18	3	H	89	2.82	-
PK	5.4648G	60.36	74.00	-13.64	4.94	3	H	89	2.82	-
PK	5.6984G	113.12	Inf	-Inf	5.68	3	H	89	2.82	-
PK	5.7256G	67.83	74.00	-6.17	5.75	3	H	89	2.82	-
AV	5.4616G	46.97	54.00	-7.03	4.93	3	H	89	2.82	-
PK	5.4536G	59.54	74.00	-14.46	4.91	3	H	89	2.82	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 68
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4003G	39.42	54.00	-14.58	12.00	3	V	104	1.20	-
PK	11.39878G	52.86	74.00	-21.14	12.00	3	V	104	1.20	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5700MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 68
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4013G	39.50	54.00	-14.50	12.00	3	H	234	1.78	-
PK	11.40264G	53.22	74.00	-20.78	12.00	3	H	234	1.78	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5720MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4064G	47.98	54.00	-6.02	4.79	3	V	315	1.00	-
AV	5.7264G	112.05	Inf	-Inf	5.75	3	V	315	1.00	-
PK	5.4032G	60.08	74.00	-13.92	4.78	3	V	315	1.00	-
PK	5.4656G	58.29	68.20	-9.91	4.94	3	V	315	1.00	-
PK	5.7232G	122.25	Inf	-Inf	5.74	3	V	315	1.00	-
PK	5.9664G	68.07	68.20	-0.13	6.59	3	V	315	1.00	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5720MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4064G	45.67	54.00	-8.33	4.79	3	H	91	2.79	-
AV	5.7264G	105.12	Inf	-Inf	5.75	3	H	91	2.79	-
PK	5.4576G	58.25	74.00	-15.75	4.92	3	H	91	2.79	-
PK	5.4672G	57.37	68.20	-10.83	4.94	3	H	91	2.79	-
PK	5.728G	116.04	Inf	-Inf	5.76	3	H	91	2.79	-
PK	5.9664G	64.21	68.20	-3.99	6.59	3	H	91	2.79	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5720MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43832G	39.53	54.00	-14.47	12.01	3	V	215	1.94	-
PK	11.44148G	53.49	74.00	-20.51	12.02	3	V	215	1.94	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5720MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43832G	39.50	54.00	-14.50	12.01	3	H	200	1.63	-
PK	11.44106G	53.32	74.00	-20.68	12.02	3	H	200	1.63	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7466G	112.03	Inf	-Inf	5.81	3	V	313	1.09	-
PK	5.497G	64.19	68.20	-4.01	5.02	3	V	313	1.09	-
PK	5.745G	122.74	Inf	-Inf	5.81	3	V	313	1.09	-
PK	5.993G	64.98	68.20	-3.22	6.69	3	V	313	1.09	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7514G	106.23	Inf	-Inf	5.82	3	H	99	1.23	-
PK	5.593G	59.69	68.20	-8.51	5.36	3	H	99	1.23	-
PK	5.753G	116.75	Inf	-Inf	5.83	3	H	99	1.23	-
PK	5.977G	61.59	68.20	-6.61	6.63	3	H	99	1.23	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49242G	39.41	54.00	-14.59	12.04	3	V	266	2.47	-
PK	11.49164G	53.14	74.00	-20.86	12.04	3	V	266	2.47	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5745MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4857G	39.30	54.00	-14.70	12.04	3	H	249	1.17	-
PK	11.49058G	52.63	74.00	-21.37	12.04	3	H	249	1.17	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7882G	110.11	Inf	-Inf	5.93	3	V	168	1.02	-
PK	5.5514G	61.97	68.20	-6.23	5.21	3	V	168	1.02	-
PK	5.7882G	121.19	Inf	-Inf	5.93	3	V	168	1.02	-
PK	5.9402G	64.06	68.20	-4.14	6.49	3	V	168	1.02	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7834G	106.42	Inf	-Inf	5.91	3	H	85	2.74	-
PK	5.537G	60.60	68.20	-7.60	5.16	3	H	85	2.74	-
PK	5.7786G	116.89	Inf	-Inf	5.90	3	H	85	2.74	-
PK	6.0186G	61.95	68.20	-6.25	6.73	3	H	85	2.74	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57044G	39.78	54.00	-14.22	12.08	3	V	226	1.83	-
PK	11.56582G	53.54	74.00	-20.46	12.08	3	V	226	1.83	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5785MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57378G	39.63	54.00	-14.37	12.08	3	H	255	1.98	-
PK	11.57446G	53.38	74.00	-20.62	12.08	3	H	255	1.98	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8266G	112.73	Inf	-Inf	6.06	3	V	202	1.10	-
PK	5.5898G	63.23	68.20	-4.97	5.34	3	V	202	1.10	-
PK	5.8266G	123.11	Inf	-Inf	6.06	3	V	202	1.10	-
PK	5.9818G	64.53	68.20	-3.67	6.65	3	V	202	1.10	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.833G	104.50	Inf	-Inf	6.09	3	H	73	1.32	-
PK	5.5898G	61.03	68.20	-7.17	5.34	3	H	73	1.32	-
PK	5.833G	115.26	Inf	-Inf	6.09	3	H	73	1.32	-
PK	5.9898G	60.90	68.20	-7.30	6.68	3	H	73	1.32	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64818G	39.92	54.00	-14.08	12.12	3	V	1	1.12	-
PK	11.64828G	53.19	74.00	-20.81	12.12	3	V	1	1.12	-

802.11ac VHT20-BF_Nss2,(MCS0)_4TX

5825MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64918G	39.93	54.00	-14.07	12.12	3	H	34	2.07	-
PK	11.65158G	53.78	74.00	-20.22	12.12	3	H	34	2.07	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 63
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.32	54.00	-0.68	4.27	3	V	236	1.03	-
AV	5.1984G	101.60	Inf	-Inf	4.38	3	V	236	1.03	-
AV	5.4406G	49.64	54.00	-4.36	4.88	3	V	236	1.03	-
PK	5.148G	72.29	74.00	-1.71	4.27	3	V	236	1.03	-
PK	5.1998G	113.56	Inf	-Inf	4.38	3	V	236	1.03	-
PK	5.4952G	59.11	68.20	-9.09	5.02	3	V	236	1.03	-
PK	5.4154G	61.71	74.00	-12.29	4.81	3	V	236	1.03	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 63
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	47.51	54.00	-6.49	4.27	3	H	103	2.89	-
AV	5.1872G	98.86	Inf	-Inf	4.35	3	H	103	2.89	-
AV	5.4224G	48.16	54.00	-5.84	4.83	3	H	103	2.89	-
PK	5.149995G	67.09	74.00	-6.91	4.27	3	H	103	2.89	-
PK	5.1858G	109.96	Inf	-Inf	4.35	3	H	103	2.89	-
PK	5.5274G	58.37	68.20	-9.83	5.13	3	H	103	2.89	-
PK	5.428G	59.72	74.00	-14.28	4.84	3	H	103	2.89	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 63
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57178G	45.58	54.00	-8.42	13.76	3	V	177	1.33	-
PK	15.56924G	58.91	74.00	-15.09	13.76	3	V	177	1.33	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5190MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 63
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.57482G	45.39	54.00	-8.61	13.76	3	H	227	1.02	-
PK	15.57276G	59.01	74.00	-14.99	13.76	3	H	227	1.02	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.94	54.00	-0.06	4.27	3	V	179	1.04	-
AV	5.237G	106.47	Inf	-Inf	4.46	3	V	179	1.04	-
AV	5.3742G	53.38	54.00	-0.62	4.72	3	V	179	1.04	-
PK	5.1474G	69.64	74.00	-4.36	4.26	3	V	179	1.04	-
PK	5.2426G	117.78	Inf	-Inf	4.47	3	V	179	1.04	-
PK	5.4736G	63.67	68.20	-4.53	4.96	3	V	179	1.04	-
PK	5.3854G	65.11	74.00	-8.89	4.73	3	V	179	1.04	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	49.48	54.00	-4.52	4.27	3	H	92	1.04	-
AV	5.2216G	103.06	Inf	-Inf	4.43	3	H	92	1.04	-
AV	5.3826G	51.10	54.00	-2.90	4.74	3	H	92	1.04	-
PK	5.1488G	62.81	74.00	-11.19	4.27	3	H	92	1.04	-
PK	5.2202G	113.31	Inf	-Inf	4.42	3	H	92	1.04	-
PK	5.4624G	61.07	68.20	-7.13	4.93	3	H	92	1.04	-
PK	5.3798G	62.72	74.00	-11.28	4.73	3	H	92	1.04	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.69256G	44.38	54.00	-9.62	13.61	3	V	143	1.91	-
PK	15.68916G	58.15	74.00	-15.85	13.62	3	V	143	1.91	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5230MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.68886G	44.41	54.00	-9.59	13.62	3	H	282	2.16	-
PK	15.69444G	58.46	74.00	-15.54	13.61	3	H	282	2.16	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 82
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1062G	52.72	54.00	-1.28	4.17	3	V	273	1.08	-
AV	5.2616G	107.28	Inf	-Inf	4.51	3	V	273	1.08	-
AV	5.4226G	53.74	54.00	-0.26	4.83	3	V	273	1.08	-
PK	5.1048G	64.29	74.00	-9.71	4.17	3	V	273	1.08	-
PK	5.277G	118.11	Inf	-Inf	4.54	3	V	273	1.08	-
PK	5.5136G	64.23	68.20	-3.97	5.08	3	V	273	1.08	-
PK	5.4366G	65.08	74.00	-8.92	4.87	3	V	273	1.08	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 82
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1258G	49.14	54.00	-4.86	4.22	3	H	106	1.12	-
AV	5.2868G	103.72	Inf	-Inf	4.56	3	H	106	1.12	-
AV	5.350005G	50.81	54.00	-3.19	4.68	3	H	106	1.12	-
PK	5.1272G	60.30	74.00	-13.70	4.22	3	H	106	1.12	-
PK	5.2882G	113.16	Inf	-Inf	4.57	3	H	106	1.12	-
PK	5.3554G	67.07	74.00	-6.93	4.69	3	H	106	1.12	-
PK	5.5276G	60.41	68.20	-7.79	5.13	3	H	106	1.12	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 82
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80648G	44.23	54.00	-9.77	13.47	3	V	252	1.31	-
PK	15.81006G	57.75	74.00	-16.25	13.47	3	V	252	1.31	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5270MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 82
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80964G	44.22	54.00	-9.78	13.47	3	H	284	1.01	-
PK	15.80998G	58.65	74.00	-15.35	13.47	3	H	284	1.01	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 64
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	48.82	54.00	-5.18	4.25	3	V	211	1.09	-
AV	5.3016G	103.30	Inf	-Inf	4.59	3	V	211	1.09	-
AV	5.3506G	52.12	54.00	-1.88	4.68	3	V	211	1.09	-
PK	5.1462G	60.66	74.00	-13.34	4.26	3	V	211	1.09	-
PK	5.3002G	113.04	Inf	-Inf	4.59	3	V	211	1.09	-
PK	5.3506G	73.96	74.00	-0.04	4.68	3	V	211	1.09	-
PK	5.5396G	63.72	68.20	-4.48	5.17	3	V	211	1.09	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 64
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1364G	46.02	54.00	-7.98	4.24	3	H	90	1.00	-
AV	5.2932G	97.76	Inf	-Inf	4.58	3	H	90	1.00	-
AV	5.4542G	48.50	54.00	-5.50	4.91	3	H	90	1.00	-
PK	5.0566G	58.08	74.00	-15.92	4.06	3	H	90	1.00	-
PK	5.3002G	110.17	Inf	-Inf	4.59	3	H	90	1.00	-
PK	5.3506G	68.74	74.00	-5.26	4.68	3	H	90	1.00	-
PK	5.5452G	59.45	68.20	-8.75	5.19	3	H	90	1.00	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 64
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61692G	40.57	54.00	-13.43	11.37	3	V	100	2.33	-
AV	15.92812G	45.11	54.00	-8.89	13.32	3	V	179	2.05	-
PK	10.61802G	54.96	74.00	-19.04	11.37	3	V	100	2.33	-
PK	15.92822G	59.16	74.00	-14.84	13.32	3	V	179	2.05	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5310MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 64
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61884G	40.64	54.00	-13.36	11.37	3	H	297	1.73	-
AV	15.93214G	44.89	54.00	-9.11	13.31	3	H	284	1.65	-
PK	10.61908G	53.87	74.00	-20.13	11.37	3	H	297	1.73	-
PK	15.92686G	58.97	74.00	-15.03	13.32	3	H	284	1.65	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 60
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4582G	50.76	54.00	-3.24	4.92	3	V	78	1.05	-
AV	5.4694G	53.91	54.00	-0.09	4.95	3	V	78	1.05	-
AV	5.5058G	103.13	Inf	-Inf	5.05	3	V	78	1.05	-
AV	5.734G	50.42	54.00	-3.58	5.78	3	V	78	1.05	-
PK	5.3406G	60.40	68.20	-7.80	4.66	3	V	78	1.05	-
PK	5.4694G	72.10	74.00	-1.90	4.95	3	V	78	1.05	-
PK	5.517G	114.10	Inf	-Inf	5.09	3	V	78	1.05	-
PK	5.7382G	61.58	74.00	-12.42	5.79	3	V	78	1.05	-
PK	5.4568G	65.26	74.00	-8.74	4.92	3	V	78	1.05	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 60
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4582G	46.90	54.00	-7.10	4.92	3	H	88	1.06	-
AV	5.4694G	47.58	54.00	-6.42	4.95	3	H	88	1.06	-
AV	5.5142G	97.37	Inf	-Inf	5.08	3	H	88	1.06	-
AV	5.7536G	47.56	54.00	-6.44	5.83	3	H	88	1.06	-
PK	5.2636G	58.14	68.20	-10.06	4.51	3	H	88	1.06	-
PK	5.4694G	64.66	74.00	-9.34	4.95	3	H	88	1.06	-
PK	5.5142G	110.05	Inf	-Inf	5.08	3	H	88	1.06	-
PK	5.7634G	60.15	74.00	-13.85	5.86	3	H	88	1.06	-
PK	5.4568G	62.84	74.00	-11.16	4.92	3	H	88	1.06	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 60
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01668G	39.14	54.00	-14.86	11.81	3	V	224	1.19	-
PK	11.01782G	52.99	74.00	-21.01	11.81	3	V	224	1.19	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5510MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 60
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01884G	39.18	54.00	-14.82	11.81	3	H	269	2.37	-
PK	11.01578G	52.88	74.00	-21.12	11.81	3	H	269	2.37	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 81
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3932G	53.10	54.00	-0.90	4.76	3	V	89	1.01	-
AV	5.5528G	108.56	Inf	-Inf	5.21	3	V	89	1.01	-
PK	5.319G	60.92	68.20	-7.28	4.62	3	V	89	1.01	-
PK	5.4688G	67.92	68.20	-0.28	4.95	3	V	89	1.01	-
PK	5.5528G	120.05	Inf	-Inf	5.21	3	V	89	1.01	-
PK	5.7264G	66.35	68.20	-1.85	5.75	3	V	89	1.01	-
PK	5.3988G	64.15	74.00	-9.85	4.77	3	V	89	1.01	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 81
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.382G	49.01	54.00	-4.99	4.74	3	H	76	1.10	-
AV	5.5416G	103.51	Inf	-Inf	5.18	3	H	76	1.10	-
PK	5.3008G	60.29	68.20	-7.91	4.59	3	H	76	1.10	-
PK	5.4688G	63.39	68.20	-4.81	4.95	3	H	76	1.10	-
PK	5.543G	115.03	Inf	-Inf	5.18	3	H	76	1.10	-
PK	5.781G	62.46	68.20	-5.74	5.91	3	H	76	1.10	-
PK	5.4534G	61.61	74.00	-12.39	4.91	3	H	76	1.10	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 81
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09522G	39.75	54.00	-14.25	11.85	3	V	126	1.48	-
PK	11.09878G	53.32	74.00	-20.68	11.85	3	V	126	1.48	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5550MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 81
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09962G	39.79	54.00	-14.21	11.85	3	H	7	1.36	-
PK	11.10218G	53.39	74.00	-20.61	11.85	3	H	7	1.36	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 70
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.446G	50.43	54.00	-3.57	4.89	3	V	87	1.27	-
AV	5.6868G	105.77	Inf	-Inf	5.64	3	V	87	1.27	-
PK	5.3452G	57.66	68.20	-10.54	4.67	3	V	87	1.27	-
PK	5.4684G	58.10	68.20	-10.10	4.95	3	V	87	1.27	-
PK	5.684G	115.49	Inf	-Inf	5.63	3	V	87	1.27	-
PK	5.7274G	67.64	68.20	-0.56	5.76	3	V	87	1.27	-
PK	5.446G	61.78	74.00	-12.22	4.89	3	V	87	1.27	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 70
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.446G	47.93	54.00	-6.07	4.89	3	H	73	1.00	-
AV	5.6868G	98.35	Inf	-Inf	5.64	3	H	73	1.00	-
PK	5.348G	56.76	68.20	-11.44	4.68	3	H	73	1.00	-
PK	5.4656G	58.91	68.20	-9.29	4.94	3	H	73	1.00	-
PK	5.6868G	108.46	Inf	-Inf	5.64	3	H	73	1.00	-
PK	5.74G	64.48	68.20	-3.72	5.79	3	H	73	1.00	-
PK	5.4446G	60.04	74.00	-13.96	4.89	3	H	73	1.00	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 70
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34258G	39.26	54.00	-14.74	11.97	3	V	101	2.11	-
PK	11.33914G	54.26	74.00	-19.74	11.97	3	V	101	2.11	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5670MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 70
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.33512G	39.29	54.00	-14.71	11.96	3	H	211	1.56	-
PK	11.34484G	53.86	74.00	-20.14	11.97	3	H	211	1.56	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5710MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4524G	51.02	54.00	-2.98	4.91	3	V	90	1.04	-
AV	5.7058G	107.65	Inf	-Inf	5.70	3	V	90	1.04	-
PK	5.4538G	62.84	74.00	-11.16	4.91	3	V	90	1.04	-
PK	5.465G	62.50	68.20	-5.70	4.94	3	V	90	1.04	-
PK	5.7002G	119.26	Inf	-Inf	5.68	3	V	90	1.04	-
PK	5.9438G	64.33	68.20	-3.87	6.51	3	V	90	1.04	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5710MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	46.90	54.00	-7.10	4.93	3	H	40	1.16	-
AV	5.7282G	104.00	Inf	-Inf	5.76	3	H	40	1.16	-
PK	5.3824G	59.34	74.00	-14.66	4.74	3	H	40	1.16	-
PK	5.4636G	59.61	68.20	-8.59	4.94	3	H	40	1.16	-
PK	5.7268G	114.88	Inf	-Inf	5.76	3	H	40	1.16	-
PK	5.9676G	62.52	68.20	-5.68	6.60	3	H	40	1.16	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5710MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42124G	39.50	54.00	-14.50	12.01	3	V	232	2.10	-
PK	11.42038G	53.40	74.00	-20.60	12.01	3	V	232	2.10	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5710MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42348G	39.55	54.00	-14.45	12.01	3	H	112	2.43	-
PK	11.4164G	53.10	74.00	-20.90	12.00	3	H	112	2.43	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7518G	107.69	Inf	-Inf	5.83	3	V	96	1.00	-
PK	5.6462G	64.36	68.20	-3.84	5.52	3	V	96	1.00	-
PK	5.7678G	118.67	Inf	-Inf	5.87	3	V	96	1.00	-
PK	5.9326G	61.61	68.20	-6.59	6.46	3	V	96	1.00	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7598G	103.11	Inf	-Inf	5.85	3	H	100	1.04	-
PK	5.595G	59.60	68.20	-8.60	5.36	3	H	100	1.04	-
PK	5.7582G	114.08	Inf	-Inf	5.84	3	H	100	1.04	-
PK	5.9246G	60.48	68.50	-8.01	6.43	3	H	100	1.04	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51378G	39.41	54.00	-14.59	12.05	3	V	67	1.30	-
PK	11.50544G	52.85	74.00	-21.15	12.05	3	V	67	1.30	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5755MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5132G	39.50	54.00	-14.50	12.05	3	H	133	1.49	-
PK	11.50866G	52.84	74.00	-21.16	12.05	3	H	133	1.49	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7918G	107.87	Inf	-Inf	5.94	3	V	92	1.20	-
PK	5.6494G	61.78	68.20	-6.42	5.53	3	V	92	1.20	-
PK	5.7886G	119.08	Inf	-Inf	5.93	3	V	92	1.20	-
PK	5.9646G	63.00	68.20	-5.20	6.59	3	V	92	1.20	-


802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX



802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59216G	39.81	54.00	-14.19	12.09	3	V	100	1.82	-
PK	11.58882G	53.15	74.00	-20.85	12.09	3	V	100	1.82	-

802.11ac VHT40-BF_Nss2,(MCS0)_4TX

5795MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5949G	39.83	54.00	-14.17	12.09	3	H	273	1.23	-
PK	11.58902G	53.76	74.00	-20.24	12.09	3	H	273	1.23	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 62
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.66	54.00	-0.34	4.27	3	V	175	1.01	-
AV	5.226G	99.30	Inf	-Inf	4.43	3	V	175	1.01	-
AV	5.4452G	49.47	54.00	-4.53	4.89	3	V	175	1.01	-
PK	5.1444G	71.59	74.00	-2.41	4.26	3	V	175	1.01	-
PK	5.186G	115.01	Inf	-Inf	4.35	3	V	175	1.01	-
PK	5.460005G	61.35	68.20	-6.85	4.93	3	V	175	1.01	-
PK	5.4484G	61.34	74.00	-12.66	4.90	3	V	175	1.01	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX


5210MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	48.35	54.00	-5.65	4.27	3	H	91	1.18	-
AV	5.2228G	95.85	Inf	-Inf	4.43	3	H	91	1.18	-
AV	5.3828G	47.41	54.00	-6.59	4.74	3	H	91	1.18	-
PK	5.149995G	67.73	74.00	-6.27	4.27	3	H	91	1.18	-
PK	5.2244G	105.98	Inf	-Inf	4.43	3	H	91	1.18	-
PK	5.4628G	60.19	68.20	-8.01	4.93	3	H	91	1.18	-
PK	5.3828G	59.01	74.00	-14.99	4.74	3	H	91	1.18	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 62
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.63158G	45.29	54.00	-8.71	13.69	3	V	296	2.14	-
PK	15.62708G	59.16	74.00	-14.84	13.69	3	V	296	2.14	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5210MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 62
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.63288G	45.27	54.00	-8.73	13.69	3	H	360	2.17	-
PK	15.63262G	59.77	74.00	-14.23	13.69	3	H	360	2.17	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 65
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	46.36	54.00	-7.64	4.26	3	V	212	1.04	-
AV	5.3028G	99.31	Inf	-Inf	4.60	3	V	212	1.04	-
AV	5.350005G	52.83	54.00	-1.17	4.68	3	V	212	1.04	-
PK	5.0516G	58.41	74.00	-15.59	4.04	3	V	212	1.04	-
PK	5.3028G	109.37	Inf	-Inf	4.60	3	V	212	1.04	-
PK	5.3604G	73.84	74.00	-0.16	4.70	3	V	212	1.04	-
PK	5.482G	60.31	68.20	-7.89	4.98	3	V	212	1.04	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 65
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1076G	45.35	54.00	-8.65	4.18	3	H	85	1.06	-
AV	5.3012G	92.81	Inf	-Inf	4.59	3	H	85	1.06	-
AV	5.350005G	48.37	54.00	-5.63	4.68	3	H	85	1.06	-
PK	5.0804G	57.82	74.00	-16.18	4.11	3	H	85	1.06	-
PK	5.306G	103.58	Inf	-Inf	4.60	3	H	85	1.06	-
PK	5.3524G	70.40	74.00	-3.60	4.68	3	H	85	1.06	-
PK	5.5012G	59.54	68.20	-8.66	5.03	3	H	85	1.06	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 65
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87498G	44.76	54.00	-9.24	13.39	3	V	291	1.67	-
PK	15.86714G	58.13	74.00	-15.87	13.39	3	V	291	1.67	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5290MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 65
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87444G	44.67	54.00	-9.33	13.39	3	H	212	1.05	-
PK	15.87312G	58.68	74.00	-15.32	13.39	3	H	212	1.05	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 60
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	52.42	54.00	-1.58	4.93	3	V	84	1.16	-
AV	5.4692G	53.75	54.00	-0.25	4.95	3	V	84	1.16	-
AV	5.5332G	99.87	Inf	-Inf	5.15	3	V	84	1.16	-
AV	5.7348G	48.52	54.00	-5.48	5.78	3	V	84	1.16	-
PK	5.4548G	69.16	74.00	-4.84	4.91	3	V	84	1.16	-
PK	5.4628G	68.63	74.00	-5.37	4.93	3	V	84	1.16	-
PK	5.5588G	110.77	Inf	-Inf	5.24	3	V	84	1.16	-
PK	5.7412G	60.88	74.00	-13.12	5.80	3	V	84	1.16	-
PK	5.3204G	58.16	68.20	-10.04	4.63	3	V	84	1.16	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 60
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	48.06	54.00	-5.94	4.93	3	H	89	1.36	-
AV	5.4692G	48.43	54.00	-5.57	4.95	3	H	89	1.36	-
AV	5.546G	94.24	Inf	-Inf	5.19	3	H	89	1.36	-
AV	5.7844G	47.02	54.00	-6.98	5.92	3	H	89	1.36	-
PK	5.4692G	65.70	74.00	-8.30	4.95	3	H	89	1.36	-
PK	5.546G	105.69	Inf	-Inf	5.19	3	H	89	1.36	-
PK	5.8708G	59.80	74.00	-14.20	6.23	3	H	89	1.36	-
PK	5.4628G	65.22	74.00	-8.78	4.93	3	H	89	1.36	-
PK	5.2724G	58.23	68.20	-9.97	4.53	3	H	89	1.36	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 60
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0572G	39.70	54.00	-14.30	11.83	3	V	200	2.18	-
PK	11.06144G	54.00	74.00	-20.00	11.83	3	V	200	2.18	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5530MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 60
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06306G	39.72	54.00	-14.28	11.83	3	H	36	1.15	-
PK	11.05558G	53.24	74.00	-20.76	11.83	3	H	36	1.15	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 76
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	49.32	54.00	-4.68	4.92	3	V	167	1.47	-
AV	5.5778G	102.30	Inf	-Inf	5.30	3	V	167	1.47	-
PK	5.459995G	65.88	74.00	-8.12	4.93	3	V	167	1.47	-
PK	5.4602G	65.88	68.20	-2.32	4.93	3	V	167	1.47	-
PK	5.5834G	116.19	Inf	-Inf	5.32	3	V	167	1.47	-
PK	5.7332G	68.00	68.20	-0.20	5.77	3	V	167	1.47	-
PK	5.3398G	58.45	68.20	-9.75	4.66	3	V	167	1.47	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 76
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	47.70	54.00	-6.30	4.93	3	H	94	2.85	-
AV	5.5778G	97.54	Inf	-Inf	5.30	3	H	94	2.85	-
PK	5.3398G	60.05	68.20	-8.15	4.66	3	H	94	2.85	-
PK	5.4686G	61.59	68.20	-6.61	4.95	3	H	94	2.85	-
PK	5.5778G	108.34	Inf	-Inf	5.30	3	H	94	2.85	-
PK	5.736G	64.12	68.20	-4.08	5.78	3	H	94	2.85	-
PK	5.4546G	60.71	74.00	-13.29	4.91	3	H	94	2.85	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 76
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22348G	39.64	54.00	-14.36	11.91	3	V	92	1.67	-
PK	11.21888G	53.68	74.00	-20.32	11.91	3	V	92	1.67	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5610MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 76
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22466G	39.68	54.00	-14.32	11.91	3	H	21	1.82	-
PK	11.21782G	53.18	74.00	-20.82	11.91	3	H	21	1.82	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5690MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.434G	49.46	54.00	-4.54	4.86	3	V	92	1.27	-
AV	5.6868G	104.81	Inf	-Inf	5.64	3	V	92	1.27	-
PK	5.4436G	61.70	74.00	-12.30	4.88	3	V	92	1.27	-
PK	5.4692G	61.80	68.20	-6.40	4.95	3	V	92	1.27	-
PK	5.682G	115.73	Inf	-Inf	5.63	3	V	92	1.27	-
PK	5.9396G	63.12	68.20	-5.08	6.49	3	V	92	1.27	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5690MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4532G	46.97	54.00	-7.03	4.91	3	H	78	2.83	-
AV	5.6932G	99.24	Inf	-Inf	5.66	3	H	78	2.83	-
PK	5.418G	59.11	74.00	-14.89	4.82	3	H	78	2.83	-
PK	5.4644G	59.22	68.20	-8.98	4.94	3	H	78	2.83	-
PK	5.6516G	111.80	Inf	-Inf	5.53	3	H	78	2.83	-
PK	5.9508G	61.40	68.20	-6.80	6.53	3	H	78	2.83	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5690MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3811G	39.46	54.00	-14.54	11.99	3	V	82	1.05	-
PK	11.37684G	52.61	74.00	-21.39	11.98	3	V	82	1.05	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5690MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 84
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38442G	39.32	54.00	-14.68	11.99	3	H	320	1.86	-
PK	11.38134G	52.88	74.00	-21.12	11.99	3	H	320	1.86	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 80
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7718G	103.42	Inf	-Inf	5.88	3	V	96	1.00	-
PK	5.6342G	68.18	68.20	-0.02	5.48	3	V	96	1.00	-
PK	5.783G	114.22	Inf	-Inf	5.91	3	V	96	1.00	-
PK	5.9238G	67.64	69.09	-1.45	6.43	3	V	96	1.00	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 80
01-S-6-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7878G	98.86	Inf	-Inf	5.93	3	H	89	1.31	-
PK	5.647G	61.79	68.20	-6.41	5.52	3	H	89	1.31	-
PK	5.791G	110.12	Inf	-Inf	5.93	3	H	89	1.31	-
PK	5.9366G	61.60	68.20	-6.60	6.48	3	H	89	1.31	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX




20170310
EUT_Z_4TX_TXBF_NSS2
Setting 80
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55434G	39.59	54.00	-14.41	12.07	3	V	103	1.31	-
PK	11.55204G	53.71	74.00	-20.29	12.07	3	V	103	1.31	-

802.11ac VHT80-BF_Nss2,(MCS0)_4TX

5775MHz_TX



20170310
EUT_Z_4TX_TXBF_NSS2
Setting 80
01-S-6
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55426G	39.48	54.00	-14.52	12.07	3	H	108	2.31	-
PK	11.5532G	53.46	74.00	-20.54	12.07	3	H	108	2.31	-

Mode: 20 MHz / Chain 2

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5199.9964	5199.9958	5199.9953	5199.9945
110.00	5199.9961	5199.9953	5199.9946	5199.9938
93.50	5199.9952	5199.9945	5199.9940	5199.9930
Max. Deviation (MHz)	0.0048	0.0055	0.0060	0.0070
Max. Deviation (ppm)	0.92	1.06	1.15	1.35
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5200 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5200.0051	5200.0039	5200.0020	5199.9998
10	5200.0038	5200.0025	5200.0010	5199.9992
20	5200.0026	5200.0013	5199.9997	5199.9978
30	5200.0012	5200.0001	5199.9987	5199.9971
40	5199.9996	5199.9981	5199.9965	5199.9945
Max. Deviation (MHz)	0.0096	0.0082	0.0064	0.0075
Max. Deviation (ppm)	1.85	1.58	1.23	1.44
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5299.9954	5299.9946	5299.9945	5299.9942
110.00	5299.9946	5299.9940	5299.9936	5299.9926
93.50	5299.9945	5299.9940	5299.9939	5299.9936
Max. Deviation (MHz)	0.0055	0.0060	0.0064	0.0074
Max. Deviation (ppm)	1.04	1.13	1.21	1.40
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5299.9961	5299.9949	5299.9930	5299.9908
10	5299.9948	5299.9935	5299.9920	5299.9902
20	5299.9936	5299.9923	5299.9907	5299.9888
30	5299.9922	5299.9911	5299.9897	5299.9881
40	5299.9906	5299.9891	5299.9875	5299.9855
Max. Deviation (MHz)	0.0111	0.0123	0.0138	0.0165
Max. Deviation (ppm)	2.09	2.32	2.60	3.11
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5579.9906	5579.9899	5579.9898	5579.9891
110.00	5579.9900	5579.9890	5579.9882	5579.9873
93.50	5579.9891	5579.9886	5579.9879	5579.9869
Max. Deviation (MHz)	0.0109	0.0114	0.0121	0.0131
Max. Deviation (ppm)	1.95	2.04	2.17	2.35
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5579.9962	5579.9950	5579.9931	5579.9909
10	5579.9949	5579.9936	5579.9921	5579.9903
20	5579.9937	5579.9924	5579.9908	5579.9889
30	5579.9923	5579.9912	5579.9898	5579.9882
40	5579.9907	5579.9892	5579.9876	5579.9856
Max. Deviation (MHz)	0.0110	0.0122	0.0137	0.0164
Max. Deviation (ppm)	1.97	2.19	2.46	2.94
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5784.9954	5784.9950	5784.9943	5784.9939
110.00	5784.9949	5784.9942	5784.9939	5784.9929
93.50	5784.9944	5784.9941	5784.9931	5784.9923
Max. Deviation (MHz)	0.0056	0.0059	0.0069	0.0077
Max. Deviation (ppm)	0.97	1.02	1.19	1.33
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5785 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5785.0013	5785.0001	5784.9982	5784.9960
10	5785.0000	5784.9987	5784.9972	5784.9954
20	5784.9988	5784.9975	5784.9959	5784.9940
30	5784.9974	5784.9963	5784.9949	5784.9933
40	5784.9958	5784.9943	5784.9927	5784.9907
Max. Deviation (MHz)	0.0059	0.0071	0.0086	0.0113
Max. Deviation (ppm)	1.02	1.23	1.49	1.95
Result	Pass			

Mode: 40 MHz / Chain 2

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5189.9973	5189.9964	5189.9962	5189.9954
110.00	5189.9967	5189.9960	5189.9958	5189.9950
93.50	5189.9959	5189.9952	5189.9948	5189.9944
Max. Deviation (MHz)	0.0041	0.0048	0.0052	0.0056
Max. Deviation (ppm)	0.79	0.92	1.00	1.08
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5190 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5189.9933	5189.9921	5189.9902	5189.9880
10	5189.9920	5189.9907	5189.9892	5189.9874
20	5189.9908	5189.9895	5189.9879	5189.9860
30	5189.9894	5189.9883	5189.9869	5189.9853
40	5189.9878	5189.9863	5189.9847	5189.9827
Max. Deviation (MHz)	0.0139	0.0151	0.0166	0.0193
Max. Deviation (ppm)	2.68	2.91	3.20	3.72
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5309.9987	5309.9977	5309.9973	5309.9970
110.00	5309.9982	5309.9973	5309.9966	5309.9963
93.50	5309.9979	5309.9971	5309.9969	5309.9964
Max. Deviation (MHz)	0.0021	0.0029	0.0034	0.0037
Max. Deviation (ppm)	0.40	0.55	0.64	0.70
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5310.0014	5310.0002	5309.9983	5309.9961
10	5310.0001	5309.9988	5309.9973	5309.9955
20	5309.9989	5309.9976	5309.9960	5309.9941
30	5309.9975	5309.9964	5309.9950	5309.9934
40	5309.9959	5309.9944	5309.9928	5309.9908
Max. Deviation (MHz)	0.0059	0.0070	0.0085	0.0112
Max. Deviation (ppm)	1.11	1.32	1.60	2.11
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5549.9962	5549.9955	5549.9947	5549.9944
110.00	5549.9954	5549.9944	5549.9937	5549.9934
93.50	5549.9944	5549.9942	5549.9941	5549.9932
Max. Deviation (MHz)	0.0056	0.0058	0.0063	0.0068
Max. Deviation (ppm)	1.01	1.05	1.14	1.23
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5549.9973	5549.9961	5549.9942	5549.9920
10	5549.9960	5549.9947	5549.9932	5549.9914
20	5549.9948	5549.9935	5549.9919	5549.9900
30	5549.9934	5549.9923	5549.9909	5549.9893
40	5549.9918	5549.9903	5549.9887	5549.9867
Max. Deviation (MHz)	0.0099	0.0111	0.0126	0.0153
Max. Deviation (ppm)	1.78	2.00	2.27	2.76
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5754.9914	5754.9911	5754.9907	5754.9904
110.00	5754.9912	5754.9902	5754.9892	5754.9882
93.50	5754.9903	5754.9898	5754.9890	5754.9881
Max. Deviation (MHz)	0.0097	0.0102	0.0110	0.0119
Max. Deviation (ppm)	1.69	1.77	1.91	2.07
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5755 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5754.9987	5754.9975	5754.9956	5754.9934
10	5754.9974	5754.9961	5754.9946	5754.9928
20	5754.9962	5754.9949	5754.9933	5754.9914
30	5754.9948	5754.9937	5754.9923	5754.9907
40	5754.9932	5754.9917	5754.9901	5754.9881
Max. Deviation (MHz)	0.0085	0.0097	0.0112	0.0139
Max. Deviation (ppm)	1.48	1.69	1.95	2.42
Result	Pass			

Mode: 80 MHz / Chain 2

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5209.9943	5209.9934	5209.9926	5209.9919
110.00	5209.9934	5209.9924	5209.9921	5209.9917
93.50	5209.9929	5209.9924	5209.9915	5209.9914
Max. Deviation (MHz)	0.0071	0.0076	0.0085	0.0086
Max. Deviation (ppm)	1.36	1.46	1.63	1.65
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5210 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5210.0013	5210.0001	5209.9982	5209.9960
10	5210.0000	5209.9987	5209.9972	5209.9954
20	5209.9988	5209.9975	5209.9959	5209.9940
30	5209.9974	5209.9963	5209.9949	5209.9933
40	5209.9958	5209.9943	5209.9927	5209.9907
Max. Deviation (MHz)	0.0059	0.0071	0.0086	0.0113
Max. Deviation (ppm)	1.13	1.36	1.65	2.17
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5289.9954	5289.9950	5289.9947	5289.9943
110.00	5289.9947	5289.9940	5289.9938	5289.9937
93.50	5289.9941	5289.9937	5289.9927	5289.9923
Max. Deviation (MHz)	0.0059	0.0063	0.0073	0.0077
Max. Deviation (ppm)	1.12	1.19	1.38	1.46
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5289.9961	5289.9949	5289.9930	5289.9908
10	5289.9948	5289.9935	5289.9920	5289.9902
20	5289.9936	5289.9923	5289.9907	5289.9888
30	5289.9922	5289.9911	5289.9897	5289.9881
40	5289.9906	5289.9891	5289.9875	5289.9855
Max. Deviation (MHz)	0.0111	0.0123	0.0138	0.0165
Max. Deviation (ppm)	2.10	2.33	2.61	3.12
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5529.9957	5529.9955	5529.9951	5529.9948
110.00	5529.9956	5529.9949	5529.9945	5529.9942
93.50	5529.9950	5529.9949	5529.9944	5529.9943
Max. Deviation (MHz)	0.0050	0.0051	0.0056	0.0058
Max. Deviation (ppm)	0.90	0.92	1.01	1.05
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5530.0003	5529.9991	5529.9972	5529.9950
10	5529.9990	5529.9977	5529.9962	5529.9944
20	5529.9978	5529.9965	5529.9949	5529.9930
30	5529.9964	5529.9953	5529.9939	5529.9923
40	5529.9948	5529.9933	5529.9917	5529.9897
Max. Deviation (MHz)	0.0069	0.0081	0.0096	0.0123
Max. Deviation (ppm)	1.25	1.46	1.74	2.22
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5774.9992	5774.9986	5774.9977	5774.9973
110.00	5774.9988	5774.9987	5774.9986	5774.9982
93.50	5774.9985	5774.9979	5774.9972	5774.9969
Max. Deviation (MHz)	0.0015	0.0021	0.0028	0.0031
Max. Deviation (ppm)	0.26	0.36	0.48	0.54
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5775 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5774.9997	5774.9985	5774.9966	5774.9944
10	5774.9984	5774.9971	5774.9956	5774.9938
20	5774.9972	5774.9959	5774.9943	5774.9924
30	5774.9958	5774.9947	5774.9933	5774.9917
40	5774.9942	5774.9927	5774.9911	5774.9891
Max. Deviation (MHz)	0.0075	0.0087	0.0102	0.0129
Max. Deviation (ppm)	1.30	1.51	1.77	2.23
Result	Pass			