

EMC Technologies Report Number: M050508_Cert_WLL4070_11abg_DTS_BT

APPENDIX M1
Spectral Density - WLL4070 802.11a



Spectral Density - Channel 149

Marker 1 [T1]

RBW 3 kHz RF Att 30 dB

Ref Lvl

-13.39 dBm

VBW 30 kHz


17.5 dBm

5.74530555 GHz

SWT 100 s

Unit

dBm




Date: 16.FEB.2005 13:21:15



Spectral Density – Channel 157

Marker 1 [T1] RBW 3 kHz RF Att 30 dB
Ref Lvl -12.87 dBm VBW 30 kHz
17.5 dBm 5.78530555 GHz SWT 100 s Unit dBm



Date: 16.FEB.2005 13:26:21



Spectral Density – Channel 165

Marker 1 [T1]

RBW 3 kHz RF Att 30 dB

Ref Lvl -13.61 dBm


VBW 30 kHz

17.5 dBm

5.82528992 GHz

SWT 100 s Unit

dBm




Date: 16.FEB.2005 13:31:10



Spectral Density – Channel 152 (Turbo)

 Marker 1 [T1] RBW 3 kHz RF Att 30 dB
Ref Lvl -15.29 dBm VBW 30 kHz
17.5 dBm 5.76052007 GHz SWT 100 s Unit dBm




Date: 16.FEB.2005 13:43:34



Spectral Density – Channel 160 (Turbo)

Marker 1 [T1] RBW 3 kHz RF Att 30 dB
Ref Lvl -15.70 dBm VBW 30 kHz
17.5 dBm 5.80051988 GHz SWT 100 s Unit dBm



Date: 16.FEB.2005 13:39:10

