


Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B**

Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1




Antenna A






Antenna B



Antenna C


Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**


Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5670 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**


Peak Output Power / PSD, 5670 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A





Antenna B



Antenna C

Peak Output Power / PSD, 5670 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5700 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A**

Peak Output Power / PSD, 5700 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A****Antenna B**


Peak Output Power / PSD, 5700 MHz, Non HT/VHT20, 6 to 54 Mbps




Antenna A



Antenna B



Antenna C

Peak Output Power / PSD, 5700 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5700 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B**

Peak Output Power / PSD, 5700 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C**

Peak Output Power / PSD, 5700 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A**

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1




Antenna A





Antenna B



Antenna C

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**

Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B**

Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1




Antenna A



Antenna B





Antenna C

Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5700 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**

Peak Output Power / PSD, 5700 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C

Peak Output Power / PSD, 5700 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**



Peak Excursion

15.407: The ratio of the peak excursion of the modulation envelope (measured using a peak hold function) to the maximum conducted output power (measured as specified above) shall not exceed 13 dB across any 1 MHz bandwidth or the emission bandwidth whichever is less.

Set the spectrum analyzer span to view the entire emission bandwidth. The largest difference between the following two traces must be ≤ 13 dB for all frequencies across the emission bandwidth.

Set the spectrum analyzer span to view the entire emission bandwidth. The largest difference between the following two traces must be ≤ 13 dB for all frequencies across the emission bandwidth.

1st Trace: (Peak)

Set Span to encompass the entire emission bandwidth of the signal.

RBW = 1 MHz, VBW = 3 MHz

Detector = Peak

Sweep = Auto

Trace 1 = Max-hold

Ref Level Offset = correct for attenuator and cable loss

Ref Level = 20dBm

Atten = 10dBm

2nd Trace: (Average)

Trace 2 = clear right

Detector = Sample

Avg/VBW type = Pwr(RMS)

Average = 100

Sweep = single

Set marker Deltas



Trace 1 & Peak search


Marker Delta



Trace 2 & Peak search



Record the difference between the Peak and Average Markers



Frequency (MHz)	Mode	Data Rate (Mbps)	Peak Excursion (dB)	Limit (dBm/MHz)	Margin (dB)
5500	Non HT/VHT20, 6 to 54 Mbps	6	7.3	13	5.7
	HT/VHT20, M0 to M23, M0.1 to M9.3	m0	7.4	13	5.6
5510	Non HT/VHT40, 6 to 54 Mbps	6	7.2	13	5.8
	HT/VHT40, M0 to M23, M0.1 to M9.3	m0	7.4	13	5.6
5530	Non HT/VHT80, 6 to 54 Mbps	6	7.3	13	5.7
	HT/VHT80, M0 to M23, M0.1 to M9.3	m0x1	7.8	13	5.2
5550	Non HT/VHT40, 6 to 54 Mbps	6	7.1	13	5.9
	HT/VHT40, M0 to M23, M0.1 to M9.3	m0	7.5	13	5.5
5580	Non HT/VHT20, 6 to 54 Mbps	6	7	13	6.0
	HT/VHT20, M0 to M23, M0.1 to M9.3	m0	7.5	13	5.5
5660	Non HT/VHT20, 6 to 54 Mbps	6	7.2	13	5.8
	HT/VHT20, M0 to M23, M0.1 to M9.3	m0	7.3	13	5.7
5670	Non HT/VHT40, 6 to 54 Mbps	6	7.3	13	5.7
	HT/VHT40, M0 to M23, M0.1 to M9.3	m0	7.2	13	5.8
5700	Non HT/VHT20, 6 to 54 Mbps	6	7.2	13	5.8
	HT/VHT20, M0 to M23, M0.1 to M9.3	m0	7.5	13	5.5



Peak Excursion, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps**Peak Excursion, 5500 MHz, HT/VHT20, M0 to M23, M0.1 to M9.3**



Peak Excursion, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps**Peak Excursion, 5510 MHz, HT/VHT40, M0 to M23, M0.1 to M9.3**



Peak Excursion, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps**Peak Excursion, 5530 MHz, HT/VHT80, M0 to M23, M0.1 to M9.3**

Peak Excursion, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps**Peak Excursion, 5550 MHz, HT/VHT40, M0 to M23, M0.1 to M9.3**

Peak Excursion, 5580 MHz, Non HT/VHT20, 6 to 54 Mbps**Peak Excursion, 5580 MHz, HT/VHT20, M0 to M23, M0.1 to M9.3**

Peak Excursion, 5660 MHz, Non HT/VHT20, 6 to 54 Mbps**Peak Excursion, 5660 MHz, HT/VHT20, M0 to M23, M0.1 to M9.3**

Peak Excursion, 5670 MHz, Non HT/VHT40, 6 to 54 Mbps**Peak Excursion, 5670 MHz, HT/VHT40, M0 to M23, M0.1 to M9.3**

Peak Excursion, 5700 MHz, Non HT/VHT20, 6 to 54 Mbps**Peak Excursion, 5700 MHz, HT/VHT20, M0 to M23, M0.1 to M9.3**



Conducted Spurious Emissions

15.407: For transmitters operating in the 5.25-5.35 and 5.47-5.725 GHz band: all emissions outside of the 5.25-5.35 and 5.47-5.725 GHz bands shall not exceed an EIRP of -27dBm/MHz.

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Configure the spectrum analyzer as shown below (be sure to enter all losses between the transmitter output and the spectrum analyzer).

Span:	30 MHz-40 GHz
Reference Level:	20 dBm
Attenuation:	10 dB
Sweep Time:	10 s
Resolution Bandwidth:	1 MHz
Video Bandwidth:	3 MHz
Detector:	Peak
Trace:	Single
Marker:	Peak

Record the marker waveform peak to spur difference



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Spur Power (dBm)	Tx 2 Spur Power (dBm)	Tx 3 Spur Power (dBm)	Tx 4 Spur Power (dBm)	Total Conducted Spur (dBm)	Limit (dBm)	Margin (dB)
5500	Non HT/VHT20, 6 to 54 Mbps	1	6	-73.5				-67.5	-41.25	26.3
	Non HT/VHT20, 6 to 54 Mbps	2	6	-75.1	-75.2			-66.1	-41.25	24.9
	Non HT/VHT20, 6 to 54 Mbps	3	6	-75.2	-75.1	-75.0		-64.3	-41.25	23.1
	Non HT/VHT20, 6 to 54 Mbps	4	6	-75.4	-75.0	-75.2	-75.2	-63.2	-41.25	21.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-75.1	-75.2			-63.1	-41.25	21.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-75.3	-75.2	-75.2		-59.7	-41.25	18.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-75.3	-75.3	-75.2	-75.2	-57.2	-41.25	16.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-73.6				-67.6	-41.25	26.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.1			-66.1	-41.25	24.9
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.1			-66.1	-41.25	24.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-75.3	-75.2	-75.0		-64.4	-41.25	23.1
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-75.2	-75.1	-74.9		-64.3	-41.25	23.0
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.1	-74.9		-64.3	-41.25	23.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-75.3	-75.4	-75.3	-75.3	-63.3	-41.25	22.1
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-75.3	-75.2	-75.0	-75.2	-63.2	-41.25	21.9
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-75.2	-75.1	-74.9	-75.2	-63.1	-41.25	21.8
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-75.2	-75.1			-63.1	-41.25	21.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.1			-66.1	-41.25	24.9
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.0	-75.1	-75.2		-59.5	-41.25	18.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-75.2	-75.2	-75.3		-62.7	-41.25	21.4
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.1	-74.9		-64.3	-41.25	23.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.1	-75.3	-75.1	-75.1	-57.1	-41.25	15.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.2	-75.2	-75.2	-75.2	-60.2	-41.25	18.9
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-75.2	-75.2	-75.3	-75.2	-62.0	-41.25	20.8
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.1			-66.1	-41.25	24.9
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-75.2	-75.1	-74.9		-64.3	-41.25	23.0
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-75.3	-75.2	-75.0	-75.2	-63.2	-41.25	21.9
5510	Non HT/VHT40, 6 to 54 Mbps	1	6	-75.1				-69.1	-41.25	27.9
	Non HT/VHT40, 6 to 54 Mbps	2	6	-75.1	-75.3			-66.2	-41.25	24.9
	Non HT/VHT40, 6 to 54 Mbps	3	6	-75.1	-75.3	-75.3		-64.5	-41.25	23.2
	Non HT/VHT40, 6 to 54 Mbps	4	6	-75.2	-75.2	-75.1	-75.2	-63.2	-41.25	21.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-75.1				-69.1	-41.25	27.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.3			-66.2	-41.25	25.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.3			-66.2	-41.25	25.0



	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-75.2	-75.3	-75.3		-64.5	-41.25	23.2
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-75.2	-75.3	-75.3		-64.5	-41.25	23.2
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.3	-75.3		-64.5	-41.25	23.2
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-75.3	-75.3	-75.2	-75.2	-63.2	-41.25	22.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-75.2	-75.3	-75.3	-75.3	-63.3	-41.25	22.0
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-75.2	-75.3	-75.3	-75.3	-63.3	-41.25	22.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-75.2	-75.3			-63.2	-41.25	22.0
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.3			-66.2	-41.25	25.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.2	-75.4	-75.2		-59.7	-41.25	18.4
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-75.2	-75.3	-75.3		-62.7	-41.25	21.4
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.3	-75.3		-64.5	-41.25	23.2
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.0	-75.2	-75.0	-75.4	-57.1	-41.25	15.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.3	-75.3	-75.3	-75.2	-60.3	-41.25	19.0
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-75.2	-75.3	-75.3	-75.3	-62.1	-41.25	20.8
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.3			-66.2	-41.25	25.0
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-75.2	-75.3	-75.3		-64.5	-41.25	23.2
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-75.2	-75.3	-75.3	-75.3	-63.3	-41.25	22.0
5530	Non HT/VHT80, 6 to 54 Mbps	1	6	-75.3				-69.3	-41.25	28.1
	Non HT/VHT80, 6 to 54 Mbps	2	6	-75.3	-75.0			-66.1	-41.25	24.9
	Non HT/VHT80, 6 to 54 Mbps	3	6	-75.3	-75.0	-75.4		-64.5	-41.25	23.2
	Non HT/VHT80, 6 to 54 Mbps	4	6	-75.3	-75.0	-75.4	-75.0	-63.2	-41.25	21.9
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	6	-75.3				-69.3	-41.25	28.1
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.2			-66.2	-41.25	24.9
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.2			-66.2	-41.25	24.9
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	6	-75.2	-75.2	-75.3		-64.5	-41.25	23.2
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	6	-75.2	-75.2	-75.3		-64.5	-41.25	23.2
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.2	-75.3		-64.5	-41.25	23.2
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	6	-75.2	-75.2	-75.3	-75.2	-63.2	-41.25	22.0
	HT/VHT80, M8 to M15, M0.2 to M9.2	4	6	-75.2	-75.2	-75.3	-75.2	-63.2	-41.25	22.0
	HT/VHT80, M16 to M23, M0.3 to M9.3	4	6	-75.2	-75.2	-75.3	-75.2	-63.2	-41.25	22.0
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-75.2	-75.2			-63.2	-41.25	21.9
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.2			-66.2	-41.25	24.9
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.1	-75.1	-75.3		-59.6	-41.25	18.3
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-75.2	-75.2	-75.3		-62.7	-41.25	21.4
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.2	-75.3		-64.5	-41.25	23.2
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.3	-75.3	-75.1	-75.3	-57.2	-41.25	16.0
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.3	-75.2	-75.2	-75.3	-60.2	-41.25	19.0
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-75.2	-75.2	-75.3	-75.2	-62.0	-41.25	20.8
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.2			-66.2	-41.25	24.9
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	6	-75.2	-75.2	-75.3		-64.5	-41.25	23.2



	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	6	-75.2	-75.2	-75.3	-75.2	-63.2	-41.25	22.0
5550	Non HT/VHT40, 6 to 54 Mbps	1	6	-73.4				-67.4	-41.25	26.2
	Non HT/VHT40, 6 to 54 Mbps	2	6	-73.4	-73.1			-64.2	-41.25	23.0
	Non HT/VHT40, 6 to 54 Mbps	3	6	-75.0	-74.8	-75.0		-64.2	-41.25	22.9
	Non HT/VHT40, 6 to 54 Mbps	4	6	-75.3	-75.2	-75.3	-75.2	-63.2	-41.25	22.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-74.2				-68.2	-41.25	27.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-74.2	-74.4			-65.3	-41.25	24.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-74.2	-74.4			-65.3	-41.25	24.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-75.0	-75.3	-75.2		-64.4	-41.25	23.1
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-74.8	-75.0	-74.9		-64.1	-41.25	22.9
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-74.8	-75.0	-74.9		-64.1	-41.25	22.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-75.3	-75.3	-75.3	-75.2	-63.3	-41.25	22.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-75.0	-75.3	-75.2	-75.2	-63.2	-41.25	21.9
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-75.0	-75.3	-75.2	-75.2	-63.2	-41.25	21.9
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-75.0	-75.3			-63.1	-41.25	21.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-74.2	-74.4			-65.3	-41.25	24.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.2	-75.3	-75.3		-59.7	-41.25	18.4
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-75.2	-75.1	-75.3		-62.6	-41.25	21.4
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-74.8	-75.0	-74.9		-64.1	-41.25	22.9
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.2	-75.3	-75.3	-75.2	-57.2	-41.25	16.0
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.2	-75.2	-75.1	-75.2	-60.2	-41.25	18.9
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-75.2	-75.1	-75.3	-75.3	-62.0	-41.25	20.8
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-74.2	-74.4			-65.3	-41.25	24.0
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-74.8	-75.0	-74.9		-64.1	-41.25	22.9
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-75.0	-75.3	-75.2	-75.2	-63.2	-41.25	21.9
5580	Non HT/VHT20, 6 to 54 Mbps	1	6	-68.8				-62.8	-41.25	21.6
	Non HT/VHT20, 6 to 54 Mbps	2	6	-71.2	-73.8			-63.3	-41.25	22.0
	Non HT/VHT20, 6 to 54 Mbps	3	6	-74.3	-75.1	-75.5		-64.2	-41.25	22.9
	Non HT/VHT20, 6 to 54 Mbps	4	6	-75.1	-75.2	-75.4	-75.2	-63.2	-41.25	22.0
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-72.1	-74.8			-61.2	-41.25	20.0
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-75.1	-75.2	-75.4		-59.7	-41.25	18.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-75.3	-75.2	-75.2	-75.3	-57.2	-41.25	16.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-69.6				-63.6	-41.25	22.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-70.9	-73.9			-63.1	-41.25	21.9
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-69.6	-73.6			-62.1	-41.25	20.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-74.0	-75.2	-75.4		-64.1	-41.25	22.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-70.9	-73.9	-75.4		-62.2	-41.25	21.0
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-70.9	-73.9	-75.4		-62.2	-41.25	21.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-75.3	-75.3	-75.2	-75.2	-63.2	-41.25	22.0



	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-73.4	-75.1	-75.2	-75.1	-62.6	-41.25	21.4
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-72.7	-74.9	-75.0	-74.4	-62.1	-41.25	20.9
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-72.7	-74.9			-61.7	-41.25	20.4
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-69.6	-73.6			-62.1	-41.25	20.9
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.3	-75.3	-75.2		-59.7	-41.25	18.4
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-73.4	-75.1	-75.2		-61.9	-41.25	20.7
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-70.9	-73.9	-75.4		-62.2	-41.25	21.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.3	-75.3	-75.4	-75.3	-57.3	-41.25	16.1
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.0	-75.3	-75.2	-75.3	-60.2	-41.25	18.9
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-73.4	-75.1	-75.2	-75.1	-61.4	-41.25	20.2
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-69.6	-73.6			-62.1	-41.25	20.9
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-70.9	-73.9	-75.4		-62.2	-41.25	21.0
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-73.4	-75.1	-75.2	-75.1	-62.6	-41.25	21.4
5660	Non HT/VHT20, 6 to 54 Mbps	1	6	-67.7				-61.7	-41.25	20.5
	Non HT/VHT20, 6 to 54 Mbps	2	6	-69.1	-71.2			-61.0	-41.25	19.8
	Non HT/VHT20, 6 to 54 Mbps	3	6	-72.4	-74.1	-75.5		-63.0	-41.25	21.8
	Non HT/VHT20, 6 to 54 Mbps	4	6	-74.8	-75.1	-75.5	-75.4	-63.2	-41.25	21.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-70.5	-72.0			-59.2	-41.25	17.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-74.7	-74.9	-75.4		-59.4	-41.25	18.2
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-75.1	-75.5	-75.5	-75.5	-57.4	-41.25	16.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-67.3				-61.3	-41.25	20.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-69.5	-71.3			-61.3	-41.25	20.0
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-67.3	-69.5			-59.3	-41.25	18.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-72.6	-74.2	-75.5		-63.2	-41.25	21.9
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-69.5	-71.3	-75.3		-60.7	-41.25	19.4
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-69.5	-71.3	-75.3		-60.7	-41.25	19.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-74.4	-74.9	-75.5	-75.4	-63.0	-41.25	21.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-72.5	-72.9	-75.4	-75.3	-61.8	-41.25	20.6
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-70.7	-72.7	-75.5	-74.0	-60.8	-41.25	19.6
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-70.7	-72.7			-59.6	-41.25	18.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-67.3	-69.5			-59.3	-41.25	18.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-74.4	-74.9	-75.5		-59.3	-41.25	18.1
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-72.5	-72.9	-75.4		-60.9	-41.25	19.6
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-69.5	-71.3	-75.3		-60.7	-41.25	19.4
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.0	-75.5	-75.5	-75.7	-57.4	-41.25	16.1
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-74.0	-74.6	-75.4	-75.4	-59.8	-41.25	18.5
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-72.5	-72.9	-75.4	-75.3	-60.6	-41.25	19.4
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-67.3	-69.5			-59.3	-41.25	18.0
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-69.5	-71.3	-75.3		-60.7	-41.25	19.4
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-72.5	-72.9	-75.4	-75.3	-61.8	-41.25	20.6



5670	Non HT/VHT40, 6 to 54 Mbps	1	6	-75.4				-69.4	-41.25	28.2
	Non HT/VHT40, 6 to 54 Mbps	2	6	-72.4	-72.9			-63.6	-41.25	22.4
	Non HT/VHT40, 6 to 54 Mbps	3	6	-74.2	-74.6	-75.4		-63.9	-41.25	22.7
	Non HT/VHT40, 6 to 54 Mbps	4	6	-75.4	-75.4	-75.4	-75.1	-63.3	-41.25	22.1
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-71.7				-65.7	-41.25	24.5
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-71.7	-72.9			-63.2	-41.25	22.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-71.7	-72.9			-63.2	-41.25	22.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-73.1	-74.0	-75.5		-63.3	-41.25	22.1
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-73.1	-74.0	-75.5		-63.3	-41.25	22.1
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-73.1	-74.0	-75.5		-63.3	-41.25	22.1
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-75.5	-75.5	-75.5	-75.6	-63.5	-41.25	22.3
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-74.1	-75.1	-75.5	-75.4	-63.0	-41.25	21.7
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-74.1	-75.1	-75.5	-75.4	-63.0	-41.25	21.7
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-74.1	-75.1			-62.6	-41.25	21.3
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-71.7	-72.9			-63.2	-41.25	22.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.6	-75.3	-75.3		-59.8	-41.25	18.6
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-74.8	-75.5	-75.4		-62.7	-41.25	21.4
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-73.1	-74.0	-75.5		-63.3	-41.25	22.1
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.5	-75.5	-75.5	-75.5	-57.5	-41.25	16.2
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.4	-75.6	-75.6	-75.6	-60.5	-41.25	19.3
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-74.8	-75.5	-75.4	-75.5	-62.1	-41.25	20.8
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-71.7	-72.9			-63.2	-41.25	22.0
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-73.1	-74.0	-75.5		-63.3	-41.25	22.1
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-74.1	-75.1	-75.5	-75.4	-63.0	-41.25	21.7
5700	Non HT/VHT20, 6 to 54 Mbps	1	6	-71.4				-65.4	-41.25	24.2
	Non HT/VHT20, 6 to 54 Mbps	2	6	-72.4	-73.8			-64.0	-41.25	22.8
	Non HT/VHT20, 6 to 54 Mbps	1	6	-74.0	-74.2	-74.2		-63.4	-41.25	22.1
	Non HT/VHT20, 6 to 54 Mbps	4	6	-74.1	-74.2	-74.2	-73.9	-62.1	-41.25	20.8
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-73.1	-74.3			-61.6	-41.25	20.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-74.2	-74.2	-74.2		-58.6	-41.25	17.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-74.0	-74.4	-74.1	-74.2	-56.2	-41.25	14.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-72.6				-66.6	-41.25	25.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-73.8	-74.2			-65.0	-41.25	23.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-73.8	-74.2			-65.0	-41.25	23.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-73.9	-74.3	-74.3		-63.4	-41.25	22.1
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-73.8	-74.2	-74.3		-63.3	-41.25	22.1
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-73.8	-74.2	-74.3		-63.3	-41.25	22.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-74.3	-74.2	-74.2	-74.4	-62.3	-41.25	21.0
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-73.9	-74.3	-74.3	-74.2	-62.2	-41.25	20.9



HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-73.8	-74.2	-74.3	-74.3	-62.1	-41.25	20.9
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-73.8	-74.2			-62.0	-41.25	20.7
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-73.8	-74.2			-65.0	-41.25	23.7
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-74.2	-74.2	-74.3		-58.7	-41.25	17.4
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-73.8	-74.2	-74.3		-61.5	-41.25	20.3
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-73.8	-74.2	-74.3		-63.3	-41.25	22.1
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-74.3	-74.2	-74.2	-74.2	-56.2	-41.25	15.0
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-74.2	-74.2	-74.1	-74.2	-59.2	-41.25	17.9
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-73.8	-74.2	-74.3	-74.3	-60.9	-41.25	19.7
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-73.8	-74.2			-65.0	-41.25	23.7
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-73.8	-74.2	-74.3		-63.3	-41.25	22.1
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-73.9	-74.3	-74.3	-74.2	-62.2	-41.25	20.9



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Spur Power (dBm)	Tx 2 Spur Power (dBm)	Tx 3 Spur Power (dBm)	Tx 4 Spur Power (dBm)	Total Conducted Spur (dBm)	Limit (dBm)	Margin (dB)
5500	Non HT/VHT20, 6 to 54 Mbps	1	6	-48.2				-42.2	-27	15.2
	Non HT/VHT20, 6 to 54 Mbps	2	6	-49.1	-48.8			-39.9	-27	12.9
	Non HT/VHT20, 6 to 54 Mbps	3	6	-49.7	-50.1	-48.3		-38.5	-27	11.5
	Non HT/VHT20, 6 to 54 Mbps	4	6	-47.4	-47.1	-48.0	-49.3	-35.9	-27	8.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-49.1	-48.8			-36.9	-27	9.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-47.5	-47.7	-49.9		-32.7	-27	5.7
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-47.9	-47.6	-47.9	-49.2	-30.1	-27	3.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-47.5				-41.5	-27	14.5
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-48.0	-49.2			-39.5	-27	12.5
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-48.0	-49.2			-39.5	-27	12.5
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-48.6	-48.5	-49.9		-38.2	-27	11.2
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-48.0	-49.2	-49.9		-38.2	-27	11.2
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-48.0	-49.2	-49.9		-38.2	-27	11.2
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-48.2	-46.1	-48.9	-48.9	-35.8	-27	8.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-48.6	-48.5	-49.9	-47.8	-36.6	-27	9.6
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-48.0	-49.2	-49.9	-49.0	-37.0	-27	10.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.0	-49.2			-36.5	-27	9.5
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-48.0	-49.2			-39.5	-27	12.5
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.5	-48.8	-48.0		-32.8	-27	5.8
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-48.2	-48.3	-48.2		-35.7	-27	8.7
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-48.0	-49.2	-49.9		-38.2	-27	11.2
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-49.9	-49.5	-49.5	-48.8	-31.4	-27	4.4
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-48.0	-48.2	-47.9	-49.1	-33.3	-27	6.3
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-48.2	-48.3	-48.2	-47.7	-34.9	-27	7.9
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-48.0	-49.2			-39.5	-27	12.5
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-48.0	-49.2	-49.9		-38.2	-27	11.2
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-48.6	-48.5	-49.9	-47.8	-36.6	-27	9.6
5510	Non HT/VHT40, 6 to 54 Mbps	1	6	-45.6				-39.6	-27	12.6
	Non HT/VHT40, 6 to 54 Mbps	2	6	-45.6	-48.2			-37.7	-27	10.7
	Non HT/VHT40, 6 to 54 Mbps	3	6	-45.6	-48.2	-48.4		-36.4	-27	9.4
	Non HT/VHT40, 6 to 54 Mbps	4	6	-49.4	-47.4	-49.4	-47.4	-36.3	-27	9.3
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-47.9				-41.9	-27	14.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-48.2	-48.7			-39.4	-27	12.4
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-48.2	-48.7			-39.4	-27	12.4



	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-48.2	-48.7	-48.3		-37.6	-27	10.6
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-48.2	-48.7	-48.3		-37.6	-27	10.6
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-48.2	-48.7	-48.3		-37.6	-27	10.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-47.9	-50.5	-47.8	-46.4	-35.9	-27	8.9
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-48.2	-48.7	-48.3	-48.9	-36.5	-27	9.5
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-48.2	-48.7	-48.3	-48.9	-36.5	-27	9.5
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.2	-48.7			-36.4	-27	9.4
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-48.2	-48.7			-39.4	-27	12.4
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.0	-46.9	-47.1		-31.7	-27	4.7
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-48.2	-48.7	-48.3		-35.8	-27	8.8
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-48.2	-48.7	-48.3		-37.6	-27	10.6
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-48.8	-47.3	-47.1	-49.1	-30.0	-27	3.0
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-48.5	-47.8	-47.8	-49.5	-33.3	-27	6.3
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-48.2	-48.7	-48.3	-48.9	-35.3	-27	8.3
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-48.2	-48.7			-39.4	-27	12.4
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-48.2	-48.7	-48.3		-37.6	-27	10.6
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-48.2	-48.7	-48.3	-48.9	-36.5	-27	9.5
5530	Non HT/VHT80, 6 to 54 Mbps	1	6	-49.1				-43.1	-27	16.1
	Non HT/VHT80, 6 to 54 Mbps	2	6	-49.1	-49.6			-40.3	-27	13.3
	Non HT/VHT80, 6 to 54 Mbps	3	6	-49.1	-49.6	-47.8		-38.0	-27	11.0
	Non HT/VHT80, 6 to 54 Mbps	4	6	-49.1	-49.6	-47.8	-48.0	-36.5	-27	9.5
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	6	-48.7				-42.7	-27	15.7
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	6	-48.9	-49.1			-40.0	-27	13.0
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	6	-48.9	-49.1			-40.0	-27	13.0
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	6	-48.9	-49.1	-50.1		-38.6	-27	11.6
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	6	-48.9	-49.1	-50.1		-38.6	-27	11.6
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	6	-48.9	-49.1	-50.1		-38.6	-27	11.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	6	-48.9	-49.1	-50.1	-49.0	-37.2	-27	10.2
	HT/VHT80, M8 to M15, M0.2 to M9.2	4	6	-48.9	-49.1	-50.1	-49.0	-37.2	-27	10.2
	HT/VHT80, M16 to M23, M0.3 to M9.3	4	6	-48.9	-49.1	-50.1	-49.0	-37.2	-27	10.2
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.9	-49.1			-37.0	-27	10.0
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-48.9	-49.1			-40.0	-27	13.0
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-49.8	-47.2	-45.8		-31.7	-27	4.7
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-48.9	-49.1	-50.1		-36.8	-27	9.8
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-48.9	-49.1	-50.1		-38.6	-27	11.6
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-45.9	-48.9	-46.4	-47.1	-28.9	-27	1.9
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-49.5	-49.1	-50.1	-47.7	-34.0	-27	7.0
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-48.9	-49.1	-50.1	-49.0	-36.0	-27	9.0
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	6	-48.9	-49.1			-40.0	-27	13.0
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	6	-48.9	-49.1	-50.1		-38.6	-27	11.6



	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	6	-48.9	-49.1	-50.1	-49.0	-37.2	-27	10.2
5550	Non HT/VHT40, 6 to 54 Mbps	1	6	-48.3				-42.3	-27	15.3
	Non HT/VHT40, 6 to 54 Mbps	2	6	-48.3	-49.9			-40.0	-27	13.0
	Non HT/VHT40, 6 to 54 Mbps	3	6	-49.3	-48.3	-48.8		-38.0	-27	11.0
	Non HT/VHT40, 6 to 54 Mbps	4	6	-50.9	-47.7	-47.6	-47.0	-36.0	-27	9.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-47.8				-41.8	-27	14.8
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-47.8	-49.5			-39.6	-27	12.6
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-47.8	-49.5			-39.6	-27	12.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-49.0	-46.0	-49.5		-37.1	-27	10.1
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-47.8	-48.9	-49.1		-37.8	-27	10.8
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-47.8	-48.9	-49.1		-37.8	-27	10.8
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-49.2	-49.2	-47.9	-48.0	-36.5	-27	9.5
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-49.0	-46.0	-49.5	-48.7	-36.0	-27	9.0
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-49.0	-46.0	-49.5	-48.7	-36.0	-27	9.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-49.0	-46.0			-35.2	-27	8.2
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-47.8	-49.5			-39.6	-27	12.6
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.9	-47.6	-48.4		-32.7	-27	5.7
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-49.0	-48.5	-48.7		-36.2	-27	9.2
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-47.8	-48.9	-49.1		-37.8	-27	10.8
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-49.4	-48.4	-48.2	-48.9	-30.7	-27	3.7
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-47.4	-46.5	-48.6	-47.6	-32.4	-27	5.4
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-49.0	-48.5	-48.7	-49.8	-35.8	-27	8.8
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-47.8	-49.5			-39.6	-27	12.6
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-47.8	-48.9	-49.1		-37.8	-27	10.8
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-49.0	-46.0	-49.5	-48.7	-36.0	-27	9.0
5580	Non HT/VHT20, 6 to 54 Mbps	1	6	-47.7				-41.7	-27	14.7
	Non HT/VHT20, 6 to 54 Mbps	2	6	-49.8	-48.8			-40.3	-27	13.3
	Non HT/VHT20, 6 to 54 Mbps	3	6	-47.6	-49.4	-48.6		-37.7	-27	10.7
	Non HT/VHT20, 6 to 54 Mbps	4	6	-48.8	-50.3	-48.9	-48.3	-37.0	-27	10.0
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-48.9	-48.6			-36.7	-27	9.7
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-48.8	-50.3	-48.9		-33.7	-27	6.7
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-47.6	-49.5	-48.6	-49.1	-30.6	-27	3.6
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-48.7				-42.7	-27	15.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-46.9	-48.7			-38.7	-27	11.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-48.7	-48.8			-39.7	-27	12.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-50.0	-46.9	-48.7		-37.6	-27	10.6
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-46.9	-48.7	-49.0		-37.3	-27	10.3
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-46.9	-48.7	-49.0		-37.3	-27	10.3
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-48.2	-47.3	-49.3	-48.4	-36.2	-27	9.2




	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-49.1	-48.8	-49.0	-48.6	-36.9	-27	9.9
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-49.8	-49.8	-50.2	-49.6	-37.8	-27	10.8
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-49.8	-49.8			-37.8	-27	10.8
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-48.7	-48.8			-39.7	-27	12.7
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.2	-47.3	-49.3		-32.6	-27	5.6
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-49.1	-48.8	-49.0		-36.4	-27	9.4
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-46.9	-48.7	-49.0		-37.3	-27	10.3
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-47.8	-48.1	-46.8	-49.4	-29.9	-27	2.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-47.3	-48.9	-48.6	-47.8	-33.1	-27	6.1
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-49.1	-48.8	-49.0	-48.6	-35.7	-27	8.7
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-48.7	-48.8			-39.7	-27	12.7
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-46.9	-48.7	-49.0		-37.3	-27	10.3
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-49.1	-48.8	-49.0	-48.6	-36.9	-27	9.9
5660	Non HT/VHT20, 6 to 54 Mbps	1	6	-50.7				-44.7	-27	17.7
	Non HT/VHT20, 6 to 54 Mbps	2	6	-50.3	-48.8			-40.5	-27	13.5
	Non HT/VHT20, 6 to 54 Mbps	3	6	-50.3	-48.8	-48.9		-38.5	-27	11.5
	Non HT/VHT20, 6 to 54 Mbps	4	6	-49.1	-48.4	-48.1	-48.6	-36.5	-27	9.5
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-47.9	-49.4			-36.6	-27	9.6
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-49.7	-47.5	-49.4		-33.2	-27	6.2
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-50.0	-50.7	-50.4	-49.5	-32.1	-27	5.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-46.1				-40.1	-27	13.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-47.1	-48.7			-38.8	-27	11.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-46.1	-49.7			-38.5	-27	11.5
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-47.8	-49.9	-50.3		-38.4	-27	11.4
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-47.1	-48.7	-49.5		-37.5	-27	10.5
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-47.1	-48.7	-49.5		-37.5	-27	10.5
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-48.0	-49.0	-49.1	-49.7	-36.9	-27	9.9
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-49.3	-48.4	-46.8	-48.9	-36.2	-27	9.2
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-48.0	-48.5	-48.9	-47.3	-36.1	-27	9.1
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.0	-48.5			-36.2	-27	9.2
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-46.1	-49.7			-38.5	-27	11.5
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.0	-49.0	-49.1		-33.1	-27	6.1
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-49.3	-48.4	-46.8		-35.5	-27	8.5
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-47.1	-48.7	-49.5		-37.5	-27	10.5
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-50.2	-48.7	-48.5	-49.0	-31.0	-27	4.0
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-48.9	-48.9	-49.2	-48.8	-33.9	-27	6.9
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-49.3	-48.4	-46.8	-48.9	-35.0	-27	8.0
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-46.1	-49.7			-38.5	-27	11.5
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-47.1	-48.7	-49.5		-37.5	-27	10.5
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-49.3	-48.4	-46.8	-48.9	-36.2	-27	9.2



5670	Non HT/VHT40, 6 to 54 Mbps	1	6	-49.0				-43.0	-27	16.0
	Non HT/VHT40, 6 to 54 Mbps	2	6	-47.9	-49.4			-39.6	-27	12.6
	Non HT/VHT40, 6 to 54 Mbps	3	6	-48.4	-48.2	-47.6		-37.3	-27	10.3
	Non HT/VHT40, 6 to 54 Mbps	4	6	-49.0	-47.9	-48.2	-49.5	-36.6	-27	9.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-49.4				-43.4	-27	16.4
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-49.4	-48.6			-40.0	-27	13.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-49.4	-48.6			-40.0	-27	13.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-49.2	-47.2	-49.5		-37.7	-27	10.7
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-49.2	-47.2	-49.5		-37.7	-27	10.7
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-49.2	-47.2	-49.5		-37.7	-27	10.7
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-47.6	-49.7	-48.3	-48.6	-36.5	-27	9.5
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-48.6	-50.0	-50.5	-46.2	-36.5	-27	9.5
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-48.6	-50.0	-50.5	-46.2	-36.5	-27	9.5
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.6	-50.0			-37.2	-27	10.2
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-49.4	-48.6			-40.0	-27	13.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.0	-49.0	-49.4		-33.2	-27	6.2
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-49.1	-50.4	-48.6		-36.7	-27	9.7
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-49.2	-47.2	-49.5		-37.7	-27	10.7
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-46.2	-48.7	-50.6	-47.5	-29.9	-27	2.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-49.2	-49.2	-48.7	-48.1	-33.8	-27	6.8
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-49.1	-50.4	-48.6	-48.7	-35.9	-27	8.9
5700	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-49.4	-48.6			-40.0	-27	13.0
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-49.2	-47.2	-49.5		-37.7	-27	10.7
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-48.6	-50.0	-50.5	-46.2	-36.5	-27	9.5
	Non HT/VHT20, 6 to 54 Mbps	1	6	-46.9				-40.9	-27	13.9
	Non HT/VHT20, 6 to 54 Mbps	2	6	-47.9	-48.2			-39.0	-27	12.0
	Non HT/VHT20, 6 to 54 Mbps	3	6	-48.4	-50.2	-48.1		-38.0	-27	11.0
	Non HT/VHT20, 6 to 54 Mbps	4	6	-48.6	-48.9	-47.0	-48.4	-36.1	-27	9.1
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-48.6	-47.2			-35.8	-27	8.8
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-47.8	-45.4	-47.3		-31.1	-27	4.1
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-47.1	-47.4	-47.9	-45.7	-28.9	-27	1.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-47.4				-41.4	-27	14.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-48.6	-46.1			-38.2	-27	11.2
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-48.6	-46.1			-38.2	-27	11.2
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-47.4	-48.7	-48.1		-37.3	-27	10.3
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-48.6	-46.1	-48.7		-36.9	-27	9.9
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-48.6	-46.1	-48.7		-36.9	-27	9.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-47.8	-49.0	-47.4	-47.1	-35.7	-27	8.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-47.4	-48.7	-48.1	-46.9	-35.7	-27	8.7



HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-48.6	-46.1	-48.7	-45.7	-35.0	-27	8.0
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.6	-46.1			-35.2	-27	8.2
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-48.6	-46.1			-38.2	-27	11.2
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-46.5	-48.8	-47.2		-31.8	-27	4.8
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-48.6	-46.1	-48.7		-35.1	-27	8.1
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-48.6	-46.1	-48.7		-36.9	-27	9.9
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-48.0	-46.8	-47.8	-47.3	-29.4	-27	2.4
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-47.6	-47.3	-46.6	-48.2	-32.4	-27	5.4
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-48.6	-46.1	-48.7	-45.7	-33.8	-27	6.8
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-48.6	-46.1			-38.2	-27	11.2
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-48.6	-46.1	-48.7		-36.9	-27	9.9
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-47.4	-48.7	-48.1	-46.9	-35.7	-27	8.7

**Conducted Spurs, All Antennas**

Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A**


Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A****Antenna B**

Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B**

Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A**

Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5500 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5500 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**

[illegible]

Authorized Spectral Analyzer - Sweep SA

100 Hz 10000000000 Hz 12:36:20 JPMCC131.2013

Center Freq 9.015000000 GHz Avg Type: Log-Pwr

PBW: Fast Trig: Free Run
BW: Gain: High Attenu: 1 dB

Trace 1: 9.015 GHz
Type: Noise
Det: Peak

Frequency

Auto Tune

Center Freq
9.015000000 GHz

Start Freq
30.000000000 MHz

Stop Freq
18.000000000 GHz

CF Step
1.797000000 GHz
Man

10 dBmV
Ref -20.00 dBm

Mkr3 16.500 GHz
-75.15 dBm

Start 30 MHz
#Res BW 1.0 MHz

Stop 18.000 GHz
Sweep 14.0 s (1001 pts)

#VBW 1.0 kHz

MARK	MODE	FREQ	SIG	DB	FUNCTION	FUNCTION VALUE	FUNCTION VALUE
1	N	1	f	9.500 GHz	-56.90 dBm		
2	N	1	f	11.000 GHz	-76.08 dBm		
3	N	1	f	16.500 GHz	-75.15 dBm		
4							
5							
6							
7							
8							
9							
10							
11							
12							

MANO

STATUS

Freq Offset
0 Hz

Center Freq 9.015000000 GHz

Span 30 MHz

Ref -20.00 dBm

Mkr2 11.000 GHz
-74.93 dBm

Start 30 MHz
Res BW 1.0 kHz

Sweep 18.000 GHz
14.0 s (1001 pts)

Marker	Freq (GHz)	Power (dBm)
1	9.015	-55.19
2	11.000	-74.93
3	16.500	-75.12

Frequency

Auto Tune

Center Freq
9.015000000 GHz

Start Freq
30.000000 MHz

Stop Freq
18.000000000 GHz

CF Step
1.797000000 GHz

Freq Offset
0 Hz

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential

Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A**

**Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B**

Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1**Antenna A**

Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**

**Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5510 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5510 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2**

Antenna A



Antenna B



Antenna C



Antenna D

Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

Center Freq 9.015000000 GHz

Ref -20.00 dBm

Mkr3 18.500 GHz
-75.18 dBm

Start 30 MHz
#Res BW 1.0 kHz

Stop 18,000 GHz
Sweep 14.0 s (1001 pts)

Mkr	Meas	Freq	dBm	Function	Function Value	Function Name
1	N	8.610 GHz	-50.90 dBm			
2	N	11.600 GHz	-75.04 dBm			
3	N	18.500 GHz	-75.18 dBm			

Active Spectrum Analyzer - Swept 1A

Center Freq 9.015000000 GHz

PRF: 1 Fast
B Gain: High

Trig: Free Run
#atten: 1 dB

Avg Type: Log-Pwr

Trace 013 of 4
Type: Spectrum
Ref: 0.00000000

Frequency

Auto Tune

Center Freq
9.015000000 GHz

Start Freq
30.00000000 MHz

Stop Freq
18.000000000 GHz

CF Step
1.797000000 GHz

Freq Offset
0 Hz

Start 30 MHz
#Res BW 1.0 MHz

#VBW 1.0 kHz

Stop 18.000 GHz
Sweep 14.0 s (1001 pts)

10 dB/div Ref -20.00 dBm

Mkr3 18.500 GHz
-75.29 dBm

MARK	MODE	FREQ	SQL	dB	FUNCTION	FUNCTION VALUE	FUNCTION VALUE
1	N	9.015 GHz	1	-51.70 dBm			
2	N	11.000 GHz	1	-79.17 dBm			
3	N	18.500 GHz	1	-75.29 dBm			

Reflex Spectrum Analyzer - Sweep 14

Center Freq 9.015000000 GHz

PRF: Fast IF Gates On

Trig: Free Run

Attenu: 0 dB

Avg Type: Log-Pwr

Trace 0: 9.015 GHz

Span: 1.0 GHz

Frequency

Auto Tune

Center Freq 9.015000000 GHz

Start Freq 30.000000 MHz

Stop Freq 18.000000000 GHz

CF Step 1.797000000 GHz

Auto Man

Freq Offset 0 Hz

Start 30 MHz

Res BW 1.0 MHz

#BW 1.0 kHz

Sweep 18.000 GHz

Sweep 14.0 s (1001 pts)

10 dBm

Ref -20.00 dBm

Mkr3 18.500 GHz

-75.30 dBm

1

2

3

Marker	Frequency	Power
1	8.610 GHz	-92.83 dBm
2	11.600 GHz	-78.01 dBm
3	16.500 GHz	-75.33 dBm

Marker 1: 8.610 GHz, -92.83 dBm

Marker 2: 11.600 GHz, -78.01 dBm

Marker 3: 16.500 GHz, -75.33 dBm

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential

**Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps**Antenna A**

**Conducted Spurs Average, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps****Antenna A****Antenna B**

Conducted Spurs Average, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1****Antenna A**

**Conducted Spurs Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

Conducted Spurs Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

Conducted Spurs Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A**

**Conducted Spurs Average, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B**

Conducted Spurs Average, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A**

Conducted Spurs Average, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**

Conducted Spurs Average, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B**

Conducted Spurs Average, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5550 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5550 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

Conducted Spurs Average, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5580 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A**

**Conducted Spurs Average, 5580 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B**

**Conducted Spurs Average, 5580 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5580 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5580 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B**

Conducted Spurs Average, 5580 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5580 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5580 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A**

**Conducted Spurs Average, 5580 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

Conducted Spurs Average, 5580 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B**

Conducted Spurs Average, 5580 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5580 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5580 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5580 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5580 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5580 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5580 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5580 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5580 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5660 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A**

**Conducted Spurs Average, 5660 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B**

Conducted Spurs Average, 5660 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5660 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5660 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B**

Conducted Spurs Average, 5660 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C**


Conducted Spurs Average, 5660 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5660 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A**

**Conducted Spurs Average, 5660 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

Conducted Spurs Average, 5660 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B**

Conducted Spurs Average, 5660 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

Conducted Spurs Average, 5660 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5660 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**