



**No. I23Z60093-SEM01**

**For**

**TCL Communication Ltd.**

**Tablet PC**

**Model Name: 9138S,9150S**

**with**

**Hardware Version: 05**

**Software Version: YNS7**

**FCC ID: 2ACCJB199**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

**Test Laboratory:**

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: [ctl\\_terminals@caict.ac.cn](mailto:ctl_terminals@caict.ac.cn), website: [www.caict.ac.cn](http://www.caict.ac.cn)




**Picture 1: Constituents of the sample**

**Test positions for body:**


The Body SAR is tested at the following 9 test positions with the distance = 0mm/9/10/13mm/14mm/19mm between the EUT and the phantom bottom:



**Picture 2 Rear 0mm**




**Picture 3 Rear 13mm**



**Picture 4 Rear 14mm**



**Picture 5 Left 0mm**



**Picture 6 Left 10mm**





**Picture 7 Right 0mm**




**Picture 8 Right 9mm**



**Picture 9 Top 0mm**



**Picture 10 Top 11mm**



**Picture 11 Top 14mm**



Picture 11 Antenna location