

Product: Middle-short range radar

Type Identification: B122-019, B122-019XXX-XXX, B122-019XXX-XX

(The suffix X may be any alpha character "a"-"z", "A"-"Z", or numeric character "0"-"9", or -, (,), or blank or combination of alpha and numeric characters for the marketing purpose.)

Photograph 1: Test Setup for Spurious Emissions (Front View 1)



Photograph 2: Test Setup for Spurious Emissions (Front View 2)




Product: Middle-short range radar


Type Identification: B122-019, B122-019XXX-XXX, B122-019XXX-XX

(The suffix X may be any alpha character "a"-"z", "A"-"Z", or numeric character "0"-"9", or -, (,), or blank or combination of alpha and numeric characters for the marketing purpose.)

Photograph 3: Test Setup for Spurious Emissions (Back View 1)



Photograph 4: Test Setup for Spurious Emissions (Back View 2)



Product: Middle-short range radar


Type Identification: B122-019, B122-019XXX-XXX, B122-019XXX-XX

(The suffix X may be any alpha character "a"-"z", "A"-"Z", or numeric character "0"-"9", or -, (,), or blank or combination of alpha and numeric characters for the marketing purpose.)

Photograph 5: Test Setup for Spurious Emissions (Back View 3)



Photograph 6: Test Setup for Spurious Emissions (Back View 4)



Product: Middle-short range radar

Type Identification: B122-019, B122-019XXX-XXX, B122-019XXX-XX

(The suffix X may be any alpha character "a"-"z", "A"-"Z", or numeric character "0"-"9", or -, (,), or blank or combination of alpha and numeric characters for the marketing purpose.)

Photograph 7: Test Setup for Spurious Emissions (Back View 5)



Photograph 8: Test Setup for Spurious Emissions (Back View 6)

