


6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09086G	59.80	88.20	-28.40	39.84	3	Vertical	25	1.00	-	39.56	12.22	31.82			
RMS	13.09211G	47.66	68.20	-20.54	27.69	3	Vertical	25	1.00	-	39.57	12.22	31.82			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09022G	59.96	88.20	-28.24	40.00	3	Horizontal	137	2.73	-	39.56	12.22	31.82			
RMS	13.08938G	47.62	68.20	-20.58	27.65	3	Horizontal	137	2.73	-	39.56	12.22	31.81			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63734G	44.23	83.54	-39.31	40.56	1	Vertical	160	2.78	-	38.02	15.22	49.57			
AV	19.63179G	32.21	63.54	-31.33	28.57	1	Vertical	160	2.78	-	37.99	15.22	49.57			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6351G	44.24	83.54	-39.30	40.58	1	Horizontal	264	2.44	-	38.01	15.22	49.57			
AV	19.63252G	32.21	63.54	-31.33	28.56	1	Horizontal	264	2.44	-	38.00	15.22	49.57			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25047G	60.65	74.00	-13.35	40.39	3	Vertical	252	2.16	-	40.00	12.25	31.99			
AV	13.25131G	47.44	54.00	-6.56	27.18	3	Vertical	252	2.16	-	40.00	12.25	31.99			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2521G	59.83	74.00	-14.17	39.57	3	Horizontal	200	2.96	-	40.00	12.25	31.99			
AV	13.25161G	47.44	54.00	-6.56	27.18	3	Horizontal	200	2.96	-	40.00	12.25	31.99			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87638G	44.33	83.54	-39.21	40.73	1	Vertical	68	2.17	-	37.76	15.21	49.37			
AV	19.87005G	32.16	63.54	-31.38	28.61	1	Vertical	68	2.17	-	37.72	15.21	49.38			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87587G	44.09	83.54	-39.45	40.49	1	Horizontal	220	2.73	-	37.76	15.21	49.37			
AV	19.8778G	32.11	63.54	-31.43	28.50	1	Horizontal	220	2.73	-	37.77	15.21	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40687G	59.91	88.20	-28.29	39.45	3	Vertical	232	2.36	-	40.33	12.28	32.15			
RMS	13.41238G	47.33	68.20	-20.87	26.85	3	Vertical	232	2.36	-	40.35	12.29	32.16			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40517G	59.17	88.20	-29.03	38.72	3	Horizontal	169	2.57	-	40.32	12.28	32.15			
RMS	13.41054G	47.31	68.20	-20.89	26.84	3	Horizontal	169	2.57	-	40.34	12.29	32.16			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11678G	44.56	83.54	-38.98	40.71	1	Vertical	79	1.61	-	37.80	15.29	49.24			
AV	20.11563G	32.32	63.54	-31.22	28.46	1	Vertical	79	1.61	-	37.81	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1146G	44.08	83.54	-39.46	40.22	1	Horizontal	354	2.11	-	37.81	15.29	49.24			
AV	20.11045G	32.34	63.54	-31.20	28.45	1	Horizontal	354	2.11	-	37.84	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57179G	59.90	88.20	-28.30	39.24	3	Vertical	209	1.66	-	40.60	12.32	32.26			
RMS	13.57025G	47.57	68.20	-20.63	26.91	3	Vertical	209	1.66	-	40.60	12.32	32.26			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5671G	59.99	88.20	-28.21	39.33	3	Horizontal	85	1.06	-	40.60	12.32	32.26			
RMS	13.56512G	47.57	68.20	-20.63	26.91	3	Horizontal	85	1.06	-	40.60	12.32	32.26			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35617G	43.90	83.54	-39.64	39.51	1	Vertical	157	2.66	-	38.09	15.48	49.18			
AV	20.35665G	32.04	63.54	-31.50	27.64	1	Vertical	157	2.66	-	38.09	15.49	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3538G	43.69	83.54	-39.85	39.30	1	Horizontal	32	1.91	-	38.09	15.48	49.18			
AV	20.35394G	32.12	63.54	-31.42	27.73	1	Horizontal	32	1.91	-	38.09	15.48	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Z_TX
setting 20
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72627G	61.45	88.20	-26.75	40.38	3	Vertical	118	1.45	-	41.01	12.35	32.29			
RMS	13.73307G	48.43	68.20	-19.77	27.34	3	Vertical	118	1.45	-	41.03	12.35	32.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_TX
setting 20
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73496G	60.91	88.20	-27.29	39.81	3	Horizontal	57	1.45	-	41.04	12.35	32.29			
RMS	13.73296G	48.43	68.20	-19.77	27.34	3	Horizontal	57	1.45	-	41.03	12.35	32.29			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59032G	44.94	83.54	-38.60	40.38	1	Vertical	237	1.22	-	37.98	15.67	49.09			
AV	20.59189G	32.77	63.54	-30.77	28.21	1	Vertical	237	1.22	-	37.98	15.67	49.09			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59226G	44.60	83.54	-38.94	40.04	1	Horizontal	157	1.20	-	37.98	15.67	49.09			
AV	20.59923G	32.63	63.54	-30.91	28.04	1	Horizontal	157	1.20	-	38.00	15.68	49.09			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89243G	61.87	88.20	-26.33	40.52	3	Vertical	178	2.89	-	41.28	12.38	32.31			
RMS	13.89169G	48.53	68.20	-19.67	27.18	3	Vertical	178	2.89	-	41.28	12.38	32.31			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89285G	60.47	88.20	-27.73	39.11	3	Horizontal	202	2.82	-	41.29	12.38	32.31			
RMS	13.88518G	48.48	68.20	-19.72	27.14	3	Horizontal	202	2.82	-	41.27	12.38	32.31			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83897G	44.12	83.54	-39.42	39.01	1	Vertical	309	2.50	-	38.20	15.87	48.96			
AV	20.83713G	32.71	63.54	-30.83	27.60	1	Vertical	309	2.50	-	38.20	15.87	48.96			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
setting 20
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83605G	44.76	83.54	-38.78	39.66	1	Horizontal	352	1.38	-	38.20	15.87	48.97			
AV	20.83309G	32.71	63.54	-30.83	27.61	1	Horizontal	352	1.38	-	38.20	15.87	48.97			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
setting 21
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0166G	112.90	Inf	-Inf	104.45	3	Vertical	338	1.02	-	35.60	8.40	35.55			
RMS	6.9938G	99.78	Inf	-Inf	91.33	3	Vertical	338	1.02	-	35.60	8.40	35.55			
PK	7.209G	64.20	88.20	-24.00	54.94	3	Vertical	338	1.02	-	36.25	8.45	35.44			
RMS	7.1918G	51.98	68.20	-16.22	42.83	3	Vertical	338	1.02	-	36.15	8.45	35.45			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
setting 21
02-H-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9942G	100.96	Inf	-Inf	88.56	3	Horizontal	193	1.80	-	35.30	9.03	31.93			
RMS	6.9962G	91.78	Inf	-Inf	79.39	3	Horizontal	193	1.80	-	35.30	9.03	31.94			
PK	7.1862G	64.67	88.20	-23.53	51.44	3	Horizontal	193	1.80	-	35.92	9.35	32.04			
RMS	7.2126G	53.32	68.20	-14.88	39.97	3	Horizontal	193	1.80	-	36.05	9.36	32.06			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04779G	62.44	88.20	-25.76	40.62	3	Vertical	44	2.81	-	41.69	12.42	32.29			
RMS	14.04508G	49.46	68.20	-18.74	27.65	3	Vertical	44	2.81	-	41.68	12.42	32.29			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04877G	62.11	88.20	-26.09	40.28	3	Horizontal	215	1.18	-	41.70	12.42	32.29			
RMS	14.05291G	49.62	68.20	-18.58	27.77	3	Horizontal	215	1.18	-	41.71	12.42	32.28			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07086G	44.25	83.54	-39.29	38.79	1	Vertical	33	2.06	-	38.27	16.06	48.87			
AV	21.07017G	32.59	63.54	-30.95	27.12	1	Vertical	33	2.06	-	38.28	16.06	48.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
setting 21
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07077G	44.81	83.54	-38.73	39.34	1	Horizontal	25	1.89	-	38.28	16.06	48.87			
AV	21.07026G	32.59	63.54	-30.95	27.12	1	Horizontal	25	1.89	-	38.28	16.06	48.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
setting 22
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.901G	83.60	88.20	-4.60	76.58	3	Vertical	74	1.03	-	34.50	7.61	35.09			
RMS	5.8906G	56.90	68.20	-11.30	49.93	3	Vertical	74	1.03	-	34.46	7.60	35.09			
PK	6.097G	110.82	Inf	-Inf	103.24	3	Vertical	74	1.03	-	34.88	7.80	35.10			
RMS	6.0914G	99.75	Inf	-Inf	92.21	3	Vertical	74	1.03	-	34.85	7.80	35.11			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
setting 22
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.897G	71.22	88.20	-16.98	64.21	3	Horizontal	347	1.01	-	34.49	7.61	35.09			
RMS	5.9034G	49.47	68.20	-18.73	42.44	3	Horizontal	347	1.01	-	34.51	7.61	35.09			
PK	6.089G	101.11	Inf	-Inf	93.60	3	Horizontal	347	1.01	-	34.83	7.79	35.11			
RMS	6.0914G	90.38	Inf	-Inf	82.84	3	Horizontal	347	1.01	-	34.85	7.80	35.11			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05097G	59.02	74.00	-14.98	39.18	3	Vertical	89	1.10	-	39.10	12.02	31.28			
AV	12.04515G	47.44	54.00	-6.56	27.58	3	Vertical	89	1.10	-	39.12	12.02	31.28			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Z_2TX
setting 22
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.05197G	59.90	74.00	-14.10	40.06	3	Horizontal	348	2.45	-	39.10	12.02	31.28				
AV	12.05283G	47.33	54.00	-6.67	27.50	3	Horizontal	348	2.45	-	39.09	12.02	31.28				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07966G	44.50	83.54	-39.04	41.16	1	Vertical	349	1.86	-	37.52	15.30	49.48			
AV	18.0797G	32.37	63.54	-31.17	29.03	1	Vertical	349	1.86	-	37.52	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07968G	44.02	83.54	-39.52	40.68	1	Horizontal	108	2.57	-	37.52	15.30	49.48			
AV	18.0774G	32.43	63.54	-31.11	29.10	1	Horizontal	108	2.57	-	37.51	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37476G	59.45	74.00	-14.55	39.86	3	Vertical	76	1.27	-	38.80	12.08	31.29			
AV	12.37077G	47.01	54.00	-6.99	27.42	3	Vertical	76	1.27	-	38.80	12.08	31.29			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36998G	59.07	74.00	-14.93	39.48	3	Horizontal	215	1.67	-	38.80	12.08	31.29			
AV	12.37405G	47.05	54.00	-6.95	27.46	3	Horizontal	215	1.67	-	38.80	12.08	31.29			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55663G	45.28	83.54	-38.26	41.95	1	Vertical	355	1.44	-	37.70	15.27	49.64			
AV	18.55761G	32.75	63.54	-30.79	29.42	1	Vertical	355	1.44	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5536G	44.65	83.54	-38.89	41.32	1	Horizontal	331	2.25	-	37.70	15.27	49.64			
AV	18.55166G	32.70	63.54	-30.84	29.37	1	Horizontal	331	2.25	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69385G	58.98	74.00	-15.02	39.59	3	Vertical	75	2.14	-	38.70	12.15	31.46			
AV	12.68881G	46.27	54.00	-7.73	26.89	3	Vertical	75	2.14	-	38.70	12.14	31.46			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.686G	59.12	74.00	-14.88	39.74	3	Horizontal	0	1.58	-	38.70	12.14	31.46			
AV	12.68982G	46.28	54.00	-7.72	26.90	3	Horizontal	0	1.58	-	38.70	12.14	31.46			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03524G	44.79	83.54	-38.75	41.00	1	Vertical	65	2.13	-	37.90	15.25	49.36			
AV	19.03959G	32.64	63.54	-30.90	28.86	1	Vertical	65	2.13	-	37.90	15.25	49.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.04G	44.21	83.54	-39.33	40.43	1	Horizontal	35	1.57	-	37.90	15.25	49.37			
AV	19.0376G	32.63	63.54	-30.91	28.85	1	Horizontal	35	1.57	-	37.90	15.25	49.37			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00995G	58.95	88.20	-29.25	39.07	3	Vertical	200	1.01	-	39.40	12.21	31.73			
RMS	13.01124G	46.93	68.20	-21.27	27.05	3	Vertical	200	1.01	-	39.40	12.21	31.73			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00972G	59.03	88.20	-29.17	39.15	3	Horizontal	219	1.21	-	39.40	12.21	31.73			
RMS	13.01131G	46.93	68.20	-21.27	27.05	3	Horizontal	219	1.21	-	39.40	12.21	31.73			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51129G	45.82	83.54	-37.72	42.25	1	Vertical	327	1.31	-	38.02	15.22	49.67			
AV	19.51312G	33.82	63.54	-29.72	30.24	1	Vertical	327	1.31	-	38.03	15.22	49.67			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51109G	45.98	83.54	-37.56	42.41	1	Horizontal	48	2.47	-	38.02	15.22	49.67			
AV	19.51027G	33.68	63.54	-29.86	30.11	1	Horizontal	48	2.47	-	38.02	15.22	49.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33466G	59.94	74.00	-14.06	39.57	3	Vertical	310	1.78	-	40.17	12.27	32.07			
AV	13.33464G	47.31	54.00	-6.69	26.94	3	Vertical	310	1.78	-	40.17	12.27	32.07			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32834G	59.33	74.00	-14.67	38.97	3	Horizontal	356	1.92	-	40.16	12.27	32.07			
AV	13.32897G	47.32	54.00	-6.68	26.96	3	Horizontal	356	1.92	-	40.16	12.27	32.07			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9974G	44.14	83.54	-39.40	40.41	1	Vertical	160	1.22	-	37.80	15.20	49.27			
AV	19.9901G	32.12	63.54	-31.42	28.40	1	Vertical	160	1.22	-	37.80	15.20	49.28			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99049G	44.33	83.54	-39.21	40.61	1	Horizontal	31	1.77	-	37.80	15.20	49.28			
AV	19.99697G	32.16	63.54	-31.38	28.43	1	Horizontal	31	1.77	-	37.80	15.20	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_TX
setting 24
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65103G	59.95	88.20	-28.25	39.19	3	Vertical	131	1.51	-	40.70	12.33	32.27			
RMS	13.64765G	48.00	68.20	-20.20	27.24	3	Vertical	131	1.51	-	40.70	12.33	32.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX

EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65113G	60.08	88.20	-28.12	39.32	3	Horizontal	174	2.10	-	40.70	12.33	32.27			
RMS	13.64752G	48.00	68.20	-20.20	27.24	3	Horizontal	174	2.10	-	40.70	12.33	32.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47498G	43.93	83.54	-39.61	39.70	1	Vertical	129	1.77	-	37.80	15.58	49.15			
AV	20.4775G	32.24	63.54	-31.30	28.03	1	Vertical	129	1.77	-	37.78	15.58	49.15			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47842G	44.41	83.54	-39.13	40.21	1	Horizontal	11	2.74	-	37.77	15.58	49.15			
AV	20.47185G	32.29	63.54	-31.25	28.03	1	Horizontal	11	2.74	-	37.83	15.58	49.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
setting 22
01-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9786G	105.81	Inf	-Inf	95.22	3	Vertical	338	1.05	-	35.06	8.54	33.01			
RMS	7.0042G	89.28	Inf	-Inf	78.61	3	Vertical	338	1.05	-	35.12	8.56	33.01			
PK	7.2234G	63.89	88.20	-24.31	52.30	3	Vertical	338	1.05	-	36.15	8.52	33.08			
RMS	7.2178G	50.66	68.20	-17.54	39.09	3	Vertical	360	1.50	-	36.14	8.51	33.08			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
setting 22
02-H-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9186G	97.51	Inf	-Inf	84.83	3	Horizontal	157	2.14	-	35.30	9.23	31.85			
RMS	6.9122G	89.29	Inf	-Inf	76.59	3	Horizontal	157	2.14	-	35.30	9.24	31.84			
PK	7.2322G	63.76	88.20	-24.44	50.34	3	Horizontal	157	2.14	-	36.13	9.36	32.07			
RMS	7.2106G	53.75	68.20	-14.45	40.40	3	Horizontal	157	2.14	-	36.04	9.37	32.06			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97197G	60.95	88.20	-27.25	39.45	3	Vertical	206	2.14	-	41.44	12.39	32.33			
RMS	13.9735G	48.88	68.20	-19.32	27.37	3	Vertical	206	2.14	-	41.45	12.39	32.33			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97139G	60.52	88.20	-27.68	39.02	3	Horizontal	68	1.75	-	41.44	12.39	32.33			
RMS	13.97068G	48.93	68.20	-19.27	27.43	3	Horizontal	68	1.75	-	41.44	12.39	32.33			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95581G	45.55	83.54	-37.99	40.41	1	Vertical	281	2.67	-	38.08	15.96	48.90			
AV	20.95616G	32.72	63.54	-30.82	27.58	1	Vertical	281	2.67	-	38.08	15.96	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
setting 22
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95241G	44.90	83.54	-38.64	39.75	1	Horizontal	215	2.55	-	38.09	15.96	48.90			
AV	20.95078G	32.80	63.54	-30.74	27.65	1	Horizontal	215	2.55	-	38.10	15.96	48.91			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
setting 24
01-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.21	88.20	-11.99	69.14	3	Vertical	268	2.52	-	32.40	7.64	32.97			
RMS	5.923G	66.05	68.20	-2.15	58.98	3	Vertical	268	2.52	-	32.40	7.64	32.97			
PK	6.098G	117.07	Inf	-Inf	109.88	3	Vertical	268	2.52	-	32.50	7.70	33.01			
RMS	6.098G	98.10	Inf	-Inf	90.91	3	Vertical	268	2.52	-	32.50	7.70	33.01			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
setting 24
01-P-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	66.41	88.20	-21.79	54.38	3	Horizontal	344	2.66	-	34.20	8.98	31.15			
RMS	5.925G	55.60	68.20	-12.60	43.59	3	Horizontal	344	2.66	-	34.20	8.97	31.16			
PK	6.168G	100.49	Inf	-Inf	87.95	3	Horizontal	344	2.66	-	34.60	9.19	31.25			
RMS	6.166G	90.25	Inf	-Inf	77.71	3	Horizontal	344	2.66	-	34.60	9.19	31.25			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20564G	58.68	74.00	-15.32	39.03	3	Vertical	55	1.68	-	38.89	12.05	31.29			
AV	12.20865G	46.64	54.00	-7.36	27.00	3	Vertical	55	1.68	-	38.88	12.05	31.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21049G	59.21	74.00	-14.79	39.57	3	Horizontal	346	2.49	-	38.88	12.05	31.29			
AV	12.2129G	46.71	54.00	-7.29	27.08	3	Horizontal	346	2.49	-	38.87	12.05	31.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31369G	43.93	83.54	-39.61	40.74	1	Vertical	136	1.92	-	37.50	15.28	49.59			
AV	18.31338G	32.27	63.54	-31.27	29.08	1	Vertical	136	1.92	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31378G	44.67	83.54	-38.87	41.48	1	Horizontal	241	2.63	-	37.50	15.28	49.59			
AV	18.31355G	32.35	63.54	-31.19	29.16	1	Horizontal	241	2.63	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53171G	58.92	74.00	-15.08	39.44	3	Vertical	175	2.24	-	38.70	12.11	31.33			
AV	12.52616G	46.79	54.00	-7.21	27.30	3	Vertical	175	2.24	-	38.70	12.11	31.32			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52599G	59.93	74.00	-14.07	40.44	3	Horizontal	49	2.71	-	38.70	12.11	31.32			
AV	12.52543G	46.79	54.00	-7.21	27.30	3	Horizontal	49	2.71	-	38.70	12.11	31.32			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79816G	44.50	83.54	-39.04	40.92	1	Vertical	323	2.04	-	37.80	15.26	49.48			
AV	18.79691G	32.63	63.54	-30.91	29.05	1	Vertical	323	2.04	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79835G	44.98	83.54	-38.56	41.40	1	Horizontal	105	2.40	-	37.80	15.26	49.48			
AV	18.79922G	32.54	63.54	-31.00	28.96	1	Horizontal	105	2.40	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84813G	59.93	88.20	-28.27	40.34	3	Vertical	12	1.89	-	39.00	12.18	31.59			
RMS	12.84918G	46.81	68.20	-21.39	27.22	3	Vertical	12	1.89	-	39.00	12.18	31.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz Straddle 5.925-6.425GHz_TX

EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85402G	59.08	88.20	-29.12	39.49	3	Horizontal	18	2.04	-	39.01	12.18	31.60			
RMS	12.8488G	46.90	68.20	-21.30	27.31	3	Horizontal	18	2.04	-	39.00	12.18	31.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz Straddle 5.925-6.425GHz_TX

EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27365G	44.51	83.54	-39.03	40.85	1	Vertical	161	1.76	-	37.95	15.24	49.53			
AV	19.27613G	32.21	63.54	-31.33	28.55	1	Vertical	161	1.76	-	37.95	15.24	49.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz Straddle 5.925-6.425GHz_TX

EUT_Z_2TX
setting 24
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27487G	45.24	83.54	-38.30	41.58	1	Horizontal	214	2.86	-	37.95	15.24	49.53			
AV	19.27394G	32.22	63.54	-31.32	28.56	1	Horizontal	214	2.86	-	37.95	15.24	49.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16843G	59.35	88.20	-28.85	39.24	3	Vertical	294	1.54	-	39.77	12.24	31.90			
RMS	13.16552G	47.61	68.20	-20.59	27.51	3	Vertical	294	1.54	-	39.76	12.24	31.90			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 25
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17358G	60.07	88.20	-28.13	39.94	3	Horizontal	86	2.00	-	39.79	12.24	31.90			
RMS	13.16795G	47.69	68.20	-20.51	27.58	3	Horizontal	86	2.00	-	39.77	12.24	31.90			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 25
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75789G	44.09	83.54	-39.45	40.42	1	Vertical	175	2.77	-	37.93	15.21	49.47			
AV	19.75812G	32.23	63.54	-31.31	28.56	1	Vertical	175	2.77	-	37.93	15.21	49.47			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
setting 25
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75532G	43.95	83.54	-39.59	40.29	1	Horizontal	198	1.04	-	37.92	15.21	49.47			
AV	19.75347G	32.36	63.54	-31.18	28.71	1	Horizontal	198	1.04	-	37.91	15.21	49.47			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
setting 23
06-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.61G	108.76	Inf	-Inf	97.27	3	Vertical	204	1.00	-	34.50	7.86	30.87			
RMS	6.614G	98.97	Inf	-Inf	87.50	3	Vertical	204	1.00	-	34.50	7.86	30.89			
PK	7.173G	74.96	88.20	-13.24	62.71	3	Vertical	204	1.00	-	36.35	8.31	32.41			
RMS	7.134G	64.95	68.20	-3.25	52.82	3	Vertical	204	1.00	-	36.20	8.28	32.35			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
setting 23
02-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.784G	104.43	Inf	-Inf	91.36	3	Horizontal	160	2.57	-	35.27	9.49	31.69			
RMS	6.623G	93.90	Inf	-Inf	81.48	3	Horizontal	160	2.57	-	34.79	9.13	31.50			
PK	7.153G	72.96	88.20	-15.24	59.98	3	Horizontal	160	2.57	-	35.72	9.29	32.03			
RMS	7.13G	62.50	68.20	-5.70	49.68	3	Horizontal	160	2.57	-	35.58	9.25	32.01			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_TX
setting 23
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49331G	60.05	88.20	-28.15	39.49	3	Vertical	51	1.82	-	40.50	12.30	32.24			
RMS	13.48671G	48.00	68.20	-20.20	27.44	3	Vertical	51	1.82	-	40.50	12.30	32.24			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_TX
setting 23
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48935G	60.34	88.20	-27.86	39.78	3	Horizontal	40	2.87	-	40.50	12.30	32.24			
RMS	13.49199G	47.98	68.20	-20.22	27.42	3	Horizontal	40	2.87	-	40.50	12.30	32.24			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.2377G	44.99	83.54	-38.55	40.83	1	Vertical	302	2.96	-	37.98	15.39	49.21			
AV	20.23073G	32.77	63.54	-30.77	28.64	1	Vertical	302	2.96	-	37.96	15.38	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz Straddle 6.525-6.875GHz_TX

EUT_Z_2TX
setting 23
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23587G	45.00	83.54	-38.54	40.85	1	Horizontal	196	1.53	-	37.97	15.39	49.21			
AV	20.23084G	32.68	63.54	-30.86	28.55	1	Horizontal	196	1.53	-	37.96	15.38	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 25
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9182G	113.42	Inf	-Inf	104.91	3	Vertical	343.1	1.05	-	35.60	8.37	35.46			
RMS	6.9146G	101.49	Inf	-Inf	92.98	3	Vertical	343.1	1.05	-	35.60	8.37	35.46			
PK	7.1294G	70.67	88.20	-17.53	61.90	3	Vertical	193	2.23	-	35.82	8.43	35.48			
RMS	7.1522G	51.07	68.20	-17.13	42.19	3	Vertical	343.1	1.05	-	35.91	8.44	35.47			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 25
02-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7946G	97.43	Inf	-Inf	84.32	3	Horizontal	193	2.23	-	35.29	9.52	31.70			
RMS	6.9134G	88.57	Inf	-Inf	75.87	3	Horizontal	193	2.23	-	35.30	9.24	31.84			
PK	7.1804G	63.53	88.20	-24.67	50.35	3	Horizontal	193	2.23	-	35.88	9.34	32.04			
RMS	7.202G	54.36	68.20	-13.84	41.03	3	Horizontal	193	2.23	-	36.01	9.37	32.05			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 25
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80778G	61.28	88.20	-26.92	40.19	3	Vertical	359	1.18	-	41.03	12.36	32.30			
RMS	13.81192G	48.89	68.20	-19.31	27.78	3	Vertical	359	1.18	-	41.05	12.36	32.30			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 25
02-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81993G	61.00	88.20	-27.20	39.86	3	Horizontal	14	2.66	-	41.08	12.36	32.30			
RMS	13.79848G	48.94	68.20	-19.26	27.88	3	Horizontal	14	2.66	-	41.00	12.36	32.30			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 25
02-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71348G	44.07	83.54	-39.47	39.46	1	Vertical	77	1.04	-	37.87	15.77	49.03			
AV	20.71997G	31.95	63.54	-31.59	27.34	1	Vertical	77	1.04	-	37.86	15.78	49.03			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX

EUT_Z_2TX
Setting 25
02-H-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71425G	44.67	83.54	-38.87	40.06	1	Horizontal	2	1.88	-	37.87	15.77	49.03			
AV	20.71945G	31.95	63.54	-31.59	27.34	1	Horizontal	2	1.88	-	37.86	15.78	49.03			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

02/07/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6175MHz_TX

02/07/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

20/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

20/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

20/05/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

20/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

02/07/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

20/05/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

20/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.881848G	-8.79	6.887G	-40.01	-28.81	-11.20	1
6.867052G	-7.85	6.862725G	-40.53	-27.87	-12.66	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

20/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.893825G	-7.79	6.907G	-39.55	-27.81	-11.74	1
6.897499G	-7.26	6.907175G	-39.06	-27.40	-11.66	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

20/05/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

02/07/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

02/07/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

02/07/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6165MHz_TX

02/07/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.147854G	0.49	6.22675G	-45.86	-38.50	-7.36	1
6.158652G	0.85	6.2299G	-46.83	-39.15	-7.68	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

20/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.390004G	-3.78	6.46995G	-52.33	-43.57	-8.76	1
6.408599G	-4.16	6.4693G	-52.71	-44.13	-8.58	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

20/05/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

20/05/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

20/05/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

02/07/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

20/05/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

20/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

20/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

20/05/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

02/07/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.080701G	-0.55	7.02025G	-49.18	-40.32	-8.86	1
7.068854G	-1.01	7.0194G	-49.02	-41.01	-8.01	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

02/07/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01989G	2.32	6.1131G	-41.71	-37.68	-4.03	1
6.00929G	1.56	6.1134G	-41.24	-38.36	-2.88	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

02/07/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

20/05/2024




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

20/05/2024




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

20/05/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

20/05/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

20/05/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

20/05/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

20/05/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

20/05/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

16/05/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

16/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0206G	3.79	6.2958G	-41.96	-36.21	-5.75	1
6.08439G	3.49	6.2908G	-40.87	-36.51	-4.36	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

16/05/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1816G	4.85	6.4474G	-36.72	-35.15	-1.57	1
6.1752G	4.21	6.4378G	-36.10	-35.61	-0.49	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

16/05/2024




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

02/07/2024



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

16/05/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6618G	4.49	7.002G	-39.93	-35.51	-4.42	1
6.59562G	4.15	6.4142G	-37.71	-35.85	-1.86	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

02/07/2024

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79621G	3.38	6.4914G	-39.13	-36.62	-2.51	1
6.75302G	4.35	6.5076G	-40.37	-35.65	-4.72	2


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

02/07/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91222G	4.90	6.7318G	-35.59	-35.10	-0.49	1
6.90822G	6.18	6.7314G	-36.80	-33.82	-2.98	2


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

16/05/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.101G	3.04	6.607G	-40.04	-36.89	-3.15	1
6.16219G	2.09	6.6374G	-40.77	-37.91	-2.86	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

16/05/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

16/05/2024




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

16/05/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

20/05/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

16/05/2024



Contention Based Protocol Threshold Level										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-70.37	1.63	-72.01	≤ -62
						Minimal	-71.37	1.63	-73.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-72.37	1.63	-74.06	≤ -62
						Minimal	-73.37	1.63	-75.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-72.37	1.63	-74.02	≤ -62
						Minimal	-73.37	1.63	-75.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-65.37	1.63	-67.04	≤ -62
						Minimal	-66.37	1.63	-68.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62

Contention Based Protocol Threshold Level										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-67.37	1.63	-69.07	≤ -62
						Minimal	-68.37	1.63	-70.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
				Center	6105	OFF	-72.37	1.63	-74.01	≤ -62
						Minimal	-73.37	1.63	-75.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
				High edge	6260	OFF	-72.37	1.63	-74.03	≤ -62
						Minimal	-73.37	1.63	-75.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-69.37	1.63	-71.02	≤ -62
						Minimal	-70.37	1.63	-72.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
				Center	6425	OFF	-72.37	1.63	-74.06	≤ -62
						Minimal	-73.37	1.63	-75.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
				High edge	6580	OFF	-71.37	1.63	-73.01	≤ -62
						Minimal	-72.37	1.63	-74.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
7/8	159	320	6475	Low edge	6590	OFF	-69.37	1.63	-71.04	≤ -62
						Minimal	-70.37	1.63	-72.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
				Center	6745	OFF	-72.37	1.63	-74.06	≤ -62
						Minimal	-73.37	1.63	-75.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
				High edge	6900	OFF	-70.37	1.63	-72.03	≤ -62
						Minimal	-71.37	1.63	-73.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62

7/8	191	320	6905	Low edge	6750	OFF	-68.37	1.63	-70.09	≤ -62
						Minimal	-69.37	1.63	-71.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
				Center	6905	OFF	-70.37	1.63	-72.01	≤ -62
						Minimal	-71.37	1.63	-73.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62
				High edge	7060	OFF	-70.37	1.63	-72.04	≤ -62
						Minimal	-71.37	1.63	-73.00	≤ -62
						ON	-80.37	1.63	-82.00	≤ -62


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-72.01	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-74.06	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-74.02	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-67.04	OFF	9	90	90	PASS

Contention Based protocol 802.11ax HEW320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-69.07	OFF	10	100	90	PASS
				Center	6105	-74.01	OFF	10	100	90	PASS
				High edge	6260	-74.03	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-71.02	OFF	10	100	90	PASS
				Center	6425	-74.06	OFF	9	90	90	PASS
				High edge	6580	-73.01	OFF	9	90	90	PASS
6/7	159	320	6745	Low edge	6590	-71.04	OFF	10	100	90	PASS
				Center	6745	-74.06	OFF	9	90	90	PASS
				High edge	6900	-72.03	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-70.09	OFF	9	90	90	PASS
				Center	6905	-72.01	OFF	10	100	90	PASS
				High edge	7060	-72.04	OFF	9	90	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




Frequency (MHz): 6695 MHz



Date: 26.JUN.2024 00:02:42


Frequency (MHz): 7015 MHz



Date: 26.JUN.2024 00:03:08


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 26.JUN.2024 00:04:41

Frequency (MHz): 6105 MHz




Date: 26.JUN.2024 00:05:03


Frequency (MHz): 6260 MHz




Frequency (MHz): 6270 MHz



Frequency (MHz): 6425 MHz




Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Frequency (MHz): 6745 MHz




Frequency (MHz): 6750 MHz




Frequency (MHz): 6900 MHz



Frequency (MHz): 6905 MHz




Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal


Bandwidth: 320MHz

Test CH 31 ; Incumbent signal 5950 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6750 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Date: 25 JUN 2024 22:59:57

Note : M1 : Inject AWGN signal