


99% Bandwidth - QPSK


10MHz Channel Bandwidth




15MHz Channel Bandwidth




20MHz Channel Bandwidth




30MHz Channel Bandwidth




40MHz Channel Bandwidth




50MHz Channel Bandwidth




60MHz Channel Bandwidth




70MHz Channel Bandwidth






99% Bandwidth - 16QAM


10MHz Channel Bandwidth




15MHz Channel Bandwidth




20MHz Channel Bandwidth




30MHz Channel Bandwidth




40MHz Channel Bandwidth




50MHz Channel Bandwidth




60MHz Channel Bandwidth




70MHz Channel Bandwidth






99% Bandwidth - 64QAM


10MHz Channel Bandwidth




15MHz Channel Bandwidth




20MHz Channel Bandwidth




30MHz Channel Bandwidth




40MHz Channel Bandwidth




50MHz Channel Bandwidth




60MHz Channel Bandwidth




70MHz Channel Bandwidth






99% Bandwidth - 256QAM


10MHz Channel Bandwidth




15MHz Channel Bandwidth




20MHz Channel Bandwidth




30MHz Channel Bandwidth




40MHz Channel Bandwidth




50MHz Channel Bandwidth




60MHz Channel Bandwidth



70MHz Channel Bandwidth





Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-11	Test Band	n77/n78_HPUE (3700 ~ 3980MHz)

Frequency (MHz)	Bandwidth (MHz)	99% Bandwidth (MHz)
QPSK		
3840.00	10	8.70
3840.00	15	13.69
3840.00	20	18.33
3840.00	30	28.09
3840.00	40	38.12
3840.00	50	47.67
3840.00	60	58.00
3840.00	70	67.90
3840.00	80	77.58
3840.00	90	87.67
3840.00	100	97.63
16QAM		
3840.00	10	8.62
3840.00	15	13.66
3840.00	20	18.35
3840.00	30	28.07
3840.00	40	38.04
3840.00	50	47.69
3840.00	60	58.07
3840.00	70	67.72
3840.00	80	77.80
3840.00	90	87.77
3840.00	100	97.61

64QAM		
3840.00	10	8.65
3840.00	15	13.71
3840.00	20	18.27
3840.00	30	27.98
3840.00	40	38.00
3840.00	50	47.60
3840.00	60	58.00
3840.00	70	67.80
3840.00	80	77.73
3840.00	90	87.49
3840.00	100	97.54
256QAM		
3840.00	10	8.60
3840.00	15	13.57
3840.00	20	18.20
3840.00	30	27.95
3840.00	40	37.79
3840.00	50	47.43
3840.00	60	57.76
3840.00	70	67.31
3840.00	80	77.45
3840.00	90	87.54
3840.00	100	97.33

99% Bandwidth - QPSK

10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth



30MHz Channel Bandwidth




40MHz Channel Bandwidth



50MHz Channel Bandwidth





99% Bandwidth - 16QAM

10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth



30MHz Channel Bandwidth




40MHz Channel Bandwidth



50MHz Channel Bandwidth





99% Bandwidth - 64QAM

10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth



30MHz Channel Bandwidth




40MHz Channel Bandwidth



50MHz Channel Bandwidth





99% Bandwidth - 256QAM

10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth



30MHz Channel Bandwidth




40MHz Channel Bandwidth



50MHz Channel Bandwidth





A.2 Frequency Stability Test Result

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n2

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	0.0063
	- 20	0.0031
	- 10	0.0043
	0	0.0129
	+ 10	0.0031
	+ 20 (Ref)	0.0000
	+ 30	0.0084
	+ 40	0.0130
	+ 50	0.0039
4.4	+ 20	0.0111
3.3	+ 20	0.0096

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n5

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	-0.0240
	- 20	-0.0184
	- 10	-0.0095
	0	-0.0058
	+ 10	-0.0036
	+ 20 (Ref)	0.0000
	+ 30	0.0002
	+ 40	-0.0140
	+ 50	-0.0125
4.4	+ 20	0.0025
3.3	+ 20	-0.0054

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n7

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	-0.0029
	- 20	0.0008
	- 10	-0.0035
	0	-0.0085
	+ 10	-0.0046
	+ 20 (Ref)	0.0000
	+ 30	-0.0065
	+ 40	0.0009
	+ 50	-0.0029
4.4	+ 20	-0.0027
3.3	+ 20	-0.0025

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n12

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	-0.0106
	- 20	-0.0067
	- 10	-0.0082
	0	-0.0073
	+ 10	-0.0013
	+ 20 (Ref)	0.0000
	+ 30	-0.0086
	+ 40	0.0019
	+ 50	-0.0036
4.4	+ 20	0.0075
3.3	+ 20	0.0095

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n13

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	-0.0176
	- 20	-0.0338
	- 10	-0.0194
	0	-0.0173
	+ 10	-0.0246
	+ 20 (Ref)	0.0000
	+ 30	-0.0108
	+ 40	-0.0222
	+ 50	-0.0290
4.4	+ 20	-0.0168
3.3	+ 20	-0.0115

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n25

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	-0.0038
	- 20	-0.0066
	- 10	-0.0039
	0	-0.0036
	+ 10	-0.0013
	+ 20 (Ref)	0.0000
	+ 30	-0.0036
	+ 40	-0.0183
	+ 50	-0.0093
4.4	+ 20	-0.0004
3.3	+ 20	0.0034

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n66

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	-0.0100
	- 20	-0.0126
	- 10	-0.0141
	0	-0.0028
	+ 10	-0.0115
	+ 20 (Ref)	0.0000
	+ 30	-0.0053
	+ 40	0.0028
	+ 50	0.0090
4.4	+ 20	-0.0107
3.3	+ 20	-0.0080

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n71

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	-0.0068
	- 20	-0.0155
	- 10	-0.0099
	0	-0.0139
	+ 10	-0.0148
	+ 20 (Ref)	0.0000
	+ 30	0.0033
	+ 40	-0.0028
	+ 50	0.0098
4.4	+ 20	0.0010
3.3	+ 20	-0.0033

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n38 HPUE

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	-0.0008
	- 20	-0.0010
	- 10	0.0023
	0	0.0022
	+ 10	0.0094
	+ 20 (Ref)	0.0000
	+ 30	0.0078
	+ 40	0.0017
	+ 50	-0.0010
4.4	+ 20	0.0071
3.3	+ 20	0.0011

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n41_HPUE

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	-0.0037
	- 20	-0.0068
	- 10	-0.0046
	0	-0.0060
	+ 10	0.0016
	+ 20 (Ref)	0.0000
	+ 30	0.0044
	+ 40	-0.0033
	+ 50	0.0839
4.4	+ 20	0.0006
3.3	+ 20	0.0017

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n77/n78_HPUE (3450 ~ 3550MHz)

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	0.0189
	- 20	0.0100
	- 10	0.0220
	0	0.0049
	+ 10	0.0053
	+ 20 (Ref)	0.0000
	+ 30	0.0323
	+ 40	0.0332
	+ 50	0.0150
4.4	+ 20	0.0147
3.3	+ 20	0.0089

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2023-01-09 ~ 2023-01-12	Test Band	n77/n78_HPUE (3700 ~ 3980MHz)

Power (V _{DC})	Temp (°C)	Frequency Tolerance (ppm)
3.8	- 30	-0.0045
	- 20	-0.0075
	- 10	-0.0046
	0	-0.0035
	+ 10	-0.0071
	+ 20 (Ref)	0.0000
	+ 30	-0.0042
	+ 40	-0.0036
	+ 50	0.0006
4.4	+ 20	-0.0016
3.3	+ 20	0.0011

A.3 Equivalent Isotropically Radiated Power Test Result

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n2_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1852.5	5	12	6	23.47	24.84	< 33.01
		1	1	23.38	24.75	< 33.01
		1	23	23.30	24.67	< 33.01
		25	0	22.94	24.31	< 33.01
		1	24	22.80	24.17	< 33.01
		1	0	22.89	24.26	< 33.01
1882.5	5	12	6	23.52	24.89	< 33.01
		1	1	23.40	24.77	< 33.01
		1	23	23.34	24.71	< 33.01
		25	0	22.97	24.34	< 33.01
		1	24	22.85	24.22	< 33.01
		1	0	22.95	24.32	< 33.01
1912.5	5	12	6	23.54	24.91	< 33.01
		1	1	23.45	24.82	< 33.01
		1	23	23.34	24.71	< 33.01
		25	0	23.06	24.43	< 33.01
		1	24	22.94	24.31	< 33.01
		1	0	22.96	24.33	< 33.01
1855.0	10	25	12	23.50	24.87	< 33.01
		1	1	23.36	24.73	< 33.01
		1	50	23.41	24.78	< 33.01
		50	0	23.01	24.38	< 33.01
		1	51	22.84	24.21	< 33.01
		1	0	22.90	24.27	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1882.5	10	25	12	23.52	24.89	< 33.01
		1	1	23.40	24.77	< 33.01
		1	50	23.33	24.70	< 33.01
		50	0	22.98	24.35	< 33.01
		1	51	22.84	24.21	< 33.01
		1	0	22.95	24.32	< 33.01
1910.0	10	25	12	23.49	24.86	< 33.01
		1	1	23.36	24.73	< 33.01
		1	50	23.42	24.79	< 33.01
		50	0	23.01	24.38	< 33.01
		1	51	22.91	24.28	< 33.01
		1	0	22.91	24.28	< 33.01
1857.5	15	36	18	23.57	24.94	< 33.01
		1	1	23.54	24.91	< 33.01
		1	77	23.43	24.80	< 33.01
		75	0	23.14	24.51	< 33.01
		1	78	22.94	24.31	< 33.01
		1	0	22.98	24.35	< 33.01
1882.5	15	36	18	23.64	25.01	< 33.01
		1	1	23.52	24.89	< 33.01
		1	77	23.51	24.88	< 33.01
		75	0	23.14	24.51	< 33.01
		1	78	22.98	24.35	< 33.01
		1	0	22.99	24.36	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1907.5	15	36	18	23.70	25.07	< 33.01
		1	1	23.57	24.94	< 33.01
		1	77	23.57	24.94	< 33.01
		75	0	23.23	24.60	< 33.01
		1	78	23.04	24.41	< 33.01
		1	0	23.09	24.46	< 33.01
1860.0	20	50	25	23.58	24.95	< 33.01
		1	1	23.50	24.87	< 33.01
		1	104	23.50	24.87	< 33.01
		100	0	23.13	24.50	< 33.01
		1	105	23.07	24.44	< 33.01
		1	0	23.02	24.39	< 33.01
1882.5	20	50	25	23.61	24.98	< 33.01
		1	1	23.50	24.87	< 33.01
		1	104	23.49	24.86	< 33.01
		100	0	23.06	24.43	< 33.01
		1	105	22.99	24.36	< 33.01
		1	0	22.97	24.34	< 33.01
1905.0	20	50	25	23.75	25.12	< 33.01
		1	1	23.48	24.85	< 33.01
		1	104	23.54	24.91	< 33.01
		100	0	23.16	24.53	< 33.01
		1	105	23.11	24.48	< 33.01
		1	0	23.04	24.41	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1852.5	5	12	6	23.50	24.87	< 33.01
		1	1	23.77	25.14	< 33.01
		1	23	23.71	25.08	< 33.01
		25	0	22.44	23.81	< 33.01
		1	24	22.57	23.94	< 33.01
		1	0	22.56	23.93	< 33.01
1882.5	5	12	6	23.49	24.86	< 33.01
		1	1	23.74	25.11	< 33.01
		1	23	23.59	24.96	< 33.01
		25	0	22.52	23.89	< 33.01
		1	24	22.53	23.90	< 33.01
		1	0	22.64	24.01	< 33.01
1912.5	5	12	6	23.53	24.90	< 33.01
		1	1	23.78	25.15	< 33.01
		1	23	23.62	24.99	< 33.01
		25	0	22.50	23.87	< 33.01
		1	24	22.57	23.94	< 33.01
		1	0	22.73	24.10	< 33.01
1855.0	10	25	12	23.40	24.77	< 33.01
		1	1	23.69	25.06	< 33.01
		1	50	23.72	25.09	< 33.01
		50	0	22.55	23.92	< 33.01
		1	51	22.70	24.07	< 33.01
		1	0	22.57	23.94	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1882.5	10	25	12	23.50	24.87	< 33.01
		1	1	23.70	25.07	< 33.01
		1	50	23.69	25.06	< 33.01
		50	0	22.53	23.90	< 33.01
		1	51	22.60	23.97	< 33.01
		1	0	22.69	24.06	< 33.01
1910.0	10	25	12	23.49	24.86	< 33.01
		1	1	23.77	25.14	< 33.01
		1	50	23.67	25.04	< 33.01
		50	0	22.55	23.92	< 33.01
		1	51	22.65	24.02	< 33.01
		1	0	22.67	24.04	< 33.01
1857.5	15	36	18	23.59	24.96	< 33.01
		1	1	23.61	24.98	< 33.01
		1	77	23.78	25.15	< 33.01
		75	0	22.64	24.01	< 33.01
		1	78	22.70	24.07	< 33.01
		1	0	22.78	24.15	< 33.01
1882.5	15	36	18	23.62	24.99	< 33.01
		1	1	23.80	25.17	< 33.01
		1	77	23.81	25.18	< 33.01
		75	0	22.60	23.97	< 33.01
		1	78	22.69	24.06	< 33.01
		1	0	22.77	24.14	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1907.5	15	36	18	23.67	25.04	< 33.01
		1	1	23.75	25.12	< 33.01
		1	77	23.77	25.14	< 33.01
		75	0	22.77	24.14	< 33.01
		1	78	22.88	24.25	< 33.01
		1	0	22.72	24.09	< 33.01
1860.0	20	50	25	23.58	24.95	< 33.01
		1	1	23.79	25.16	< 33.01
		1	104	23.74	25.11	< 33.01
		100	0	22.65	24.02	< 33.01
		1	105	22.84	24.21	< 33.01
		1	0	22.75	24.12	< 33.01
1882.5	20	50	25	23.59	24.96	< 33.01
		1	1	23.78	25.15	< 33.01
		1	104	23.86	25.23	< 33.01
		100	0	22.61	23.98	< 33.01
		1	105	22.79	24.16	< 33.01
		1	0	22.77	24.14	< 33.01
1905.0	20	50	25	23.68	25.05	< 33.01
		1	1	23.85	25.22	< 33.01
		1	104	23.82	25.19	< 33.01
		100	0	22.69	24.06	< 33.01
		1	105	22.87	24.24	< 33.01
		1	0	22.78	24.15	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1852.5	5	12	6	22.39	23.76	< 33.01
		1	1	22.77	24.14	< 33.01
		1	23	22.60	23.97	< 33.01
		25	0	21.44	22.81	< 33.01
		1	24	21.60	22.97	< 33.01
		1	0	21.51	22.88	< 33.01
1882.5	5	12	6	22.40	23.77	< 33.01
		1	1	22.74	24.11	< 33.01
		1	23	22.60	23.97	< 33.01
		25	0	21.41	22.78	< 33.01
		1	24	21.19	22.56	< 33.01
		1	0	21.38	22.75	< 33.01
1912.5	5	12	6	22.47	23.84	< 33.01
		1	1	22.83	24.20	< 33.01
		1	23	22.66	24.03	< 33.01
		25	0	21.52	22.89	< 33.01
		1	24	21.31	22.68	< 33.01
		1	0	21.39	22.76	< 33.01
1855.0	10	25	12	22.42	23.79	< 33.01
		1	1	22.74	24.11	< 33.01
		1	50	22.68	24.05	< 33.01
		50	0	21.36	22.73	< 33.01
		1	51	21.48	22.85	< 33.01
		1	0	21.60	22.97	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1882.5	10	25	12	22.34	23.71	< 33.01
		1	1	22.81	24.18	< 33.01
		1	50	22.56	23.93	< 33.01
		50	0	21.39	22.76	< 33.01
		1	51	21.29	22.66	< 33.01
		1	0	21.50	22.87	< 33.01
1910.0	10	25	12	22.54	23.91	< 33.01
		1	1	22.82	24.19	< 33.01
		1	50	22.80	24.17	< 33.01
		50	0	21.56	22.93	< 33.01
		1	51	21.44	22.81	< 33.01
		1	0	21.44	22.81	< 33.01
1857.5	15	36	18	22.65	24.02	< 33.01
		1	1	22.82	24.19	< 33.01
		1	77	22.82	24.19	< 33.01
		75	0	21.57	22.94	< 33.01
		1	78	21.47	22.84	< 33.01
		1	0	21.45	22.82	< 33.01
1882.5	15	36	18	22.66	24.03	< 33.01
		1	1	22.90	24.27	< 33.01
		1	77	22.85	24.22	< 33.01
		75	0	21.56	22.93	< 33.01
		1	78	21.54	22.91	< 33.01
		1	0	21.53	22.90	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1907.5	15	36	18	22.72	24.09	< 33.01
		1	1	22.84	24.21	< 33.01
		1	77	22.60	23.97	< 33.01
		75	0	21.72	23.09	< 33.01
		1	78	21.76	23.13	< 33.01
		1	0	21.48	22.85	< 33.01
1860.0	20	50	25	22.63	24.00	< 33.01
		1	1	22.81	24.18	< 33.01
		1	104	22.80	24.17	< 33.01
		100	0	21.59	22.96	< 33.01
		1	105	21.55	22.92	< 33.01
		1	0	21.51	22.88	< 33.01
1882.5	20	50	25	22.64	24.01	< 33.01
		1	1	22.79	24.16	< 33.01
		1	104	22.82	24.19	< 33.01
		100	0	21.64	23.01	< 33.01
		1	105	21.50	22.87	< 33.01
		1	0	21.49	22.86	< 33.01
1905.0	20	50	25	22.71	24.08	< 33.01
		1	1	22.51	23.88	< 33.01
		1	104	22.67	24.04	< 33.01
		100	0	21.74	23.11	< 33.01
		1	105	21.81	23.18	< 33.01
		1	0	21.75	23.12	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1852.5	5	12	6	20.94	22.31	< 33.01
		1	1	20.92	22.29	< 33.01
		1	23	20.74	22.11	< 33.01
		25	0	20.98	22.35	< 33.01
		1	24	20.86	22.23	< 33.01
		1	0	20.87	22.24	< 33.01
1882.5	5	12	6	21.02	22.39	< 33.01
		1	1	20.99	22.36	< 33.01
		1	23	20.95	22.32	< 33.01
		25	0	20.98	22.35	< 33.01
		1	24	20.84	22.21	< 33.01
		1	0	20.97	22.34	< 33.01
1912.5	5	12	6	21.06	22.43	< 33.01
		1	1	21.08	22.45	< 33.01
		1	23	20.97	22.34	< 33.01
		25	0	21.10	22.47	< 33.01
		1	24	21.02	22.39	< 33.01
		1	0	21.00	22.37	< 33.01
1855.0	10	25	12	21.00	22.37	< 33.01
		1	1	20.86	22.23	< 33.01
		1	50	20.90	22.27	< 33.01
		50	0	20.91	22.28	< 33.01
		1	51	20.81	22.18	< 33.01
		1	0	20.83	22.20	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1882.5	10	25	12	20.98	22.35	< 33.01
		1	1	21.35	22.72	< 33.01
		1	50	21.15	22.52	< 33.01
		50	0	20.93	22.30	< 33.01
		1	51	21.15	22.52	< 33.01
		1	0	21.34	22.71	< 33.01
1910.0	10	25	12	21.08	22.45	< 33.01
		1	1	21.33	22.70	< 33.01
		1	50	21.33	22.70	< 33.01
		50	0	21.02	22.39	< 33.01
		1	51	21.20	22.57	< 33.01
		1	0	21.27	22.64	< 33.01
1857.5	15	36	18	21.12	22.49	< 33.01
		1	1	21.34	22.71	< 33.01
		1	77	21.15	22.52	< 33.01
		75	0	21.11	22.48	< 33.01
		1	78	21.35	22.72	< 33.01
		1	0	21.40	22.77	< 33.01
1882.5	15	36	18	20.98	22.35	< 33.01
		1	1	21.35	22.72	< 33.01
		1	77	21.15	22.52	< 33.01
		75	0	20.93	22.30	< 33.01
		1	78	21.15	22.52	< 33.01
		1	0	21.34	22.71	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1907.5	15	36	18	21.09	22.46	< 33.01
		1	1	21.19	22.56	< 33.01
		1	77	21.20	22.57	< 33.01
		75	0	21.12	22.49	< 33.01
		1	78	21.39	22.76	< 33.01
		1	0	21.38	22.75	< 33.01
1860.0	20	50	25	21.24	22.61	< 33.01
		1	1	21.13	22.50	< 33.01
		1	104	21.12	22.49	< 33.01
		100	0	21.28	22.65	< 33.01
		1	105	21.10	22.47	< 33.01
		1	0	20.84	22.21	< 33.01
1882.5	20	50	25	21.19	22.56	< 33.01
		1	1	21.40	22.77	< 33.01
		1	104	21.35	22.72	< 33.01
		100	0	21.09	22.46	< 33.01
		1	105	21.33	22.70	< 33.01
		1	0	21.37	22.74	< 33.01
1905.0	20	50	25	21.09	22.46	< 33.01
		1	1	21.38	22.75	< 33.01
		1	104	21.39	22.76	< 33.01
		100	0	21.13	22.50	< 33.01
		1	105	21.39	22.76	< 33.01
		1	0	21.37	22.74	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1852.5	5	12	6	18.87	20.24	< 33.01
		1	1	18.68	20.05	< 33.01
		1	23	18.61	19.98	< 33.01
		25	0	18.92	20.29	< 33.01
		1	24	18.61	19.98	< 33.01
		1	0	18.73	20.10	< 33.01
1882.5	5	12	6	18.94	20.31	< 33.01
		1	1	18.59	19.96	< 33.01
		1	23	18.53	19.90	< 33.01
		25	0	18.87	20.24	< 33.01
		1	24	18.51	19.88	< 33.01
		1	0	18.66	20.03	< 33.01
1912.5	5	12	6	19.00	20.37	< 33.01
		1	1	18.64	20.01	< 33.01
		1	23	18.56	19.93	< 33.01
		25	0	18.90	20.27	< 33.01
		1	24	18.53	19.90	< 33.01
		1	0	18.64	20.01	< 33.01
1855.0	10	25	12	19.00	20.37	< 33.01
		1	1	18.61	19.98	< 33.01
		1	50	18.58	19.95	< 33.01
		50	0	19.02	20.39	< 33.01
		1	51	18.56	19.93	< 33.01
		1	0	18.57	19.94	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1882.5	10	25	12	18.94	20.31	< 33.01
		1	1	18.62	19.99	< 33.01
		1	50	18.58	19.95	< 33.01
		50	0	18.94	20.31	< 33.01
		1	51	18.56	19.93	< 33.01
		1	0	18.70	20.07	< 33.01
1910.0	10	25	12	18.95	20.32	< 33.01
		1	1	18.60	19.97	< 33.01
		1	50	18.64	20.01	< 33.01
		50	0	18.98	20.35	< 33.01
		1	51	18.61	19.98	< 33.01
		1	0	18.58	19.95	< 33.01
1857.5	15	36	18	19.08	20.45	< 33.01
		1	1	18.66	20.03	< 33.01
		1	77	18.71	20.08	< 33.01
		75	0	19.08	20.45	< 33.01
		1	78	18.67	20.04	< 33.01
		1	0	18.72	20.09	< 33.01
1882.5	15	36	18	19.01	20.38	< 33.01
		1	1	18.69	20.06	< 33.01
		1	77	18.74	20.11	< 33.01
		75	0	19.11	20.48	< 33.01
		1	78	18.71	20.08	< 33.01
		1	0	18.67	20.04	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1907.5	15	36	18	19.09	20.46	< 33.01
		1	1	18.75	20.12	< 33.01
		1	77	18.63	20.00	< 33.01
		75	0	19.18	20.55	< 33.01
		1	78	18.69	20.06	< 33.01
		1	0	18.71	20.08	< 33.01
1860.0	20	50	25	19.06	20.43	< 33.01
		1	1	18.77	20.14	< 33.01
		1	104	18.74	20.11	< 33.01
		100	0	19.13	20.50	< 33.01
		1	105	18.71	20.08	< 33.01
		1	0	18.74	20.11	< 33.01
1882.5	20	50	25	19.09	20.46	< 33.01
		1	1	18.72	20.09	< 33.01
		1	104	18.74	20.11	< 33.01
		100	0	19.14	20.51	< 33.01
		1	105	18.74	20.11	< 33.01
		1	0	18.74	20.11	< 33.01
1905.0	20	50	25	19.16	20.53	< 33.01
		1	1	18.82	20.19	< 33.01
		1	104	18.80	20.17	< 33.01
		100	0	19.18	20.55	< 33.01
		1	105	18.87	20.24	< 33.01
		1	0	18.80	20.17	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n5_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
826.5	5	12	6	23.33	22.38	< 38.45
		1	1	23.30	22.35	< 38.45
		1	23	23.30	22.35	< 38.45
		25	0	22.87	21.92	< 38.45
		1	24	22.84	21.89	< 38.45
		1	0	22.78	21.83	< 38.45
836.5	5	12	6	23.40	22.45	< 38.45
		1	1	23.30	22.35	< 38.45
		1	23	23.19	22.24	< 38.45
		25	0	22.76	21.81	< 38.45
		1	24	22.77	21.82	< 38.45
		1	0	22.79	21.84	< 38.45
846.5	5	12	6	23.22	22.27	< 38.45
		1	1	23.20	22.25	< 38.45
		1	23	23.19	22.24	< 38.45
		25	0	22.83	21.88	< 38.45
		1	24	22.68	21.73	< 38.45
		1	0	22.67	21.72	< 38.45
829.0	10	25	12	23.39	22.44	< 38.45
		1	1	23.21	22.26	< 38.45
		1	50	23.27	22.32	< 38.45
		50	0	22.84	21.89	< 38.45
		1	51	22.72	21.77	< 38.45
		1	0	22.82	21.87	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
836.5	10	25	12	23.36	22.41	< 38.45
		1	1	23.25	22.30	< 38.45
		1	50	23.19	22.24	< 38.45
		50	0	22.80	21.85	< 38.45
		1	51	22.66	21.71	< 38.45
		1	0	22.76	21.81	< 38.45
844.0	10	25	12	23.33	22.38	< 38.45
		1	1	23.15	22.20	< 38.45
		1	50	23.17	22.22	< 38.45
		50	0	22.85	21.90	< 38.45
		1	51	22.65	21.70	< 38.45
		1	0	22.68	21.73	< 38.45
831.5	15	36	18	23.49	22.54	< 38.45
		1	1	23.38	22.43	< 38.45
		1	77	23.30	22.35	< 38.45
		75	0	22.98	22.03	< 38.45
		1	78	22.84	21.89	< 38.45
		1	0	22.97	22.02	< 38.45
836.5	15	36	18	23.50	22.55	< 38.45
		1	1	23.46	22.51	< 38.45
		1	77	23.21	22.26	< 38.45
		75	0	23.01	22.06	< 38.45
		1	78	22.70	21.75	< 38.45
		1	0	23.00	22.05	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
841.5	15	36	18	23.39	22.44	< 38.45
		1	1	23.50	22.55	< 38.45
		1	77	23.21	22.26	< 38.45
		75	0	22.99	22.04	< 38.45
		1	78	22.68	21.73	< 38.45
		1	0	22.94	21.99	< 38.45
834.0	20	50	25	23.62	22.67	< 38.45
		1	1	23.39	22.44	< 38.45
		1	104	23.29	22.34	< 38.45
		100	0	22.99	22.04	< 38.45
		1	105	22.77	21.82	< 38.45
		1	0	23.05	22.10	< 38.45
836.5	20	50	25	23.48	22.53	< 38.45
		1	1	23.43	22.48	< 38.45
		1	104	23.21	22.26	< 38.45
		100	0	23.06	22.11	< 38.45
		1	105	22.69	21.74	< 38.45
		1	0	23.07	22.12	< 38.45
836.0	20	50	25	23.42	22.47	< 38.45
		1	1	23.51	22.56	< 38.45
		1	104	23.23	22.28	< 38.45
		100	0	22.98	22.03	< 38.45
		1	105	22.70	21.75	< 38.45
		1	0	23.12	22.17	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
826.5	5	12	6	23.24	22.38	< 38.45
		1	1	23.28	22.35	< 38.45
		1	23	23.27	22.35	< 38.45
		25	0	22.34	21.92	< 38.45
		1	24	22.33	21.89	< 38.45
		1	0	22.37	21.83	< 38.45
836.5	5	12	6	23.30	22.45	< 38.45
		1	1	23.24	22.35	< 38.45
		1	23	23.45	22.24	< 38.45
		25	0	22.32	21.81	< 38.45
		1	24	22.25	21.82	< 38.45
		1	0	22.29	21.84	< 38.45
846.5	5	12	6	23.17	22.27	< 38.45
		1	1	23.47	22.25	< 38.45
		1	23	23.33	22.24	< 38.45
		25	0	22.27	21.88	< 38.45
		1	24	22.16	21.73	< 38.45
		1	0	22.23	21.72	< 38.45
829.0	10	25	12	23.31	22.44	< 38.45
		1	1	23.43	22.26	< 38.45
		1	50	23.41	22.32	< 38.45
		50	0	22.30	21.89	< 38.45
		1	51	22.41	21.77	< 38.45
		1	0	22.56	21.87	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
836.5	10	25	12	23.29	22.41	< 38.45
		1	1	23.28	22.30	< 38.45
		1	50	23.38	22.24	< 38.45
		50	0	22.38	21.85	< 38.45
		1	51	22.31	21.71	< 38.45
		1	0	22.47	21.81	< 38.45
844.0	10	25	12	23.32	22.38	< 38.45
		1	1	23.33	22.20	< 38.45
		1	50	23.34	22.22	< 38.45
		50	0	22.21	21.90	< 38.45
		1	51	22.15	21.70	< 38.45
		1	0	22.28	21.73	< 38.45
831.5	15	36	18	23.47	22.54	< 38.45
		1	1	23.61	22.43	< 38.45
		1	77	23.27	22.35	< 38.45
		75	0	22.55	22.03	< 38.45
		1	78	22.37	21.89	< 38.45
		1	0	22.68	22.02	< 38.45
836.5	15	36	18	23.51	22.55	< 38.45
		1	1	23.69	22.51	< 38.45
		1	77	23.47	22.26	< 38.45
		75	0	22.50	22.06	< 38.45
		1	78	22.44	21.75	< 38.45
		1	0	22.74	22.05	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
841.5	15	36	18	23.39	22.44	< 38.45
		1	1	23.64	22.55	< 38.45
		1	77	23.46	22.26	< 38.45
		75	0	22.43	22.04	< 38.45
		1	78	22.20	21.73	< 38.45
		1	0	22.56	21.99	< 38.45
834.0	20	50	25	23.63	22.67	< 38.45
		1	1	23.64	22.44	< 38.45
		1	104	23.45	22.34	< 38.45
		100	0	22.47	22.04	< 38.45
		1	105	22.39	21.82	< 38.45
		1	0	22.83	22.10	< 38.45
836.5	20	50	25	23.59	22.53	< 38.45
		1	1	23.74	22.48	< 38.45
		1	104	23.28	22.26	< 38.45
		100	0	22.52	22.11	< 38.45
		1	105	22.33	21.74	< 38.45
		1	0	22.75	22.12	< 38.45
836.0	20	50	25	23.52	22.47	< 38.45
		1	1	23.63	22.56	< 38.45
		1	104	23.39	22.28	< 38.45
		100	0	22.52	22.03	< 38.45
		1	105	22.35	21.75	< 38.45
		1	0	22.84	22.17	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
826.5	5	12	6	22.37	21.42	< 38.45
		1	1	22.20	21.25	< 38.45
		1	23	22.56	21.61	< 38.45
		25	0	21.41	20.46	< 38.45
		1	24	21.55	20.60	< 38.45
		1	0	21.28	20.33	< 38.45
836.5	5	12	6	22.21	21.26	< 38.45
		1	1	22.59	21.64	< 38.45
		1	23	22.52	21.57	< 38.45
		25	0	21.26	20.31	< 38.45
		1	24	21.17	20.22	< 38.45
		1	0	21.19	20.24	< 38.45
846.5	5	12	6	22.04	21.09	< 38.45
		1	1	22.33	21.38	< 38.45
		1	23	22.30	21.35	< 38.45
		25	0	21.14	20.19	< 38.45
		1	24	21.01	20.06	< 38.45
		1	0	21.02	20.07	< 38.45
829.0	10	25	12	22.32	21.37	< 38.45
		1	1	22.54	21.59	< 38.45
		1	50	22.46	21.51	< 38.45
		50	0	21.29	20.34	< 38.45
		1	51	21.33	20.38	< 38.45
		1	0	21.53	20.58	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
836.5	10	25	12	22.36	21.41	< 38.45
		1	1	22.50	21.55	< 38.45
		1	50	22.39	21.44	< 38.45
		50	0	21.33	20.38	< 38.45
		1	51	21.07	20.12	< 38.45
		1	0	21.29	20.34	< 38.45
844.0	10	25	12	22.19	21.24	< 38.45
		1	1	22.49	21.54	< 38.45
		1	50	22.34	21.39	< 38.45
		50	0	21.18	20.23	< 38.45
		1	51	21.06	20.11	< 38.45
		1	0	21.09	20.14	< 38.45
831.5	15	36	18	22.56	21.61	< 38.45
		1	1	22.71	21.76	< 38.45
		1	77	22.59	21.64	< 38.45
		75	0	21.50	20.55	< 38.45
		1	78	21.29	20.34	< 38.45
		1	0	21.42	20.47	< 38.45
836.5	15	36	18	22.55	21.60	< 38.45
		1	1	22.69	21.74	< 38.45
		1	77	22.50	21.55	< 38.45
		75	0	21.34	20.39	< 38.45
		1	78	21.19	20.24	< 38.45
		1	0	21.50	20.55	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
841.5	15	36	18	22.49	21.54	< 38.45
		1	1	22.62	21.67	< 38.45
		1	77	22.46	21.51	< 38.45
		75	0	21.47	20.52	< 38.45
		1	78	21.09	20.14	< 38.45
		1	0	21.37	20.42	< 38.45
834.0	20	50	25	22.45	21.50	< 38.45
		1	1	22.66	21.71	< 38.45
		1	104	22.49	21.54	< 38.45
		100	0	21.48	20.53	< 38.45
		1	105	21.12	20.17	< 38.45
		1	0	21.59	20.64	< 38.45
836.5	20	50	25	22.58	21.63	< 38.45
		1	1	22.63	21.68	< 38.45
		1	104	22.60	21.65	< 38.45
		100	0	21.43	20.48	< 38.45
		1	105	21.09	20.14	< 38.45
		1	0	21.52	20.57	< 38.45
836.0	20	50	25	22.53	21.58	< 38.45
		1	1	22.62	21.67	< 38.45
		1	104	22.40	21.45	< 38.45
		100	0	21.44	20.49	< 38.45
		1	105	21.06	20.11	< 38.45
		1	0	21.51	20.56	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
826.5	5	12	6	20.95	20.00	< 38.45
		1	1	20.82	19.87	< 38.45
		1	23	20.86	19.91	< 38.45
		25	0	20.93	19.98	< 38.45
		1	24	20.79	19.84	< 38.45
		1	0	20.88	19.93	< 38.45
836.5	5	12	6	20.95	20.00	< 38.45
		1	1	20.95	20.00	< 38.45
		1	23	20.97	20.02	< 38.45
		25	0	20.92	19.97	< 38.45
		1	24	20.98	20.03	< 38.45
		1	0	21.11	20.16	< 38.45
846.5	5	12	6	20.75	19.80	< 38.45
		1	1	20.70	19.75	< 38.45
		1	23	20.61	19.66	< 38.45
		25	0	20.80	19.85	< 38.45
		1	24	20.65	19.70	< 38.45
		1	0	20.65	19.70	< 38.45
829.0	10	25	12	20.95	20.00	< 38.45
		1	1	20.82	19.87	< 38.45
		1	50	20.62	19.67	< 38.45
		50	0	20.84	19.89	< 38.45
		1	51	20.61	19.66	< 38.45
		1	0	20.79	19.84	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
836.5	10	25	12	20.91	19.96	< 38.45
		1	1	21.04	20.09	< 38.45
		1	50	20.89	19.94	< 38.45
		50	0	20.86	19.91	< 38.45
		1	51	20.92	19.97	< 38.45
		1	0	21.14	20.19	< 38.45
844.0	10	25	12	20.77	19.82	< 38.45
		1	1	20.93	19.98	< 38.45
		1	50	20.77	19.82	< 38.45
		50	0	20.71	19.76	< 38.45
		1	51	20.81	19.86	< 38.45
		1	0	20.94	19.99	< 38.45
831.5	15	36	18	21.03	20.08	< 38.45
		1	1	21.16	20.21	< 38.45
		1	77	21.10	20.15	< 38.45
		75	0	21.04	20.09	< 38.45
		1	78	21.11	20.16	< 38.45
		1	0	21.37	20.42	< 38.45
836.5	15	36	18	20.96	20.01	< 38.45
		1	1	21.20	20.25	< 38.45
		1	77	21.11	20.16	< 38.45
		75	0	20.96	20.01	< 38.45
		1	78	21.13	20.18	< 38.45
		1	0	21.33	20.38	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
841.5	15	36	18	21.01	20.06	< 38.45
		1	1	21.14	20.19	< 38.45
		1	77	20.99	20.04	< 38.45
		75	0	21.00	20.05	< 38.45
		1	78	20.95	20.00	< 38.45
		1	0	21.30	20.35	< 38.45
834.0	20	50	25	21.02	20.07	< 38.45
		1	1	21.21	20.26	< 38.45
		1	104	21.08	20.13	< 38.45
		100	0	20.96	20.01	< 38.45
		1	105	21.09	20.14	< 38.45
		1	0	21.33	20.38	< 38.45
836.5	20	50	25	20.94	19.99	< 38.45
		1	1	21.05	20.10	< 38.45
		1	104	21.04	20.09	< 38.45
		100	0	20.91	19.96	< 38.45
		1	105	21.05	20.10	< 38.45
		1	0	21.48	20.53	< 38.45
836.0	20	50	25	20.96	20.01	< 38.45
		1	1	21.21	20.26	< 38.45
		1	104	20.94	19.99	< 38.45
		100	0	20.93	19.98	< 38.45
		1	105	20.96	20.01	< 38.45
		1	0	21.40	20.45	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
826.5	5	12	6	18.71	17.76	< 38.45
		1	1	18.51	17.56	< 38.45
		1	23	18.43	17.48	< 38.45
		25	0	18.69	17.74	< 38.45
		1	24	18.46	17.51	< 38.45
		1	0	18.48	17.53	< 38.45
836.5	5	12	6	18.73	17.78	< 38.45
		1	1	18.51	17.56	< 38.45
		1	23	18.50	17.55	< 38.45
		25	0	18.71	17.76	< 38.45
		1	24	18.41	17.46	< 38.45
		1	0	18.57	17.62	< 38.45
846.5	5	12	6	18.65	17.70	< 38.45
		1	1	18.41	17.46	< 38.45
		1	23	18.41	17.46	< 38.45
		25	0	18.67	17.72	< 38.45
		1	24	18.33	17.38	< 38.45
		1	0	18.36	17.41	< 38.45
829.0	10	25	12	18.81	17.86	< 38.45
		1	1	18.40	17.45	< 38.45
		1	50	18.46	17.51	< 38.45
		50	0	18.80	17.85	< 38.45
		1	51	18.50	17.55	< 38.45
		1	0	18.54	17.59	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
836.5	10	25	12	18.74	17.79	< 38.45
		1	1	18.50	17.55	< 38.45
		1	50	18.39	17.44	< 38.45
		50	0	18.81	17.86	< 38.45
		1	51	18.26	17.31	< 38.45
		1	0	18.49	17.54	< 38.45
844.0	10	25	12	18.76	17.81	< 38.45
		1	1	18.36	17.41	< 38.45
		1	50	18.34	17.39	< 38.45
		50	0	18.69	17.74	< 38.45
		1	51	18.32	17.37	< 38.45
		1	0	18.44	17.49	< 38.45
831.5	15	36	18	18.96	18.01	< 38.45
		1	1	18.60	17.65	< 38.45
		1	77	18.47	17.52	< 38.45
		75	0	19.02	18.07	< 38.45
		1	78	18.48	17.53	< 38.45
		1	0	18.76	17.81	< 38.45
836.5	15	36	18	18.97	18.02	< 38.45
		1	1	18.70	17.75	< 38.45
		1	77	18.42	17.47	< 38.45
		75	0	18.98	18.03	< 38.45
		1	78	18.43	17.48	< 38.45
		1	0	18.80	17.85	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
841.5	15	36	18	18.92	17.97	< 38.45
		1	1	18.71	17.76	< 38.45
		1	77	18.38	17.43	< 38.45
		75	0	18.95	18.00	< 38.45
		1	78	18.39	17.44	< 38.45
		1	0	18.73	17.78	< 38.45
834.0	20	50	25	19.05	18.10	< 38.45
		1	1	18.70	17.75	< 38.45
		1	104	18.52	17.57	< 38.45
		100	0	18.97	18.02	< 38.45
		1	105	18.50	17.55	< 38.45
		1	0	18.85	17.90	< 38.45
836.5	20	50	25	18.96	18.01	< 38.45
		1	1	18.71	17.76	< 38.45
		1	104	18.49	17.54	< 38.45
		100	0	18.98	18.03	< 38.45
		1	105	18.46	17.51	< 38.45
		1	0	18.77	17.82	< 38.45
836.0	20	50	25	18.95	18.00	< 38.45
		1	1	18.64	17.69	< 38.45
		1	104	18.46	17.51	< 38.45
		100	0	18.99	18.04	< 38.45
		1	105	18.47	17.52	< 38.45
		1	0	18.84	17.89	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n7_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2502.5	5	12	6	23.73	25.48	< 33.01
		1	1	23.64	25.39	< 33.01
		1	23	23.62	25.37	< 33.01
		25	0	23.22	24.97	< 33.01
		1	24	23.16	24.91	< 33.01
		1	0	23.09	24.84	< 33.01
2535.0	5	12	6	23.64	25.39	< 33.01
		1	1	23.56	25.31	< 33.01
		1	23	23.61	25.36	< 33.01
		25	0	23.26	25.01	< 33.01
		1	24	23.21	24.96	< 33.01
		1	0	23.14	24.89	< 33.01
2567.5	5	12	6	23.52	25.27	< 33.01
		1	1	23.43	25.18	< 33.01
		1	23	23.53	25.28	< 33.01
		25	0	23.09	24.84	< 33.01
		1	24	23.00	24.75	< 33.01
		1	0	22.92	24.67	< 33.01
2505.0	10	25	12	23.79	25.54	< 33.01
		1	1	23.60	25.35	< 33.01
		1	50	23.67	25.42	< 33.01
		50	0	23.15	24.90	< 33.01
		1	51	23.16	24.91	< 33.01
		1	0	23.03	24.78	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2535.0	10	25	12	23.72	25.47	< 33.01
		1	1	23.55	25.30	< 33.01
		1	50	23.66	25.41	< 33.01
		50	0	23.26	25.01	< 33.01
		1	51	23.01	24.76	< 33.01
		1	0	23.09	24.84	< 33.01
2565.0	10	25	12	23.58	25.33	< 33.01
		1	1	23.52	25.27	< 33.01
		1	50	23.54	25.29	< 33.01
		50	0	23.03	24.78	< 33.01
		1	51	23.02	24.77	< 33.01
		1	0	22.94	24.69	< 33.01
2507.5	15	36	18	23.84	25.59	< 33.01
		1	1	23.81	25.56	< 33.01
		1	77	23.85	25.60	< 33.01
		75	0	23.44	25.19	< 33.01
		1	78	23.32	25.07	< 33.01
		1	0	23.24	24.99	< 33.01
2535.0	15	36	18	23.91	25.66	< 33.01
		1	1	23.86	25.61	< 33.01
		1	77	23.77	25.52	< 33.01
		75	0	23.33	25.08	< 33.01
		1	78	23.23	24.98	< 33.01
		1	0	23.21	24.96	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2562.5	15	36	18	23.79	25.54	< 33.01
		1	1	23.73	25.48	< 33.01
		1	77	23.59	25.34	< 33.01
		75	0	23.18	24.93	< 33.01
		1	78	23.06	24.81	< 33.01
		1	0	23.10	24.85	< 33.01
2510.0	20	50	25	23.93	25.68	< 33.01
		1	1	23.83	25.58	< 33.01
		1	104	23.83	25.58	< 33.01
		100	0	23.41	25.16	< 33.01
		1	105	23.33	25.08	< 33.01
		1	0	23.32	25.07	< 33.01
2535.0	20	50	25	23.93	25.68	< 33.01
		1	1	23.83	25.58	< 33.01
		1	104	23.69	25.44	< 33.01
		100	0	23.32	25.07	< 33.01
		1	105	23.28	25.03	< 33.01
		1	0	23.29	25.04	< 33.01
2560.0	20	50	25	23.73	25.48	< 33.01
		1	1	23.68	25.43	< 33.01
		1	104	23.59	25.34	< 33.01
		100	0	23.33	25.08	< 33.01
		1	105	23.08	24.83	< 33.01
		1	0	23.20	24.95	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2512.5	25	64	32	23.90	25.65	< 33.01
		1	1	23.86	25.61	< 33.01
		1	131	23.91	25.66	< 33.01
		128	0	23.43	25.18	< 33.01
		1	132	23.32	25.07	< 33.01
		1	0	23.27	25.02	< 33.01
2535.0	25	64	32	23.93	25.68	< 33.01
		1	1	23.85	25.60	< 33.01
		1	131	23.83	25.58	< 33.01
		128	0	23.33	25.08	< 33.01
		1	132	23.32	25.07	< 33.01
		1	0	23.30	25.05	< 33.01
2557.5	25	64	32	23.83	25.58	< 33.01
		1	1	23.76	25.51	< 33.01
		1	131	23.67	25.42	< 33.01
		128	0	23.23	24.98	< 33.01
		1	132	23.15	24.90	< 33.01
		1	0	23.28	25.03	< 33.01
2515.0	30	80	40	23.88	25.63	< 33.01
		1	1	23.85	25.60	< 33.01
		1	158	23.86	25.61	< 33.01
		160	0	23.35	25.10	< 33.01
		1	159	23.27	25.02	< 33.01
		1	0	23.23	24.98	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
2535.0	30	80	40	23.87	25.62	< 33.01
		1	1	23.82	25.57	< 33.01
		1	158	23.76	25.51	< 33.01
		160	0	23.36	25.11	< 33.01
		1	159	23.12	24.87	< 33.01
		1	0	23.25	25.00	< 33.01
2555.0	30	80	40	23.79	25.54	< 33.01
		1	1	23.77	25.52	< 33.01
		1	158	23.58	25.33	< 33.01
		160	0	23.26	25.01	< 33.01
		1	159	23.13	24.88	< 33.01
		1	0	23.17	24.92	< 33.01
2520.0	40	108	54	23.93	25.68	< 33.01
		1	1	23.79	25.54	< 33.01
		1	214	23.80	25.55	< 33.01
		216	0	23.34	25.09	< 33.01
		1	215	23.26	25.01	< 33.01
		1	0	23.23	24.98	< 33.01
2535.0	40	108	54	23.86	25.61	< 33.01
		1	1	23.82	25.57	< 33.01
		1	214	23.70	25.45	< 33.01
		216	0	23.37	25.12	< 33.01
		1	215	23.19	24.94	< 33.01
		1	0	23.27	25.02	< 33.01
2550.0	40	108	54	23.75	25.50	< 33.01
		1	1	23.86	25.61	< 33.01
		1	214	23.63	25.38	< 33.01
		216	0	23.36	25.11	< 33.01
		1	215	23.16	24.91	< 33.01
		1	0	23.17	24.92	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2502.5	5	12	6	23.73	25.48	< 33.01
		1	1	23.88	25.63	< 33.01
		1	23	23.91	25.66	< 33.01
		25	0	22.74	24.49	< 33.01
		1	24	22.76	24.51	< 33.01
		1	0	22.69	24.44	< 33.01
2535.0	5	12	6	23.68	25.43	< 33.01
		1	1	23.81	25.56	< 33.01
		1	23	23.66	25.41	< 33.01
		25	0	22.70	24.45	< 33.01
		1	24	22.75	24.50	< 33.01
		1	0	22.71	24.46	< 33.01
2567.5	5	12	6	23.51	25.26	< 33.01
		1	1	23.70	25.45	< 33.01
		1	23	23.97	25.72	< 33.01
		25	0	22.51	24.26	< 33.01
		1	24	22.71	24.46	< 33.01
		1	0	22.68	24.43	< 33.01
2505.0	10	25	12	23.58	25.33	< 33.01
		1	1	23.78	25.53	< 33.01
		1	50	23.90	25.65	< 33.01
		50	0	22.72	24.47	< 33.01
		1	51	22.78	24.53	< 33.01
		1	0	22.77	24.52	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2535.0	10	25	12	23.73	25.48	< 33.01
		1	1	23.86	25.61	< 33.01
		1	50	23.90	25.65	< 33.01
		50	0	22.72	24.47	< 33.01
		1	51	22.70	24.45	< 33.01
		1	0	22.75	24.50	< 33.01
2565.0	10	25	12	23.53	25.28	< 33.01
		1	1	23.61	25.36	< 33.01
		1	50	23.86	25.61	< 33.01
		50	0	22.60	24.35	< 33.01
		1	51	22.66	24.41	< 33.01
		1	0	22.61	24.36	< 33.01
2507.5	15	36	18	23.91	25.66	< 33.01
		1	1	23.98	25.73	< 33.01
		1	77	23.85	25.60	< 33.01
		75	0	22.82	24.57	< 33.01
		1	78	22.87	24.62	< 33.01
		1	0	22.83	24.58	< 33.01
2535.0	15	36	18	23.83	25.58	< 33.01
		1	1	23.90	25.65	< 33.01
		1	77	23.90	25.65	< 33.01
		75	0	22.85	24.60	< 33.01
		1	78	22.85	24.60	< 33.01
		1	0	22.92	24.67	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2562.5	15	36	18	23.77	25.52	< 33.01
		1	1	23.83	25.58	< 33.01
		1	77	23.78	25.53	< 33.01
		75	0	22.69	24.44	< 33.01
		1	78	22.80	24.55	< 33.01
		1	0	22.73	24.48	< 33.01
2510.0	20	50	25	23.95	25.70	< 33.01
		1	1	23.98	25.73	< 33.01
		1	104	23.91	25.66	< 33.01
		100	0	22.92	24.67	< 33.01
		1	105	22.84	24.59	< 33.01
		1	0	22.88	24.63	< 33.01
2535.0	20	50	25	23.98	25.73	< 33.01
		1	1	24.06	25.81	< 33.01
		1	104	23.90	25.65	< 33.01
		100	0	22.85	24.60	< 33.01
		1	105	22.95	24.70	< 33.01
		1	0	22.94	24.69	< 33.01
2560.0	20	50	25	23.79	25.54	< 33.01
		1	1	23.88	25.63	< 33.01
		1	104	23.82	25.57	< 33.01
		100	0	22.65	24.40	< 33.01
		1	105	22.84	24.59	< 33.01
		1	0	22.85	24.60	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2512.5	25	64	32	23.95	25.70	< 33.01
		1	1	24.10	25.85	< 33.01
		1	131	23.98	25.73	< 33.01
		128	0	22.83	24.58	< 33.01
		1	132	22.95	24.70	< 33.01
		1	0	23.06	24.81	< 33.01
2535.0	25	64	32	23.86	25.61	< 33.01
		1	1	23.93	25.68	< 33.01
		1	131	24.01	25.76	< 33.01
		128	0	22.86	24.61	< 33.01
		1	132	23.04	24.79	< 33.01
		1	0	23.00	24.75	< 33.01
2557.5	25	64	32	23.79	25.54	< 33.01
		1	1	23.94	25.69	< 33.01
		1	131	23.94	25.69	< 33.01
		128	0	22.69	24.44	< 33.01
		1	132	22.90	24.65	< 33.01
		1	0	22.90	24.65	< 33.01
2515.0	30	80	40	23.83	25.58	< 33.01
		1	1	24.03	25.78	< 33.01
		1	158	23.87	25.62	< 33.01
		160	0	22.85	24.60	< 33.01
		1	159	22.92	24.67	< 33.01
		1	0	22.83	24.58	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
2535.0	30	80	40	23.81	25.56	< 33.01
		1	1	23.98	25.73	< 33.01
		1	158	23.94	25.69	< 33.01
		160	0	22.87	24.62	< 33.01
		1	159	22.78	24.53	< 33.01
		1	0	22.89	24.64	< 33.01
2555.0	30	80	40	23.83	25.58	< 33.01
		1	1	23.87	25.62	< 33.01
		1	158	23.91	25.66	< 33.01
		160	0	22.80	24.55	< 33.01
		1	159	22.84	24.59	< 33.01
		1	0	22.85	24.60	< 33.01
2520.0	40	108	54	23.94	25.69	< 33.01
		1	1	24.12	25.87	< 33.01
		1	214	23.95	25.70	< 33.01
		216	0	22.77	24.52	< 33.01
		1	215	22.91	24.66	< 33.01
		1	0	22.89	24.64	< 33.01
2535.0	40	108	54	23.81	25.56	< 33.01
		1	1	24.17	25.92	< 33.01
		1	214	23.88	25.63	< 33.01
		216	0	22.88	24.63	< 33.01
		1	215	22.80	24.55	< 33.01
		1	0	22.90	24.65	< 33.01
2550.0	40	108	54	23.84	25.59	< 33.01
		1	1	24.03	25.78	< 33.01
		1	214	23.94	25.69	< 33.01
		216	0	22.81	24.56	< 33.01
		1	215	22.84	24.59	< 33.01
		1	0	22.80	24.55	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2502.5	5	12	6	22.51	24.26	< 33.01
		1	1	22.83	24.58	< 33.01
		1	23	22.93	24.68	< 33.01
		25	0	21.66	23.41	< 33.01
		1	24	21.55	23.30	< 33.01
		1	0	21.51	23.26	< 33.01
2535.0	5	12	6	22.63	24.38	< 33.01
		1	1	22.87	24.62	< 33.01
		1	23	22.88	24.63	< 33.01
		25	0	21.64	23.39	< 33.01
		1	24	21.87	23.62	< 33.01
		1	0	21.73	23.48	< 33.01
2567.5	5	12	6	22.42	24.17	< 33.01
		1	1	22.82	24.57	< 33.01
		1	23	22.82	24.57	< 33.01
		25	0	21.68	23.43	< 33.01
		1	24	21.63	23.38	< 33.01
		1	0	21.72	23.47	< 33.01
2505.0	10	25	12	22.69	24.44	< 33.01
		1	1	22.90	24.65	< 33.01
		1	50	22.95	24.70	< 33.01
		50	0	21.59	23.34	< 33.01
		1	51	21.81	23.56	< 33.01
		1	0	21.64	23.39	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2535.0	10	25	12	22.65	24.40	< 33.01
		1	1	22.88	24.63	< 33.01
		1	50	22.92	24.67	< 33.01
		50	0	21.63	23.38	< 33.01
		1	51	21.78	23.53	< 33.01
		1	0	21.67	23.42	< 33.01
2565.0	10	25	12	22.48	24.23	< 33.01
		1	1	22.46	24.21	< 33.01
		1	50	22.44	24.19	< 33.01
		50	0	21.49	23.24	< 33.01
		1	51	21.69	23.44	< 33.01
		1	0	21.63	23.38	< 33.01
2507.5	15	36	18	22.93	24.68	< 33.01
		1	1	22.99	24.74	< 33.01
		1	77	23.05	24.80	< 33.01
		75	0	21.85	23.60	< 33.01
		1	78	21.71	23.46	< 33.01
		1	0	21.68	23.43	< 33.01
2535.0	15	36	18	22.87	24.62	< 33.01
		1	1	23.00	24.75	< 33.01
		1	77	23.07	24.82	< 33.01
		75	0	21.85	23.60	< 33.01
		1	78	21.54	23.29	< 33.01
		1	0	21.70	23.45	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2562.5	15	36	18	22.73	24.48	< 33.01
		1	1	22.96	24.71	< 33.01
		1	77	22.90	24.65	< 33.01
		75	0	21.68	23.43	< 33.01
		1	78	21.58	23.33	< 33.01
		1	0	21.57	23.32	< 33.01
2510.0	20	50	25	22.89	24.64	< 33.01
		1	1	23.07	24.82	< 33.01
		1	104	23.14	24.89	< 33.01
		100	0	21.83	23.58	< 33.01
		1	105	21.96	23.71	< 33.01
		1	0	21.95	23.70	< 33.01
2535.0	20	50	25	22.90	24.65	< 33.01
		1	1	23.06	24.81	< 33.01
		1	104	23.05	24.80	< 33.01
		100	0	21.88	23.63	< 33.01
		1	105	21.82	23.57	< 33.01
		1	0	21.98	23.73	< 33.01
2560.0	20	50	25	22.75	24.50	< 33.01
		1	1	22.93	24.68	< 33.01
		1	104	23.03	24.78	< 33.01
		100	0	21.80	23.55	< 33.01
		1	105	21.81	23.56	< 33.01
		1	0	21.83	23.58	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2512.5	25	64	32	22.86	24.61	< 33.01
		1	1	23.12	24.87	< 33.01
		1	131	23.13	24.88	< 33.01
		128	0	21.80	23.55	< 33.01
		1	132	21.99	23.74	< 33.01
		1	0	22.00	23.75	< 33.01
2535.0	25	64	32	22.93	24.68	< 33.01
		1	1	23.09	24.84	< 33.01
		1	131	23.06	24.81	< 33.01
		128	0	21.91	23.66	< 33.01
		1	132	21.90	23.65	< 33.01
		1	0	21.98	23.73	< 33.01
2557.5	25	64	32	22.74	24.49	< 33.01
		1	1	23.16	24.91	< 33.01
		1	131	22.96	24.71	< 33.01
		128	0	21.72	23.47	< 33.01
		1	132	21.77	23.52	< 33.01
		1	0	21.89	23.64	< 33.01
2515.0	30	80	40	22.84	24.59	< 33.01
		1	1	23.01	24.76	< 33.01
		1	158	23.10	24.85	< 33.01
		160	0	21.93	23.68	< 33.01
		1	159	21.67	23.42	< 33.01
		1	0	21.70	23.45	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
2535.0	30	80	40	22.81	24.56	< 33.01
		1	1	23.05	24.80	< 33.01
		1	158	22.99	24.74	< 33.01
		160	0	21.85	23.60	< 33.01
		1	159	21.82	23.57	< 33.01
		1	0	21.94	23.69	< 33.01
2555.0	30	80	40	22.76	24.51	< 33.01
		1	1	23.07	24.82	< 33.01
		1	158	22.93	24.68	< 33.01
		160	0	21.78	23.53	< 33.01
		1	159	21.72	23.47	< 33.01
		1	0	21.85	23.60	< 33.01
2520.0	40	108	54	22.90	24.65	< 33.01
		1	1	23.03	24.78	< 33.01
		1	214	23.11	24.86	< 33.01
		216	0	21.84	23.59	< 33.01
		1	215	21.97	23.72	< 33.01
		1	0	21.87	23.62	< 33.01
2535.0	40	108	54	22.90	24.65	< 33.01
		1	1	23.06	24.81	< 33.01
		1	214	23.02	24.77	< 33.01
		216	0	21.88	23.63	< 33.01
		1	215	21.83	23.58	< 33.01
		1	0	21.95	23.70	< 33.01
2550.0	40	108	54	22.84	24.59	< 33.01
		1	1	23.06	24.81	< 33.01
		1	214	22.95	24.70	< 33.01
		216	0	21.79	23.54	< 33.01
		1	215	21.73	23.48	< 33.01
		1	0	21.81	23.56	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2502.5	5	12	6	21.26	23.01	< 33.01
		1	1	21.38	23.13	< 33.01
		1	23	21.35	23.10	< 33.01
		25	0	21.24	22.99	< 33.01
		1	24	21.41	23.16	< 33.01
		1	0	21.40	23.15	< 33.01
2535.0	5	12	6	21.29	23.04	< 33.01
		1	1	20.98	22.73	< 33.01
		1	23	21.01	22.76	< 33.01
		25	0	21.25	23.00	< 33.01
		1	24	21.05	22.80	< 33.01
		1	0	20.94	22.69	< 33.01
2567.5	5	12	6	21.05	22.80	< 33.01
		1	1	20.98	22.73	< 33.01
		1	23	20.97	22.72	< 33.01
		25	0	21.05	22.80	< 33.01
		1	24	20.93	22.68	< 33.01
		1	0	20.85	22.60	< 33.01
2505.0	10	25	12	21.25	23.00	< 33.01
		1	1	21.05	22.80	< 33.01
		1	50	21.05	22.80	< 33.01
		50	0	21.09	22.84	< 33.01
		1	51	21.03	22.78	< 33.01
		1	0	21.02	22.77	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2535.0	10	25	12	21.21	22.96	< 33.01
		1	1	20.97	22.72	< 33.01
		1	50	21.12	22.87	< 33.01
		50	0	21.15	22.90	< 33.01
		1	51	21.07	22.82	< 33.01
		1	0	21.05	22.80	< 33.01
2565.0	10	25	12	21.05	22.80	< 33.01
		1	1	21.08	22.83	< 33.01
		1	50	21.01	22.76	< 33.01
		50	0	21.06	22.81	< 33.01
		1	51	20.97	22.72	< 33.01
		1	0	20.94	22.69	< 33.01
2507.5	15	36	18	21.35	23.10	< 33.01
		1	1	21.56	23.31	< 33.01
		1	77	21.52	23.27	< 33.01
		75	0	21.37	23.12	< 33.01
		1	78	21.53	23.28	< 33.01
		1	0	21.53	23.28	< 33.01
2535.0	15	36	18	21.41	23.16	< 33.01
		1	1	21.60	23.35	< 33.01
		1	77	21.51	23.26	< 33.01
		75	0	21.37	23.12	< 33.01
		1	78	21.48	23.23	< 33.01
		1	0	21.59	23.34	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2562.5	15	36	18	21.21	22.96	< 33.01
		1	1	21.47	23.22	< 33.01
		1	77	21.40	23.15	< 33.01
		75	0	21.29	23.04	< 33.01
		1	78	21.46	23.21	< 33.01
		1	0	21.45	23.20	< 33.01
2510.0	20	50	25	21.36	23.11	< 33.01
		1	1	21.24	22.99	< 33.01
		1	104	21.28	23.03	< 33.01
		100	0	21.39	23.14	< 33.01
		1	105	21.16	22.91	< 33.01
		1	0	21.25	23.00	< 33.01
2535.0	20	50	25	21.45	23.20	< 33.01
		1	1	21.49	23.24	< 33.01
		1	104	21.49	23.24	< 33.01
		100	0	21.42	23.17	< 33.01
		1	105	21.44	23.19	< 33.01
		1	0	21.54	23.29	< 33.01
2560.0	20	50	25	21.29	23.04	< 33.01
		1	1	21.12	22.87	< 33.01
		1	104	21.06	22.81	< 33.01
		100	0	21.24	22.99	< 33.01
		1	105	21.13	22.88	< 33.01
		1	0	21.11	22.86	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2512.5	25	64	32	21.37	23.12	< 33.01
		1	1	21.55	23.30	< 33.01
		1	131	21.54	23.29	< 33.01
		128	0	21.42	23.17	< 33.01
		1	132	21.60	23.35	< 33.01
		1	0	21.60	23.35	< 33.01
2535.0	25	64	32	21.35	23.10	< 33.01
		1	1	21.21	22.96	< 33.01
		1	131	21.22	22.97	< 33.01
		128	0	21.45	23.20	< 33.01
		1	132	21.30	23.05	< 33.01
		1	0	21.36	23.11	< 33.01
2557.5	25	64	32	21.28	23.03	< 33.01
		1	1	21.11	22.86	< 33.01
		1	131	21.12	22.87	< 33.01
		128	0	21.37	23.12	< 33.01
		1	132	21.10	22.85	< 33.01
		1	0	21.19	22.94	< 33.01
2515.0	30	80	40	21.31	23.06	< 33.01
		1	1	21.58	23.33	< 33.01
		1	158	21.64	23.39	< 33.01
		160	0	21.43	23.18	< 33.01
		1	159	21.63	23.38	< 33.01
		1	0	21.56	23.31	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
2535.0	30	80	40	21.28	23.03	< 33.01
		1	1	21.52	23.27	< 33.01
		1	158	21.47	23.22	< 33.01
		160	0	21.23	22.98	< 33.01
		1	159	21.44	23.19	< 33.01
		1	0	21.46	23.21	< 33.01
2555.0	30	80	40	21.28	23.03	< 33.01
		1	1	21.33	23.08	< 33.01
		1	158	21.09	22.84	< 33.01
		160	0	21.26	23.01	< 33.01
		1	159	21.06	22.81	< 33.01
		1	0	21.13	22.88	< 33.01
2520.0	40	108	54	21.45	23.20	< 33.01
		1	1	21.45	23.20	< 33.01
		1	214	21.47	23.22	< 33.01
		216	0	21.42	23.17	< 33.01
		1	215	21.43	23.18	< 33.01
		1	0	21.40	23.15	< 33.01
2535.0	40	108	54	21.30	23.05	< 33.01
		1	1	21.27	23.02	< 33.01
		1	214	21.19	22.94	< 33.01
		216	0	21.29	23.04	< 33.01
		1	215	21.18	22.93	< 33.01
		1	0	21.31	23.06	< 33.01
2550.0	40	108	54	21.27	23.02	< 33.01
		1	1	21.32	23.07	< 33.01
		1	214	21.01	22.76	< 33.01
		216	0	21.29	23.04	< 33.01
		1	215	21.05	22.80	< 33.01
		1	0	21.12	22.87	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2502.5	5	12	6	19.14	20.89	< 33.01
		1	1	18.75	20.50	< 33.01
		1	23	18.85	20.60	< 33.01
		25	0	19.10	20.85	< 33.01
		1	24	18.81	20.56	< 33.01
		1	0	18.76	20.51	< 33.01
2535.0	5	12	6	19.15	20.90	< 33.01
		1	1	18.81	20.56	< 33.01
		1	23	18.91	20.66	< 33.01
		25	0	19.15	20.90	< 33.01
		1	24	18.88	20.63	< 33.01
		1	0	18.87	20.62	< 33.01
2567.5	5	12	6	19.00	20.75	< 33.01
		1	1	18.74	20.49	< 33.01
		1	23	18.83	20.58	< 33.01
		25	0	19.08	20.83	< 33.01
		1	24	18.78	20.53	< 33.01
		1	0	18.70	20.45	< 33.01
2505.0	10	25	12	19.16	20.91	< 33.01
		1	1	18.84	20.59	< 33.01
		1	50	18.90	20.65	< 33.01
		50	0	19.16	20.91	< 33.01
		1	51	18.88	20.63	< 33.01
		1	0	18.79	20.54	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2535.0	10	25	12	19.16	20.91	< 33.01
		1	1	18.81	20.56	< 33.01
		1	50	18.95	20.70	< 33.01
		50	0	19.19	20.94	< 33.01
		1	51	18.80	20.55	< 33.01
		1	0	18.88	20.63	< 33.01
2565.0	10	25	12	19.05	20.80	< 33.01
		1	1	18.66	20.41	< 33.01
		1	50	18.69	20.44	< 33.01
		50	0	18.97	20.72	< 33.01
		1	51	18.65	20.40	< 33.01
		1	0	18.61	20.36	< 33.01
2507.5	15	36	18	19.32	21.07	< 33.01
		1	1	19.00	20.75	< 33.01
		1	77	18.92	20.67	< 33.01
		75	0	19.23	20.98	< 33.01
		1	78	18.89	20.64	< 33.01
		1	0	18.85	20.60	< 33.01
2535.0	15	36	18	19.24	20.99	< 33.01
		1	1	18.86	20.61	< 33.01
		1	77	18.97	20.72	< 33.01
		75	0	19.34	21.09	< 33.01
		1	78	18.94	20.69	< 33.01
		1	0	18.90	20.65	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2562.5	15	36	18	19.23	20.98	< 33.01
		1	1	18.86	20.61	< 33.01
		1	77	18.81	20.56	< 33.01
		75	0	19.22	20.97	< 33.01
		1	78	18.79	20.54	< 33.01
		1	0	18.74	20.49	< 33.01
2510.0	20	50	25	19.38	21.13	< 33.01
		1	1	18.98	20.73	< 33.01
		1	104	18.96	20.71	< 33.01
		100	0	19.46	21.21	< 33.01
		1	105	18.95	20.70	< 33.01
		1	0	19.05	20.80	< 33.01
2535.0	20	50	25	19.34	21.09	< 33.01
		1	1	18.93	20.68	< 33.01
		1	104	18.96	20.71	< 33.01
		100	0	19.31	21.06	< 33.01
		1	105	19.00	20.75	< 33.01
		1	0	18.95	20.70	< 33.01
2560.0	20	50	25	19.25	21.00	< 33.01
		1	1	18.93	20.68	< 33.01
		1	104	18.88	20.63	< 33.01
		100	0	19.29	21.04	< 33.01
		1	105	18.84	20.59	< 33.01
		1	0	18.80	20.55	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2512.5	25	64	32	19.43	21.18	< 33.01
		1	1	19.02	20.77	< 33.01
		1	131	19.04	20.79	< 33.01
		128	0	19.36	21.11	< 33.01
		1	132	19.03	20.78	< 33.01
		1	0	18.98	20.73	< 33.01
2535.0	25	64	32	19.29	21.04	< 33.01
		1	1	19.01	20.76	< 33.01
		1	131	18.95	20.70	< 33.01
		128	0	19.31	21.06	< 33.01
		1	132	19.02	20.77	< 33.01
		1	0	18.93	20.68	< 33.01
2557.5	25	64	32	19.23	20.98	< 33.01
		1	1	18.95	20.70	< 33.01
		1	131	18.89	20.64	< 33.01
		128	0	19.22	20.97	< 33.01
		1	132	18.92	20.67	< 33.01
		1	0	18.82	20.57	< 33.01
2515.0	30	80	40	19.36	21.11	< 33.01
		1	1	18.97	20.72	< 33.01
		1	158	18.96	20.71	< 33.01
		160	0	19.34	21.09	< 33.01
		1	159	18.93	20.68	< 33.01
		1	0	18.91	20.66	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
2535.0	30	80	40	19.27	21.02	< 33.01
		1	1	18.97	20.72	< 33.01
		1	158	18.96	20.71	< 33.01
		160	0	19.31	21.06	< 33.01
		1	159	18.91	20.66	< 33.01
		1	0	18.94	20.69	< 33.01
2555.0	30	80	40	19.23	20.98	< 33.01
		1	1	18.99	20.74	< 33.01
		1	158	18.93	20.68	< 33.01
		160	0	19.36	21.11	< 33.01
		1	159	18.88	20.63	< 33.01
		1	0	18.86	20.61	< 33.01
2520.0	40	108	54	19.28	21.03	< 33.01
		1	1	19.00	20.75	< 33.01
		1	214	19.09	20.84	< 33.01
		216	0	19.27	21.02	< 33.01
		1	215	19.02	20.77	< 33.01
		1	0	18.92	20.67	< 33.01
2535.0	40	108	54	19.26	21.01	< 33.01
		1	1	19.16	20.91	< 33.01
		1	214	18.97	20.72	< 33.01
		216	0	19.32	21.07	< 33.01
		1	215	18.93	20.68	< 33.01
		1	0	18.95	20.70	< 33.01
2550.0	40	108	54	19.31	21.06	< 33.01
		1	1	18.97	20.72	< 33.01
		1	214	18.91	20.66	< 33.01
		216	0	19.30	21.05	< 33.01
		1	215	18.94	20.69	< 33.01
		1	0	19.00	20.75	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n12_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
701.5	5	12	6	23.18	18.43	< 34.77
		1	1	22.96	18.21	< 34.77
		1	23	23.04	18.29	< 34.77
		25	0	22.70	17.95	< 34.77
		1	24	22.46	17.71	< 34.77
		1	0	22.47	17.72	< 34.77
707.5	5	12	6	23.16	18.41	< 34.77
		1	1	22.98	18.23	< 34.77
		1	23	23.10	18.35	< 34.77
		25	0	22.66	17.91	< 34.77
		1	24	22.56	17.81	< 34.77
		1	0	22.60	17.85	< 34.77
713.5	5	12	6	23.22	18.47	< 34.77
		1	1	23.10	18.35	< 34.77
		1	23	23.14	18.39	< 34.77
		25	0	22.75	18.00	< 34.77
		1	24	22.65	17.90	< 34.77
		1	0	22.64	17.89	< 34.77
704.0	10	25	12	23.20	18.45	< 34.77
		1	1	23.03	18.28	< 34.77
		1	50	23.09	18.34	< 34.77
		50	0	22.63	17.88	< 34.77
		1	51	22.54	17.79	< 34.77
		1	0	22.65	17.90	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
707.5	10	25	12	23.17	18.42	< 34.77
		1	1	23.04	18.29	< 34.77
		1	50	23.05	18.30	< 34.77
		50	0	22.75	18.00	< 34.77
		1	51	22.50	17.75	< 34.77
		1	0	22.70	17.95	< 34.77
711.0	10	25	12	23.17	18.42	< 34.77
		1	1	23.05	18.30	< 34.77
		1	50	23.13	18.38	< 34.77
		50	0	22.64	17.89	< 34.77
		1	51	22.65	17.90	< 34.77
		1	0	22.58	17.83	< 34.77
706.5	15	36	18	23.27	18.52	< 34.77
		1	1	23.14	18.39	< 34.77
		1	77	23.12	18.37	< 34.77
		75	0	22.85	18.10	< 34.77
		1	78	22.56	17.81	< 34.77
		1	0	22.66	17.91	< 34.77
707.5	15	36	18	23.35	18.60	< 34.77
		1	1	23.14	18.39	< 34.77
		1	77	23.22	18.47	< 34.77
		75	0	22.85	18.10	< 34.77
		1	78	22.68	17.93	< 34.77
		1	0	22.75	18.00	< 34.77
708.5	15	36	18	23.30	18.55	< 34.77
		1	1	23.10	18.35	< 34.77
		1	77	23.21	18.46	< 34.77
		75	0	22.81	18.06	< 34.77
		1	78	22.66	17.91	< 34.77
		1	0	22.65	17.90	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
701.5	5	12	6	23.07	18.43	< 34.77
		1	1	23.34	18.21	< 34.77
		1	23	23.42	18.29	< 34.77
		25	0	22.11	17.95	< 34.77
		1	24	22.12	17.71	< 34.77
		1	0	22.13	17.72	< 34.77
707.5	5	12	6	23.26	18.41	< 34.77
		1	1	23.32	18.23	< 34.77
		1	23	23.44	18.35	< 34.77
		25	0	22.14	17.91	< 34.77
		1	24	22.14	17.81	< 34.77
		1	0	22.19	17.85	< 34.77
713.5	5	12	6	23.28	18.47	< 34.77
		1	1	23.33	18.35	< 34.77
		1	23	23.53	18.39	< 34.77
		25	0	22.29	18.00	< 34.77
		1	24	22.36	17.90	< 34.77
		1	0	22.21	17.89	< 34.77
704.0	10	25	12	23.19	18.45	< 34.77
		1	1	23.35	18.28	< 34.77
		1	50	23.27	18.34	< 34.77
		50	0	22.12	17.88	< 34.77
		1	51	22.17	17.79	< 34.77
		1	0	22.26	17.90	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
707.5	10	25	12	23.17	18.42	< 34.77
		1	1	23.31	18.29	< 34.77
		1	50	23.18	18.30	< 34.77
		50	0	22.12	18.00	< 34.77
		1	51	22.19	17.75	< 34.77
		1	0	22.40	17.95	< 34.77
711.0	10	25	12	23.18	18.42	< 34.77
		1	1	23.36	18.30	< 34.77
		1	50	23.52	18.38	< 34.77
		50	0	22.11	17.89	< 34.77
		1	51	22.29	17.90	< 34.77
		1	0	22.28	17.83	< 34.77
706.5	15	36	18	23.27	18.52	< 34.77
		1	1	23.44	18.39	< 34.77
		1	77	23.35	18.37	< 34.77
		75	0	22.30	18.10	< 34.77
		1	78	22.29	17.81	< 34.77
		1	0	22.39	17.91	< 34.77
707.5	15	36	18	23.25	18.60	< 34.77
		1	1	23.32	18.39	< 34.77
		1	77	23.52	18.47	< 34.77
		75	0	22.31	18.10	< 34.77
		1	78	22.40	17.93	< 34.77
		1	0	22.45	18.00	< 34.77
708.5	15	36	18	23.22	18.55	< 34.77
		1	1	23.34	18.35	< 34.77
		1	77	23.44	18.46	< 34.77
		75	0	22.30	18.06	< 34.77
		1	78	22.39	17.91	< 34.77
		1	0	22.48	17.90	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
701.5	5	12	6	21.97	17.22	< 34.77
		1	1	22.29	17.54	< 34.77
		1	23	22.37	17.62	< 34.77
		25	0	21.07	16.32	< 34.77
		1	24	21.05	16.30	< 34.77
		1	0	20.99	16.24	< 34.77
707.5	5	12	6	22.03	17.28	< 34.77
		1	1	22.37	17.62	< 34.77
		1	23	22.40	17.65	< 34.77
		25	0	21.18	16.43	< 34.77
		1	24	21.09	16.34	< 34.77
		1	0	21.05	16.30	< 34.77
713.5	5	12	6	22.14	17.39	< 34.77
		1	1	22.36	17.61	< 34.77
		1	23	22.51	17.76	< 34.77
		25	0	21.23	16.48	< 34.77
		1	24	21.17	16.42	< 34.77
		1	0	21.15	16.40	< 34.77
704.0	10	25	12	22.13	17.38	< 34.77
		1	1	22.37	17.62	< 34.77
		1	50	22.30	17.55	< 34.77
		50	0	21.21	16.46	< 34.77
		1	51	21.00	16.25	< 34.77
		1	0	21.10	16.35	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
707.5	10	25	12	22.18	17.43	< 34.77
		1	1	22.38	17.63	< 34.77
		1	50	22.31	17.56	< 34.77
		50	0	21.21	16.46	< 34.77
		1	51	21.04	16.29	< 34.77
		1	0	21.11	16.36	< 34.77
711.0	10	25	12	22.09	17.34	< 34.77
		1	1	22.29	17.54	< 34.77
		1	50	22.41	17.66	< 34.77
		50	0	21.11	16.36	< 34.77
		1	51	21.08	16.33	< 34.77
		1	0	21.03	16.28	< 34.77
706.5	15	36	18	22.20	17.45	< 34.77
		1	1	22.45	17.70	< 34.77
		1	77	22.48	17.73	< 34.77
		75	0	21.26	16.51	< 34.77
		1	78	21.03	16.28	< 34.77
		1	0	21.22	16.47	< 34.77
707.5	15	36	18	22.28	17.53	< 34.77
		1	1	22.42	17.67	< 34.77
		1	77	22.48	17.73	< 34.77
		75	0	21.25	16.50	< 34.77
		1	78	21.19	16.44	< 34.77
		1	0	21.19	16.44	< 34.77
708.5	15	36	18	22.25	17.50	< 34.77
		1	1	22.39	17.64	< 34.77
		1	77	22.33	17.58	< 34.77
		75	0	21.25	16.50	< 34.77
		1	78	21.05	16.30	< 34.77
		1	0	21.04	16.29	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
701.5	5	12	6	20.66	15.91	< 34.77
		1	1	20.81	16.06	< 34.77
		1	23	20.88	16.13	< 34.77
		25	0	20.65	15.90	< 34.77
		1	24	20.83	16.08	< 34.77
		1	0	20.79	16.04	< 34.77
707.5	5	12	6	20.69	15.94	< 34.77
		1	1	20.81	16.06	< 34.77
		1	23	20.93	16.18	< 34.77
		25	0	20.75	16.00	< 34.77
		1	24	20.82	16.07	< 34.77
		1	0	20.94	16.19	< 34.77
713.5	5	12	6	20.81	16.06	< 34.77
		1	1	20.81	16.06	< 34.77
		1	23	20.96	16.21	< 34.77
		25	0	20.70	15.95	< 34.77
		1	24	21.04	16.29	< 34.77
		1	0	20.93	16.18	< 34.77
704.0	10	25	12	20.74	15.99	< 34.77
		1	1	20.89	16.14	< 34.77
		1	50	20.89	16.14	< 34.77
		50	0	20.72	15.97	< 34.77
		1	51	20.93	16.18	< 34.77
		1	0	20.93	16.18	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
707.5	10	25	12	20.79	16.04	< 34.77
		1	1	20.99	16.24	< 34.77
		1	50	20.93	16.18	< 34.77
		50	0	20.74	15.99	< 34.77
		1	51	20.91	16.16	< 34.77
		1	0	21.07	16.32	< 34.77
711.0	10	25	12	20.69	15.94	< 34.77
		1	1	20.81	16.06	< 34.77
		1	50	21.08	16.33	< 34.77
		50	0	20.73	15.98	< 34.77
		1	51	21.05	16.30	< 34.77
		1	0	20.98	16.23	< 34.77
706.5	15	36	18	20.79	16.04	< 34.77
		1	1	20.98	16.23	< 34.77
		1	77	20.88	16.13	< 34.77
		75	0	20.81	16.06	< 34.77
		1	78	20.88	16.13	< 34.77
		1	0	21.06	16.31	< 34.77
707.5	15	36	18	20.85	16.10	< 34.77
		1	1	20.99	16.24	< 34.77
		1	77	21.03	16.28	< 34.77
		75	0	20.82	16.07	< 34.77
		1	78	21.04	16.29	< 34.77
		1	0	21.02	16.27	< 34.77
708.5	15	36	18	20.81	16.06	< 34.77
		1	1	20.61	15.86	< 34.77
		1	77	20.77	16.02	< 34.77
		75	0	20.79	16.04	< 34.77
		1	78	20.78	16.03	< 34.77
		1	0	20.98	16.23	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
701.5	5	12	6	18.57	13.82	< 34.77
		1	1	18.26	13.51	< 34.77
		1	23	18.29	13.54	< 34.77
		25	0	18.56	13.81	< 34.77
		1	24	18.30	13.55	< 34.77
		1	0	18.26	13.51	< 34.77
707.5	5	12	6	18.63	13.88	< 34.77
		1	1	18.24	13.49	< 34.77
		1	23	18.27	13.52	< 34.77
		25	0	18.57	13.82	< 34.77
		1	24	18.35	13.60	< 34.77
		1	0	18.35	13.60	< 34.77
713.5	5	12	6	18.64	13.89	< 34.77
		1	1	18.34	13.59	< 34.77
		1	23	18.40	13.65	< 34.77
		25	0	18.73	13.98	< 34.77
		1	24	18.40	13.65	< 34.77
		1	0	18.42	13.67	< 34.77
704.0	10	25	12	18.52	13.77	< 34.77
		1	1	18.24	13.49	< 34.77
		1	50	18.34	13.59	< 34.77
		50	0	18.59	13.84	< 34.77
		1	51	18.34	13.59	< 34.77
		1	0	18.26	13.51	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 25QAM						
707.5	10	25	12	18.63	13.88	< 34.77
		1	1	18.25	13.50	< 34.77
		1	50	18.37	13.62	< 34.77
		50	0	18.60	13.85	< 34.77
		1	51	18.31	13.56	< 34.77
		1	0	18.35	13.60	< 34.77
711.0	10	25	12	18.62	13.87	< 34.77
		1	1	18.29	13.54	< 34.77
		1	50	18.45	13.70	< 34.77
		50	0	18.60	13.85	< 34.77
		1	51	18.43	13.68	< 34.77
		1	0	18.21	13.46	< 34.77
706.5	15	36	18	18.71	13.96	< 34.77
		1	1	18.37	13.62	< 34.77
		1	77	18.35	13.60	< 34.77
		75	0	18.81	14.06	< 34.77
		1	78	18.34	13.59	< 34.77
		1	0	18.45	13.70	< 34.77
707.5	15	36	18	18.66	13.91	< 34.77
		1	1	18.39	13.64	< 34.77
		1	77	18.43	13.68	< 34.77
		75	0	18.72	13.97	< 34.77
		1	78	18.47	13.72	< 34.77
		1	0	18.45	13.70	< 34.77
708.5	15	36	18	18.71	13.96	< 34.77
		1	1	18.30	13.55	< 34.77
		1	77	18.42	13.67	< 34.77
		75	0	18.79	14.04	< 34.77
		1	78	18.44	13.69	< 34.77
		1	0	18.54	13.79	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n13_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
779.5	5	12	6	23.41	20.76	< 34.77
		1	1	23.34	20.69	< 34.77
		1	23	23.48	20.83	< 34.77
		25	0	22.91	20.26	< 34.77
		1	24	22.84	20.19	< 34.77
		1	0	22.89	20.24	< 34.77
782.0	5	12	6	23.54	20.89	< 34.77
		1	1	23.40	20.75	< 34.77
		1	23	23.39	20.74	< 34.77
		25	0	22.96	20.31	< 34.77
		1	24	22.83	20.18	< 34.77
		1	0	22.96	20.31	< 34.77
784.5	5	12	6	23.46	20.81	< 34.77
		1	1	23.48	20.83	< 34.77
		1	23	23.27	20.62	< 34.77
		25	0	22.98	20.33	< 34.77
		1	24	22.77	20.12	< 34.77
		1	0	22.93	20.28	< 34.77
782.0	10	25	12	23.45	20.80	< 34.77
		1	1	23.42	20.77	< 34.77
		1	50	23.37	20.72	< 34.77
		50	0	22.87	20.22	< 34.77
		1	51	22.86	20.21	< 34.77
		1	0	23.03	20.38	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
779.5	5	12	6	23.39	20.76	< 34.77
		1	1	23.43	20.69	< 34.77
		1	23	23.46	20.83	< 34.77
		25	0	22.38	20.26	< 34.77
		1	24	22.50	20.19	< 34.77
		1	0	22.47	20.24	< 34.77
782.0	5	12	6	23.47	20.89	< 34.77
		1	1	23.63	20.75	< 34.77
		1	23	23.49	20.74	< 34.77
		25	0	22.53	20.31	< 34.77
		1	24	22.50	20.18	< 34.77
		1	0	22.54	20.31	< 34.77
784.5	5	12	6	23.37	20.81	< 34.77
		1	1	23.64	20.83	< 34.77
		1	23	23.45	20.62	< 34.77
		25	0	22.49	20.33	< 34.77
		1	24	22.45	20.12	< 34.77
		1	0	22.52	20.28	< 34.77
782.0	10	25	12	23.55	20.80	< 34.77
		1	1	23.54	20.77	< 34.77
		1	50	23.48	20.72	< 34.77
		50	0	22.46	20.22	< 34.77
		1	51	22.50	20.21	< 34.77
		1	0	22.46	20.38	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
779.5	5	12	6	22.52	19.87	< 34.77
		1	1	22.56	19.91	< 34.77
		1	23	22.50	19.85	< 34.77
		25	0	21.59	18.94	< 34.77
		1	24	21.44	18.79	< 34.77
		1	0	21.28	18.63	< 34.77
782.0	5	12	6	22.46	19.81	< 34.77
		1	1	22.69	20.04	< 34.77
		1	23	22.77	20.12	< 34.77
		25	0	21.53	18.88	< 34.77
		1	24	21.55	18.90	< 34.77
		1	0	21.68	19.03	< 34.77
784.5	5	12	6	22.32	19.67	< 34.77
		1	1	22.69	20.04	< 34.77
		1	23	22.65	20.00	< 34.77
		25	0	21.42	18.77	< 34.77
		1	24	21.30	18.65	< 34.77
		1	0	21.38	18.73	< 34.77
782.0	10	25	12	22.41	19.76	< 34.77
		1	1	22.69	20.04	< 34.77
		1	50	22.60	19.95	< 34.77
		50	0	21.38	18.73	< 34.77
		1	51	21.26	18.61	< 34.77
		1	0	21.45	18.80	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
779.5	5	12	6	21.01	18.36	< 34.77
		1	1	20.93	18.28	< 34.77
		1	23	20.77	18.12	< 34.77
		25	0	20.95	18.30	< 34.77
		1	24	20.85	18.20	< 34.77
		1	0	20.94	18.29	< 34.77
782.0	5	12	6	21.04	18.39	< 34.77
		1	1	21.04	18.39	< 34.77
		1	23	21.16	18.51	< 34.77
		25	0	21.05	18.40	< 34.77
		1	24	21.03	18.38	< 34.77
		1	0	21.16	18.51	< 34.77
784.5	5	12	6	20.97	18.32	< 34.77
		1	1	21.18	18.53	< 34.77
		1	23	21.20	18.55	< 34.77
		25	0	20.99	18.34	< 34.77
		1	24	21.22	18.57	< 34.77
		1	0	21.19	18.54	< 34.77
782.0	10	25	12	20.91	18.26	< 34.77
		1	1	21.33	18.68	< 34.77
		1	50	21.19	18.54	< 34.77
		50	0	20.94	18.29	< 34.77
		1	51	21.05	18.40	< 34.77
		1	0	21.35	18.70	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
779.5	5	12	6	18.80	16.15	< 34.77
		1	1	18.59	15.94	< 34.77
		1	23	18.71	16.06	< 34.77
		25	0	18.81	16.16	< 34.77
		1	24	18.67	16.02	< 34.77
		1	0	18.61	15.96	< 34.77
782.0	5	12	6	18.97	16.32	< 34.77
		1	1	18.55	15.90	< 34.77
		1	23	18.71	16.06	< 34.77
		25	0	18.97	16.32	< 34.77
		1	24	18.69	16.04	< 34.77
		1	0	18.69	16.04	< 34.77
784.5	5	12	6	18.88	16.23	< 34.77
		1	1	18.67	16.02	< 34.77
		1	23	18.58	15.93	< 34.77
		25	0	18.89	16.24	< 34.77
		1	24	18.59	15.94	< 34.77
		1	0	18.58	15.93	< 34.77
782.0	10	25	12	18.89	16.24	< 34.77
		1	1	18.57	15.92	< 34.77
		1	50	18.60	15.95	< 34.77
		50	0	18.96	16.31	< 34.77
		1	51	18.51	15.86	< 34.77
		1	0	18.69	16.04	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022-12-21	Test Band	n25_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1852.5	5	12	6	23.49	24.86	< 33.01
		1	1	23.46	24.83	< 33.01
		1	23	23.31	24.68	< 33.01
		25	0	22.95	24.32	< 33.01
		1	24	22.90	24.27	< 33.01
		1	0	22.87	24.24	< 33.01
1882.5	5	12	6	23.44	24.81	< 33.01
		1	1	23.35	24.72	< 33.01
		1	23	23.40	24.77	< 33.01
		25	0	22.80	24.17	< 33.01
		1	24	22.73	24.10	< 33.01
		1	0	22.81	24.18	< 33.01
1912.5	5	12	6	23.47	24.84	< 33.01
		1	1	23.29	24.66	< 33.01
		1	23	23.24	24.61	< 33.01
		25	0	22.93	24.30	< 33.01
		1	24	22.78	24.15	< 33.01
		1	0	22.73	24.10	< 33.01
1855.0	10	25	12	23.48	24.85	< 33.01
		1	1	23.30	24.67	< 33.01
		1	50	23.29	24.66	< 33.01
		50	0	22.96	24.33	< 33.01
		1	51	22.81	24.18	< 33.01
		1	0	22.83	24.20	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1882.5	10	25	12	23.39	24.76	< 33.01
		1	1	23.35	24.72	< 33.01
		1	50	23.29	24.66	< 33.01
		50	0	22.97	24.34	< 33.01
		1	51	22.65	24.02	< 33.01
		1	0	22.77	24.14	< 33.01
1910.0	10	25	12	23.46	24.83	< 33.01
		1	1	23.29	24.66	< 33.01
		1	50	23.24	24.61	< 33.01
		50	0	22.99	24.36	< 33.01
		1	51	22.78	24.15	< 33.01
		1	0	22.81	24.18	< 33.01
1857.5	15	36	18	23.50	24.87	< 33.01
		1	1	23.42	24.79	< 33.01
		1	77	23.42	24.79	< 33.01
		75	0	23.04	24.41	< 33.01
		1	78	22.97	24.34	< 33.01
		1	0	22.92	24.29	< 33.01
1882.5	15	36	18	23.57	24.94	< 33.01
		1	1	23.42	24.79	< 33.01
		1	77	23.47	24.84	< 33.01
		75	0	23.10	24.47	< 33.01
		1	78	22.95	24.32	< 33.01
		1	0	22.94	24.31	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1907.5	15	36	18	23.62	24.99	< 33.01
		1	1	23.50	24.87	< 33.01
		1	77	23.53	24.90	< 33.01
		75	0	23.05	24.42	< 33.01
		1	78	23.01	24.38	< 33.01
		1	0	22.91	24.28	< 33.01
1860.0	20	50	25	23.55	24.92	< 33.01
		1	1	23.37	24.74	< 33.01
		1	104	23.45	24.82	< 33.01
		100	0	22.97	24.34	< 33.01
		1	105	22.92	24.29	< 33.01
		1	0	22.92	24.29	< 33.01
1882.5	20	50	25	23.54	24.91	< 33.01
		1	1	23.39	24.76	< 33.01
		1	104	23.46	24.83	< 33.01
		100	0	22.99	24.36	< 33.01
		1	105	22.93	24.30	< 33.01
		1	0	22.91	24.28	< 33.01
1905.0	20	50	25	23.62	24.99	< 33.01
		1	1	23.43	24.80	< 33.01
		1	104	23.48	24.85	< 33.01
		100	0	23.05	24.42	< 33.01
		1	105	22.99	24.36	< 33.01
		1	0	22.93	24.30	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1862.5	25	64	32	23.50	24.87	< 33.01
		1	1	23.44	24.81	< 33.01
		1	131	23.50	24.87	< 33.01
		128	0	23.00	24.37	< 33.01
		1	132	22.97	24.34	< 33.01
		1	0	23.04	24.41	< 33.01
1882.5	25	64	32	23.52	24.89	< 33.01
		1	1	23.49	24.86	< 33.01
		1	131	23.55	24.92	< 33.01
		128	0	23.03	24.40	< 33.01
		1	132	23.09	24.46	< 33.01
		1	0	22.99	24.36	< 33.01
1902.5	25	64	32	23.65	25.02	< 33.01
		1	1	23.50	24.87	< 33.01
		1	131	23.53	24.90	< 33.01
		128	0	23.07	24.44	< 33.01
		1	132	23.05	24.42	< 33.01
		1	0	22.94	24.31	< 33.01
1865.0	30	80	40	23.62	24.99	< 33.01
		1	1	23.53	24.90	< 33.01
		1	158	23.48	24.85	< 33.01
		160	0	23.09	24.46	< 33.01
		1	159	22.94	24.31	< 33.01
		1	0	22.93	24.30	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1882.5	30	80	40	23.55	24.92	< 33.01
		1	1	23.54	24.91	< 33.01
		1	158	23.52	24.89	< 33.01
		160	0	23.06	24.43	< 33.01
		1	159	22.89	24.26	< 33.01
		1	0	22.95	24.32	< 33.01
1900.0	30	80	40	23.67	25.04	< 33.01
		1	1	23.45	24.82	< 33.01
		1	158	23.56	24.93	< 33.01
		160	0	23.10	24.47	< 33.01
		1	159	22.97	24.34	< 33.01
		1	0	22.87	24.24	< 33.01
1870.0	40	108	54	23.64	25.01	< 33.01
		1	1	23.58	24.95	< 33.01
		1	214	23.53	24.90	< 33.01
		216	0	23.04	24.41	< 33.01
		1	215	22.92	24.29	< 33.01
		1	0	22.99	24.36	< 33.01
1882.5	40	108	54	23.51	24.88	< 33.01
		1	1	23.54	24.91	< 33.01
		1	214	23.48	24.85	< 33.01
		216	0	23.13	24.50	< 33.01
		1	215	22.97	24.34	< 33.01
		1	0	22.97	24.34	< 33.01
1895.0	40	108	54	23.59	24.96	< 33.01
		1	1	23.44	24.81	< 33.01
		1	214	23.50	24.87	< 33.01
		216	0	23.11	24.48	< 33.01
		1	215	22.99	24.36	< 33.01
		1	0	22.84	24.21	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1852.5	5	12	6	23.55	24.92	< 33.01
		1	1	23.72	25.09	< 33.01
		1	23	23.69	25.06	< 33.01
		25	0	22.45	23.82	< 33.01
		1	24	22.60	23.97	< 33.01
		1	0	22.56	23.93	< 33.01
1882.5	5	12	6	23.40	24.77	< 33.01
		1	1	23.77	25.14	< 33.01
		1	23	23.55	24.92	< 33.01
		25	0	22.33	23.70	< 33.01
		1	24	22.40	23.77	< 33.01
		1	0	22.45	23.82	< 33.01
1912.5	5	12	6	23.50	24.87	< 33.01
		1	1	23.52	24.89	< 33.01
		1	23	23.53	24.90	< 33.01
		25	0	22.39	23.76	< 33.01
		1	24	22.40	23.77	< 33.01
		1	0	22.41	23.78	< 33.01
1855.0	10	25	12	23.41	24.78	< 33.01
		1	1	23.59	24.96	< 33.01
		1	50	23.63	25.00	< 33.01
		50	0	22.43	23.80	< 33.01
		1	51	22.46	23.83	< 33.01
		1	0	22.57	23.94	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1882.5	10	25	12	23.39	24.76	< 33.01
		1	1	23.53	24.90	< 33.01
		1	50	23.57	24.94	< 33.01
		50	0	22.43	23.80	< 33.01
		1	51	22.42	23.79	< 33.01
		1	0	22.49	23.86	< 33.01
1910.0	10	25	12	23.45	24.82	< 33.01
		1	1	23.61	24.98	< 33.01
		1	50	23.57	24.94	< 33.01
		50	0	22.38	23.75	< 33.01
		1	51	22.51	23.88	< 33.01
		1	0	22.45	23.82	< 33.01
1857.5	15	36	18	23.48	24.85	< 33.01
		1	1	23.64	25.01	< 33.01
		1	77	23.75	25.12	< 33.01
		75	0	22.58	23.95	< 33.01
		1	78	22.63	24.00	< 33.01
		1	0	22.68	24.05	< 33.01
1882.5	15	36	18	23.53	24.90	< 33.01
		1	1	23.70	25.07	< 33.01
		1	77	23.80	25.17	< 33.01
		75	0	22.57	23.94	< 33.01
		1	78	22.56	23.93	< 33.01
		1	0	22.66	24.03	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1907.5	15	36	18	23.66	25.03	< 33.01
		1	1	23.76	25.13	< 33.01
		1	77	23.74	25.11	< 33.01
		75	0	22.56	23.93	< 33.01
		1	78	22.75	24.12	< 33.01
		1	0	22.58	23.95	< 33.01
1860.0	20	50	25	23.54	24.91	< 33.01
		1	1	23.58	24.95	< 33.01
		1	104	23.52	24.89	< 33.01
		100	0	22.53	23.90	< 33.01
		1	105	22.58	23.95	< 33.01
		1	0	22.60	23.97	< 33.01
1882.5	20	50	25	23.50	24.87	< 33.01
		1	1	23.64	25.01	< 33.01
		1	104	23.62	24.99	< 33.01
		100	0	22.54	23.91	< 33.01
		1	105	22.57	23.94	< 33.01
		1	0	22.59	23.96	< 33.01
1905.0	20	50	25	23.66	25.03	< 33.01
		1	1	23.67	25.04	< 33.01
		1	104	23.70	25.07	< 33.01
		100	0	22.55	23.92	< 33.01
		1	105	22.71	24.08	< 33.01
		1	0	22.56	23.93	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1862.5	25	64	32	23.50	24.87	< 33.01
		1	1	23.56	24.93	< 33.01
		1	131	23.67	25.04	< 33.01
		128	0	22.57	23.94	< 33.01
		1	132	22.63	24.00	< 33.01
		1	0	22.66	24.03	< 33.01
1882.5	25	64	32	23.50	24.87	< 33.01
		1	1	23.72	25.09	< 33.01
		1	131	23.77	25.14	< 33.01
		128	0	22.55	23.92	< 33.01
		1	132	22.73	24.10	< 33.01
		1	0	22.64	24.01	< 33.01
1902.5	25	64	32	23.61	24.98	< 33.01
		1	1	23.61	24.98	< 33.01
		1	131	23.69	25.06	< 33.01
		128	0	22.54	23.91	< 33.01
		1	132	22.79	24.16	< 33.01
		1	0	22.61	23.98	< 33.01
1865.0	30	80	40	23.67	25.04	< 33.01
		1	1	23.71	25.08	< 33.01
		1	158	23.57	24.94	< 33.01
		160	0	22.57	23.94	< 33.01
		1	159	22.68	24.05	< 33.01
		1	0	22.70	24.07	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1882.5	30	80	40	23.63	25.00	< 33.01
		1	1	23.60	24.97	< 33.01
		1	158	23.76	25.13	< 33.01
		160	0	22.64	24.01	< 33.01
		1	159	22.57	23.94	< 33.01
		1	0	22.55	23.92	< 33.01
1900.0	30	80	40	23.56	24.93	< 33.01
		1	1	23.56	24.93	< 33.01
		1	158	23.70	25.07	< 33.01
		160	0	22.56	23.93	< 33.01
		1	159	22.71	24.08	< 33.01
		1	0	22.52	23.89	< 33.01
1870.0	40	108	54	23.65	25.02	< 33.01
		1	1	23.73	25.10	< 33.01
		1	214	23.72	25.09	< 33.01
		216	0	22.58	23.95	< 33.01
		1	215	22.70	24.07	< 33.01
		1	0	22.75	24.12	< 33.01
1882.5	40	108	54	23.60	24.97	< 33.01
		1	1	23.73	25.10	< 33.01
		1	214	23.69	25.06	< 33.01
		216	0	22.61	23.98	< 33.01
		1	215	22.72	24.09	< 33.01
		1	0	22.63	24.00	< 33.01
1895.0	40	108	54	23.68	25.05	< 33.01
		1	1	23.61	24.98	< 33.01
		1	214	23.70	25.07	< 33.01
		216	0	22.58	23.95	< 33.01
		1	215	22.71	24.08	< 33.01
		1	0	22.50	23.87	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1852.5	5	12	6	22.33	23.70	< 33.01
		1	1	22.79	24.16	< 33.01
		1	23	22.76	24.13	< 33.01
		25	0	21.44	22.81	< 33.01
		1	24	21.62	22.99	< 33.01
		1	0	21.60	22.97	< 33.01
1882.5	5	12	6	22.23	23.60	< 33.01
		1	1	22.68	24.05	< 33.01
		1	23	22.65	24.02	< 33.01
		25	0	21.36	22.73	< 33.01
		1	24	21.50	22.87	< 33.01
		1	0	21.52	22.89	< 33.01
1912.5	5	12	6	22.26	23.63	< 33.01
		1	1	22.54	23.91	< 33.01
		1	23	22.62	23.99	< 33.01
		25	0	21.35	22.72	< 33.01
		1	24	21.27	22.64	< 33.01
		1	0	21.27	22.64	< 33.01
1855.0	10	25	12	22.43	23.80	< 33.01
		1	1	22.73	24.10	< 33.01
		1	50	22.68	24.05	< 33.01
		50	0	21.43	22.80	< 33.01
		1	51	21.50	22.87	< 33.01
		1	0	21.56	22.93	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1882.5	10	25	12	22.32	23.69	< 33.01
		1	1	22.66	24.03	< 33.01
		1	50	22.61	23.98	< 33.01
		50	0	21.32	22.69	< 33.01
		1	51	21.45	22.82	< 33.01
		1	0	21.43	22.80	< 33.01
1910.0	10	25	12	22.35	23.72	< 33.01
		1	1	22.68	24.05	< 33.01
		1	50	22.65	24.02	< 33.01
		50	0	21.37	22.74	< 33.01
		1	51	21.47	22.84	< 33.01
		1	0	21.41	22.78	< 33.01
1857.5	15	36	18	22.59	23.96	< 33.01
		1	1	22.82	24.19	< 33.01
		1	77	22.80	24.17	< 33.01
		75	0	21.56	22.93	< 33.01
		1	78	21.65	23.02	< 33.01
		1	0	21.73	23.10	< 33.01
1882.5	15	36	18	22.59	23.96	< 33.01
		1	1	22.73	24.10	< 33.01
		1	77	22.74	24.11	< 33.01
		75	0	21.52	22.89	< 33.01
		1	78	21.38	22.75	< 33.01
		1	0	21.38	22.75	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1907.5	15	36	18	22.56	23.93	< 33.01
		1	1	22.67	24.04	< 33.01
		1	77	22.78	24.15	< 33.01
		75	0	21.52	22.89	< 33.01
		1	78	21.51	22.88	< 33.01
		1	0	21.33	22.70	< 33.01
1860.0	20	50	25	22.57	23.94	< 33.01
		1	1	22.77	24.14	< 33.01
		1	104	22.73	24.10	< 33.01
		100	0	21.56	22.93	< 33.01
		1	105	21.43	22.80	< 33.01
		1	0	21.36	22.73	< 33.01
1882.5	20	50	25	22.53	23.90	< 33.01
		1	1	22.74	24.11	< 33.01
		1	104	22.71	24.08	< 33.01
		100	0	21.56	22.93	< 33.01
		1	105	21.39	22.76	< 33.01
		1	0	21.35	22.72	< 33.01
1905.0	20	50	25	22.56	23.93	< 33.01
		1	1	22.66	24.03	< 33.01
		1	104	22.82	24.19	< 33.01
		100	0	21.54	22.91	< 33.01
		1	105	21.42	22.79	< 33.01
		1	0	21.34	22.71	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1862.5	25	64	32	22.58	23.95	< 33.01
		1	1	22.73	24.10	< 33.01
		1	131	22.69	24.06	< 33.01
		128	0	21.52	22.89	< 33.01
		1	132	21.40	22.77	< 33.01
		1	0	21.41	22.78	< 33.01
1882.5	25	64	32	22.61	23.98	< 33.01
		1	1	22.72	24.09	< 33.01
		1	131	22.79	24.16	< 33.01
		128	0	21.49	22.86	< 33.01
		1	132	21.42	22.79	< 33.01
		1	0	21.33	22.70	< 33.01
1902.5	25	64	32	22.67	24.04	< 33.01
		1	1	22.59	23.96	< 33.01
		1	131	22.78	24.15	< 33.01
		128	0	21.56	22.93	< 33.01
		1	132	21.39	22.76	< 33.01
		1	0	21.26	22.63	< 33.01
1865.0	30	80	40	22.56	23.93	< 33.01
		1	1	22.80	24.17	< 33.01
		1	158	22.67	24.04	< 33.01
		160	0	21.62	22.99	< 33.01
		1	159	21.35	22.72	< 33.01
		1	0	21.37	22.74	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1882.5	30	80	40	22.61	23.98	< 33.01
		1	1	22.77	24.14	< 33.01
		1	158	22.66	24.03	< 33.01
		160	0	21.60	22.97	< 33.01
		1	159	21.32	22.69	< 33.01
		1	0	21.40	22.77	< 33.01
1900.0	30	80	40	22.54	23.91	< 33.01
		1	1	22.64	24.01	< 33.01
		1	158	22.70	24.07	< 33.01
		160	0	21.60	22.97	< 33.01
		1	159	21.29	22.66	< 33.01
		1	0	21.22	22.59	< 33.01
1870.0	40	108	54	22.61	23.98	< 33.01
		1	1	22.73	24.10	< 33.01
		1	214	22.86	24.23	< 33.01
		216	0	21.57	22.94	< 33.01
		1	215	21.46	22.83	< 33.01
		1	0	21.31	22.68	< 33.01
1882.5	40	108	54	22.64	24.01	< 33.01
		1	1	22.73	24.10	< 33.01
		1	214	22.80	24.17	< 33.01
		216	0	21.60	22.97	< 33.01
		1	215	21.40	22.77	< 33.01
		1	0	21.39	22.76	< 33.01
1895.0	40	108	54	22.64	24.01	< 33.01
		1	1	22.67	24.04	< 33.01
		1	214	22.73	24.10	< 33.01
		216	0	21.55	22.92	< 33.01
		1	215	21.31	22.68	< 33.01
		1	0	21.25	22.62	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1852.5	5	12	6	21.04	22.41	< 33.01
		1	1	20.90	22.27	< 33.01
		1	23	20.87	22.24	< 33.01
		25	0	21.08	22.45	< 33.01
		1	24	20.87	22.24	< 33.01
		1	0	20.97	22.34	< 33.01
1882.5	5	12	6	20.84	22.21	< 33.01
		1	1	20.77	22.14	< 33.01
		1	23	20.77	22.14	< 33.01
		25	0	20.91	22.28	< 33.01
		1	24	20.77	22.14	< 33.01
		1	0	20.77	22.14	< 33.01
1912.5	5	12	6	20.88	22.25	< 33.01
		1	1	21.07	22.44	< 33.01
		1	23	21.21	22.58	< 33.01
		25	0	21.01	22.38	< 33.01
		1	24	21.10	22.47	< 33.01
		1	0	21.07	22.44	< 33.01
1855.0	10	25	12	21.06	22.43	< 33.01
		1	1	20.80	22.17	< 33.01
		1	50	20.82	22.19	< 33.01
		50	0	20.95	22.32	< 33.01
		1	51	20.83	22.20	< 33.01
		1	0	20.84	22.21	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1882.5	10	25	12	20.85	22.22	< 33.01
		1	1	21.11	22.48	< 33.01
		1	50	21.03	22.40	< 33.01
		50	0	20.88	22.25	< 33.01
		1	51	21.00	22.37	< 33.01
		1	0	20.99	22.36	< 33.01
1910.0	10	25	12	20.94	22.31	< 33.01
		1	1	20.81	22.18	< 33.01
		1	50	20.81	22.18	< 33.01
		50	0	20.93	22.30	< 33.01
		1	51	20.86	22.23	< 33.01
		1	0	20.78	22.15	< 33.01
1857.5	15	36	18	21.04	22.41	< 33.01
		1	1	20.88	22.25	< 33.01
		1	77	20.98	22.35	< 33.01
		75	0	21.10	22.47	< 33.01
		1	78	20.95	22.32	< 33.01
		1	0	20.96	22.33	< 33.01
1882.5	15	36	18	21.09	22.46	< 33.01
		1	1	21.27	22.64	< 33.01
		1	77	21.24	22.61	< 33.01
		75	0	21.07	22.44	< 33.01
		1	78	21.25	22.62	< 33.01
		1	0	21.26	22.63	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1907.5	15	36	18	21.04	22.41	< 33.01
		1	1	21.24	22.61	< 33.01
		1	77	21.40	22.77	< 33.01
		75	0	21.05	22.42	< 33.01
		1	78	21.40	22.77	< 33.01
		1	0	21.31	22.68	< 33.01
1860.0	20	50	25	21.06	22.43	< 33.01
		1	1	21.23	22.60	< 33.01
		1	104	21.28	22.65	< 33.01
		100	0	21.05	22.42	< 33.01
		1	105	21.28	22.65	< 33.01
		1	0	21.21	22.58	< 33.01
1882.5	20	50	25	21.04	22.41	< 33.01
		1	1	21.26	22.63	< 33.01
		1	104	21.29	22.66	< 33.01
		100	0	21.06	22.43	< 33.01
		1	105	21.27	22.64	< 33.01
		1	0	21.27	22.64	< 33.01
1905.0	20	50	25	21.08	22.45	< 33.01
		1	1	21.22	22.59	< 33.01
		1	104	21.45	22.82	< 33.01
		100	0	21.03	22.40	< 33.01
		1	105	21.34	22.71	< 33.01
		1	0	21.19	22.56	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1862.5	25	64	32	21.09	22.46	< 33.01
		1	1	21.04	22.41	< 33.01
		1	131	21.02	22.39	< 33.01
		128	0	21.08	22.45	< 33.01
		1	132	21.00	22.37	< 33.01
		1	0	21.10	22.47	< 33.01
1882.5	25	64	32	21.02	22.39	< 33.01
		1	1	21.04	22.41	< 33.01
		1	131	21.03	22.40	< 33.01
		128	0	21.05	22.42	< 33.01
		1	132	20.98	22.35	< 33.01
		1	0	21.09	22.46	< 33.01
1902.5	25	64	32	21.01	22.38	< 33.01
		1	1	20.90	22.27	< 33.01
		1	131	21.15	22.52	< 33.01
		128	0	21.13	22.50	< 33.01
		1	132	21.23	22.60	< 33.01
		1	0	20.84	22.21	< 33.01
1865.0	30	80	40	21.06	22.43	< 33.01
		1	1	21.01	22.38	< 33.01
		1	158	21.04	22.41	< 33.01
		160	0	21.10	22.47	< 33.01
		1	159	21.03	22.40	< 33.01
		1	0	21.16	22.53	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1882.5	30	80	40	21.04	22.41	< 33.01
		1	1	21.29	22.66	< 33.01
		1	158	21.15	22.52	< 33.01
		160	0	21.08	22.45	< 33.01
		1	159	21.24	22.61	< 33.01
		1	0	21.21	22.58	< 33.01
1900.0	30	80	40	21.07	22.44	< 33.01
		1	1	20.99	22.36	< 33.01
		1	158	20.94	22.31	< 33.01
		160	0	21.11	22.48	< 33.01
		1	159	20.86	22.23	< 33.01
		1	0	20.88	22.25	< 33.01
1870.0	40	108	54	21.10	22.47	< 33.01
		1	1	21.28	22.65	< 33.01
		1	214	21.28	22.65	< 33.01
		216	0	21.15	22.52	< 33.01
		1	215	21.29	22.66	< 33.01
		1	0	21.16	22.53	< 33.01
1882.5	40	108	54	21.07	22.44	< 33.01
		1	1	21.26	22.63	< 33.01
		1	214	21.26	22.63	< 33.01
		216	0	21.11	22.48	< 33.01
		1	215	21.12	22.49	< 33.01
		1	0	21.13	22.50	< 33.01
1895.0	40	108	54	21.02	22.39	< 33.01
		1	1	21.06	22.43	< 33.01
		1	214	20.98	22.35	< 33.01
		216	0	21.07	22.44	< 33.01
		1	215	21.06	22.43	< 33.01
		1	0	20.95	22.32	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1852.5	5	12	6	18.90	20.27	< 33.01
		1	1	18.71	20.08	< 33.01
		1	23	18.65	20.02	< 33.01
		25	0	18.97	20.34	< 33.01
		1	24	18.65	20.02	< 33.01
		1	0	18.67	20.04	< 33.01
1882.5	5	12	6	18.84	20.21	< 33.01
		1	1	18.71	20.08	< 33.01
		1	23	18.67	20.04	< 33.01
		25	0	18.83	20.20	< 33.01
		1	24	18.59	19.96	< 33.01
		1	0	18.71	20.08	< 33.01
1912.5	5	12	6	18.80	20.17	< 33.01
		1	1	18.73	20.10	< 33.01
		1	23	18.58	19.95	< 33.01
		25	0	18.75	20.12	< 33.01
		1	24	18.60	19.97	< 33.01
		1	0	18.57	19.94	< 33.01
1855.0	10	25	12	18.88	20.25	< 33.01
		1	1	18.64	20.01	< 33.01
		1	50	18.56	19.93	< 33.01
		50	0	18.91	20.28	< 33.01
		1	51	18.55	19.92	< 33.01
		1	0	18.61	19.98	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						