

Appendix D. SAR Test Setup Photos

Body Exposure Condition




Bottom Face, Test Separation 0 mm



Edge1, Test Separation 0 mm




Edge2, Test Separation 0 mm



Edge3, Test Separation 0 mm



Edge4, Test Separation 0 mm



Bottom Face, Test Separation 13 mm(Sensor off)



Bottom Face, Test Separation 14mm(Sensor off)




Bottom Face, Test Separation 17 mm(Sensor off)



Bottom Face, Test Separation 18 mm(Sensor off)




Edge1, Test Separation 1 mm(Sensor off)




Edge1, Test Separation 14 mm(Sensor off)



Edge4, Test Separation 14 mm(Sensor off)



Edge4, Test Separation 15 mm(Sensor off)



Edge4, Test Separation 18 mm(Sensor off)



Antenna	Support Band
Antenna 0	LTE: B2/4/5/7/12/13/14/17/25/26/66/71/38<TX/RX> 5G NR: n2/5/7/12/13/14/25/66/71<TX/RX>
Antenna 1	5G NR: n41/77/78 <RX>
Antenna 2	LTE: B2/5/7/66/41<TX/RX> 5G NR: n2/5/7/25/66/38/41<TX/RX>
Antenna 3	LTE: B48 <TX/RX> 5G NR: n48/77/78 <TX/RX>
Antenna 4	5G NR: n41/77/78 <RX>
Antenna 5	5G NR: n41/77/78 <RX>
Antenna 6	WLAN 2.4GHz/5GHz/Bluetooth chain 0<TX/RX>
Antenna 7	WLAN 2.4GHz/5GHz chain 1<TX/RX>
Antenna 9	NFC<TX/RX>

1. LTE Band 2/5/7/66 Ant 2 only for EN-DC combination.
2. 5GNR n41/77/78 ant 1/4/5 supports SRS (Sounding Reference Signal) functionality.