





4.1.1.14.2 Test Channel = MCH



Date: 17.NOV.2017 15:53:31

4.1.1.14.3 Test Channel = HCH




Date: 17.NOV.2017 15:58:38




4.1.1.15 Test Mode = LTE/TM3 15MHz

4.1.1.15.1 Test Channel = LCH




Date: 1.DEC.2017 10:07:19

4.1.1.15.2 Test Channel = MCH



Date: 1.DEC.2017 10:09:39


4.1.1.15.3 Test Channel = HCH



Date: 1.DEC.2017 10:11:45

4.1.1.16 Test Mode = LTE/TM1 20MHz


4.1.1.16.1 Test Channel = LCH



Date: 17.NOV.2017 16:27:34




4.1.1.16.2 Test Channel = MCH



Date: 17.NOV.2017 16:32:42

4.1.1.16.3 Test Channel = HCH




Date: 17.NOV.2017 16:36:20




4.1.1.17 Test Mode = LTE/TM2 20MHz

4.1.1.17.1 Test Channel = LCH



Date: 17.NOV.2017 16:28:38


4.1.1.17.2 Test Channel = MCH



Date: 17.NOV.2017 16:30:19




4.1.1.17.3 Test Channel = HCH



Date: 17.NOV.2017 16:39:14

4.1.1.18 Test Mode = LTE/TM3 20MHz


4.1.1.18.1 Test Channel = LCH



Date: 1.DEC.2017 10:13:27




4.1.1.18.2 Test Channel = MCH



Date: 1.DEC.2017 10:16:35

4.1.1.18.3 Test Channel = HCH



Date: 1.DEC.2017 10:17:54



5 Band Edges Compliance

Part I –


5.1 For LTE

5.1.1 Test Band = LTE band66

5.1.1.1 Test Mode = LTE/TM1 1.4MHz

5.1.1.1.1 Test Channel = LCH


5.1.1.1.1.1 Test RB=1RB



Date: 20.NOV.2017 09:05:57




5.1.1.1.2 Test RB=6RB



Date: 20.NOV.2017 09:03:40

5.1.1.1.2 Test Channel = HCH


5.1.1.1.2.1 Test RB=1RB



Date: 20.NOV.2017 09:09:51



5.1.1.1.2.2 Test RB=6RB




Date: 20.NOV.2017 09:09:16

5.1.1.2 Test Mode = LTE/TM2 1.4MHz

5.1.1.2.1 Test Channel = LCH


5.1.1.2.1.1 Test RB=1RB



Date: 20.NOV.2017 09:08:03




5.1.1.2.1.2 Test RB=6RB



Date: 20.NOV.2017 09:06:38

5.1.1.2.2 Test Channel = HCH


5.1.1.2.2.1 Test RB=1RB



Date: 20.NOV.2017 09:10:04



5.1.1.2.2.2 Test RB=6RB




Date: 20.NOV.2017 09:10:46

5.1.1.3 Test Mode = LTE/TM3 1.4MHz

5.1.1.3.1 Test Channel = LCH


5.1.1.3.1.1 Test RB=1RB



Date: 1.DEC.2017 14:05:35




5.1.1.3.1.2 Test RB=6RB



Date: 1.DEC.2017 14:04:39

5.1.1.3.2 Test Channel = HCH


5.1.1.3.2.1 Test RB=1RB



Date: 1.DEC.2017 14:06:46



5.1.1.3.2.2 Test RB=6RB




Date: 1.DEC.2017 14:07:54

5.1.1.4 Test Mode = LTE/TM1 3MHz


5.1.1.4.1 Test Channel = LCH

5.1.1.4.1.1 Test RB=1RB



Date: 20.NOV.2017 09:12:50


5.1.1.4.1.2 Test RB=15RB



Date: 20.NOV.2017 09:12:08

5.1.1.4.2 Test Channel = HCH


5.1.1.4.2.1 Test RB=1RB



Date: 20.NOV.2017 09:15:22



5.1.1.4.2.2 Test RB=15RB




Date: 20.NOV.2017 09:14:11

5.1.1.5 Test Mode = LTE/TM2 3MHz

5.1.1.5.1 Test Channel = LCH


5.1.1.5.1.1 Test RB=1RB



Date: 20.NOV.2017 09:13:16




5.1.1.5.1.2 Test RB=15RB



Date: 20.NOV.2017 09:12:28

5.1.1.5.2 Test Channel = HCH


5.1.1.5.2.1 Test RB=1RB



Date: 20.NOV.2017 09:15:35



5.1.1.5.3 Test RB=15RB




Date: 20.NOV.2017 09:15:49

5.1.1.6 Test Mode = LTE/TM3 3MHz

5.1.1.6.1 Test Channel = LCH


5.1.1.6.2 Test RB=1RB



Date: 1.DEC.2017 14:10:36




5.1.1.6.2.1 Test RB=15RB



Date: 1.DEC.2017 14:10:53


5.1.1.6.3 Test Channel = HCH

5.1.1.6.3.1 Test RB=1RB



Date: 1.DEC.2017 14:09:56

5.1.1.6.3.2 Test RB=15RB




Date: 1.DEC.2017 14:09:34

5.1.1.7 Test Mode = LTE/TM1 5MHz

5.1.1.7.1 Test Channel = LCH


5.1.1.7.1.1 Test RB=1RB



Date: 20.NOV.2017 09:17:33




5.1.1.7.1.2 Test RB=25RB



Date: 20.NOV.2017 09:17:09


5.1.1.7.2 Test Channel = HCH

5.1.1.7.2.1 Test RB=1RB



Date: 20.NOV.2017 09:34:14

5.1.1.7.2.2 Test RB=25RB




Date: 20.NOV.2017 09:33:33

5.1.1.8 Test Mode = LTE/TM2 5MHz

5.1.1.8.1 Test Channel = LCH


5.1.1.8.1.1 Test RB=1RB



Date: 20.NOV.2017 09:18:01




5.1.1.8.1.2 Test RB=25RB



Date: 20.NOV.2017 09:32:47


5.1.1.8.2 Test Channel = HCH

5.1.1.8.2.1 Test RB=1RB



Date: 20.NOV.2017 09:34:31

5.1.1.8.2.2 Test RB=25RB




Date: 20.NOV.2017 09:34:00

5.1.1.9 Test Mode = LTE/TM3 5MHz

5.1.1.9.1 Test Channel = LCH


5.1.1.9.1.1 Test RB=1RB



Date: 1.DEC.2017 14:12:00




5.1.1.9.1.2 Test RB=25RB



Date: 1.DEC.2017 14:11:35

5.1.1.9.2 Test Channel = HCH


5.1.1.9.2.1 Test RB=1RB



Date: 1.DEC.2017 14:15:18



5.1.1.9.2.2 Test RB=25RB




Date: 1.DEC.2017 14:16:28

5.1.1.10 Test Mode = LTE/TM1 10MHz

5.1.1.10.1 Test Channel = LCH


5.1.1.10.1.1 Test RB=1RB



Date: 20.NOV.2017 09:38:03




5.1.1.10.1.2 Test RB=50RB



Date: 20.NOV.2017 09:36:26

5.1.1.10.2 Test Channel = HCH


5.1.1.10.2.1 Test RB=1RB



Date: 20.NOV.2017 09:41:12



5.1.1.10.2 Test RB=50RB




Date: 20.NOV.2017 09:34:00

5.1.1.11 Test Mode = LTE/TM2 10MHz

5.1.1.11.1 Test Channel = LCH


5.1.1.11.1.1 Test RB=1RB



Date: 20.NOV.2017 09:38:26




5.1.1.11.1.2 Test RB=50RB



Date: 20.NOV.2017 09:37:42

5.1.1.11.2 Test Channel = HCH


5.1.1.11.2.1 Test RB=1RB



Date: 20.NOV.2017 09:41:30



5.1.1.11.2.2 Test RB=50RB




Date: 20.NOV.2017 09:40:57

5.1.1.12 Test Mode = LTE/TM3 10MHz

5.1.1.12.1 Test Channel = LCH


5.1.1.12.1.1 Test RB=1RB



Date: 1.DEC.2017 14:43:54




5.1.1.12.1.2 Test RB=50RB



Date: 1.DEC.2017 14:43:08

5.1.1.12.2 Test Channel = HCH


5.1.1.12.2.1 Test RB=1RB



Date: 1.DEC.2017 14:40:39



5.1.1.12.2 Test RB=50RB




Date: 1.DEC.2017 14:40:54

5.1.1.13 Test Mode = LTE/TM1 15MHz

5.1.1.13.1 Test Channel = LCH


5.1.1.13.1.1 Test RB=1RB



Date: 20.NOV.2017 09:46:15




5.1.1.13.1.2 Test RB=75RB



Date: 20.NOV.2017 09:42:32


5.1.1.13.2 Test Channel = HCH

5.1.1.13.2.1 Test RB=1RB



Date: 20.NOV.2017 09:49:29

5.1.1.13.2 Test RB=75RB




Date: 20.NOV.2017 09:48:55

5.1.1.14 Test Mode = LTE/TM2 15MHz

5.1.1.14.1 Test Channel = LCH


5.1.1.14.1.1 Test RB=1RB



Date: 20.NOV.2017 09:46:31




5.1.1.14.1.2 Test RB=75RB



Date: 20.NOV.2017 09:46:00

5.1.1.14.2 Test Channel = HCH


5.1.1.14.2.1 Test RB=1RB



Date: 20.NOV.2017 09:49:42



5.1.1.14.2.2 Test RB=75RB




Date: 20.NOV.2017 09:49:14

5.1.1.15 Test Mode = LTE/TM3 15MHz

5.1.1.15.1 Test Channel = LCH


5.1.1.15.1.1 Test RB=1RB



Date: 1.DEC.2017 14:53:14




5.1.15.1.2 Test RB=75RB



Date: 1.DEC.2017 14:52:55


5.1.15.2 Test Channel = HCH

5.1.15.2.1 Test RB=1RB



Date: 1.DEC.2017 14:49:29

5.1.1.15.2 Test RB=75RB




Date: 1.DEC.2017 14:49:41

5.1.1.16 Test Mode = LTE/TM1 20MHz

5.1.1.16.1 Test Channel = LCH


5.1.1.16.1.1 Test RB=1RB



Date: 20.NOV.2017 09:55:17




5.1.1.16.1.2 Test RB=100RB



Date: 20.NOV.2017 09:53:04

5.1.1.16.2 Test Channel = HCH


5.1.1.16.2.1 Test RB=1RB



Date: 20.NOV.2017 09:58:12



5.1.1.16.2.2 Test RB=100RB




Date: 20.NOV.2017 09:57:00

5.1.1.17 Test Mode = LTE/TM2 20MHz


5.1.1.17.1 Test Channel = LCH

5.1.1.17.1.1 Test RB=1RB



Date: 20.NOV.2017 09:55:38


5.1.1.17.1.2 Test RB=100RB



Date: 20.NOV.2017 09:53:51

5.1.1.17.2 Test Channel = HCH


5.1.1.17.2.1 Test RB=1RB



Date: 20.NOV.2017 09:58:30



5.1.1.17.2.2 Test RB=100RB




Date: 20.NOV.2017 09:57:18

5.1.1.18 Test Mode = LTE/TM3 20MHz


5.1.1.18.1 Test Channel = LCH

5.1.1.18.1.1 Test RB=1RB



Date: 1.DEC.2017 15:09:03

5.1.1.18.1.2 Test RB=100RB




Date: 1.DEC.2017 15:08:19




5.1.1.18.2 Test Channel = HCH

5.1.1.18.2.1 Test RB=1RB



Date: 1.DEC.2017 15:10:28

5.1.1.18.2.2 Test RB=100RB



Date: 1.DEC.2017 15:10:10



6 Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k \cdot (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Part I - Test Plots

6.1 For LTE

6.1.1 Test Band = LTE band66

6.1.1.1 Test Mode = LTE / TM1 20MHz RB1#0

6.1.1.1.1 Test Channel = LCH




Date: 20.NOV.2017 10:08:12




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM1701001122301

Page: 96 of 105




Date: 20.NOV.2017 10:08:50




Date: 20.NOV.2017 10:13:49




6.1.1.1.2 Test Channel = MCH



Date: 20.NOV.2017 10:02:45




Date: 20.NOV.2017 10:11:15



Date: 20.NOV.2017 10:13:17

6.1.1.1.3 Test Channel = HCH




Date: 20.NOV.2017 09:59:49




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM1701001122301

Page: 99 of 105



Date: 20.NOV.2017 10:12:00



Date: 20.NOV.2017 10:13:00



7 Field Strength of Spurious Radiation

7.1 For LTE

7.1.1 Test Band = LTE band66

7.1.1.1 Test Mode =LTE/TM1 20MHz RB1#0

Diversity antenna

7.1.1.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1276.000	-66.33	-13.00	-53.33	Vertical
2680.000	-57.47	-13.00	-44.47	Vertical
4950.000	-66.70	-13.00	-53.70	Vertical
1265.000	-67.43	-13.00	-54.43	Horizontal
3682.500	-69.11	-13.00	-56.11	Horizontal
5535.000	-67.05	-13.00	-54.05	Horizontal

7.1.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1199.000	-66.37	-13.00	-53.37	Vertical
3975.000	-68.00	-13.00	-55.00	Vertical
6217.500	-65.43	-13.00	-52.43	Vertical
1397.000	-64.49	-13.00	-51.49	Horizontal
2680.000	-57.72	-13.00	-44.72	Horizontal
5242.500	-65.51	-13.00	-52.51	Horizontal

7.1.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1419.000	-63.08	-13.00	-50.08	Vertical
2816.000	-57.57	-13.00	-44.57	Vertical
4267.500	-67.27	-13.00	-54.27	Vertical
1232.000	-67.40	-13.00	-54.40	Horizontal
2656.000	-58.05	-13.00	-45.05	Horizontal
5242.500	-64.48	-13.00	-51.48	Horizontal

Main antenna

7.1.1.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1265.000	-66.49	-13.00	-53.49	Vertical
2824.000	-57.85	-13.00	-44.85	Vertical
5161.500	-47.87	-13.00	-44.87	Vertical
1298.000	-67.76	-13.00	-54.76	Horizontal
2880.000	-56.97	-13.00	-43.97	Horizontal
5161.500	-46.99	-13.00	-43.99	Horizontal



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM1701001122301

Page: 101 of 105

7.1.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1100.000	-66.66	-13.00	-53.66	Vertical
2232.000	-59.51	-13.00	-46.51	Vertical
5235.500	-43.06	-13.00	-30.06	Vertical
1100.000	-66.91	-13.00	-53.91	Horizontal
2664.000	-58.08	-13.00	-45.08	Horizontal
5235.500	-49.16	-13.00	-36.16	Horizontal

7.1.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1243.000	-66.56	-13.00	-53.56	Vertical
2208.000	-59.44	-13.00	-46.44	Vertical
5311.225	-46.54	-13.00	-33.54	Vertical
1221.000	-67.34	-13.00	-54.34	Horizontal
2584.000	-58.84	-13.00	-45.84	Horizontal
5311.225	-50.13	-13.00	-37.13	Horizontal

NOTE:

- 1) The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



8 Frequency Stability

8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband66	LTE/TM1 20MHz	LCH	TN	VL	-4.33	-0.00252	PASS
				VN	2.46	0.00143	PASS
				VH	-5.73	-0.00333	PASS
		MCH	TN	VL	1.42	0.00081	PASS
				VN	-2.44	-0.00140	PASS
				VH	2.13	0.00122	PASS
		HCH	TN	VL	-2.56	-0.00145	PASS
				VN	-5.14	-0.00290	PASS
				VH	-2.79	-0.00158	PASS
	LTE/TM2 20MHz	LCH	TN	VL	-4.68	-0.00272	PASS
				VN	-2.92	-0.00170	PASS
				VH	-5.96	-0.00347	PASS
		MCH	TN	VL	1.53	0.00088	PASS
				VN	-2.81	-0.00161	PASS
				VH	2.52	0.00144	PASS
		HCH	TN	VL	-4.08	-0.00231	PASS
				VN	-8.80	-0.00497	PASS
				VH	0.94	0.00053	PASS
	LTE/TM3 20MHz	LCH	TN	VL	2.39	0.00139	PASS
				VN	-2.32	-0.00135	PASS
				VH	4.37	0.00254	PASS
		MCH	TN	VL	-2.43	-0.00139	PASS
				VN	0.47	0.00027	PASS
				VH	-3.34	-0.00191	PASS
		HCH	TN	VL	3.21	0.00181	PASS
				VN	1.05	0.00059	PASS
				VH	-2.95	-0.00167	PASS



8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband66	LTE/TM1 20MHz	LCH	VN	-30	-0.30	-0.00017	PASS
				-20	-1.38	-0.00080	PASS
				-10	2.32	0.00135	PASS
				0	1.85	0.00108	PASS
				10	3.65	0.00212	PASS
				20	2.11	0.00123	PASS
				30	-0.11	-0.00006	PASS
				40	-3.14	-0.00183	PASS
				50	0.53	0.00031	PASS
		MCH	VN	-30	-4.80	-0.00275	PASS
				-20	-5.15	-0.00295	PASS
				-10	-3.49	-0.00200	PASS
				0	-4.62	-0.00265	PASS
				10	-4.14	-0.00237	PASS
				20	-4.94	-0.00283	PASS
				30	-5.26	-0.00301	PASS
				40	-4.12	-0.00236	PASS
				50	-6.42	-0.00368	PASS
		HCH	VN	-30	2.54	0.00148	PASS
				-20	-1.99	-0.00116	PASS
				-10	1.52	0.00088	PASS
				0	-2.33	-0.00135	PASS
				10	2.69	0.00156	PASS
				20	-0.87	-0.00051	PASS
				30	-2.65	-0.00154	PASS
				40	-7.43	-0.00432	PASS
				50	-3.90	-0.00227	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM1701001122301

Page: 104 of 105

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband66	LTE/TM2 20MHz	LCH	VN	-30	-5.50	-0.00320	PASS
				-20	-2.40	-0.00140	PASS
				-10	3.28	0.00191	PASS
				0	2.65	0.00154	PASS
				10	1.30	0.00076	PASS
				20	-2.23	-0.00130	PASS
				30	-5.44	-0.00316	PASS
				40	5.64	0.00328	PASS
				50	2.79	0.00162	PASS
		MCH	VN	-30	-3.30	-0.00189	PASS
				-20	-5.31	-0.00304	PASS
				-10	-2.29	-0.00131	PASS
				0	-3.32	-0.00190	PASS
				10	-1.34	-0.00077	PASS
				20	1.44	0.00083	PASS
				30	-3.24	-0.00186	PASS
				40	-2.12	-0.00121	PASS
				50	-3.31	-0.00190	PASS
		HCH	VN	-30	2.34	0.00136	PASS
				-20	-2.35	-0.00137	PASS
				-10	1.53	0.00089	PASS
				0	-3.53	-0.00205	PASS
				10	2.82	0.00164	PASS
				20	-1.41	-0.00082	PASS
				30	-2.50	-0.00145	PASS
				40	-4.83	-0.00281	PASS
				50	-1.60	-0.00093	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM1701001122301

Page: 105 of 105

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband66	LTE/TM3 20MHz	LCH	VN	-30	1.50	0.00087	PASS
				-20	-1.60	-0.00093	PASS
				-10	4.38	0.00255	PASS
				0	1.69	0.00098	PASS
				10	1.43	0.00083	PASS
				20	0.54	0.00031	PASS
				30	-2.61	-0.00152	PASS
				40	-0.69	-0.00040	PASS
				50	3.52	0.00205	PASS
		MCH	VN	-30	-7.34	-0.00421	PASS
				-20	-5.33	-0.00305	PASS
				-10	-7.23	-0.00414	PASS
				0	-5.34	-0.00306	PASS
				10	-4.04	-0.00232	PASS
				20	-6.34	-0.00363	PASS
				30	-5.26	-0.00301	PASS
				40	-4.13	-0.00237	PASS
				50	-6.47	-0.00371	PASS
		HCH	VN	-30	2.34	0.00136	PASS
				-20	-1.83	-0.00106	PASS
				-10	1.57	0.00091	PASS
				0	-2.43	-0.00141	PASS
				10	1.60	0.00093	PASS
				20	-0.57	-0.00033	PASS
				30	0.66	0.00038	PASS
				40	-5.43	-0.00316	PASS
				50	-5.90	-0.00343	PASS

The End