




TOLERANCES	A	B	C	D	ANGLE
~16	±0.05	±0.1	±0.2	±0.4	± 10°
16~63	±0.1	±0.2	±0.4	±0.6	± 15°
63~150	±0.15	±0.25	±0.5	±0.8	± 30°
150~250	±0.2	±0.3	±0.6	±1	± 1°
250~500	±0.4	±0.6	±0.8	±1.5	± °



- NOTE :
- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE <B> TABLE FOR TOLERANCE.
  - USE R=1.0MM FOR ALL RADII NOT SPECIFIED.
  - UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
  - ☐ REPRESENTS REVISIONS OR NEW DIMENSIONS.
  - REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
  - THE MOULD NUMBER: **NO**
  - TEXTURE NUMBER: **NO**
  - ALL SUBSTANCE NEED TO MEET THE **ROHS2.0 / REACH** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40-01".
  - WILL USE ±0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

E			
D			
C			
B			
A	PROTOTYPE-A4	2020/10/20	LIANGQIAO
ISS	CHANGE RECORDS	DATE	REVISER

TITLE. SB2020n-J6 Soundbar產品標籤	REV	SHEET	MODEL.: TS-0000102AB	DATE: 2020/10/20	
	A	1/1		PART NO.: N/A	
MATERIAL. 100#合成紙+啞膜 亞克力膠	NO. K1203-0008804		SCALE: 1 : 1		
COLOR. 黑底白字印刷	DRAWER.: LIANGQIAO		APPROVAL.	CHECKED.	DESIGN.
ZYLUX Acoustic Corporation			POBBY	YONG	LIANGQIAO

Label Location

