





Date: 4.NOV.2021 08:50:15

LTE Band26, 5MHz bandwidth, 16QAM,(1,0) Mode , Below 824MHz




Date: 4.NOV.2021 08:50:03

LTE Band26, 5MHz bandwidth, 16QAM,(25,0) Mode , Below 824MHz


Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 4.NOV.2021 09:11:39

LTE Band26, 5MHz bandwidth, 16QAM,(1,25) Mode, Above 849MHz



Date: 4.NOV.2021 09:11:23

LTE Band26, 5MHz bandwidth, 16QAM,(25,0) Mode, Above 849MHz

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Ref 28.8 dBm *Att 20 dB Marker 1 [T1] -30.90 dBm
 RBW 30 kHz VBW 300 kHz SWT 30 ms 824.000000000 MHz

Offset 3.8 dB

1.336
 MAXH


dBm

20
 10
 0
 -10
 -20
 -30
 -40
 -50
 -60
 -70

01 -13 dBm


Center 824 MHz 2 MHz/ Span 20 MHz

LTE Band26, 10MHz bandwidth, QPSK,(1,0) Mode , Below 824MHz




LTE Band26, 10MHz bandwidth, QPSK,(50,0) Mode , Below 824MHz

Page 503 of 536



Date: 4.NOV.2021 09:09:37

LTE Band26, 10MHz bandwidth, QPSK,(1,50) Mode, Above 849MHz




Date: 4.NOV.2021 09:09:53

LTE Band26, 10MHz bandwidth, QPSK,(50,0) Mode, Above 849MHz


Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 4.NOV.2021 08:52:35

LTE Band26, 10MHz bandwidth, 16QAM,(1,0) Mode , Below 824MHz




Date: 4.NOV.2021 08:52:23

LTE Band26, 10MHz bandwidth, 16QAM,(50,0) Mode , Below 824MHz


Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 4.NOV.2021 09:10:26

LTE Band26, 10MHz bandwidth, 16QAM,(1,50) Mode, Above 849MHz



Date: 4.NOV.2021 09:10:12


LTE Band26, 10MHz bandwidth, 16QAM,(50, 0) Mode, Above 849MHz

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777


(814MHz-824MHz)

Note: It only reflects the worst data



Date: 4.NOV.2021 16:48:43

LTE Band26, 1.4MHz bandwidth, QPSK Mode , Below 814MHz




Date: 16.JAN.2022 23:30:55

LTE Band26, 1.4MHz bandwidth, QPSK Mode , Below 814MH


Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Date: 16.JAN.2022 23:37:51

LTE Band26, 1.4MHz bandwidth, QPSK Mode, Above 849MHz



Date: 16.JAN.2022 23:37:16

LTE Band26, 1.4MHz bandwidth, QPSK Mode, Above 849MHz

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777


6.8. Frequency Stability over Temperature Variation

Specifications:	FCC Part 2.1055, 22.355, 24.235, 27.54, 90.213
DUT Serial Number:	865171050693608
Test conditions:	Ambient Temperature:15℃-35℃ Relative Humidity:30%-60% Air pressure: 86-106kPa
Test Results:	Pass

Limit	
Frequency deviation [ppm]	±2.5

Test Setup

The EUT was placed in a temperature chamber, demonstrated as figure T. The Wireless Telecommunications Test Set was used to set the Tx channel and power level, modulate the TX signal with different bit patterns and measure the frequency of Tx.



Measurement Uncertainty:

Item	Uncertainty
Expanded Uncertainty	1.54 Hz (k=2)

Test Method

- 1、 The EUT was turned off and placed in the temperature chamber.
- 2、 The temperature of the chamber was set to -30℃ and allowed to stabilize.
- 3、 The EUT temperature was allowed to stabilize for 45 minutes.
- 4、 The EUT was turned on and set to transmit with Wireless Telecommunications Test Set.
- 5、 The maximum transmit frequency deviation during one minute period was measured by Wireless Communications Test Set.
- 6、 The steps 3-5 were repeated for -30℃, -20℃, -10℃, 0℃, 10℃, 20℃, 30℃, 40℃ and 50℃.

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6.8.1 GSM Band Frequency Stability over Temperature Variation Results

Band	Offset	Temperature[°C]								
		-30	-20	-10	0	10	20	30	40	50
GSM850 GMSK	Hz	3.75	-6.48	-2.18	5.27	3.48	-6.49	5.48	7.25	4.07
	ppm	0.004	0.007	0.002	0.006	0.004	0.007	0.006	0.008	0.004
GSM850 8PSK	Hz	-7.32	5.48	6.05	5.82	-7.20	4.68	3.49	3.58	4.06
	ppm	0.008	0.006	0.007	0.006	0.008	0.005	0.004	0.004	0.004
PCS1900 GMSK	Hz	4.05	3.57	4.13	-3.48	4.28	-3.50	4.19	3.51	4.18
	ppm	0.002	0.001	0.002	0.001	0.002	0.001	0.002	0.001	0.002
PCS1900 8PSK	Hz	5.42	-4.69	5.28	4.19	6.35	5.24	2.17	3.92	5.36
	ppm	0.002	0.002	0.002	0.002	0.003	0.002	0.001	0.001	0.002

6.8.2 WCDMA Band Frequency Stability over Temperature Variation Results

Band	Offset	Temperature[°C]								
		-30	-20	-10	0	10	20	30	40	50
2	Hz	2.35	2.62	2.45	2.17	2.82	2.51	2.47	2.82	2.18
	ppm	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
4	Hz	3.20	2.89	3.15	2.82	3.10	3.05	3.04	2.58	3.41
	ppm	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
5	Hz	3.25	3.47	2.15	3.90	3.48	3.50	3.57	3.48	3.61
	ppm	0.004	0.004	0.002	0.004	0.004	0.004	0.004	0.004	0.004

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6.8.3 LTE Band Frequency Stability over Temperature Variation Results

Band	Offset	Temperature[°C]								
		-30	-20	-10	0	10	20	30	40	50
2	Hz	6.72	-5.17	6.38	5.48	5.09	-6.31	5.27	5.39	5.15
	ppm	0.003	0.002	0.003	0.002	0.002	0.003	0.002	0.002	0.002
4	Hz	-7.41	-6.82	6.91	7.04	7.12	6.28	7.43	-6.48	7.75
	ppm	0.004	0.003	0.003	0.004	0.004	0.003	0.004	0.003	0.004
5	Hz	4.15	3.57	4.62	4.81	-5.29	4.18	4.50	-4.30	5.62
	ppm	0.004	0.004	0.005	0.005	0.006	0.004	0.005	0.004	0.006
7	Hz	3.48	3.17	-4.12	5.16	-3.17	5.04	4.19	5.27	4.06
	ppm	0.001	0.001	0.001	0.002	0.001	0.002	0.001	0.002	0.001
12	Hz	2.72	2.14	-4.31	2.65	5.48	5.37	5.42	3.16	5.07
	ppm	0.003	0.003	0.006	0.003	0.007	0.007	0.007	0.004	0.007
13	Hz	3.65	3.45	3.18	3.47	3.92	4.05	4.12	4.24	3.41
	ppm	0.004	0.004	0.004	0.004	0.005	0.005	0.005	0.005	0.004
17	Hz	6.84	5.91	6.47	-5.18	4.35	4.13	-4.65	3.87	4.72
	ppm	0.009	0.008	0.009	0.007	0.006	0.005	0.006	0.005	0.006
25	Hz	4.52	5.26	4.37	4.28	4.54	-5.16	4.75	3.69	3.87
	ppm	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
26 (824-849MHz)	Hz	4.15	3.57	4.62	4.81	-5.29	4.18	4.50	-4.30	5.62
	ppm	0.004	0.004	0.005	0.005	0.006	0.004	0.005	0.004	0.006
26 (814-824MHz)	Hz	-5.71	6.38	5.17	6.09	5.93	6.26	6.35	5.34	5.18
	ppm	0.006	0.007	0.006	0.007	0.006	0.007	0.007	0.006	0.006

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777


6.9. Frequency Stability over Voltage Variation

Specifications:	FCC Part 2.1055, 22.355, 24.235, 27.54, 90.213
DUT Serial Number:	865171050693608
Test conditions:	Ambient Temperature:15℃-35℃ Relative Humidity:30%-60% Air pressure: 86-106kPa
Test Results:	Pass

Limit	
Frequency deviation [ppm]	±2.5

Test Setup

The EUT was placed in a shielding chamber and powered by an adjustable power supply, demonstrated as figure V. A Wireless Telecommunications Test Set was used to set the TX channel and power level, modulate the TX signal with different bit patterns and measure the frequency of TX.



Measurement Uncertainty:

Item	Uncertainty
Expanded Uncertainty	1.54Hz (k=2)

Test Method

The EUT was powered by the adjustable power supply. The frequency stability is measured by the Wireless Telecommunications Test Set.

6.9.1 GSM Band Frequency Stability over Voltage Variation Results

Test data:

Band	Offset	Voltage (V)		
		3.50	3.80	4.20
GSM850 GMSK	Hz	3.75	4.26	3.83
	ppm	0.004	0.005	0.004
GSM850 8PSK	Hz	3.47	3.59	3.62
	ppm	0.004	0.004	0.004
PCS1900 GMSK	Hz	3.21	2.98	3.45
	ppm	0.001	0.001	0.001
PCS1900 8PSK	Hz	5.68	4.37	5.02
	ppm	0.003	0.002	0.003

5.7.2 WCDMA Band Frequency Stability over Voltage Variation Results

Test data:

Band	Offset	Voltage (V)		
		3.50	3.80	4.20
2	Hz	2.60	2.58	2.74
	ppm	0.001	0.001	0.001
4	Hz	2.26	2.22	2.30
	ppm	0.001	0.001	0.001
5	Hz	3.05	3.13	3.17
	ppm	0.003	0.003	0.003

6.9.2 LTE Band Frequency Stability over Voltage Variation Results

Test data:

Band	Offset	Voltage (V)		
		3.50	3.80	4.20
2	Hz	7.32	6.49	6.04
	ppm	0.003	0.003	0.003
4	Hz	-5.48	5.16	4.95
	ppm	0.003	0.003	0.002
5	Hz	9.48	7.31	-4.82
	ppm	0.011	0.008	0.005
7	Hz	8.15	5.28	4.93
	ppm	0.003	0.002	0.001
12	Hz	3.59	5.18	6.42
	ppm	0.005	0.007	0.009
13	Hz	-8.27	4.29	7.21
	ppm	0.011	0.005	0.009
17	Hz	2.48	6.58	4.28
	ppm	0.003	0.009	0.006
25	Hz	5.78	3.19	3.64
	ppm	0.003	0.001	0.001
26 (824-849MHz)	Hz	9.48	7.31	-4.82
	ppm	0.011	0.008	0.005
26 (814-824MHz)	Hz	8.25	4.15	3.72
	ppm	0.009	0.004	0.004

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6.10. Peak to Average Ratio


Specifications:	FCC Part 24.232, 27.50,
DUT Serial Number:	865171050693608
Test conditions:	Ambient Temperature:15℃-35℃ Relative Humidity:30%-60% Air pressure: 86-106kPa
Test Results:	Pass

Limit

The EUT meets the requirement of having a peak to average ratio of less than 13dB.

Test Setup

During the test, the EUT was controlled via the Wireless Communications Test Set to ensure max power transmission and proper modulation and measured by spectrum analyzer.



Measurement Uncertainty:

Item	Uncertainty
Expanded Uncertainty	0.62 dB (k=2)

Test Method

The transmitter output was connected to a CMW500 through a coaxial RF cable and directional coupler, and configured to operate at maximum power. The peak to average ratio was measured at the required operating frequencies in each Band on the Spectrum Analyzer.

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6.10.1 GSM850 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	Modulation	Peak to Average Ratio
836.6	190	GMSK	11.38
		8PSK	11.46

6.10.2 GSM1900 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	Modulation	Peak to Average Ratio
1880	661	GMSK	10.47
		8PSK	10.44

6.10.3 WCDMA B2 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	Modulation	Peak to Average Ratio
1880	9400	QPSK	3.63
1880	9400	16QAM	3.72

6.10.4 WCDMA B4 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	Modulation	Peak to Average Ratio
1732.5	1413	QPSK	3.70
1732.5	1413	16QAM	3.70

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

6.10.5 WCDMA B5 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	Modulation	Peak to Average Ratio
836.4	4182	QPSK	3.48
836.4	4182	16QAM	3.50

6.10.6 LTE B2 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	bandwidth	Modulation	Peak to Average Ratio
1880	18900	10MHz	QPSK	5.59
			16QAM	7.40

6.10.7 LTE B4 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	bandwidth	Modulation	Peak to Average Ratio
1732.5	20175	10MHz	QPSK	5.49
			16QAM	7.07

6.10.8 LTE B5 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	bandwidth	Modulation	Peak to Average Ratio
836.5	20525	10MHz	QPSK	5.32
			16QAM	6.83

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

6.10.9 LTE B7 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	bandwidth	Modulation	Peak to Average Ratio
2535	21100	10MHz	QPSK	5.43
			16QAM	6.84

6.10.10 LTE B12 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	bandwidth	Modulation	Peak to Average Ratio
707.5	23095	10MHz	QPSK	5.83
			16QAM	7.39

6.10.11 LTE B13 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	bandwidth	Modulation	Peak to Average Ratio
782	23230	10MHz	QPSK	6.37
			16QAM	7.87

6.10.12 LTE B17 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	bandwidth	Modulation	Peak to Average Ratio
710	23790	10MHz	QPSK	5.89
			16QAM	7.55

6.10.13 LTE B25 Peak to Average Ratio Results

Frequency (MHz)	EUT channel No.	bandwidth	Modulation	Peak to Average Ratio
1882.5	26365	10MHz	QPSK	5.69
			16QAM	7.20

6.10.14 LTE B26 Peak to Average Ratio Results

(824MHz-849MHz)


Frequency (MHz)	EUT channel No.	bandwidth	Modulation	Peak to Average Ratio
836.5	20525	10MHz	QPSK	5.32
			16QAM	6.83

(814MHz-824MHz)

Note:It only reflects the worst data


Frequency (MHz)	EUT channel No.	bandwidth	Modulation	Peak to Average Ratio
819	26865	10MHz	QPSK	6.09
			16QAM	7.40

Graphical for Peak to Average Ratio Results



Date: 5.NOV.2021 12:05:16

GSM850, GMSK




Date: 5.NOV.2021 12:07:11

GSM850, 8PSK


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:10:03

PCS1900, GMSK




Date: 5.NOV.2021 12:09:20

PCS1900, 8PSK


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:13:14

WCDMA B2, QPSK




Date: 5.NOV.2021 12:13:40

WCDMA B2, 16QAM


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 8.NOV.2021 20:27:00

WCDMA B4, QPSK




Date: 8.NOV.2021 20:26:39

WCDMA B4, 16QAM


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:14:57

WCDMA B5, QPSK




Date: 5.NOV.2021 12:15:14

WCDMA B5, 16QAM


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:13:14

LTE Band2, QPSK




Date: 5.NOV.2021 12:13:40

LTE Band2, 16QAM


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:34:07

LTE Band4, QPSK




Date: 5.NOV.2021 12:33:53

LTE Band4, 16QAM


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:33:19

LTE Band5, QPSK




Date: 5.NOV.2021 12:33:30

LTE Band5, 16QAM


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:32:26

LTE Band7, QPSK




Date: 5.NOV.2021 12:32:13

LTE Band7, 16QAM


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:31:19

LTE Band12, QPSK




Date: 5.NOV.2021 12:31:32

LTE Band12, 16QAM


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:30:22

LTE Band13, QPSK




Date: 5.NOV.2021 12:30:12

LTE Band13, 16QAM


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:29:39

LTE Band17, QPSK




Date: 5.NOV.2021 12:29:49

LTE Band17, 16QAM


Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Date: 5.NOV.2021 12:29:14

LTE Band25, QPSK




Date: 5.NOV.2021 12:29:03

LTE Band25, 16QAM

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

(824MHz-849MHz)



Date: 5.NOV.2021 12:33:19

LTE Band5, QPSK




Date: 5.NOV.2021 12:33:30

LTE Band5, 16QAM

Chongqing Academy of Information and Communication Technology


Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

(814MHz-824MHz)



Date: 17.JAN.2022 01:19:12

LTE Band26, QPSK



Date: 17.JAN.2022 01:19:26

LTE Band26, 16QAM

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Report No.: I21W00039-WWAN_Rev3

Annex A EUT Photos

See the document "SLM900-External Photos".

See the document "SLM900-Internal Photos".

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Report No.: I21W00039-WWAN_Rev3

ANNEX B Deviations from Prescribed Test Methods

No deviation from Prescribed Test Methods.

*****END OF REPORT*****

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777