

REVISIONS		
REV.	DESCRIPTION	DATE
A0		2024-07-10
A1	CHANGED ITEM No1 & ADDED LABELS	2024-07-25
A2	ADDED ENCLOSURE O-RING	2024-10-03
B0	CHANGED LED PIPE (Was T0005446)	2024-12-11



T0009125- MODULE ASSEMBLY
COMFORT





PHOTO SENSOR

USB-C CONNECTOR



T0009126-MODULE ASSEMBLY
VIVID





PHOTO SENSOR




Notes

- Drawing dimensions are for reference and inspection only. The associated 3D CAD file is the primary dimension reference.
- All materials, finishes and manufacturing processes shall be compliant with EU RoHS directives 2011/65/EU and (EU) 2015/863.
- All materials and finishes shall be compliant with EU directive EC/1907-2006 (REACH) and the current list of SvHC.
- This product shall be built to the requirements listed in TEKTELIC product workmanship standard A0001043.
- * is an important dimension and () dimension is a reference dimension.
- Color, Corrosion and Prints must follow design specifications.
- Other questions to be discussed with the designer.

1	No.	PART NAME	PART NO.	MATERIAL	SPECIFICATION	UNIT	Q'TY	REMARKS
3DR ANGLE			UNIT	MM / INCH	SCALE	1/1	REVISION	B0
DRAW	DESIGNED	CHECKED	APPROVED	MATERIAL.	DRAWING.NO	T0009125	MODULE ASSEMBLY COMFORT	COMFORT/VIVID
TEKTELIC Communications Inc.				PART NAME.	MODEL NAME.			

REVISIONS		
REV.	DESCRIPTION	DATE
A0		2024-07-23
A1	ADDED TEXT (IP65)	2025-01-15
A2	ADDED CAUTION SYMBOL	2025-02-05
A3	CHANGED PART NUMBER NOTATION	2025-02-07

- SAFETY AND REGULATORY LABEL
- SIZE: 0.5"X1.00"
 - FONT: ARIAL REGULAR, 5 POINTS
 - TEXT AND LAYOUT AS SHOWN BELOW



NOTES:

1. DRAWING DIMENSIONS ARE FOR REFERENCE AND INSPECTION ONLY. THE ASSOCIATED 3D CAD FILE IS THE PRIMARY DIMENSION REFERENCE.
2. ALL DIMENSIONS IN INCHES [MM]
3. UNLESS OTHERWISE SPECIFIED TOLERANCES ARE:
DIMENSIONS:
 - X ± 0.02
 - X.X ± 0.01
 - X.XX ± 0.005
 - ANGLES: $\pm 0.5^\circ$
4. MATERIAL: ZEBRA TECHNOLOGIES, 2000T, OR APPROVED EQUIVALENT.
5. PRINTER RIBBON: ZEBRA TECHNOLOGIES, 5095 HIGH PERFORMANCE RESIN, OR APPROVED EQUIVALENT.
6. PRINT TEXT, SYMBOL, AND 2D BARCODE WITH ZEBRA TECHNOLOGIES PRINTING SYSTEM, COLOR: BLACK.
7. ALL MATERIALS, FINISHES AND MANUFACTURING PROCESSES SHALL BE COMPLIANT WITH EU RoHS DIRECTIVES 2011/65/EU and (EU) 2015/863
8. ALL MATERIALS AND FINISHES SHALL BE COMPLIANT WITH EU DIRECTIVE EC/1907-2006 (REACH) AND THE CURRENT LIST OF SvHC
9. THIS PRODUCT SHALL BE BUILT TO THE REQUIREMENTS LISTED IN TEKTELIC PRODUCT WORKMANSHIP STANDARD A0001043.




TITLE:
LABEL, REGULATORY, COMFORT

DWG NO.	REVISION	SIZE
T0009131-REGULATORY LABEL COMFORT	A3	A3
SCALE:5:1		SHEET 1 OF 1

REVISIONS		
REV.	DESCRIPTION	DATE
A0		2024-07-23
A1	ADDED TEXT (IP65)	2025-01-15
A2	ADDED CAUTION SYMBOL	2025-02-05
A3	CHANGED PART NUMBER NOTATION	2025-02-07

- SAFETY AND REGULATORY LABEL
- SIZE: 0.5"X1.00"
 - FONT: ARIAL REGULAR, 5 POINTS
 - TEXT AND LAYOUT AS SHOWN BELOW



NOTES:

1. DRAWING DIMENSIONS ARE FOR REFERENCE AND INSPECTION ONLY. THE ASSOCIATED 3D CAD FILE IS THE PRIMARY DIMENSION REFERENCE.
2. ALL DIMENSIONS IN INCHES [MM]
3. UNLESS OTHERWISE SPECIFIED TOLERANCES ARE:
DIMENSIONS:
 - X ± 0.02
 - X.X ± 0.01
 - X.XX ± 0.005
 - ANGLES: $\pm 0.5^\circ$
4. MATERIAL: ZEBRA TECHNOLOGIES, 2000T, OR APPROVED EQUIVALENT.
5. PRINTER RIBBON: ZEBRA TECHNOLOGIES, 5095 HIGH PERFORMANCE RESIN, OR APPROVED EQUIVALENT.
6. PRINT TEXT, SYMBOL, AND 2D BARCODE WITH ZEBRA TECHNOLOGIES PRINTING SYSTEM, COLOR: BLACK.
7. ALL MATERIALS, FINISHES AND MANUFACTURING PROCESSES SHALL BE COMPLIANT WITH EU RoHS DIRECTIVES 2011/65/EU and (EU) 2015/863
8. ALL MATERIALS AND FINISHES SHALL BE COMPLIANT WITH EU DIRECTIVE EC/1907-2006 (REACH) AND THE CURRENT LIST OF SvHC
9. THIS PRODUCT SHALL BE BUILT TO THE REQUIREMENTS LISTED IN TEKTELIC PRODUCT WORKMANSHIP STANDARD A0001043.



TITLE:		
LABEL, REGULATORY, VIVID		
DWG NO.	REVISION	SIZE
T0009136-REGULATORY LABEL VIVID	A3	A3
SCALE:5:1		SHEET 1 OF 1