


Label Artwork Specification


DHF07C-LBL-007	UviqVue Holter Device labels-UB2251										
Issued by: Engineering								Effective Date: 10-06-2024	Rev. A	Pg. 1 of 8	
Approved: 20-05-2024 17:20 - John Layton - VP Marketing			Approved: 10-06-2024 07:40 - Saravanan B		Approved: 05-06-2024 15:18 - Ambalavanan K		Approved: 25-04-2024 11:09 - Krithika Balu - Quality Assurance				

Pre Printing Spec:- (Label outline shall not be printed)




Post Printing Spec for UX2251_US, UX2251_IN:-

Use for UB2251_US



Use for UB2251_IN



Do not scale / modify content / change font / modify color / change position / change print material / change print process

Confidential Property of LifeSignals, Inc.

Company:	LifeSignals, Inc.
Title:	2AYe Biosensor L0 Label 50 x 48 mm
SAP Part Number:	1000002028B
Grade:	ROHS, Medical
Label Material:	Manufacturer : Hanel Material : PET Film 25 µm Yellow Release Paper 130g Paper Part Number : PET Film 25µm(±2 µm) - KST1028 Adhesive Part Number : Acrylic Co-polymer, 800 g.f/25mm More
Pre Printing:	Printer : Offset Printing Ink Manufacturer : Tau Ink Part Number : 1690240-47, Black, Cyan, Magenta, Yellow, White, Green, Orange, Violet Color : Multi Color RGB
Label Size:	50 x 48 x 0.1 mm
Note:	Die Cut spec is same as 1000001958B

Color Table

	000000
	00549F
	A0A0A0
	32AAE0
	0BBEF
	ED2124

Confidential Property of LifeSignals, Inc.

Pairing ID:	XXXXXX	Five digit alpha numeric random pairing ID assigned by the software
Post Printing:	Printer : Zebra ZT410 (600 DPI) Ribbon : ARMOR AXR7+ BLACK Color : Black	

Characters shown in RED color are to be replaced during printing at the assembly line
Characters shown in RED and PURPLE colors are to be post-printed in BLACK

Confidential Property of LifeSignals, Inc.
Current Revision to be Used:

Model #	Current Revision #
EX2251_IN	LBL1
EX2251_US	LBL1


Current Revision # is mentioned in the post -print of each label next to the PN #.

Confidential Property of LifeSignals, Inc.
Drawing Revision Details:

Drawing Revision	Details of Revision	Date of Revision	Revision Done by
DWGREV1	Initial release.	27 Feb 2024	Ajeeth

Label artwork Specification

Pre Printing Spec:- (Label outline shall not be printed)



Post Printing Spec for UX2551, LX2251, UX2251, UX2253:-

Use for UB2551, LP2251, UB2251, UB2253



Do not scale / modify content / change font / modify color / change position / change print material / change print process

Confidential Property of LifeSignals, Inc.

Company:	LifeSignals, Inc.
Title:	WiFi Access and Pairing ID Label PP Film 32x46mm
SAP Part Number:	1000001976A
Grade:	ROHS, Medical
Label Material:	Manufacturer : HY Material : White, Matt, PolyPropylene Paper Part Number : HY80, 0.08mm Adhesive Part Number : W270, Acrylic, 0.02mm
Pre Printing:	No Pre-Printing
Label Size:	32 x 46 x 0.1 mm, Corner Radius 1.0 mm

Color Table

	000000
--	--------

Confidential Property of LifeSignals, Inc.

Data Matrix Format:	ECC 200, 26x26 Pixels, 15.875 x 15.875 mm Print size, 100 dpi	
Data Matrix Content:	<div><div><div>+B353KKKKK0/\$\$+7BIV0ASLLNNNNNXXXXX/16DYYYYMMDD/14DZZZMMDD</div><div><div>+B353</div><div>KKKKK</div><div>0</div><div>/\$\$7</div><div>BIV</div><div>0A</div><div>S</div><div>LL</div><div>TTTT</div><div>BBBB</div><div>/16D</div><div>YYYYMMDD</div><div>/14D</div><div>ZZZZMMDD</div></div><div><div>GUDID Starting Character</div><div>LIC of LifeSignals, Inc.</div><div>Part / Model number of the product</div><div>GUDID Packaging Level</div><div>GUDID Structure Sub Header for Lot Number</div><div>Build Information</div><div>Product Revision Number</div><div>Manufacturing Site ID</div><div>Assembly Line Number within the site</div><div>Alpha Numeric Continuous running lot number</div><div>Alpha Numeric Continuous running Outer (200) box number</div><div>GUDID Structure Sub Header for Manufacturing date</div><div>Manufacturing Date Code</div><div>GUDID Structure Sub Header for Expiration date</div><div>Expiration Date Code</div></div></div></div>	
Build Information:	<div><div>BIV</div><div>000</div><div>100</div><div>2?V</div></div> <div><div>List of Build Information defined below</div><div>Mass Production</div><div>Pilot Build</div><div>Proto / Engineering Sample Build</div><div>(? to be replaced with Proto Sub Revision)</div><div>(V to be replaced with custom char from Purchase Order)</div></div>	
Manufacturing Site ID:	<div><div>S</div><div>0</div><div>1</div></div> <div><div>List of Site IDs are defined below</div><div>Dreamtech, Cheonan, Korea</div><div>Dreamtech, Bac Ninh, Vietnam</div></div>	
Assembly Line Number:	<div><div>LL</div></div> <div><div>Two digit Assembly Line number, assigned by the manufacturing site</div></div>	
Unique Serial Number:	<div><div>NNNNN</div></div> <div><div>Five digit alpha numeric continuous running serial number assigned by the software</div></div>	
Pairing ID:	<div><div>XXXXXX</div></div> <div><div>Five digit alpha numeric random pairing ID assigned by the software</div></div>	
Manufacturing date:	<div><div>YYYY-MM-DD</div></div> <div><div>Replace with Year, Month, Date</div></div>	
Expiry date:	<div><div>ZZZZ-MM-DD</div></div> <div><div>Replace with Year, Month, Date (13 Months from Manufacturing Date)</div></div>	
Post Printing:	<div><div>Printer : Zebra ZT410 (600 DPI)</div><div>Ribbon : ARMOR AXR7+ BLACK</div><div>Color : Black</div></div>	

Characters shown in RED color are to be replaced during printing at the assembly line


Characters shown in RED and PURPLE colors are to be post-printed in BLACK

Confidential Property of LifeSignals, Inc.

Drawing Revision Details:


Drawing Revision	Details of Revision	Date of Revision	Revision Done by
DWGREV1	Initial release.	28 Oct 2022	PM
DWGREV2	Expiry date is updated from 1 year to 13 months from date of manufacturing.	16 Dec 2022	PM
DWGREV3	Updated Part / Model number to reflect generic 'KKKKK' in GUDID and content table.	06 July 2023	Ajeeth
DWGREV4	Changed EX2251 to UX2251 and EB2251 to UB2251	29 Feb 2024	Ajeeth

Pre Printing Spec:- (Label outline shall not be printed)



Post Printing Spec for UX2251_US, UX2251_IN:-

Use for UB2251_US



Use for UB2251_IN



Do not scale / modify content / change font / modify color / change position / change print material / change print process

Confidential Property of LifeSignals, Inc.

Company:	LifeSignals, Inc.
Title:	Biosensor Box L1 Label PP Film 100x80mm
SAP Part Number:	1000002029B
Grade:	ROHS, Medical
Label Material:	<div>Manufacturer : HY</div> <div>Material : White, Matt, PolyPropylene</div> <div>Paper Part Number : HY80, 0.08mm</div> <div>Adhesive Part Number : W270, Acrylic, 0.02mm</div>
Pre Printing:	<div>Printer : Offset Printing</div> <div>Ink Manufacturer : KSI</div> <div>Ink Part Number : BEST HV Black, Cyan, Magenta, Yellow</div> <div>Anti fadding enhancer : BEST UV Reducer</div> <div>Color : Multi Color RGB</div>
Label Size:	100 x 80 x 0.1 mm, Corner Radius 2.0 mm
Note:	Die Cut spec is same as 1000001533C

Color Table

000000
00549F
ED2124
0BBEF

Confidential Property of LifeSignals, Inc.

Data Matrix Format:	ECC 200, 32x32 Pixels, 10.837 x 10.837 mm Print size, 75 DPI
Data Matrix Content:	+B353UB22511/\$\$+BIV0ASLLNNNNNXXXXX/16DYYYYMMDD/14DZZZMMDD + GUDID Starting Character B353 LIC of LifeSignals, Inc. UB2251 Part number of the product 1 GUDID Packaging Level /\$\$+7 GUDID Structure Sub Header for Serial Number BIV Build Information OA Product Revision Number S Manufacturing Site ID LL Assembly Line Number within the site NNNNN Alpha Numeric Continuous running serial number XXXXXX Five Digit Unique Pairing ID /16D GUDID Structure Sub Header for Manufacturing date YYYYMMDD Manufacturing Date Code /14D GUDID Structure Sub Header for Expiration date ZZZZMMDD Expiration Date Code
Build Information:	BIV List of Build Information defined below 000 Mass Production 100 Pilot Build 2?V Proto / Engineering Sample Build (? to be replaced with Proto Sub Revision) (V to be replaced with custom char from Purchase Order)
Manufacturing Site ID:	S List of Site IDs are defined below 0 Dreamtech, Cheonan, Korea 1 Dreamtech, Bac Ninh, Vietnam
Assembly Line Number:	LL Two digit Assembly Line number, assigned by the manufacturing site
Unique Serial Number:	NNNNN Five digit alpha numeric continuous running serial number assigned by the software
Pairing ID:	XXXXXX Five digit alpha numeric random pairing ID assigned by the software
Manufacturing date:	YYYY-MM-DD Replace with Year, Month, Date
Expiry date:	ZZZZ-MM-DD Replace with Year, Month, Date (13 Months from the Manufacturing Date)
7 Series Part Number:	CCCC Replace with the full 7 series part number
5 Series Part Number:	EEEE Replace with the full 5 series part number
Post Printing:	Printer : Zebra ZT410 (600 DPI) Ribbon : ARMOR AXR7+ BLACK Color : Black

Characters shown in RED color are to be replaced during printing at the assembly line

Characters shown in RED and PURPLE colors are to be post-printed in BLACK

Confidential Property of LifeSignals, Inc.
Current Revision to be Used:

Model #	Current Revision #
UX2251_US	LBL1
UX2251_IN	LBL1


Current Revision # is mentioned in the post -print
of each label next to the PN #.

Confidential Property of LifeSignals, Inc.
Drawing Revision Details:

Drawing Revision	Details of Revision	Date of Revision	Revision Done by
DWGREV1	Initial release.	27 Feb 2024	Ajeeth


Label Artwork Specification

Pre Printing Spec:- (Label outline shall not be printed)




Post Printing Spec for UX2251_US, UX2251_IN:-

Use for UB2251_US



Use for UB2551_IN



Do not scale / modify content / change font / modify color / change position / change print material / change print process

Confidential Property of LifeSignals, Inc.

Company:	LifeSignals, Inc.
Title:	Inner Box Label PP Film 100x80mm
SAP Part Number:	1000002030B
Grade:	ROHS, Medical
Label Material:	Manufacturer : HY Material : White, Matt, PolyPropylene Paper Part Number : HY80, 0.08mm Adhesive Part Number : W270, Acrylic, 0.02mm
Pre Printing:	Printer : Offset Printing Ink Manufacturer : KSI Ink Part Number : BEST HV Black, Cyan, Magenta, Yellow Anti fadding enhancer : BEST UV Reducer Color : Multi Color RGB
Label Size:	100 x 80 x 0.1 mm, Corner Radius 2.0 mm
Note:	Die Cut spec is same as 1000001533C

Color Table

	000000
	00549F
	ED2124
	0BBEF

Confidential Property of LifeSignals, Inc.

Data Matrix Format:	ECC 200, 26x26 Pixels, 10.16 x 10.16 mm Print size, 65 DPI	
Data Matrix Content:	+B353UB22512/\$\$7BIV0ASLLTTTTBBB8B/16DYMMDD/14DZZZMMDD	
Build Information:	BIV 000 100 2?v	List of Build Information defined below Mass Production Pilot Build Proto / Engineering Sample Build (? to be replaced with Proto Sub Revision) (V to be replaced with custom char from Purchase Order)
Manufacturing Site ID:	S 0 1	List of Site IDs are defined below Dreamtech, Cheonan, Korea Dreamtech, Bac Ninh, Vietnam
Assembly Line Number:	LL	Two digit Assembly Line number, assigned by the manufacturing site
Lot Number:	TTTT	Five digit alpha numeric continuous running lot number assigned by the software
Box Number:	BBBB	Five digit alpha numeric continuous running Inner (25) box number assigned by the software
Manufacturing date:	YYYY-MM-DD	Replace with Year, Month, Date
Expiry date:	ZZZZ-MM-DD	Replace with Year, Month, Date (13 Months from the Manufacturing Date)
7 Series Part Number:	CCCC	Replace with the full 7 series part number
5 Series Part Number:	EEEE	Replace with the full 5 series part number
Post Printing:	Printer : Zebra ZT410 (600 DPI) Ribbon : ARMOR AXR7+ BLACK Color : Black	

Characters shown in RED color are to be replaced during printing at the assembly line

Characters shown in RED and PURPLE colors are to be post-printed in BLACK

Confidential Property of LifeSignals, Inc.
Current Revision to be Used:

Model #	Current Revision #
UX2251_US	LBL1
UX2251_IN	LBL1

Current Revision # is mentioned in the post -print
of each label next to the PN #.



Confidential Property of LifeSignals, Inc.
Drawing Revision Details:

Drawing Revision	Details of Revision	Date of Revision	Revision Done by
DWGREV1	Initial release.	27 Feb 2024	Ajeeth

Pre Printing Spec:- (Label outline shall not be printed)

Post Printing Spec for UX2251_US, UX2251_IN:-

Use for UB2251_US



Use for UB2251_IN

Do not scale / modify content / change font / modify color / change position / change print material / change print process

Confidential Property of LifeSignals, Inc.

Company:	LifeSignals, Inc.
Title:	Outer Box Label PP Film 280x100mm
SAP Part Number:	1000002031B
Grade:	ROHS, Medical
Label Material:	<div> <div>Manufacturer</div> <div>:</div> <div>HY</div> </div> <div> <div>Material</div> <div>:</div> <div>White, Matt, PolyPropylene</div> </div> <div> <div>Paper Part Number</div> <div>:</div> <div>HY80, 0.08mm</div> </div> <div> <div>Adhesive Part Number</div> <div>:</div> <div>W270, Acrylic, 0.02mm</div> </div>
Pre Printing:	<div> <div>Printer</div> <div>:</div> <div>Offset Printing</div> </div> <div> <div>Ink Manufacturer</div> <div>:</div> <div>KSI</div> </div> <div> <div>Ink Part Number</div> <div>:</div> <div>BEST HV Black, Cyan, Magenta, Yellow</div> </div> <div> <div>Anti fadding enhancer</div> <div>:</div> <div>BEST UV Reducer</div> </div> <div> <div>Color</div> <div>:</div> <div>Multi Color RGB</div> </div>
Label Size:	280 x 100 x 0.1 mm, Corner Radius 3.0 mm
Note:	Die Cut spec is same as 1000001535D

Color Table

000000
00549F
0BBEF



Data Matrix Format:	ECC 200, 26x26 Pixels, 26.416 x 26.416 mm Print size, 25 DPI	
Data Matrix Content:	+B353UB22513/\$\$7BIV0ASLLTTTTBBBBB/16DYYYYMMDD/14DZZZMMDD <div> <div>+</div> <div>B353</div> <div>UB2251</div> <div>3</div> <div>/\$\$7</div> <div>BIV</div> <div>0A</div> <div>S</div> <div>LL</div> <div>TTTTT</div> <div>BBBBB</div> <div>/16D</div> <div>YYYYMMDD</div> <div>/14D</div> <div>ZZZMMDD</div> </div> <div> <div>GUDID Starting Character</div> <div>LIC of LifeSignals, Inc.</div> <div>Part number of the product</div> <div>GUDID Packaging Level</div> <div>GUDID Structure Sub Header for Lot Number</div> <div>Build Information</div> <div>Product Revision Number</div> <div>Manufacturing Site ID</div> <div>Assembly Line Number within the site</div> <div>Alpha Numeric Continuous running lot number</div> <div>Alpha Numeric Continuous running Outer (200) box number</div> <div>GUDID Structure Sub Header for Manufacturing date</div> <div>Manufacturing Date Code</div> <div>GUDID Structure Sub Header for Expiration date</div> <div>Expiration Date Code</div> </div>	
Build Information:	BIV 000 100 2?V	List of Build Information defined below Mass Production Pilot Build Proto / Engineering Sample Build (? to be replaced with Proto Sub Revision) (V to be replaced with custom char from Purchase Order)
Manufacturing Site ID:	S 0 1	List of Site IDs are defined below Dreamtech, Cheonan, Korea Dreamtech, Bac Ninh, Vietnam
Assembly Line Number:	LL	Two digit Assembly Line number, assigned by the manufacturing site
Lot Number:	TTTTT	Five digit alpha numeric continuous running lot number assigned by the software
Box Number:	BBBBB	Five digit alpha numeric continuous running Outer (100) box number assigned by the software
Manufacturing date:	YYYY-MM-DD	Replace with Year, Month, Date
Expiry date:	ZZZZ-MM-DD	Replace with Year, Month, Date (13 Months from Manufacturing Date)
7 Series Part Number:	CCCC	Replace with the full 7 series part number
5 Series Part Number:	EEEE	Replace with the full 5 series part number
Post Printing:	Printer : Zebra ZT410 (600 DPI) Ribbon : ARMOR AXR7+ BLACK Color : Black	

Confidential Property of LifeSignals, Inc.
Current Revision to be Used:

Model #	Current Revision #
UX2251_US	LBL1
UX2251_IN	LBL1

Confidential Property of LifeSignals, Inc.
Drawing Revision Details:

Drawing Revision	Details of Revision	Date of Revision	Revision Done by
DWGREV1	Initial release.	29 Feb 2024	Ajeeth